


KT cable grommets, grey

for cable diameters 1 - 35 mm / IP66 / IP68 / UL Type 12/4X



IP54	IP55	IP64	IP65	IP66
IP67	IP68	UL TYPE 12	UL TYPE 4X	UL US
Made in Germany				

Specifications

IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
UL Type (UL 50E)	UL Type 12, UL Type 4X
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Product types & Sizes


BTK gy



Part No.	41251
EAN	4251269306686
PU	10
Color	grau (ähnlich RAL 7035)
Length	21 mm
Width	21 mm


Height	19 mm
Mounting height	2 mm
For cable type	Rundleitung
Blank grommet	1


KT 1 gy 	Part No.	39941	Height	19 mm
	EAN	4251269318146	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 1 - 2 mm
	Color	grau (ähnlich RAL 7035)		
	Length	21 mm		
	Width	21 mm		


KT 2 gy 	Part No.	39934	Height	19 mm
	EAN	4251269306280	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 2 - 3 mm
	Color	grau (ähnlich RAL 7035)		
	Length	21 mm		
	Width	21 mm		

KT 3 gy 	Part No.	41203	Height	19 mm
	EAN	4251269306389	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 3 - 4 mm
	Color	grau (ähnlich RAL 7035)		
	Length	21 mm		
	Width	21 mm		


KT 4 gy 	Part No.	41204	Height	19 mm
	EAN	4251269306396	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 4 - 5 mm
	Color	grau (ähnlich RAL 7035)		
	Length	21 mm		
	Width	21 mm		

KT 5 gy 	Part No.	41205	Height	19 mm
	EAN	4251269306402	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 5 - 6 mm
	Color	grau (ähnlich RAL 7035)		
	Length	21 mm		
	Width	21 mm		


KT 6 gy 	Part No.	41206	Height	19 mm
	EAN	4251269306419	Mounting height	2 mm
	PU	10	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 6 - 7 mm
	Color	grau (ähnlich RAL 7035)		
	Length	21 mm		
	Width	21 mm		

KT 7 gy


Part No.	41207	Height	19 mm
EAN	4251269306426	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 7 - 8 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 8 gy


Part No.	41208	Height	19 mm
EAN	4251269306433	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 8 - 9 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 9 gy


Part No.	41209	Height	19 mm
EAN	4251269306440	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 9 - 10 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 10 gy


Part No.	41210	Height	19 mm
EAN	4251269306457	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 10 - 11 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 11 gy


Part No.	41211	Height	19 mm
EAN	4251269306464	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 11 - 12 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 12 gy


Part No.	41212	Height	19 mm
EAN	4251269306471	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 12 - 13 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 13 gy


Part No.	41213	Height	19 mm
EAN	4251269306488	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 13 - 14 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 14 gy


Part No.	41214	Height	19 mm
EAN	4251269306495	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 14 - 15 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 15 gy


Part No.	41215	Height	19 mm
EAN	4251269306501	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 15 - 16 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

BTG gy (IP54)


Part No.	41252	Height	19 mm
EAN	4251269306693	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Blank grommet	1
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 16 gy

Part No.	41216	Height	19 mm
EAN	4251269306518	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 16 - 17 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		


KT 17 gy

Part No.	41217	Height	19 mm
EAN	4251269306525	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 17 - 18 mm
Color	grau (ähnlich RAL 7035)		
Length	41,5 mm		
Width	42 mm		

KT 18 gy


Part No. **41218**
 EAN **4251269306532**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 18 - 19 mm**

KT 19 gy


Part No. **41219**
 EAN **4251269306549**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 19 - 20 mm**

KT 20 gy


Part No. **41220**
 EAN **4251269306556**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 20 - 21 mm**

KT 21 gy


Part No. **41221**
 EAN **4251269306563**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 21 - 22 mm**

KT 22 gy


Part No. **41222**
 EAN **4251269306570**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 22 - 23 mm**

KT 23 gy


Part No. **41223**
 EAN **4251269306587**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 23 - 24 mm**

KT 24 gy


Part No. **41224**
 EAN **4251269306594**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 24 - 25 mm**

KT 25 gy


Part No. **41225**
 EAN **4251269306600**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 25 - 26 mm**

KT 26 gy


Part No. **41226**
 EAN **4251269306617**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 26 - 27 mm**

KT 27 gy


Part No. **41227**
 EAN **4251269306624**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 27 - 28 mm**

KT 28 gy


Part No. **41228**
 EAN **4251269306631**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 28 - 29 mm**

KT 29 gy


Part No. **41229**
 EAN **4251269306648**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 29 - 30 mm**

KT 30 gy


Part No. **41230**
EAN **4251269306655**
PU **10**
For max. no. of cables **1**
Color **grau (ähnlich RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Rundleitung**
Clamping range **1 x 30 - 31 mm**

KT 31 gy


Part No. **41231**
EAN **4251269316784**
PU **10**
For max. no. of cables **1**
Color **grau (ähnlich RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Rundleitung**
Clamping range **1 x 31 - 32 mm**

KT 32 gy


Part No. **41232**
EAN **4251269306662**
PU **10**
For max. no. of cables **1**
Color **grau (ähnlich RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Rundleitung**
Clamping range **1 x 32 - 33 mm**

KT 33 gy

Part No. **41233**
EAN **4251269316791**
PU **10**
For max. no. of cables **1**
Color **grau (ähnlich RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Rundleitung**
Clamping range **1 x 33 - 34 mm**

KT 34 gy

Part No. **41234**
EAN **4251269306679**
PU **10**
For max. no. of cables **1**
Color **grau (ähnlich RAL 7035)**
Length **41,5 mm**
Width **42 mm**

Height **19 mm**
Mounting height **2 mm**
For cable type **Rundleitung**
Clamping range **1 x 34 - 35 mm**