


# KT multi / special cable grommets, grey

for cable diameters 1 - 8 mm and special cables / IP54 / UL Type 12




Cable grommets KT small are used with the following cable entry components:

- KEL cable entry frames
- KVT split cable glands

KT multi-hole and special grommets enable a sealing of the cables with IP54 and UL Type 12.

When using double or quadruple grommets the cable density of cable entry frames and cable glands can be greatly increased. The multi-hole model range KT small is designed for cable diameters from 1 to 8 mm. icotek also offers special cable grommets for e.g. ASI lines. ATG adapter grommets provide the possibility to hold a small KT grommet to reduce the clamping range down to 1 mm.

When installing the small grommets in multiple rows, the flat sides should be facing each other. This allows the flat sides to match up and provide a secure seal.



## Specifications


|                       |                             |
|-----------------------|-----------------------------|
| IP rating (EN 60529)  | IP54                        |
| UL Type (UL 50E)      | UL Type 12                  |
| Material              | Elastomer                   |
| Flame class           | UL94-V0, self-extinguishing |
| Operating temperature | -40 C° to 100 C°            |
| Properties            | silicone free, halogen free |

## Advantages & Benefits

- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- Available for a large range of cable diameters
- Greatly increased cable density when using double or quadruple grommets

## Product types & Sizes


KT 2|1 gy



|                        |                         |
|------------------------|-------------------------|
| Part No.               | 39942                   |
| EAN                    | 4251269318153           |
| PU                     | 10                      |
| For max. no. of cables | 2                       |
| Color                  | grau (ähnlich RAL 7035) |
| Length                 | 21 mm                   |
| Width                  | 21 mm                   |


|                 |              |
|-----------------|--------------|
| Height          | 19 mm        |
| Mounting height | 2 mm         |
| For cable type  | Rundleitung  |
| Clamping range  | 2 x 1 - 1 mm |

KT 2|2 gy




|                        |                         |
|------------------------|-------------------------|
| Part No.               | 39935                   |
| EAN                    | 4251269306297           |
| PU                     | 10                      |
| For max. no. of cables | 2                       |
| Color                  | grau (ähnlich RAL 7035) |
| Length                 | 21 mm                   |
| Width                  | 21 mm                   |

|                 |              |
|-----------------|--------------|
| Height          | 19 mm        |
| Mounting height | 2 mm         |
| For cable type  | Rundleitung  |
| Clamping range  | 2 x 2 - 2 mm |

**KT 2|3 gy**



Part No. **39939**  
 EAN **4251269306334**  
 PU **10**  
 For max. no. of cables **2**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Rundleitung**  
 Clamping range **2 x 3 - 3 mm**

**KT 2|4 gy**



Part No. **39906**  
 EAN **4251269306068**  
 PU **10**  
 For max. no. of cables **2**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Rundleitung**  
 Clamping range **2 x 4 - 4 mm**

**KT 2|5 gy**



Part No. **41200**  
 EAN **4251269306358**  
 PU **10**  
 For max. no. of cables **2**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Rundleitung**  
 Clamping range **2 x 5 - 5 mm**

**KT 2|6 gy**



Part No. **41201**  
 EAN **4251269306365**  
 PU **10**  
 For max. no. of cables **2**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Rundleitung**  
 Clamping range **2 x 6 - 6 mm**

**KT 2|7 gy**



Part No. **41202**  
 EAN **4251269306372**  
 PU **10**  
 For max. no. of cables **2**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Rundleitung**  
 Clamping range **2 x 7 - 7 mm**

**KT 2|8 gy**



Part No. **39917**  
 EAN **4251269306174**  
 PU **10**  
 For max. no. of cables **2**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Rundleitung**  
 Clamping range **2 x 8 - 8 mm**

**KT 4|2 gy**


Part No. **39937**  
 EAN **4251269306310**  
 PU **10**  
 For max. no. of cables **4**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Rundleitung**  
 Clamping range **4 x 2 - 2 mm**

**KT 4|3 gy**


Part No. **39914**  
 EAN **4251269306143**  
 PU **10**  
 For max. no. of cables **4**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Rundleitung**  
 Clamping range **4 x 3 - 3 mm**

**KT 4|4 gy**


Part No. **39909**  
 EAN **4251269306099**  
 PU **10**  
 For max. no. of cables **4**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Rundleitung**  
 Clamping range **4 x 4 - 4 mm**

**KT 4|5 gy**


Part No. **39908**  
 EAN **4251269306082**  
 PU **10**  
 For max. no. of cables **4**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Rundleitung**  
 Clamping range **4 x 5 - 5 mm**

**KT 4|6 gy**


Part No. **39932**  
 EAN **4251269306266**  
 PU **10**  
 For max. no. of cables **4**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Rundleitung**  
 Clamping range **4 x 6 - 6 mm**

**KTs 16 gy**


Part No. **39901**  
 EAN **4251269306013**  
 PU **10**  
 For max. no. of cables **1**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Rundleitung**  
 Clamping range **1 x 16 - 16 mm**

**KTs 17 gy**


Part No. **39900**  
 EAN **4251269306006**  
 PU **10**  
 For max. no. of cables **1**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **Rundleitung**  
 Clamping range **1 x 17 - 17 mm**

**KT-ASI gy**


Part No. **39902**  
 EAN **4251269306020**  
 PU **10**  
 For max. no. of cables **1**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **ASI Leitung**

**KT-ASI-2 II gy**


Part No. **39921**  
 EAN **4251269306198**  
 PU **10**  
 For max. no. of cables **2**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **ASI Leitung**

**KT-ASI-2 rl gy**


Part No. **39922**  
 EAN **4251269306204**  
 PU **10**  
 For max. no. of cables **2**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**  
 For cable type **ASI Leitung**

**KT-S1 gy**


Part No. **39931**  
 EAN **4251269306259**  
 PU **10**  
 For max. no. of cables **1**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**

**KT oval gy**


Part No. **39930**  
 EAN **4251269306242**  
 PU **10**  
 For max. no. of cables **1**  
 Color **grau (ähnlich RAL 7035)**  
 Length **21 mm**  
 Width **21 mm**

Height **19 mm**  
 Mounting height **2 mm**

**KT tele gy**


Part No. **39929**  
EAN **4251269306235**  
PU **10**  
For max. no. of cables **1**  
Color **grau (ähnlich RAL 7035)**  
Length **21 mm**  
Width **21 mm**

Height **19 mm**  
Mounting height **2 mm**  
For cable type **Telefonleitung**

**KT Tele1 gy**


Part No. **41257**  
EAN **4251269306716**  
PU **10**  
For max. no. of cables **1**  
Color **grau (ähnlich RAL 7035)**  
Length **21 mm**  
Width **21 mm**

Height **19 mm**  
Mounting height **2 mm**  
For cable type **Datenkabel RJ12**

**KT Tele2 gy**

Part No. **41258**  
EAN **4251269306723**  
PU **10**  
For max. no. of cables **1**  
Color **grau (ähnlich RAL 7035)**  
Length **21 mm**  
Width **21 mm**

Height **19 mm**  
Mounting height **2 mm**  
For cable type **Datenkabel RJ10 / RJ45**

**ATG gy**

Part No. **41253**  
EAN **4251269306709**  
PU **10**  
For max. no. of cables **1**  
Color **grau (ähnlich RAL 7035)**  
Length **41,5 mm**  
Width **42 mm**

Height **19 mm**  
Mounting height **2 mm**