

KTF cable grommets for KEL-JUMBO

for cable diameters 33 - 65 mm / IP54 / UL Type 12



The grommets KTF are suitable for cable diameters up to 65 mm.

Suitable for KEL-JUMBO cable entry frames.

Cables with a comparatively smaller diameter can be utilised with KEL-JUMBO frames by using an adapter grommet.

IP54

UL TYPE
12

C_{UL} US

RIIA

HL3
EN 45545-2

EN 61373

ECOLAB
certified

UV
ISO 4892-2A

RoHS
compliant

REACH
COMPLIANCE

Made in
Germany


Specifications

IP rating (EN 60529)	IP54
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Advantages & Benefits

- Installation of cables up to 65 mm in diameter
- It is possible to install rigid cables at angles

Product types & Sizes


	KTF 00	Part No.	42371	Mounting height	2,5 mm
		EAN	4251269308581	Blank grommet	1
		PU	1		
		Color	grau (ähnlich RAL 7035)		
		Length	81 mm		
		Width	81 mm		
		Height	37 mm		
	KTF 34	Part No.	42376	Height	37 mm
		EAN	4251269308598	Mounting height	2,5 mm
		PU	1	For cable type	Rundleitung
		For max. no. of cables	1	Clamping range	1 x 33 - 36 mm
		Color	grau (ähnlich RAL 7035)		
		Length	81 mm		
		Width	81 mm		

	KTF 38	Part No.	42379	Height	37 mm
		EAN	4251269308604	Mounting height	2,5 mm
		PU	1	For cable type	Rundleitung
		For max. no. of cables	1	Clamping range	1 x 37 - 40 mm
		Color	grau (ähnlich RAL 7035)		
		Length	81 mm		
		Width	81 mm		


	KTF 42	Part No.	42382	Height	37 mm
		EAN	4251269308611	Mounting height	2,5 mm
		PU	1	For cable type	Rundleitung
		For max. no. of cables	1	Clamping range	1 x 41 - 44 mm
		Color	grau (ähnlich RAL 7035)		
		Length	81 mm		
		Width	81 mm		

	KTF 46	Part No.	42385	Height	37 mm
		EAN	4251269308628	Mounting height	2,5 mm
		PU	1	For cable type	Rundleitung
		For max. no. of cables	1	Clamping range	1 x 45 - 48 mm
		Color	grau (ähnlich RAL 7035)		
		Length	81 mm		
		Width	81 mm		


	KTF 50	Part No.	42388	Height	37 mm
		EAN	4251269308635	Mounting height	2,5 mm
		PU	1	For cable type	Rundleitung
		For max. no. of cables	1	Clamping range	1 x 48 - 52 mm
		Color	grau (ähnlich RAL 7035)		
		Length	81 mm		
		Width	81 mm		

	KTF 54	Part No.	42391	Height	37 mm
		EAN	4251269308642	Mounting height	2,5 mm
		PU	1	For cable type	Rundleitung
		For max. no. of cables	1	Clamping range	1 x 53 - 56 mm
		Color	grau (ähnlich RAL 7035)		
		Length	81 mm		
		Width	81 mm		

	KTF 58	Part No.	42394	Height	37 mm
		EAN	4251269308659	Mounting height	2,5 mm
		PU	1	For cable type	Rundleitung
		For max. no. of cables	1	Clamping range	1 x 56 - 60 mm
		Color	grau (ähnlich RAL 7035)		
		Length	81 mm		
		Width	81 mm		

KTF 62

Part No.	42397	Height	37 mm
EAN	4251269308666	Mounting height	2,5 mm
PU	1	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 61 - 65 mm
Color	grau (ähnlich RAL 7035)		
Length	81 mm		
Width	81 mm		

KTA

Part No.	42370	Height	37 mm
EAN	4251269308574	Mounting height	2,5 mm
PU	1		
For max. no. of cables	1		
Color	grau (ähnlich RAL 7035)		
Length	81 mm		
Width	81 mm		

