

QT-DT multi-membrane cable grommets for QUICK systems

for cable diameters 1 - 12.2 mm / IP54



The QT-DT cable grommets can be used anywhere where a large number of electrical, pneumatic or hydraulic lines must be routed and sealed with IP54. By using the QT-DT grommets, the cable density can be significantly increased.

QT-DT grommets are compatible with split icotek cable entry framesKEL-QUICK and KEL-QTA. The routing of cables with and without preassembled connectors in one cable entry frame can thus be easily combined.

The QT-DT grommets are also perfectly suitable for the assembly of subsequently terminated cable harnesses.

IP54



ECOLAB
certified



RoHS
compliant



Made in
Germany

Specifications


IP rating (EN 60529)	IP54
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Advantages & Benefits

- Routing of cables with and without connectors
- High cable density
- Cost-effective solution
- Enables sub-assembly of cable harnesses


Product types & Sizes

QT-DT 1





Part No.	42550	Height	12 mm
EAN	4251269320576	For cable type	Rundleitung
PU	10	Clamping range	4 x 1 - 6.5 mm
For max. no. of cables	4		
Color	grau (ähnlich RAL 7035)		
Length	19 mm		
Width	20 mm		


QT-DT 2





Part No.	42551	Height	12 mm
EAN	4251269320583	For cable type	Rundleitung
PU	10	Clamping range	2 x 1 - 3.5 mm
For max. no. of cables	4		2 x 1 - 6.5 mm
Color	grau (ähnlich RAL 7035)		
Length	19 mm		
Width	20 mm		


QT-DT 3 	Part No.	42552	Height	12 mm
	EAN	4251269320590	For cable type	Rundleitung
	PU	10	Clamping range	9 x 1 - 3.5 mm
	For max. no. of cables	9		
	Color	grau (ähnlich RAL 7035)		
	Length	19 mm		
	Width	20 mm		

QT-DT 8 	Part No.	42556	Height	17 mm
	EAN	4251269322907	For cable type	Rundleitung
	PU	10	Clamping range	12 x 1 - 6.5 mm
	For max. no. of cables	14		2 x 1 - 12.2 mm
	Color	grau (ähnlich RAL 7035)		
	Length	40 mm		
	Width	39 mm		

QT-DT 9 	Part No.	42557	Height	17 mm
	EAN	4251269322914	For cable type	Rundleitung
	PU	10	Clamping range	15 x 1 - 7.1 mm
	For max. no. of cables	15		
	Color	grau (ähnlich RAL 7035)		
	Length	40 mm		
	Width	39 mm		

QT-DT 10 	Part No.	42558	Height	17 mm
	EAN	4251269322921	For cable type	Rundleitung
	PU	10	Clamping range	4 x 1 - 6.5 mm
	For max. no. of cables	10		3 x 1 - 9.5 mm
	Color	grau (ähnlich RAL 7035)		3 x 1 - 11.3 mm
	Length	40 mm		
	Width	39 mm		

QT-DT 11 	Part No.	42559	Height	17 mm
	EAN	4251269322938	For cable type	Rundleitung
	PU	10	Clamping range	9 x 1 - 9.5 mm
	For max. no. of cables	9		
	Color	grau (ähnlich RAL 7035)		
	Length	40 mm		
	Width	39 mm		

QT-DT 12 	Part No.	42560	Height	17 mm
	EAN	4251269322945	For cable type	Rundleitung
	PU	10	Clamping range	1 x 1 - 9.5 mm
	For max. no. of cables	5		4 x 1 - 14.5 mm
	Color	grau (ähnlich RAL 7035)		
	Length	40 mm		
	Width	39 mm		

