

CA - CF and MA - MF C-TYPE standard version

| inserts | | page: |
|---------|-----------------------|-------------|
| CD | 64 poles + ⊕ | 72 |
| CDD | 108 poles + ⊕ | 81 |
| CDS | 42 poles + ⊕ | - |
| CDSH | 42 poles + ⊕ | 89 |
| CNE | 24 poles + ⊕ | 113 |
| CSE | 24 poles + ⊕ | - |
| CSH | 24 poles + ⊕ | 113 |
| CSH S | 24 poles + ⊕ | 125 |
| CCE | 24 poles + ⊕ | 133 |
| CMSH | 10+2 (aux) poles + ⊕ | 140 |
| CMCE | 10+2 (aux) poles + ⊕ | 141 |
| CSS | 24 poles + ⊕ | 151 |
| CQE | 46 poles + ⊕ | 171 |
| CQEE | 64 poles + ⊕ | 177 |
| CX | 4/8 and 6/6 poles + ⊕ | 204 and 206 |
| MIXO | 6 modules | 262 - 317 |

hoods with double top entry and 4 pegs



hoods with double front entry and 4 pegs



| description | part No. | entry Pg | part No. | entry M | part No. | entry Pg | part No. | entry M |
|--|------------|----------|------------|---------|------------|----------|------------|---------|
| with pegs for two levers | | | | | | | | |
| used with enclosures size "104.27" | CAV 24.221 | 21 x 2 | MAV 24.232 | 32 x 2 | | | | |
| used with enclosures size "104.27" | CAV 24.229 | 29 x 2 | | | | | | |
| with pegs for 2 levers, without adapter 1) | | | | | | | | |
| used with enclosures size "104.27" | CFV 24.221 | 21 x 2 | MFV 24.232 | 32 x 2 | | | | |
| with pegs for two levers | | | | | | | | |
| used with enclosures size "104.27" | | | | | CAF 24.221 | 21 x 2 | MAF 24.225 | 25 x 2 |
| with pegs for 2 lever, without adapter 1) | | | | | | | | |
| used with enclosures size "104.27" | | | | | CFF 24.221 | 21 x 2 | MFF 24.225 | 25 x 2 |


1) enclosure without adapter, threaded on the body, to be used only with a complete cable gland.

IP degrees are according to the type of lever of the counterpart enclosures.

Alternatively, hoods with pegs may be coupled with fixed enclosures:


- C-TYPE, IP65 or IP66/IP69 stainless steel lever, from page 412 to page 422
- C7, IP66/IP67/IP69 stainless steel lever, page 441
- CV, IP65 or IP66/IP69 stainless steel lever, page 460 and 461

CAV/CFV and MAV/MFV



| part No. | A |
|-------------------------|-----------|
| CAV 24.221 - MAV 24.232 | 90,5 (91) |
| CAV 24.229 | 90,5 |
| CFV 24.221 - MFV 24.232 | - |

CAF/CFF and MAF/MFF



CALUS® Type
4/4X/12



insulating cable gland or fittings
without gasket



cable gland with O-Ring gasket
IP67 if hoods without adapters coupled
with IP67 housings