



Cable Glands

Metric Threads Cable Glands



Standard Brass Cable Glands | Metric Threads | IP68/IP69 Rating




| Part Number | UL Rating | IP Rating | Diameter Range (mm) | A Mounting Hole Clearance (mm) | B Thread Length (mm) | C Wrench Flats (mm) | Thread Type |
|-------------|---------------|-----------|---------------------|--------------------------------|----------------------|---------------------|-------------|
| MCG-M06*** | N/A | IP68 | 2 - 3.2 | 6.2 | 6 | 8 | M6 x 1.0 |
| MCG-M08*** | N/A | IP68 | 3 - 5 | 8.2 | 4 | 11 | M8 x 1.25 |
| MCG-M12 | UL Recognized | IP69 | 3 - 6 | 12.2 | 5 | 14 | M12 x 1.5 |
| MCG-M16 | UL Recognized | IP69 | 3 - 9 | 16.2 | 5 | 17 | M16 x 1.5 |
| MCG-M20 | UL Recognized | IP69 | 5 - 13 | 20.2 | 6 | 22 | M20 x 1.5 |
| MCG-M25 | UL Recognized | IP69 | 8 - 16 | 25.2 | 7 | 27 | M25 x 1.5 |
| MCG-M32 | UL Recognized | IP68 | 12 - 21 | 32.2 | 8 | 34 | M32 x 1.5 |
| MCG-M40 | UL Recognized | IP68 | 16 - 27 | 40.2 | 8 | 43 | M40 x 1.5 |
| MCG-M50 | UL Recognized | IP69 | 21 - 35 | 50.2 | 9 | 55 | M50 x 1.5 |
| MCG-M63 | UL Recognized | IP69 | 27-48 | 63.2 | 10 | 65 | M63 x 1.5 |

*** MCG-M06 & MCG-M08 are not supplied with jam nuts. Nuts are not available for these cable glands.

M12 through M32 are also available in Stainless steel. Add "SS" to the part number (e.g. MCG-M12-SS). Stainless steel glands do not come with jam nuts.

Mencom Cable Glands are easy to use and provide a good strain relief and water tight seal for round cables. The cable glands are rated up to IP68 (comparable to NEMA 6P). The glands have a wide clamping range.

A Locking Nut and an O-Ring are supplied on all Metric threaded Metal Cable Glands, except where noted.



Materials:

Body: Nickel Plated Brass
Insert: Polyamide
Seal: Neoprene
O-Ring: BUNA-N