





RoHS  
Compliant

BOMcheck.net

Color:

**Data****Electrical data****Ratings per IEC/EN 60664-1**

|                                 |       |
|---------------------------------|-------|
| Rated voltage (III / 3)         | 500 V |
| Rated impulse voltage (III / 3) | 6 kV  |
| Rated current                   | 24 A  |

**Material Data**

|           |            |
|-----------|------------|
| Color     | light gray |
| Fire load | 0.006 MJ   |
| Weight    | 0.722 g    |

**Commercial data**

|                    |               |
|--------------------|---------------|
| Product Group      | 22 (TOPJOB S) |
| Country of origin  | DE            |
| GTIN               | 4055143692373 |
| Customs Tariff No. | 85366990990   |

**Downloads****Documentation****Bid Text**




|          |  |                |          |
|----------|--|----------------|----------|
| 2002-492 |  | doc<br>24.1 kB | Download |
|----------|--|----------------|----------|

|                        |             |               |          |
|------------------------|-------------|---------------|----------|
| Additional Information |             |               |          |
| Technical explanations | Apr 3, 2019 | pdf<br>2.1 MB | Download |

CAD/CAE - Smart Data

|                      |  |     |          |
|----------------------|--|-----|----------|
| CAD data             |  |     |          |
| 3D Download 2002-492 |  | URL | Download |
| WSCAD                |  |     |          |
| WSCAD Universe       |  |     | Download |



Subject to changes.