



2006-911/1000-542



RoHS   
Compliant

[BOMcheck.net](https://www.bomcheck.net)

Color: 

### Item description

#### Safety information 1:

Electrical ratings are given by the fuse and blown fuse indication.

#### Safety information 2:

Leakage current in case of blown fuse: LED 2mA

## Data

### Electrical data

#### Ratings per IEC/EN 60664-1

|                         |       |
|-------------------------|-------|
| Rated voltage (III / 3) | 800 V |
| Rated current           | 10 A  |

#### Approvals per UL 1059

|                                |      |
|--------------------------------|------|
| Rated voltage UL (Use Group B) | 65 V |
| Rated current UL (Use Group B) | 15 A |
| Rated voltage UL (Use Group C) | 65 V |
| Rated current UL (Use Group C) | 15 A |

#### Approvals per CSA

|                                 |       |
|---------------------------------|-------|
| Rated voltage CSA (Use Group B) | 600 V |
| Rated current CSA (Use Group B) | 15 A  |
| Rated voltage CSA (Use Group C) | 600 V |
| Rated current CSA (Use Group C) | 15 A  |

#### Geometrical Data

|       |                     |
|-------|---------------------|
| Width | 7.4 mm / 0.291 inch |
|-------|---------------------|

#### Mechanical data

|               |                |
|---------------|----------------|
| Marking level | Center marking |
|---------------|----------------|

#### Material Data

|           |          |
|-----------|----------|
| Color     | gray     |
| Fire load | 0.612 MJ |
| Weight    | 6.5 g    |

#### Commercial data

|                    |               |
|--------------------|---------------|
| Product Group      | 22 (TOPJOB S) |
| Country of origin  | DE            |
| GTIN               | 4045454820916 |
| Customs Tariff No. | 85366990990   |

#### Approvals / Certificates

##### Country specific Approvals

| Logo                                                                             | Approval                        | Additional Approval Text | Certificate name |
|----------------------------------------------------------------------------------|---------------------------------|--------------------------|------------------|
|  | CCA<br>DEKRA Certification B.V. | IEC 60947                | NTR NL<br>7311   |
|  | CCA<br>DEKRA Certification B.V. | IEC 60947                | 71-<br>101179    |
|  | CSA<br>DEKRA Certification B.V. | C22.2 No. 158            | 1543858          |
|  | CSA<br>DEKRA Certification B.V. | C22.2 No. 158            | 1543858          |

#### Ship Approvals

| Logo                                                                                | Approval                                         | Additional Approval Text | Certificate name         |
|-------------------------------------------------------------------------------------|--------------------------------------------------|--------------------------|--------------------------|
|   | ABS<br>American Bureau of Shipping               | EN 60947                 | 14-<br>HG1293677-<br>PDA |
|   | DNV GL<br>Det Norske Veritas, Germanischer Lloyd | -                        | TAE00001V2               |
|  | LR<br>Lloyds Register                            | EN 60947                 | 91/20112<br>(E9)         |

#### UL-Approvals

| Logo                                                                               | Approval                             | Additional Approval Text | Certificate name |
|------------------------------------------------------------------------------------|--------------------------------------|--------------------------|------------------|
|  | UL<br>Underwriters Laboratories Inc. | UL 1059                  | E45172           |

#### Compatible products

clamps

**Item no.: 2006-1661**2-conductor carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; Push-in CAGE CLAMP®

2006-1661

**Item no.: 2006-1664**2-conductor carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; Push-in CAGE CLAMP®

2006-1664

**Marking accessories****Item no.: 2009-110**

Marking strips; on reel; not stretchable; plain; snap-on type

2009-110

**Item no.: 2009-115**

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

2009-115

**Item no.: 2009-115/000-002**

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

2009-115

/000-002

**Item no.: 2009-115/000-006**

WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

2009-115

/000-006

**Item no.: 2009-115/000-007**

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

2009-115

/000-007

**Item no.: 2009-115/000-012**

WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

2009-115

/000-012

**Item no.: 2009-115/000-017**

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

2009-115

/000-017

**Item no.: 2009-115/000-023**

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

2009-115

/000-023

**Item no.: 2009-115/000-024**

WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

2009-115

/000-024

**Item no.: 793-501**

WMB marking card; as card; not stretchable; plain; snap-on type

793-501

**Item no.: 793-501/000-002**

WMB marking card; as card; not stretchable; plain; snap-on type

793-501

/000-002

**Item no.: 793-501/000-005**

WMB marking card; as card; not stretchable; plain; snap-on type

793-501

/000-005

**Item no.: 793-501/000-006**

WMB marking card; as card; not stretchable; plain; snap-on type

793-501

/000-006

**Item no.: 793-501/000-007**

WMB marking card; as card; not stretchable; plain; snap-on type

793-501

/000-007

|                                                                                    |                                                                                                                                                   |                      |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|    | <b>Item no.: 793-501/000-012</b><br>WMB marking card; as card; not stretchable; plain; snap-on type                                               | 793-501<br>/000-012  |
|    | <b>Item no.: 793-501/000-017</b><br>WMB marking card; as card; not stretchable; plain; snap-on type                                               | 793-501<br>/000-017  |
|    | <b>Item no.: 793-501/000-023</b><br>WMB marking card; as card; not stretchable; plain; snap-on type                                               | 793-501<br>/000-023  |
|    | <b>Item no.: 793-501/000-024</b><br>WMB marking card; as card; not stretchable; plain; snap-on type                                               | 793-501<br>/000-024  |
|    | <b>Item no.: 793-5501</b><br>WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type         | 793-5501             |
|    | <b>Item no.: 793-5501/000-002</b><br>WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type | 793-5501<br>/000-002 |
|   | <b>Item no.: 793-5501/000-005</b><br>WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type                                       | 793-5501<br>/000-005 |
|  | <b>Item no.: 793-5501/000-006</b><br>WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type                                       | 793-5501<br>/000-006 |
|  | <b>Item no.: 793-5501/000-007</b><br>WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type                                       | 793-5501<br>/000-007 |
|  | <b>Item no.: 793-5501/000-012</b><br>WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type                                       | 793-5501<br>/000-012 |
|  | <b>Item no.: 793-5501/000-014</b><br>WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type                                       | 793-5501<br>/000-014 |
|  | <b>Item no.: 793-5501/000-017</b><br>WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type                                       | 793-5501<br>/000-017 |
|  | <b>Item no.: 793-5501/000-023</b><br>WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type                                       | 793-5501<br>/000-023 |
|  | <b>Item no.: 793-5501/000-024</b><br>WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type                                       | 793-5501<br>/000-024 |



Downloads  
Documentation  
Bid Text

|                   |                 |          |
|-------------------|-----------------|----------|
| 2006-911/1000-542 | docx<br>14.4 kB | Download |
|-------------------|-----------------|----------|

Additional Information

|  |               |          |
|--|---------------|----------|
|  | pdf<br>2.1 MB | Download |
|--|---------------|----------|

CAD/CAE - Smart Data

CAD data

|                               |     |          |
|-------------------------------|-----|----------|
| 3D Download 2006-911/1000-542 | URL | Download |
|-------------------------------|-----|----------|



Subject to changes.