



Data sheet | Item number: 2020-2237

2-conductor/2-pin, double-deck carrier terminal block; 2-conductor/2-pin ground terminal block; PE; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®



2020-2237



RoHS
Compliant ✓

BOMcheck.net

Color:

Data

Connection data

Connection technology	Push-in CAGE CLAMP®
Actuation type	Open Tool Slot Push-in
Connectable conductor materials	Copper
Nominal cross section	1 mm²
Solid conductor	0.14 ... 1.5 mm² / 24 ... 16 AWG
Solid conductor, push-in termination	0.5 ... 1.5 mm² / 20 ... 16 AWG
Fine-stranded conductor	0.14 ... 1.5 mm² / 24 ... 16 AWG
Strip length	9 ... 11 mm / 0.35 ... 0.43 inch
Note (conductor cross-section)	Depending on the conductor characteristic, a conductor with a smaller cross section can also be inserted via push-in termination.
Total number of connection points	2
Total number of potentials	1
Number of levels	2
Type of wiring	Front-entry wiring

Geometrical Data

Width	3.5 mm / 0.138 inch
Height from upper-edge of DIN-35 rail	61.4 mm / 2.417 inch
Depth	80.1 mm / 3.154 inch

Mechanical data

Design	horizontal
Type of mounting	DIN-35 rail
Potential marking	PE
Marking level	Side marking

Material Data

Color	green-yellow
Insulating material	Polyamide 66 (PA 66)
Fire load	0.191 MJ
Weight	11.07 g

Commercial data

Product Group	18 (X-COM-System)
Country of origin	CN
GTIN	4050821049609
Customs Tariff No.	85366990990

Approvals / Certificates

Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	EN 60947	NTR NL 7617
	CSA DEKRA Certification B.V.	C22.2 No. 158	2516073
	CSA DEKRA Certification B.V.	C22.2 No. 158	2516073
	KEMA/KEUR DEKRA Certification B.V.	EN 60947	71- 100670



Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	ABS American Bureau of Shipping	EN 60947	14- HG1293677- PDA
	BV Bureau Veritas S.A.	EN 60947	38586/A0 BV
	DNV GL Det Norske Veritas, Germanischer Lloyd	-	TAE00001V2
	LR Lloyds Register	EN 60947	91/20112 (E9)

UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UL UL International Germany GmbH	UL 1059	E45172
	UL Underwriters Laboratories Inc.	UL 1059	E45172

Compatible products

Coding

**Item no.: 2020-100**

Carrier with 6 coding pins; for coding of female plugs; for carrier terminal blocks

2020-100

check

**Item no.: 859-500**

Test pin; 1 mm Ø; with solder connection for test wire

859-500

ferrule

**Item no.: 216-241**Ferrule; Sleeve for 0.5 mm² / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-241

**Item no.: 216-242**Ferrule; Sleeve for 0.75 mm² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-242

**Item no.: 216-243**Ferrule; Sleeve for 1 mm² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-243

Jumper

**Item no.: 2000-402**

Push-in type jumper bar; insulated; 2-way; Nominal current 14 A

2000-402

**Item no.: 2000-402/000-005**

Push-in type jumper bar; insulated; 2-way; Nominal current 14 A

2000-402

**Item no.: 2000-402/000-006**

Push-in type jumper bar; insulated; 2-way; Nominal current 14 A

2000-402

**Item no.: 2000-402/000-018**

Push-in type jumper bar; insulated; 2-way; Nominal current 14 A

2000-402

**Item no.: 2000-403**

Push-in type jumper bar; insulated; 3-way; Nominal current 14 A

2000-403

**Item no.: 2000-403/000-005**

Push-in type jumper bar; insulated; 3-way; Nominal current 14 A

2000-403

**Item no.: 2000-403/000-006**

Push-in type jumper bar; insulated; 3-way; Nominal current 14 A

2000-403

**Item no.: 2000-404**

Push-in type jumper bar; insulated; 4-way; Nominal current 14 A

2000-404

**Item no.: 2000-404/000-005**

Push-in type jumper bar; insulated; 4-way; Nominal current 14 A

2000-404



Item no.: 2000-404/000-006
Push-in type jumper bar; insulated; 4-way; Nominal current 14 A

/0000-0006

2000-404



Item no.: 2000-405
Push-in type jumper bar; insulated; 5-way; Nominal current 14 A

/0000-0005

2000-405



Item no.: 2000-405/000-005
Push-in type jumper bar; insulated; 5-way; Nominal current 14 A

/0000-0005

2000-405



Item no.: 2000-405/000-006
Push-in type jumper bar; insulated; 5-way; Nominal current 14 A

/0000-0006

2000-405



Item no.: 2000-405/011-000
Star point jumper; insulated; 3-way (1-3-5); IN = IN terminal block

/0111-0000

2000-405



Item no.: 2000-406
Push-in type jumper bar; insulated; 6-way; Nominal current 14 A

/0000-0006

2000-406



Item no.: 2000-406/000-005
Push-in type jumper bar; insulated; 6-way; Nominal current 14 A

/0000-0005

2000-406



Item no.: 2000-406/000-006
Push-in type jumper bar; insulated; 6-way; Nominal current 14 A

/0000-0006

2000-406



Item no.: 2000-406/020-000
Delta jumper; insulated; 1-2 3-4 5-6; IN = IN terminal block

/0200-0000

2000-406



Item no.: 2000-407
Push-in type jumper bar; insulated; 7-way; Nominal current 14 A

/0000-0007

2000-407



Item no.: 2000-407/000-005
Push-in type jumper bar; insulated; 7-way; Nominal current 14 A

/0000-0005

2000-407



Item no.: 2000-407/000-006
Push-in type jumper bar; insulated; 7-way; Nominal current 14 A

/0000-0006

2000-407



Item no.: 2000-408
Push-in type jumper bar; insulated; 8-way; Nominal current 14 A

/0000-0008

2000-408



Item no.: 2000-408/000-005
Push-in type jumper bar; insulated; 8-way; Nominal current 14 A

/0000-0005

2000-408



Item no.: 2000-408/000-006
Push-in type jumper bar; insulated; 8-way; Nominal current 14 A

/0000-0006

2000-408




Item no.: 2000-409
Push-in type jumper bar; insulated; 9-way; Nominal current 14 A

/0000-0009

2000-409

	Item no.: 2000-409/000-005 Push-in type jumper bar; insulated; 9-way; Nominal current 14 A	2000-409
	Item no.: 2000-409/000-006 Push-in type jumper bar; insulated; 9-way; Nominal current 14 A	2000-409
	Item no.: 2000-410 Push-in type jumper bar; insulated; 10-way; Nominal current 14 A	2000-410
	Item no.: 2000-410/000-005 Push-in type jumper bar; insulated; 10-way; Nominal current 14 A	2000-410
	Item no.: 2000-410/000-006 Push-in type jumper bar; insulated; 10-way; Nominal current 14 A	2000-410
	Item no.: 2000-433 Push-in type jumper bar; insulated; from 1 to 3; Nominal current 14 A	2000-433
	Item no.: 2000-433/000-005 Push-in type jumper bar; insulated; from 1 to 3; Nominal current 14 A	2000-433
	Item no.: 2000-433/000-006 Push-in type jumper bar; insulated; from 1 to 3; Nominal current 14 A	2000-433
	Item no.: 2000-434 Push-in type jumper bar; insulated; from 1 to 4; Nominal current 14 A	2000-434
	Item no.: 2000-435 Push-in type jumper bar; insulated; from 1 to 5; Nominal current 14 A	2000-435
	Item no.: 2000-436 Push-in type jumper bar; insulated; from 1 to 6; Nominal current 14 A	2000-436
	Item no.: 2000-437 Push-in type jumper bar; insulated; from 1 to 7; Nominal current 14 A	2000-437
	Item no.: 2000-438 Push-in type jumper bar; insulated; from 1 to 8; Nominal current 14 A	2000-438
	Item no.: 2000-439 Push-in type jumper bar; insulated; from 1 to 9; Nominal current 14 A	2000-439
	Item no.: 2000-440 Push-in type jumper bar; insulated; from 1 to 10; Nominal current 14 A	2000-440
	Item no.: 2000-492 Double-deck vertical jumper; insulated	2000-492
	Item no.: 2002-492/000-012 Double-deck vertical jumper; insulated	2002-492
	Item no.: 2009-402	

	Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 0.75 mm ² ; suitable for 2000 and 2020 Series rail-mounted terminal blocks	2009-402
	Item no.: 2009-404 Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 0.75 mm ² ; suitable for 2000 and 2020 Series rail-mounted terminal blocks	2009-404
	Item no.: 2009-406 Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 0.75 mm ² ; suitable for 2000 and 2020 Series rail-mounted terminal blocks	2009-406
	Item no.: 210-103 Wire commoning chain; insulated; 50 connections	210-103
	Item no.: 210-123 Wire commoning chain; insulated; 50 connections	210-123
Protective Warning Marker		
	Item no.: 2000-115 Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks	2000-115
Marking accessories		
	Item no.: 2009-110 Marking strips; on reel; not stretchable; plain; snap-on type	2009-110
	Item no.: 2009-113 WMB-Inline; for Smart Printer; on reel; plain; snap-on type	2009-113
	Item no.: 2009-113/000-002 WMB-Inline; for Smart Printer; on reel; plain; snap-on type	2009-113 /000-002
	Item no.: 2009-113/000-005 WMB-Inline; for Smart Printer; on reel; plain; snap-on type	2009-113 /000-005
	Item no.: 2009-113/000-006 WMB-Inline; for Smart Printer; on reel; plain; snap-on type	2009-113 /000-006
	Item no.: 2009-113/000-007 WMB-Inline; for Smart Printer; on reel; plain; snap-on type	2009-113 /000-007
	Item no.: 2009-113/000-012 WMB-Inline; for Smart Printer; on reel; plain; snap-on type	2009-113 /000-012
	Item no.: 2009-113/000-017 WMB-Inline; for Smart Printer; on reel; plain; snap-on type	2009-113 /000-017
	Item no.: 2009-113/000-023 WMB-Inline; for Smart Printer; on reel; plain; snap-on type	2009-113 /000-023
	Item no.: 2009-113/000-024 WMB-Inline; for Smart Printer; on reel; plain; snap-on type	2009-113 /000-024



Item no.: 793-3501
WMB marking card; as card; plain; snap-on type

793-3501

Female plug

Item no.: 2020-102
1-conductor female plug; 1.5 mm²; 2-pole

2020-102

Item no.: 2020-102/122-000
1-conductor female plug; Locking lever; 1.5 mm²; 2-pole

/ 122-000

2020-102

Item no.: 2020-102/132-000
1-conductor female plug; Strain relief plate; 1.5 mm²; 2-pole

/ 132-000

2020-102

Item no.: 2020-102/142-000
1-conductor female plug; Strain relief plate; 1.5 mm²; 2-pole

/ 142-000

2020-102



Item no.: 2020-103
1-conductor female plug; 1.5 mm²; 3-pole

2020-103



Item no.: 2020-103/000-036
1-conductor female plug; 1.5 mm²; 3-pole

/ 000-036

2020-103



Item no.: 2020-103/000-037
1-conductor female plug; 1.5 mm²; 3-pole

/ 000-037

2020-103



Item no.: 2020-103/000-038
1-conductor female plug; 1.5 mm²; 3-pole

/ 000-038

2020-103



Item no.: 2020-103/000-039
1-conductor female plug; 1.5 mm²; 3-pole

/ 000-039

2020-103

Item no.: 2020-103/122-000
1-conductor female plug; Locking lever; 1.5 mm²; 3-pole

/ 122-000

2020-103

Item no.: 2020-103/132-000
1-conductor female plug; Strain relief plate; 1.5 mm²; 3-pole

/ 132-000

2020-103

Item no.: 2020-103/142-000
1-conductor female plug; Strain relief plate; 1.5 mm²; 3-pole

/ 142-000

2020-103



Item no.: 2020-104
1-conductor female plug; 1.5 mm²; 4-pole

2020-104



Item no.: 2020-104/000-036
1-conductor female plug; 1.5 mm²; 4-pole

/ 000-036

2020-104

	Item no.: 2020-104/000-037 1-conductor female plug; 1.5 mm ² ; 4-pole	/000-037	2020-104
	Item no.: 2020-104/000-038 1-conductor female plug; 1.5 mm ² ; 4-pole	/000-038	2020-104
	Item no.: 2020-104/000-039 1-conductor female plug; 1.5 mm ² ; 4-pole	/000-039	2020-104
	Item no.: 2020-104/124-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 4-pole	/124-000	2020-104
	Item no.: 2020-104/133-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 4-pole	/133-000	2020-104
	Item no.: 2020-104/143-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 4-pole	/143-000	2020-104
	Item no.: 2020-105 1-conductor female plug; 1.5 mm ² ; 5-pole		2020-105
	Item no.: 2020-105/000-036 1-conductor female plug; 1.5 mm ² ; 5-pole	/000-036	2020-105
	Item no.: 2020-105/000-037 1-conductor female plug; 1.5 mm ² ; 5-pole	/000-037	2020-105
	Item no.: 2020-105/000-038 1-conductor female plug; 1.5 mm ² ; 5-pole	/000-038	2020-105
	Item no.: 2020-105/000-039 1-conductor female plug; 1.5 mm ² ; 5-pole	/000-039	2020-105
	Item no.: 2020-105/124-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 5-pole	/124-000	2020-105
	Item no.: 2020-105/133-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 5-pole	/133-000	2020-105
	Item no.: 2020-105/143-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 5-pole	/143-000	2020-105
	Item no.: 2020-106 1-conductor female plug; 1.5 mm ² ; 6-pole		2020-106

	Item no.: 2020-106/000-036 1-conductor female plug; 1.5 mm ² ; 6-pole	/000-036	2020-106
	Item no.: 2020-106/000-037 1-conductor female plug; 1.5 mm ² ; 6-pole	/000-037	2020-106
	Item no.: 2020-106/000-038 1-conductor female plug; 1.5 mm ² ; 6-pole	/000-038	2020-106
	Item no.: 2020-106/000-039 1-conductor female plug; 1.5 mm ² ; 6-pole	/000-039	2020-106
	Item no.: 2020-106/124-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 6-pole	/124-000	2020-106
	Item no.: 2020-106/133-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 6-pole	/133-000	2020-106
	Item no.: 2020-106/143-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 6-pole	/143-000	2020-106
	Item no.: 2020-107 1-conductor female plug; 1.5 mm ² ; 7-pole		2020-107
	Item no.: 2020-107/000-036 1-conductor female plug; 1.5 mm ² ; 7-pole	/000-036	2020-107
	Item no.: 2020-107/000-037 1-conductor female plug; 1.5 mm ² ; 7-pole	/000-037	2020-107
	Item no.: 2020-107/000-038 1-conductor female plug; 1.5 mm ² ; 7-pole	/000-038	2020-107
	Item no.: 2020-107/000-039 1-conductor female plug; 1.5 mm ² ; 7-pole	/000-039	2020-107
	Item no.: 2020-107/124-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 7-pole	/124-000	2020-107
	Item no.: 2020-107/134-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 7-pole	/134-000	2020-107
	Item no.: 2020-107/144-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 7-pole	/144-000	2020-107

	Item no.: 2020-108 1-conductor female plug; 1.5 mm ² ; 8-pole		2020-108
	Item no.: 2020-108/000-036 1-conductor female plug; 1.5 mm ² ; 8-pole	/000-036	2020-108
	Item no.: 2020-108/000-037 1-conductor female plug; 1.5 mm ² ; 8-pole	/000-037	2020-108
	Item no.: 2020-108/000-038 1-conductor female plug; 1.5 mm ² ; 8-pole	/000-038	2020-108
	Item no.: 2020-108/000-039 1-conductor female plug; 1.5 mm ² ; 8-pole	/000-039	2020-108
	Item no.: 2020-108/124-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 8-pole	/124-000	2020-108
	Item no.: 2020-108/134-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 8-pole	/134-000	2020-108
	Item no.: 2020-108/144-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 8-pole	/144-000	2020-108
	Item no.: 2020-109 1-conductor female plug; 1.5 mm ² ; 9-pole		2020-109
	Item no.: 2020-109/000-036 1-conductor female plug; 1.5 mm ² ; 9-pole	/000-036	2020-109
	Item no.: 2020-109/000-037 1-conductor female plug; 1.5 mm ² ; 9-pole	/000-037	2020-109
	Item no.: 2020-109/000-038 1-conductor female plug; 1.5 mm ² ; 9-pole	/000-038	2020-109
	Item no.: 2020-109/000-039 1-conductor female plug; 1.5 mm ² ; 9-pole	/000-039	2020-109
	Item no.: 2020-109/124-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 9-pole	/124-000	2020-109
	Item no.: 2020-109/134-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 9-pole	/134-000	2020-109

	Item no.: 2020-109/144-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 9-pole	/ 144-000	2020-109
	Item no.: 2020-110 1-conductor female plug; 1.5 mm ² ; 10-pole		2020-110
	Item no.: 2020-110/000-036 1-conductor female plug; 1.5 mm ² ; 10-pole	/ 000-036	2020-110
	Item no.: 2020-110/000-037 1-conductor female plug; 1.5 mm ² ; 10-pole	/ 000-037	2020-110
	Item no.: 2020-110/000-038 1-conductor female plug; 1.5 mm ² ; 10-pole	/ 000-038	2020-110
	Item no.: 2020-110/000-039 1-conductor female plug; 1.5 mm ² ; 10-pole	/ 000-039	2020-110
	Item no.: 2020-110/125-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 10-pole	/ 125-000	2020-110
	Item no.: 2020-110/135-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 10-pole	/ 135-000	2020-110
	Item no.: 2020-110/145-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 10-pole	/ 145-000	2020-110
	Item no.: 2020-111 1-conductor female plug; 1.5 mm ² ; 11-pole		2020-111
	Item no.: 2020-111/000-036 1-conductor female plug; 1.5 mm ² ; 11-pole	/ 000-036	2020-111
	Item no.: 2020-111/000-037 1-conductor female plug; 1.5 mm ² ; 11-pole	/ 000-037	2020-111
	Item no.: 2020-111/000-038 1-conductor female plug; 1.5 mm ² ; 11-pole	/ 000-038	2020-111
	Item no.: 2020-111/000-039 1-conductor female plug; 1.5 mm ² ; 11-pole	/ 000-039	2020-111
	Item no.: 2020-111/125-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 11-pole	/ 125-000	2020-111

	Item no.: 2020-111/135-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 11-pole	/ 135-000	2020-111
	Item no.: 2020-111/145-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 11-pole	/ 145-000	2020-111
	Item no.: 2020-112 1-conductor female plug; 1.5 mm ² ; 12-pole		2020-112
	Item no.: 2020-112/000-036 1-conductor female plug; 1.5 mm ² ; 12-pole	/ 000-036	2020-112
	Item no.: 2020-112/000-037 1-conductor female plug; 1.5 mm ² ; 12-pole	/ 000-037	2020-112
	Item no.: 2020-112/000-038 1-conductor female plug; 1.5 mm ² ; 12-pole	/ 000-038	2020-112
	Item no.: 2020-112/000-039 1-conductor female plug; 1.5 mm ² ; 12-pole	/ 000-039	2020-112
	Item no.: 2020-112/125-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 12-pole	/ 125-000	2020-112
	Item no.: 2020-112/135-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 12-pole	/ 135-000	2020-112
	Item no.: 2020-112/145-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 12-pole	/ 145-000	2020-112
	Item no.: 2020-113 1-conductor female plug; 1.5 mm ² ; 13-pole		2020-113
	Item no.: 2020-113/000-036 1-conductor female plug; 1.5 mm ² ; 13-pole	/ 000-036	2020-113
	Item no.: 2020-113/000-037 1-conductor female plug; 1.5 mm ² ; 13-pole	/ 000-037	2020-113
	Item no.: 2020-113/000-038 1-conductor female plug; 1.5 mm ² ; 13-pole	/ 000-038	2020-113
	Item no.: 2020-113/000-039 1-conductor female plug; 1.5 mm ² ; 13-pole	/ 000-039	2020-113

	Item no.: 2020-113/125-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 13-pole	2020-113 / 125-000
	Item no.: 2020-113/135-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 13-pole	2020-113 / 135-000
	Item no.: 2020-113/145-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 13-pole	2020-113 / 145-000
	Item no.: 2020-114 1-conductor female plug; 1.5 mm ² ; 14-pole	2020-114
	Item no.: 2020-114/000-036 1-conductor female plug; 1.5 mm ² ; 14-pole	2020-114 / 000-036
	Item no.: 2020-114/000-037 1-conductor female plug; 1.5 mm ² ; 14-pole	2020-114 / 000-037
	Item no.: 2020-114/000-038 1-conductor female plug; 1.5 mm ² ; 14-pole	2020-114 / 000-038
	Item no.: 2020-114/000-039 1-conductor female plug; 1.5 mm ² ; 14-pole	2020-114 / 000-039
	Item no.: 2020-114/125-000 1-conductor female plug; Locking lever; 1.5 mm ² ; 14-pole	2020-114 / 125-000
	Item no.: 2020-114/135-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 14-pole	2020-114 / 135-000
	Item no.: 2020-114/145-000 1-conductor female plug; Strain relief plate; 1.5 mm ² ; 14-pole	2020-114 / 145-000
	Item no.: 2020-115 1-conductor female plug; 1.5 mm ² ; 15-pole	2020-115
	Item no.: 2020-115/000-036 1-conductor female plug; 1.5 mm ² ; 15-pole	2020-115 / 000-036
	Item no.: 2020-115/000-037 1-conductor female plug; 1.5 mm ² ; 15-pole	2020-115 / 000-037
	Item no.: 2020-115/000-038 1-conductor female plug; 1.5 mm ² ; 15-pole	2020-115 / 000-038



Item no.: 2020-115/000-039
1-conductor female plug; 1.5 mm²; 15-pole

/000-039

2020-115

Item no.: 2020-115/125-000
1-conductor female plug; Locking lever; 1.5 mm²; 15-pole

/125-000

2020-115

Item no.: 2020-115/135-000
1-conductor female plug; Strain relief plate; 1.5 mm²; 15-pole

/135-000

2020-115

Item no.: 2020-115/145-000
1-conductor female plug; Strain relief plate; 1.5 mm²; 15-pole

/145-000

2020-115



Item no.: 2020-202
2-conductor female connector; 1.5 mm²; 2-pole

2020-202

Item no.: 2020-202/122-000
2-conductor female connector; Locking lever; 1.5 mm²; 2-pole

/122-000

2020-202

Item no.: 2020-202/132-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 2-pole

/132-000

2020-202

Item no.: 2020-202/142-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 2-pole

/142-000

2020-202



Item no.: 2020-203
2-conductor female connector; 1.5 mm²; 3-pole

2020-203



Item no.: 2020-203/000-036
2-conductor female connector; 1.5 mm²; 3-pole

/000-036

2020-203



Item no.: 2020-203/000-037
2-conductor female connector; 1.5 mm²; 3-pole

/000-037

2020-203



Item no.: 2020-203/000-038
2-conductor female connector; 1.5 mm²; 3-pole

/000-038

2020-203



Item no.: 2020-203/000-039
2-conductor female connector; 1.5 mm²; 3-pole

/000-039

2020-203

Item no.: 2020-203/122-000
2-conductor female connector; Locking lever; 1.5 mm²; 3-pole

/122-000

2020-203

Item no.: 2020-203/132-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 3-pole

/132-000

2020-203

	Item no.: 2020-203/142-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 3-pole	/ 142-000	2020-203
	Item no.: 2020-204 2-conductor female connector; 1.5 mm ² ; 4-pole		2020-204
	Item no.: 2020-204/000-036 2-conductor female connector; 1.5 mm ² ; 4-pole	/ 000-036	2020-204
	Item no.: 2020-204/000-037 2-conductor female connector; 1.5 mm ² ; 4-pole	/ 000-037	2020-204
	Item no.: 2020-204/000-038 2-conductor female connector; 1.5 mm ² ; 4-pole	/ 000-038	2020-204
	Item no.: 2020-204/000-039 2-conductor female connector; 1.5 mm ² ; 4-pole	/ 000-039	2020-204
	Item no.: 2020-204/124-000 2-conductor female connector; Locking lever; 1.5 mm ² ; 4-pole	/ 124-000	2020-204
	Item no.: 2020-204/133-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 4-pole	/ 133-000	2020-204
	Item no.: 2020-204/143-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 4-pole	/ 143-000	2020-204
	Item no.: 2020-205 2-conductor female connector; 1.5 mm ² ; 5-pole		2020-205
	Item no.: 2020-205/000-036 2-conductor female connector; 1.5 mm ² ; 5-pole	/ 000-036	2020-205
	Item no.: 2020-205/000-037 2-conductor female connector; 1.5 mm ² ; 5-pole	/ 000-037	2020-205
	Item no.: 2020-205/000-038 2-conductor female connector; 1.5 mm ² ; 5-pole	/ 000-038	2020-205
	Item no.: 2020-205/000-039 2-conductor female connector; 1.5 mm ² ; 5-pole	/ 000-039	2020-205
	Item no.: 2020-205/124-000 2-conductor female connector; Locking lever; 1.5 mm ² ; 5-pole	/ 124-000	2020-205

	Item no.: 2020-205/133-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 5-pole	/ 133-000	2020-205
	Item no.: 2020-205/143-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 5-pole	/ 143-000	2020-205
	Item no.: 2020-206 2-conductor female connector; 1.5 mm ² ; 6-pole		2020-206
	Item no.: 2020-206/000-036 2-conductor female connector; 1.5 mm ² ; 6-pole	/ 000-036	2020-206
	Item no.: 2020-206/000-037 2-conductor female connector; 1.5 mm ² ; 6-pole	/ 000-037	2020-206
	Item no.: 2020-206/000-038 2-conductor female connector; 1.5 mm ² ; 6-pole	/ 000-038	2020-206
	Item no.: 2020-206/000-039 2-conductor female connector; 1.5 mm ² ; 6-pole	/ 000-039	2020-206
	Item no.: 2020-206/124-000 2-conductor female connector; Locking lever; 1.5 mm ² ; 6-pole	/ 124-000	2020-206
	Item no.: 2020-206/133-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 6-pole	/ 133-000	2020-206
	Item no.: 2020-206/143-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 6-pole	/ 143-000	2020-206
	Item no.: 2020-207 2-conductor female connector; 1.5 mm ² ; 7-pole		2020-207
	Item no.: 2020-207/000-036 2-conductor female connector; 1.5 mm ² ; 7-pole	/ 000-036	2020-207
	Item no.: 2020-207/000-037 2-conductor female connector; 1.5 mm ² ; 7-pole	/ 000-037	2020-207
	Item no.: 2020-207/000-038 2-conductor female connector; 1.5 mm ² ; 7-pole	/ 000-038	2020-207
	Item no.: 2020-207/000-039 2-conductor female connector; 1.5 mm ² ; 7-pole	/ 000-039	2020-207

	Item no.: 2020-207/124-000 2-conductor female connector; Locking lever; 1.5 mm ² ; 7-pole	/ 124-000	2020-207
	Item no.: 2020-207/134-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 7-pole	/ 134-000	2020-207
	Item no.: 2020-207/144-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 7-pole	/ 144-000	2020-207
	Item no.: 2020-208 2-conductor female connector; 1.5 mm ² ; 8-pole		2020-208
	Item no.: 2020-208/000-036 2-conductor female connector; 1.5 mm ² ; 8-pole	/ 000-036	2020-208
	Item no.: 2020-208/000-037 2-conductor female connector; 1.5 mm ² ; 8-pole	/ 000-037	2020-208
	Item no.: 2020-208/000-038 2-conductor female connector; 1.5 mm ² ; 8-pole	/ 000-038	2020-208
	Item no.: 2020-208/000-039 2-conductor female connector; 1.5 mm ² ; 8-pole	/ 000-039	2020-208
	Item no.: 2020-208/124-000 2-conductor female connector; Locking lever; 1.5 mm ² ; 8-pole	/ 124-000	2020-208
	Item no.: 2020-208/134-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 8-pole	/ 134-000	2020-208
	Item no.: 2020-208/144-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 8-pole	/ 144-000	2020-208
	Item no.: 2020-209 2-conductor female connector; 1.5 mm ² ; 9-pole		2020-209
	Item no.: 2020-209/000-036 2-conductor female connector; 1.5 mm ² ; 9-pole	/ 000-036	2020-209
	Item no.: 2020-209/000-037 2-conductor female connector; 1.5 mm ² ; 9-pole	/ 000-037	2020-209
	Item no.: 2020-209/000-038 2-conductor female connector; 1.5 mm ² ; 9-pole	/ 000-038	2020-209



Item no.: 2020-209/000-039
2-conductor female connector; 1.5 mm²; 9-pole

/000-039

2020-209

Item no.: 2020-209/124-000
2-conductor female connector; Locking lever; 1.5 mm²; 9-pole

/124-000

2020-209

Item no.: 2020-209/134-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 9-pole

/134-000

2020-209

Item no.: 2020-209/144-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 9-pole

/144-000

2020-209



Item no.: 2020-210
2-conductor female connector; 1.5 mm²; 10-pole

2020-210



Item no.: 2020-210/000-036
2-conductor female connector; 1.5 mm²; 10-pole

/000-036

2020-210



Item no.: 2020-210/000-037
2-conductor female connector; 1.5 mm²; 10-pole

/000-037

2020-210



Item no.: 2020-210/000-038
2-conductor female connector; 1.5 mm²; 10-pole

/000-038

2020-210



Item no.: 2020-210/000-039
2-conductor female connector; 1.5 mm²; 10-pole

/000-039

2020-210

Item no.: 2020-210/125-000
2-conductor female connector; Locking lever; 1.5 mm²; 10-pole

/125-000

2020-210

Item no.: 2020-210/135-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 10-pole

/135-000

2020-210

Item no.: 2020-210/145-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 10-pole

/145-000

2020-210



Item no.: 2020-211
2-conductor female connector; 1.5 mm²; 11-pole

2020-211



Item no.: 2020-211/000-036
2-conductor female connector; 1.5 mm²; 11-pole

/000-036

2020-211



Item no.: 2020-211/000-037
2-conductor female connector; 1.5 mm²; 11-pole

/000-037

2020-211

	Item no.: 2020-211/000-038 2-conductor female connector; 1.5 mm ² ; 11-pole	/000-038	2020-211
	Item no.: 2020-211/000-039 2-conductor female connector; 1.5 mm ² ; 11-pole	/000-039	2020-211
	Item no.: 2020-211/125-000 2-conductor female connector; Locking lever; 1.5 mm ² ; 11-pole	/125-000	2020-211
	Item no.: 2020-211/135-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 11-pole	/135-000	2020-211
	Item no.: 2020-211/145-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 11-pole	/145-000	2020-211
	Item no.: 2020-212 2-conductor female connector; 1.5 mm ² ; 12-pole		2020-212
	Item no.: 2020-212/000-036 2-conductor female connector; 1.5 mm ² ; 12-pole	/000-036	2020-212
	Item no.: 2020-212/000-037 2-conductor female connector; 1.5 mm ² ; 12-pole	/000-037	2020-212
	Item no.: 2020-212/000-038 2-conductor female connector; 1.5 mm ² ; 12-pole	/000-038	2020-212
	Item no.: 2020-212/000-039 2-conductor female connector; 1.5 mm ² ; 12-pole	/000-039	2020-212
	Item no.: 2020-212/125-000 2-conductor female connector; Locking lever; 1.5 mm ² ; 12-pole	/125-000	2020-212
	Item no.: 2020-212/135-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 12-pole	/135-000	2020-212
	Item no.: 2020-212/145-000 2-conductor female connector; Strain relief plate; 1.5 mm ² ; 12-pole	/145-000	2020-212
	Item no.: 2020-213 2-conductor female connector; 1.5 mm ² ; 13-pole		2020-213
	Item no.: 2020-213/000-036 2-conductor female connector; 1.5 mm ² ; 13-pole	/000-036	2020-213



Item no.: 2020-213/000-037
2-conductor female connector; 1.5 mm²; 13-pole

/000-037

2020-213



Item no.: 2020-213/000-038
2-conductor female connector; 1.5 mm²; 13-pole

/000-038

2020-213



Item no.: 2020-213/000-039
2-conductor female connector; 1.5 mm²; 13-pole

/000-039

2020-213

Item no.: 2020-213/125-000
2-conductor female connector; Locking lever; 1.5 mm²; 13-pole

/125-000

2020-213

Item no.: 2020-213/135-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 13-pole

/135-000

2020-213

Item no.: 2020-213/145-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 13-pole

/145-000

2020-213



Item no.: 2020-214
2-conductor female connector; 1.5 mm²; 14-pole

2020-214



Item no.: 2020-214/000-036
2-conductor female connector; 1.5 mm²; 14-pole

/000-036

2020-214



Item no.: 2020-214/000-037
2-conductor female connector; 1.5 mm²; 14-pole

/000-037

2020-214



Item no.: 2020-214/000-038
2-conductor female connector; 1.5 mm²; 14-pole

/000-038

2020-214



Item no.: 2020-214/000-039
2-conductor female connector; 1.5 mm²; 14-pole

/000-039

2020-214

Item no.: 2020-214/125-000
2-conductor female connector; Locking lever; 1.5 mm²; 14-pole

/125-000

2020-214

Item no.: 2020-214/135-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 14-pole

/135-000

2020-214

Item no.: 2020-214/145-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 14-pole

/145-000

2020-214



Item no.: 2020-215
2-conductor female connector; 1.5 mm²; 15-pole

2020-215



Item no.: 2020-215/000-036
2-conductor female connector; 1.5 mm²; 15-pole

/000-036

2020-215



Item no.: 2020-215/000-037
2-conductor female connector; 1.5 mm²; 15-pole

/000-037

2020-215



Item no.: 2020-215/000-038
2-conductor female connector; 1.5 mm²; 15-pole

/000-038

2020-215



Item no.: 2020-215/000-039
2-conductor female connector; 1.5 mm²; 15-pole

/000-039

2020-215

Item no.: 2020-215/125-000
2-conductor female connector; Locking lever; 1.5 mm²; 15-pole

/125-000

2020-215

Item no.: 2020-215/135-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 15-pole

/135-000

2020-215

Item no.: 2020-215/145-000
2-conductor female connector; Strain relief plate; 1.5 mm²; 15-pole

/145-000

2020-215

General accessories



Item no.: 2020-161
Start module for 1-conductor female connector; with integrated end plate; 1.5 mm²; 1-pole

2020-161



Item no.: 2020-164
Start module for 1-conductor female connector; with integrated end plate; 1.5 mm²; 1-pole

2020-164



Item no.: 2020-167
Start module for 1-conductor female connector; 1.5 mm²; 1-pole

2020-167



Item no.: 2020-181
End module for 1-conductor female connector; 1.5 mm²; 1-pole

2020-181



Item no.: 2020-184
End module for 1-conductor female connector; 1.5 mm²; 1-pole

2020-184



Item no.: 2020-187
End module for 1-conductor female connector; 1.5 mm²; 1-pole

2020-187



Item no.: 2020-261
Start module for 2-conductor female connector; with integrated end plate; 1.5 mm²; 1-pole

2020-261



Item no.: 2020-264
Start module for 2-conductor female connector; with integrated end plate; 1.5 mm²; 1-pole

2020-264



Item no.: 2020-267
Start module for 2-conductor female connector; 1.5 mm²; 1-pole

2020-267



Item no.: 2020-281
End module for 2-conductor female connector; 1.5 mm²; 1-pole

2020-281



Item no.: 2020-284
End module for 2-conductor female connector; 1.5 mm²; 1-pole

2020-284



Item no.: 2020-287
End module for 2-conductor female connector; 1.5 mm²; 1-pole

2020-287

Carrier rail



Item no.: 210-112
Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm

210-112



Item no.: 210-113
Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715

210-113



Item no.: 210-114
Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715

210-114



Item no.: 210-115
Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm

210-115




Item no.: 210-118
Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

210-118



Item no.: 210-162
Steel carrier rail; 35 x 7.5 mm; slotted; 1 mm thick

210-162



Item no.: 210-196
Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715

210-196



Item no.: 210-197
Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715

210-197



Item no.: 210-198
Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

210-198

tools



Item no.: 210-647
Operating tool with partially insulated shaft; Blade (2.5 x 0.4) mm; short

210-647



Item no.: 210-648
Operating tool with partially insulated shaft; Blade (2.5 x 0.4) mm; short; angled

210-648



Item no.: 210-719
Operating tool with partially insulated shaft; Type 1, blade (2.5 x 0.4) mm

210-719

End plate



Item no.: 2020-2291
End and intermediate plate; 1 mm thick

2020-

2291



Item no.: 2020-2292
End and intermediate plate; 1 mm thick

2020-

2292



Downloads
Documentation
Bid Text

2020-2237	docx 15.5 kB	Download
-----------	-----------------	----------

Additional Information	pdf 2.1 MB	Download
------------------------	---------------	----------

CAD/CAE - Smart Data
CAD data

3D Download 2020-2237	URL	Download
-----------------------	-----	----------

Product family

X-COM S
Show all products from the family

Subject to changes.