


Data sheet | Item number: 2022-1202

1-conductor/1-pin carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5;
2.5 mm²; Push-in CAGE CLAMP®; 2,50 mm²; orange



2022-1202



RoHS ☒ Compliant

BOMcheck.net

Color: 

Data

Electrical data

Ratings per IEC/EN 60664-1

Rated voltage (III / 3)	690 V
Rated impulse voltage (III / 3)	6 kV
Rated current	24 A
Rated current (2)	32 A

Connection data

Connection technology	Push-in CAGE CLAMP®
Actuation type	Open Tool Slot Push-in
Connectable conductor materials	Copper
Nominal cross section	2.5 mm ²

Solid conductor	0.25	4 mm ² / 22	12 AWG
Solid conductor, push-in termination	0.75	4 mm ² / 18	12 AWG
Fine-stranded conductor	0.25	4 mm ² / 22	12 AWG
Strip length	10	12 mm / 0.39	0.47 inch
Note (conductor cross-section)	Depending on the conductor characteristic, a conductor with a smaller cross section can also be inserted via push-in termination.		
Total number of connection points	1		
Total number of potentials	1		
Number of levels	1		
Type of wiring	Front-entry wiring		

Geometrical Data

Width	5.2 mm / 0.205 inch
Height from upper-edge of DIN-35 rail	32.5 mm / 1.28 inch
Depth	48.5 mm / 1.909 inch

Mechanical data

Design	horizontal
Type of mounting	DIN-35 rail
Marking level	Center/side marking

Material Data

Color	orange
Insulating material	Polyamide 66 (PA 66)
Fire load	0.112 MJ
Weight	5.038 g

Commercial data

Product Group	18 (X-COM-System)
GTIN	4050821145066

Approvals / Certificates

Radio-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	EN 60947	NTR NL 7628
	CSA DEKRA Certification B.V.	C22.2 No. 158	70107915



Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	EN 60947	NTR NL 7628
	CSA DEKRA Certification B.V.	C22.2 No. 158	2437422

Other Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UR Underwriters Laboratories Inc.	UL 1059	E45172

UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UR Underwriters Laboratories Inc.	UL 1059	E45172

Compatible products

ferrule

Item no.: 216-241

	Ferrule; Sleeve for 0.5 mm ² / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; white	216-241
	Item no.: 216-242 Ferrule; Sleeve for 0.75 mm ² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray	216-242
	Item no.: 216-243 Ferrule; Sleeve for 1 mm ² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red	216-243
	Item no.: 216-244 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black	216-244
	Item no.: 216-246 Ferrule; Sleeve for 2.5 mm ² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue	216-246
	Item no.: 216-262 Ferrule; Sleeve for 0.75 mm ² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray	216-262
	Item no.: 216-263 Ferrule; Sleeve for 1 mm ² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red	216-263
	Item no.: 216-264 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black	216-264
	Item no.: 216-266 Ferrule; Sleeve for 2.5 mm ² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue	216-266
	Item no.: 216-284 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black	216-284
	Item no.: 216-286 Ferrule; Sleeve for 2.5 mm ² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue	216-286
Marking accessories		
	Item no.: 2002-161 Adaptor	2002-161
	Item no.: 2009-110 Marking strips; on reel; not stretchable; plain; snap-on type; white	2009-110
	Item no.: 2009-115 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; white	2009-115
	Item no.: 2009-115/000-002 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; yellow	2009-115 /000-002
	Item no.: 2009-115/000-005 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; red	2009-115 /000-005
	Item no.: 2009-115/000-006 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; blue	2009-115 /000-006

	Item no.: 2009-115/000-007 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; gray	/000-007/	2009-115
	Item no.: 2009-115/000-012 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; orange	/000-012/	2009-115
	Item no.: 2009-115/000-017 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; light green	/000-017/	2009-115
	Item no.: 2009-115/000-023 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; green	/000-023/	2009-115
	Item no.: 2009-115/000-024 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; violet	/000-024/	2009-115
	Item no.: 2009-145 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; white		2009-145
	Item no.: 2009-145/000-002 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; yellow	/000-002/	2009-145
	Item no.: 2009-145/000-005 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; red	/000-005/	2009-145
	Item no.: 2009-145/000-006 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; blue	/000-006/	2009-145
	Item no.: 2009-145/000-007 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; gray	/000-007/	2009-145
	Item no.: 2009-145/000-012 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; orange	/000-012/	2009-145
	Item no.: 2009-145/000-023 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; green	/000-023/	2009-145
	Item no.: 2009-145/000-024 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; violet	/000-024/	2009-145
	Item no.: 2009-191 Group marker carrier		2009-191
	Item no.: 2009-192 Group marker carrier		2009-192
	Item no.: 2009-193 Group marker carrier		2009-193

	Item no.: 2009-198 Adaptor	2009-198
	Item no.: 248-501 Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card	248-501
	Item no.: 248-501/000-002 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; yellow	248-501 /000-002
	Item no.: 248-501/000-005 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; white	248-501 /000-005
	Item no.: 248-501/000-006 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; white	248-501 /000-006
	Item no.: 248-501/000-007 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; white	248-501 /000-007
	Item no.: 248-501/000-012 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; white	248-501 /000-012
	Item no.: 248-501/000-017 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; white	248-501 /000-017
	Item no.: 248-501/000-023 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; white	248-501 /000-023
	Item no.: 248-501/000-024 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; white	248-501 /000-024
	Item no.: 793-501 WMB marking card; as card; not stretchable; plain; snap-on type; white	793-501
	Item no.: 793-501/000-002 WMB marking card; as card; not stretchable; plain; snap-on type; white	793-501 /000-002
	Item no.: 793-501/000-005 WMB marking card; as card; not stretchable; plain; snap-on type; white	793-501 /000-005
	Item no.: 793-501/000-006 WMB marking card; as card; not stretchable; plain; snap-on type; white	793-501 /000-006
	Item no.: 793-501/000-007 WMB marking card; as card; not stretchable; plain; snap-on type; white	793-501 /000-007

**Item no.: 793-501/000-012**

WMB marking card; as card; not stretchable; plain; snap-on type; white

793-501

/000-012

**Item no.: 793-501/000-017**

WMB marking card; as card; not stretchable; plain; snap-on type; white

793-501

/000-017

**Item no.: 793-501/000-023**

WMB marking card; as card; not stretchable; plain; snap-on type; white

793-501

/000-023

**Item no.: 793-501/000-024**

WMB marking card; as card; not stretchable; plain; snap-on type; white

793-501

/000-024

**Item no.: 793-5501**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; white

793-5501

**Item no.: 793-5501/000-002**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

793-5501

/000-002

**Item no.: 793-5501/000-005**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type; red

793-5501

/000-005

**Item no.: 793-5501/000-006**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type; blue

793-5501

/000-006

**Item no.: 793-5501/000-007**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type; gray

793-5501

/000-007

**Item no.: 793-5501/000-012**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type; orange

793-5501

/000-012

**Item no.: 793-5501/000-014**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type; brown

793-5501

/000-014

**Item no.: 793-5501/000-017**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type; light green

793-5501

/000-017

**Item no.: 793-5501/000-023**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type; green

793-5501

/000-023

**Item no.: 793-5501/000-024**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type; violet

793-5501

/000-024

tools



Item no.: 210-720

210-720

Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft

Carrier rail



Item no.: 210-112

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm

210-112



Item no.: 210-113

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715

210-113



Item no.: 210-114

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715

210-114



Item no.: 210-115

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm

210-115



Item no.: 210-118

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

210-118



Item no.: 210-196

Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored

210-196



Item no.: 210-197

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715

210-197



Item no.: 210-198

Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored

210-198

Jumper



Item no.: 2002-400

Adjacent jumper for continuous commoning; insulated; 2-way; Nominal current 25 A; light gray

2002-400



Item no.: 2002-402

Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; light gray

2002-402



Item no.: 2002-402/000-005

Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; red

2002-402

/000-005



Item no.: 2002-402/000-006

Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; blue

2002-402

/000-006



Item no.: 2002-403

Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; light gray

2002-403



Item no.: 2002-403/000-005

Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; red

2002-403

/000-005



Item no.: 2002-403/000-006

Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; blue

2002-403

/000-006



Item no.: 2002-404

Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; light gray

2002-404

	Item no.: 2002-404/000-005 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; red	/0000-0005	2002-404
	Item no.: 2002-404/000-006 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; blue	/0000-0006	2002-404
	Item no.: 2002-405 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; light gray		2002-405
	Item no.: 2002-405/000-005 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; red	/0000-0005	2002-405
	Item no.: 2002-405/000-006 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; blue	/0000-0006	2002-405
	Item no.: 2002-405/011-000 Star point jumper; insulated; 3-way (1-3-5); IN = IN terminal block; light gray	/0111-0000	2002-405
	Item no.: 2002-406 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; light gray		2002-406
	Item no.: 2002-406/000-005 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; red	/0000-0005	2002-406
	Item no.: 2002-406/000-006 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; blue	/0000-0006	2002-406
	Item no.: 2002-406/020-000 Delta jumper; insulated; 1-2 3-4 5-6; IN = IN terminal block; light gray	/0200-0000	2002-406
	Item no.: 2002-407 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; light gray		2002-407
	Item no.: 2002-407/000-005 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; red	/0000-0005	2002-407
	Item no.: 2002-407/000-006 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; blue	/0000-0006	2002-407
	Item no.: 2002-408 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; light gray		2002-408
	Item no.: 2002-408/000-005 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; red	/0000-0005	2002-408
	Item no.: 2002-408/000-006 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; blue	/0000-0006	2002-408

	Item no.: 2022-409 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; light gray	2022-409
	Item no.: 2022-409/000-005 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; red	2022-409 /000-005
	Item no.: 2022-409/000-006 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; blue	2022-409 /000-006
	Item no.: 2022-410 Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; light gray	2022-410
	Item no.: 2022-410/000-005 Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; red	2022-410 /000-005
	Item no.: 2022-410/000-006 Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; blue	2022-410 /000-006
	Item no.: 2022-423 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; light gray	2022-423
	Item no.: 2022-423/000-005 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; red	2022-423 /000-005
	Item no.: 2022-423/000-006 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; blue	2022-423 /000-006
	Item no.: 2022-433 Push-in type jumper bar; insulated; from 1 to 3; Nominal current 25 A; light gray	2022-433
	Item no.: 2022-434 Push-in type jumper bar; insulated; from 1 to 4; Nominal current 25 A; light gray	2022-434
	Item no.: 2022-435 Push-in type jumper bar; insulated; from 1 to 5; Nominal current 25 A; light gray	2022-435
	Item no.: 2022-436 Push-in type jumper bar; insulated; from 1 to 6; Nominal current 25 A; light gray	2022-436
	Item no.: 2022-437 Push-in type jumper bar; insulated; from 1 to 7; Nominal current 25 A; light gray	2022-437
	Item no.: 2022-438 Push-in type jumper bar; insulated; from 1 to 8; Nominal current 25 A; light gray	2022-438
	Item no.: 2022-439 Push-in type jumper bar; insulated; from 1 to 9; Nominal current 25 A; light gray	2022-439
	Item no.: 2022-440 Push-in type jumper bar; insulated; from 1 to 10; Nominal current 25 A; light gray	2022-440
	Item no.: 2022-472 Staggered jumper; insulated; 2-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-	2022-472



mounted terminal blocks; light gray

**Item no.: 2002-473**

Staggered jumper; insulated; 3-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

2002-473

Item no.: 2002-473/011-000

Ready-made staggered jumper; insulated; 2-way (1-3); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray

/011-000

2002-473

**Item no.: 2002-474**

Staggered jumper; insulated; 4-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

2002-474

**Item no.: 2002-475**

Staggered jumper; insulated; 5-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

2002-475

Item no.: 2002-475/011-000

Ready-made staggered jumper; insulated; 3-way (1-3-5); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray

/011-000

2002-475

**Item no.: 2002-476**

Staggered jumper; insulated; 6-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

2002-476

**Item no.: 2002-477**

Staggered jumper; insulated; 7-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

2002-477

**Item no.: 2002-477/011-000**

Ready-made staggered jumper; insulated; 1-3-5-7; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray

/011-000

2002-477

**Item no.: 2002-478**

Staggered jumper; insulated; 8-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

2002-478

**Item no.: 2002-479**

Staggered jumper; insulated; 9-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

2002-479

Item no.: 2002-479/011-000

Ready-made staggered jumper; insulated; 1-3-5-7-9; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray

/011-000

2002-479

**Item no.: 2002-480**

Staggered jumper; insulated; 10-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

2002-480

**Item no.: 2002-481**

Staggered jumper; insulated; 11-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

2002-481

Item no.: 2002-481/011-000

Ready-made staggered jumper; insulated; 1-3-5-7-9-11; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray

/011-000

2002-481

**Item no.: 2002-482**

Staggered jumper; insulated; 12-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray

2002-482

Item no.: 2009-412



Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 1.5 mm²; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black

2009-412



Item no.: 2009-414

Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm²; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black

2009-414



Item no.: 2009-414/000-005

Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm²; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; red

/000-005

2009-414



Item no.: 2009-414/000-006

Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm²; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; blue

/000-006

2009-414



Item no.: 2009-416

Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 1.5 mm²; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black

2009-416



Item no.: 210-103

Wire commoning chain; insulated; 50 connections; black

210-103



Item no.: 210-123

Wire commoning chain; insulated; 50 connections

210-123

Protective Warning Marker



Item no.: 2002-115

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow

2002-115

check



Item no.: 2002-511

Modular TOPJOB®S connector; modular; for jumper contact slot; 1-pole; 2,50 mm²; gray

2002-511



Item no.: 2002-549

Spacer module; modular; e.g., for bridging commoned terminal blocks; gray

2002-549



Item no.: 2002-552

Modular TOPJOB®S connector; modular; for jumper contact slot; 2-pole; 2,50 mm²; gray

2002-552



Item no.: 2002-553

Modular TOPJOB®S connector; modular; for jumper contact slot; 3-pole; 2,50 mm²; gray

2002-553



Item no.: 2002-554

Modular TOPJOB®S connector; modular; for jumper contact slot; 4-pole; 2,50 mm²; gray

2002-554



Item no.: 2002-555

Modular TOPJOB®S connector; modular; for jumper contact slot; 5-pole; 2,50 mm²; gray

2002-555



Item no.: 2002-556

Modular TOPJOB®S connector; modular; for jumper contact slot; 6-pole; 2,50 mm²; gray

2002-556



Item no.: 2002-557

Modular TOPJOB®S connector; modular; for jumper contact slot; 7-pole; 2,50 mm²; gray

2002-557



Item no.: 2002-558

Modular TOPJOB®S connector; modular; for jumper contact slot; 8-pole; 2,50 mm²; gray

2002-558



Item no.: 2002-559

Modular TOPJOB®S connector; modular; for jumper contact slot; 9-pole; 2,50 mm²; gray

2002-559



Item no.: 2002-560
Modular TOPJOB®S connector; modular; for jumper contact slot; 10-pole; 2,50 mm²; gray

2002-560



Item no.: 2009-174
Test plug adapter; for 4 mm Ø test plugs; for testing TOPJOB®S rail-mounted terminal blocks; gray

2009-174



Item no.: 2009-182
Testing tap; for max. 2.5 mm²; tool-free connection for individual test wires 0.08 - 2.5 mm; gray

2009-182



Item no.: 859-500
Test pin; 1 mm Ø; with solder connection for test wire

859-500

End plate



Item no.: 2022-1291
End and intermediate plate; 1 mm thick; gray

2022-1291



Item no.: 2022-1292
End and intermediate plate; 1 mm thick; orange

2022-1292

Female plug



Item no.: 2022-101
1-conductor female plug; 2.5 mm²; 1-pole; 2,50 mm²; gray

2022-101



Item no.: 2022-101/000-006
1-conductor female plug; 1-pole; 2,50 mm²; blue

2022-101

/000-006



Item no.: 2022-101/000-012
1-conductor female plug; 1-pole; 2,50 mm²; orange

2022-101

/000-012



Item no.: 2022-101/000-016
1-conductor female plug; 1-pole; 2,50 mm²; green-yellow

2022-101

/000-016

Item no.: 2022-101/122-000
1-conductor female plug; 1-pole; 2,50 mm²; gray

2022-101

/122-000

Item no.: 2022-101/122-006
1-conductor female plug; 1-pole; 2,50 mm²; blue

2022-101

/122-006

Item no.: 2022-101/122-016
1-conductor female plug; 1-pole; 2,50 mm²; green-yellow

2022-101

/122-016

Item no.: 2022-101/132-000
1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm²; gray

2022-101

/132-000

Item no.: 2022-101/132-006
1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm²; blue

2022-101

/132-006

Item no.: 2022-101/132-016
1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm²; green-yellow

2022-101

/132-016



	Item no.: 2022-101/142-000 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; gray	/ 142-000	2022-101
	Item no.: 2022-101/142-006 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; blue	/ 142-006	2022-101
	Item no.: 2022-101/142-016 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; green-yellow	/ 142-016	2022-101
	Item no.: 2022-102 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray		2022-102
	Item no.: 2022-102/000-006 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; blue	/ 000-006	2022-102
	Item no.: 2022-102/000-012 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; orange	/ 000-012	2022-102
	Item no.: 2022-102/000-016 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; green-yellow	/ 000-016	2022-102
	Item no.: 2022-102/122-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray	/ 122-000	2022-102
	Item no.: 2022-102/132-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray	/ 132-000	2022-102
	Item no.: 2022-102/142-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray	/ 142-000	2022-102
	Item no.: 2022-103 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray		2022-103
	Item no.: 2022-103/000-006 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; blue	/ 000-006	2022-103
	Item no.: 2022-103/000-012 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; orange	/ 000-012	2022-103
	Item no.: 2022-103/000-016 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; green-yellow	/ 000-016	2022-103
	Item no.: 2022-103/000-036 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray, green-yellow	/ 000-036	2022-103

	Item no.: 2022-103/000-037 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm2; green-yellow, gray	/000-037	2022-103
	Item no.: 2022-103/000-038 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm2; gray, blue, green-yellow	/000-038	2022-103
	Item no.: 2022-103/000-039 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm2; green-yellow, blue, gray	/000-039	2022-103
	Item no.: 2022-103/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 3-pole; 2,50 mm2; gray	/123-000	2022-103
	Item no.: 2022-103/133-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 3-pole; 2,50 mm2; gray	/133-000	2022-103
	Item no.: 2022-103/143-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 3-pole; 2,50 mm2; gray	/143-000	2022-103
	Item no.: 2022-104 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm2; gray		2022-104
	Item no.: 2022-104/000-006 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm2; blue	/000-006	2022-104
	Item no.: 2022-104/000-012 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm2; orange	/000-012	2022-104
	Item no.: 2022-104/000-016 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm2; green-yellow	/000-016	2022-104
	Item no.: 2022-104/000-036 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm2; gray, green-yellow	/000-036	2022-104
	Item no.: 2022-104/000-037 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm2; green-yellow, gray	/000-037	2022-104
	Item no.: 2022-104/000-038 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm2; gray, blue, green-yellow	/000-038	2022-104
	Item no.: 2022-104/000-039 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm2; green-yellow, blue, gray	/000-039	2022-104
	Item no.: 2022-104/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 4-pole; 2,50 mm2; gray	/123-000	2022-104

	Item no.: 2022-104/133-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray	/ 133-000	2022-104
	Item no.: 2022-104/143-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray	/ 143-000	2022-104
	Item no.: 2022-105 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray		2022-105
	Item no.: 2022-105/000-006 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; blue	/ 000-006	2022-105
	Item no.: 2022-105/000-012 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; orange	/ 000-012	2022-105
	Item no.: 2022-105/000-016 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; green-yellow	/ 000-016	2022-105
	Item no.: 2022-105/000-036 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray, green-yellow	/ 000-036	2022-105
	Item no.: 2022-105/000-037 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; green-yellow, gray	/ 000-037	2022-105
	Item no.: 2022-105/000-038 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray, blue, green-yellow	/ 000-038	2022-105
	Item no.: 2022-105/000-039 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; green-yellow, blue, gray	/ 000-039	2022-105
	Item no.: 2022-105/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray	/ 123-000	2022-105
	Item no.: 2022-105/134-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray	/ 134-000	2022-105
	Item no.: 2022-105/144-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray	/ 144-000	2022-105
	Item no.: 2022-106 1-conductor female plug; 2.5 mm ² ; 6-pole; 2,50 mm ² ; gray		2022-106
	Item no.: 2022-106/000-006 1-conductor female plug; 2.5 mm ² ; 6-pole; 2,50 mm ² ; blue	/ 000-006	2022-106

**Item no.: 2022-106/000-012**

1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; orange

/000-012

2022-106

**Item no.: 2022-106/000-016**

1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow

/000-016

2022-106

**Item no.: 2022-106/000-036**

1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; gray, green-yellow

/000-036

2022-106

**Item no.: 2022-106/000-037**

1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow, gray

/000-037

2022-106

**Item no.: 2022-106/000-038**

1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; gray, blue, green-yellow

/000-038

2022-106

**Item no.: 2022-106/000-039**

1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow, blue, gray

/000-039

2022-106

Item no.: 2022-106/123-000

1-conductor female plug; Locking lever; 2.5 mm²; 6-pole; 2,50 mm²; gray

/123-000

2022-106

Item no.: 2022-106/134-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 6-pole; 2,50 mm²; gray

/134-000

2022-106

Item no.: 2022-106/144-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 6-pole; 2,50 mm²; gray

/144-000

2022-106

**Item no.: 2022-107**

1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; gray

2022-107

**Item no.: 2022-107/000-006**

1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; blue

/000-006

2022-107

**Item no.: 2022-107/000-012**

1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; orange

/000-012

2022-107

**Item no.: 2022-107/000-016**

1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; green-yellow

/000-016

2022-107

**Item no.: 2022-107/000-036**

1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; gray, green-yellow

/000-036

2022-107

**Item no.: 2022-107/000-037**

1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; green-yellow, gray

/000-037

2022-107

**Item no.: 2022-107/000-038**

1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; gray, blue, green-yellow

/000-038

2022-107

**Item no.: 2022-107/000-039**

1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; green-yellow, blue, gray

/000-039

2022-107

Item no.: 2022-107/123-000

1-conductor female plug; Locking lever; 2.5 mm²; 7-pole; 2,50 mm²; gray

/123-000

2022-107

Item no.: 2022-107/135-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 7-pole; 2,50 mm²; gray

/135-000

2022-107

Item no.: 2022-107/145-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 7-pole; 2,50 mm²; gray

/145-000

2022-107

**Item no.: 2022-108**

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; gray

2022-108

**Item no.: 2022-108/000-006**

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; blue

/000-006

2022-108

**Item no.: 2022-108/000-012**

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; orange

/000-012

2022-108

**Item no.: 2022-108/000-016**

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; green-yellow

/000-016

2022-108

**Item no.: 2022-108/000-036**

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; gray, green-yellow

/000-036

2022-108

**Item no.: 2022-108/000-037**

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; green-yellow, gray

/000-037

2022-108

**Item no.: 2022-108/000-038**

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; gray, blue, green-yellow

/000-038

2022-108

**Item no.: 2022-108/000-039**

1-conductor female plug; 2.5 mm²; 8-pole; 2,50 mm²; green-yellow, blue, gray

/000-039

2022-108

Item no.: 2022-108/123-000

1-conductor female plug; Locking lever; 2.5 mm²; 8-pole; 2,50 mm²; gray

/123-000

2022-108

Item no.: 2022-108/135-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 8-pole; 2,50 mm²; gray

/135-000

2022-108

	Item no.: 2022-108/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 8-pole; 2,50 mm2; gray	/ 145-000	2022-108
	Item no.: 2022-109 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm2; gray		2022-109
	Item no.: 2022-109/000-006 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm2; blue	/ 000-006	2022-109
	Item no.: 2022-109/000-012 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm2; orange	/ 000-012	2022-109
	Item no.: 2022-109/000-016 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm2; green-yellow	/ 000-016	2022-109
	Item no.: 2022-109/000-036 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm2; gray, green-yellow	/ 000-036	2022-109
	Item no.: 2022-109/000-037 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm2; green-yellow, gray	/ 000-037	2022-109
	Item no.: 2022-109/000-038 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm2; gray, blue, green-yellow	/ 000-038	2022-109
	Item no.: 2022-109/000-039 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm2; green-yellow, blue, gray	/ 000-039	2022-109
	Item no.: 2022-109/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 9-pole; 2,50 mm2; gray	/ 123-000	2022-109
	Item no.: 2022-109/135-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 9-pole; 2,50 mm2; gray	/ 135-000	2022-109
	Item no.: 2022-109/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 9-pole; 2,50 mm2; gray	/ 145-000	2022-109
	Item no.: 2022-110 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm2; gray		2022-110
	Item no.: 2022-110/000-006 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm2; blue	/ 000-006	2022-110
	Item no.: 2022-110/000-012 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm2; orange	/ 000-012	2022-110

	Item no.: 2022-110/000-016 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; green-yellow	/000-016	2022-110
	Item no.: 2022-110/000-036 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray, green-yellow	/000-036	2022-110
	Item no.: 2022-110/000-037 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; green-yellow, gray	/000-037	2022-110
	Item no.: 2022-110/000-038 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray, blue, green-yellow	/000-038	2022-110
	Item no.: 2022-110/000-039 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; green-yellow, blue, gray	/000-039	2022-110
	Item no.: 2022-110/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray	/123-000	2022-110
	Item no.: 2022-110/135-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray	/135-000	2022-110
	Item no.: 2022-110/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray	/145-000	2022-110
	Item no.: 2022-111 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray		2022-111
	Item no.: 2022-111/000-006 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; blue	/000-006	2022-111
	Item no.: 2022-111/000-012 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; orange	/000-012	2022-111
	Item no.: 2022-111/000-016 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; green-yellow	/000-016	2022-111
	Item no.: 2022-111/000-036 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray, green-yellow	/000-036	2022-111
	Item no.: 2022-111/000-037 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; green-yellow, gray	/000-037	2022-111
	Item no.: 2022-111/000-038 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray, blue, green-yellow	/000-038	2022-111

**Item no.: 2022-111/000-039**1-conductor female plug; 2.5 mm²; 11-pole; 2,50 mm2; green-yellow, blue, gray

/000-039

2022-111

Item no.: 2022-111/126-0001-conductor female plug; Locking lever; 2.5 mm²; 11-pole; 2,50 mm2; gray

/126-000

2022-111

Item no.: 2022-111/136-0001-conductor female plug; Strain relief plate; 2.5 mm²; 11-pole; 2,50 mm2; gray

/136-000

2022-111

Item no.: 2022-111/146-0001-conductor female plug; Strain relief plate; 2.5 mm²; 11-pole; 2,50 mm2; gray

/146-000

2022-111

**Item no.: 2022-112**1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm2; gray

2022-112

**Item no.: 2022-112/000-006**1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm2; blue

/000-006

2022-112

**Item no.: 2022-112/000-012**1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm2; orange

/000-012

2022-112

**Item no.: 2022-112/000-016**1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm2; green-yellow

/000-016

2022-112

**Item no.: 2022-112/000-036**1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm2; gray, green-yellow

/000-036

2022-112

**Item no.: 2022-112/000-037**1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm2; green-yellow, gray

/000-037

2022-112

**Item no.: 2022-112/000-038**1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm2; gray, blue, green-yellow

/000-038

2022-112

**Item no.: 2022-112/000-039**1-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm2; green-yellow, blue, gray

/000-039

2022-112

Item no.: 2022-112/126-0001-conductor female plug; Locking lever; 2.5 mm²; 12-pole; 2,50 mm2; gray

/126-000

2022-112

Item no.: 2022-112/136-0001-conductor female plug; Strain relief plate; 2.5 mm²; 12-pole; 2,50 mm2; gray

/136-000

2022-112

Item no.: 2022-112/146-0001-conductor female plug; Strain relief plate; 2.5 mm²; 12-pole; 2,50 mm2; gray

/146-000

2022-112

	Item no.: 2022-113 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray	2022-113
	Item no.: 2022-113/000-006 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; blue	2022-113 /000-006
	Item no.: 2022-113/000-012 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; orange	2022-113 /000-012
	Item no.: 2022-113/000-016 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; green-yellow	2022-113 /000-016
	Item no.: 2022-113/000-036 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray, green-yellow	2022-113 /000-036
	Item no.: 2022-113/000-037 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; green-yellow, gray	2022-113 /000-037
	Item no.: 2022-113/000-038 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray, blue, green-yellow	2022-113 /000-038
	Item no.: 2022-113/000-039 1-conductor female plug; 2.5 mm ² ; 13-pole; 2,50 mm ² ; green-yellow, blue, gray	2022-113 /000-039
	Item no.: 2022-113/126-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray	2022-113 /126-000
	Item no.: 2022-113/136-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray	2022-113 /136-000
	Item no.: 2022-113/146-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 13-pole; 2,50 mm ² ; gray	2022-113 /146-000
	Item no.: 2022-114 1-conductor female plug; 2.5 mm ² ; 14-pole; 2,50 mm ² ; gray	2022-114
	Item no.: 2022-114/000-006 1-conductor female plug; 2.5 mm ² ; 14-pole; 2,50 mm ² ; blue	2022-114 /000-006
	Item no.: 2022-114/000-012 1-conductor female plug; 2.5 mm ² ; 14-pole; 2,50 mm ² ; orange	2022-114 /000-012
	Item no.: 2022-114/000-016 1-conductor female plug; 2.5 mm ² ; 14-pole; 2,50 mm ² ; green-yellow	2022-114 /000-016

	Item no.: 2022-114/000-036 1-conductor female plug; 2.5 mm ² ; 14-pole; 2,50 mm ² ; gray, green-yellow	/000-036	2022-114
	Item no.: 2022-114/000-037 1-conductor female plug; 2.5 mm ² ; 14-pole; 2,50 mm ² ; green-yellow, gray	/000-037	2022-114
	Item no.: 2022-114/000-038 1-conductor female plug; 2.5 mm ² ; 14-pole; 2,50 mm ² ; gray, blue, green-yellow	/000-038	2022-114
	Item no.: 2022-114/000-039 1-conductor female plug; 2.5 mm ² ; 14-pole; 2,50 mm ² ; green-yellow, blue, gray	/000-039	2022-114
	Item no.: 2022-114/126-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 14-pole; 2,50 mm ² ; gray	/126-000	2022-114
	Item no.: 2022-114/136-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 14-pole; 2,50 mm ² ; gray	/136-000	2022-114
	Item no.: 2022-114/146-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 14-pole; 2,50 mm ² ; gray	/146-000	2022-114
	Item no.: 2022-115 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; gray		2022-115
	Item no.: 2022-115/000-006 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; blue	/000-006	2022-115
	Item no.: 2022-115/000-012 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; orange	/000-012	2022-115
	Item no.: 2022-115/000-016 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; green-yellow	/000-016	2022-115
	Item no.: 2022-115/000-036 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; gray, green-yellow	/000-036	2022-115
	Item no.: 2022-115/000-037 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; green-yellow, gray	/000-037	2022-115
	Item no.: 2022-115/000-038 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; gray, blue, green-yellow	/000-038	2022-115
	Item no.: 2022-115/000-039 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; green-yellow, blue, gray	/000-039	2022-115

Item no.: 2022-115/127-000	2022-115
1-conductor female plug; Locking lever; 2.5 mm ² ; 15-pole; 2,50 mm2; gray	/ 127-000

Item no.: 2022-115/137-000	2022-115
1-conductor female plug; Strain relief plate; 2.5 mm ² ; 15-pole; 2,50 mm2; gray	/ 137-000

Item no.: 2022-115/147-000	2022-115
1-conductor female plug; Strain relief plate; 2.5 mm ² ; 15-pole; 2,50 mm2; gray	/ 147-000

Coding



Item no.: 2022-100	2022-100
Carrier with 6 coding pins; for coding of female plugs; orange	

General accessories



Item no.: 2022-161	2022-161
Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm2; gray	



Item no.: 2022-162	2022-162
Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm2; orange	



Item no.: 2022-164	2022-164
Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm2; blue	



Item no.: 2022-167	2022-167
Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm2; green-yellow	



Item no.: 2022-171	2022-171
Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm2; gray	



Item no.: 2022-172	2022-172
Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm2; orange	



Item no.: 2022-174	2022-174
Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm2; blue	



Item no.: 2022-177	2022-177
Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm2; green-yellow	



Item no.: 2022-181	2022-181
End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm2; gray	



Item no.: 2022-182	2022-182
End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm2; orange	



Item no.: 2022-184	2022-184
End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm2; blue	



Item no.: 2022-187	2022-187
End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm2; green-yellow	

Insulation stop



Item no.: 2002-171	2002-171
Insulation stop; 0.25 - 0.5 mm ² ; 5 pieces/strip; light gray	





Item no.: 2002-172

Insulation stop; 0.75 - 1 mm²; 5 pieces/strip; dark gray

2002-172

Downloads

Documentation

Bid Text

2022-1202	docx 15.4 kB	Download
-----------	-----------------	----------

Additional Information			
Technical explanations	Apr 3, 2019	pdf 2.1 MB	Download

CAD/CAE - Smart Data

CAD data

3D Download 2022-1202	URL	Download
-----------------------	-----	----------

EPLAN		
EPLAN Data Portal		Download

WSCAD		
WSCAD Universe		Download

Product family

X-COM S

Show all products from the family

Subject to changes.