



**Data sheet | Item number: 2022-1207**

1-conductor/1-pin ground carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®



2022-1207





## Data

### Connection data

|                                      |                                                                                                                                   |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Connection technology                | Push-in CAGE CLAMP®                                                                                                               |
| Actuation type                       | Open Tool Slot<br>Push-in                                                                                                         |
| Connectable conductor materials      | Copper                                                                                                                            |
| Nominal cross section                | 2.5 mm²                                                                                                                           |
| Solid conductor                      | 0.25 ... 4 mm² / 22 ... 12 AWG                                                                                                    |
| Solid conductor, push-in termination | 0.75 ... 4 mm² / 18 ... 12 AWG                                                                                                    |
| Fine-stranded conductor              | 0.25 ... 4 mm² / 22 ... 12 AWG                                                                                                    |
| Strip length                         | 10 ... 12 mm / 0.39 ... 0.47 inch                                                                                                 |
| Note (conductor cross-section)       | Depending on the conductor characteristic, a conductor with a smaller cross section can also be inserted via push-in termination. |
| Total number of connection points    | 1                                                                                                                                 |
| Total number of potentials           | 1                                                                                                                                 |
| Number of levels                     | 1                                                                                                                                 |
| Type of wiring                       | Front-entry wiring                                                                                                                |

### Geometrical Data

|                                       |                     |
|---------------------------------------|---------------------|
| Width                                 | 5.2 mm / 0.205 inch |
| Height from upper-edge of DIN-35 rail | 32.5 mm / 1.28 inch |
| Depth                                 | 50.8 mm / 0.2 inch  |

## Mechanical data

|                  |                     |
|------------------|---------------------|
| Design           | horizontal          |
| Type of mounting | DIN-35 rail         |
| Marking level    | Center/side marking |

## Material Data

|                     |                      |
|---------------------|----------------------|
| Color               | green-yellow         |
| Insulating material | Polyamide 66 (PA 66) |
| Fire load           | 0.108 MJ             |
| Weight              | 7.837 g              |

## Commercial data

|                    |                   |
|--------------------|-------------------|
| Product Group      | 18 (X-COM-System) |
| Country of origin  | CN                |
| GTIN               | 4050821145097     |
| Customs Tariff No. | 85366990990       |

## Approvals / Certificates

### Country specific Approvals

| Logo                                                                               | Approval                              | Additional Approval Text | Certificate name |
|------------------------------------------------------------------------------------|---------------------------------------|--------------------------|------------------|
|  | CCA<br>DEKRA Certification B.V.       | EN 60947                 | NTR NL<br>7628   |
|  | CSA<br>DEKRA Certification B.V.       | C22.2 No. 158            | 70107915         |
|  | KEMA/KEUR<br>DEKRA Certification B.V. | EN 61984                 | 71-<br>101201    |

### UL-Approvals

| Logo                                                                               | Approval                             | Additional Approval Text | Certificate name |
|------------------------------------------------------------------------------------|--------------------------------------|--------------------------|------------------|
|  | UR<br>Underwriters Laboratories Inc. | UL 1059                  | E45172           |

## Compatible products

### End plate

|                                                                                  |                                                               |           |
|----------------------------------------------------------------------------------|---------------------------------------------------------------|-----------|
|  | Item no.: 2022-1291<br>End and intermediate plate; 1 mm thick | 2022-1291 |
|  | Item no.: 2022-1292<br>End and intermediate plate; 1 mm thick | 2022-1292 |

### Marking accessories

|                                                                                    |                                                                                                                   |                      |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|----------------------|
|    | Item no.: 2002-161<br>Adaptor                                                                                     | 2002-161             |
|   | Item no.: 2009-110<br>Marking strips; on reel; not stretchable; plain; snap-on type                               | 2009-110             |
|  | Item no.: 2009-115<br>WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type         | 2009-115             |
|  | Item no.: 2009-115/000-002<br>WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | 2009-115<br>/000-002 |
|  | Item no.: 2009-115/000-005<br>WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | 2009-115<br>/000-005 |
|  | Item no.: 2009-115/000-006<br>WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type  | 2009-115<br>/000-006 |
|  | Item no.: 2009-115/000-007<br>WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | 2009-115<br>/000-007 |
|  | Item no.: 2009-115/000-012<br>WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type  | 2009-115<br>/000-012 |
|  | Item no.: 2009-115/000-017<br>WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | 2009-115<br>/000-017 |

|                                                                                    |                                                                                                                               |          |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------|
|   | <b>Item no.: 2009-115/000-023</b><br>WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type      | 2009-115 |
|                                                                                    | /000-023                                                                                                                      |          |
|   | <b>Item no.: 2009-115/000-024</b><br>WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type       | 2009-115 |
|                                                                                    | /000-024                                                                                                                      |          |
|    | <b>Item no.: 2009-145</b><br>Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type         | 2009-145 |
|    | <b>Item no.: 2009-145/000-002</b><br>Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | 2009-145 |
|                                                                                    | /000-002                                                                                                                      |          |
|    | <b>Item no.: 2009-145/000-005</b><br>Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | 2009-145 |
|                                                                                    | /000-005                                                                                                                      |          |
|    | <b>Item no.: 2009-145/000-006</b><br>Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | 2009-145 |
|                                                                                    | /000-006                                                                                                                      |          |
|    | <b>Item no.: 2009-145/000-007</b><br>Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | 2009-145 |
|                                                                                    | /000-007                                                                                                                      |          |
|  | <b>Item no.: 2009-145/000-012</b><br>Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | 2009-145 |
|                                                                                    | /000-012                                                                                                                      |          |
|  | <b>Item no.: 2009-145/000-023</b><br>Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type  | 2009-145 |
|                                                                                    | /000-023                                                                                                                      |          |
|  | <b>Item no.: 2009-145/000-024</b><br>Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | 2009-145 |
|                                                                                    | /000-024                                                                                                                      |          |
|  | <b>Item no.: 2009-191</b><br>Group marker carrier                                                                             | 2009-191 |
|  | <b>Item no.: 2009-192</b><br>Group marker carrier                                                                             | 2009-192 |
|  | <b>Item no.: 2009-193</b><br>Group marker carrier                                                                             | 2009-193 |
|  | <b>Item no.: 2009-198</b><br>Adaptor                                                                                          | 2009-198 |
|  | <b>Item no.: 248-501</b><br>Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card  | 248-501  |
|  | <b>Item no.: 248-501/000-002</b><br>Mini-WSB marking card; as card; not stretchable; plain; snap-on type                      | 248-501  |
|                                                                                    | /000-002                                                                                                                      |          |

**Item no.: 248-501/000-005**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-005

248-501

**Item no.: 248-501/000-006**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-006

248-501

**Item no.: 248-501/000-007**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-007

248-501

**Item no.: 248-501/000-012**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-012

248-501

**Item no.: 248-501/000-017**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-017

248-501

**Item no.: 248-501/000-023**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-023

248-501

**Item no.: 248-501/000-024**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-024

248-501

**Item no.: 793-501**

WMB marking card; as card; not stretchable; plain; snap-on type

793-501

**Item no.: 793-501/000-002**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-002

793-501

**Item no.: 793-501/000-005**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-005

793-501

**Item no.: 793-501/000-006**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-006

793-501

**Item no.: 793-501/000-007**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-007

793-501

**Item no.: 793-501/000-012**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-012

793-501

**Item no.: 793-501/000-017**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-017

793-501

**Item no.: 793-501/000-023**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-023

793-501



**Item no.: 793-501/000-024**  
WMB marking card; as card; not stretchable; plain; snap-on type

/000-024

793-501



**Item no.: 793-5501**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

793-5501



**Item no.: 793-5501/000-002**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

/000-002

793-5501



**Item no.: 793-5501/000-005**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-005

793-5501



**Item no.: 793-5501/000-006**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-006

793-5501



**Item no.: 793-5501/000-007**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-007

793-5501



**Item no.: 793-5501/000-012**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-012

793-5501



**Item no.: 793-5501/000-014**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-014

793-5501



**Item no.: 793-5501/000-017**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-017

793-5501



**Item no.: 793-5501/000-023**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-023

793-5501



**Item no.: 793-5501/000-024**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-024

793-5501

## ferrule



**Item no.: 216-241**  
Ferrule; Sleeve for 0.5 mm<sup>2</sup> / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-241



**Item no.: 216-242**  
Ferrule; Sleeve for 0.75 mm<sup>2</sup> / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-242



**Item no.: 216-243**  
Ferrule; Sleeve for 1 mm<sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-243



**Item no.: 216-244**  
Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-244

**Item no.: 216-246**


|                                                                                                                  |                                                                                                                                                                                      |          |
|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
|                                   | Ferrule; Sleeve for 2.5 mm <sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90                              | 216-246  |
|                                   | <b>Item no.: 216-262</b><br>Ferrule; Sleeve for 0.75 mm <sup>2</sup> / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90 | 216-262  |
|                                   | <b>Item no.: 216-263</b><br>Ferrule; Sleeve for 1 mm <sup>2</sup> / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90    | 216-263  |
|                                   | <b>Item no.: 216-264</b><br>Ferrule; Sleeve for 1.5 mm <sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90  | 216-264  |
|                                   | <b>Item no.: 216-266</b><br>Ferrule; Sleeve for 2.5 mm <sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90  | 216-266  |
|                                   | <b>Item no.: 216-284</b><br>Ferrule; Sleeve for 1.5 mm <sup>2</sup> / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90  | 216-284  |
|                                   | <b>Item no.: 216-286</b><br>Ferrule; Sleeve for 2.5 mm <sup>2</sup> / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90  | 216-286  |
| <b>Carrier rail</b>                                                                                              |                                                                                                                                                                                      |          |
|   | <b>Item no.: 210-112</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm"                                                | 210-112  |
|                                | <b>Item no.: 210-113</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715                                                                  | 210-113  |
|                                | <b>Item no.: 210-114</b><br>Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715                                                                   | 210-114  |
|  | <b>Item no.: 210-115</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm"                                                | 210-115  |
|                                | <b>Item no.: 210-118</b><br>Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715                                                                 | 210-118  |
|                                | <b>Item no.: 210-196</b><br>Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715                                                               | 210-196  |
|                                | <b>Item no.: 210-197</b><br>Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715                                                                     | 210-197  |
|                                | <b>Item no.: 210-198</b><br>Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715                                                                | 210-198  |
| <b>check</b>                                                                                                     |                                                                                                                                                                                      |          |
|                                 | <b>Item no.: 2002-511</b><br>Modular TOPJOB®S connector; modular; for jumper contact slot; 1-pole                                                                                    | 2002-511 |
|                                 | <b>Item no.: 2002-549</b><br>Spacer module; modular; e.g., for bridging commoned terminal blocks                                                                                     | 2002-549 |
|                                 | <b>Item no.: 2002-552</b><br>Modular TOPJOB®S connector; modular; for jumper contact slot; 2-pole                                                                                    | 2002-552 |

|                                                                                    |                                                                                                                                       |                      |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|    | <b>Item no.: 2002-553</b><br>Modular TOPJOB®S connector; modular; for jumper contact slot; 3-pole                                     | 2002-553             |
|    | <b>Item no.: 2002-554</b><br>Modular TOPJOB®S connector; modular; for jumper contact slot; 4-pole                                     | 2002-554             |
|    | <b>Item no.: 2002-555</b><br>Modular TOPJOB®S connector; modular; for jumper contact slot; 5-pole                                     | 2002-555             |
|    | <b>Item no.: 2002-556</b><br>Modular TOPJOB®S connector; modular; for jumper contact slot; 6-pole                                     | 2002-556             |
|    | <b>Item no.: 2002-557</b><br>Modular TOPJOB®S connector; modular; for jumper contact slot; 7-pole                                     | 2002-557             |
|    | <b>Item no.: 2002-558</b><br>Modular TOPJOB®S connector; modular; for jumper contact slot; 8-pole                                     | 2002-558             |
|    | <b>Item no.: 2002-559</b><br>Modular TOPJOB®S connector; modular; for jumper contact slot; 9-pole                                     | 2002-559             |
|    | <b>Item no.: 2002-560</b><br>Modular TOPJOB®S connector; modular; for jumper contact slot; 10-pole                                    | 2002-560             |
|    | <b>Item no.: 2009-174</b><br>Test plug adapter; for 4 mm Ø test plugs; for testing TOPJOB®S rail-mounted terminal blocks              | 2009-174             |
|   | <b>Item no.: 2009-182</b><br>Testing tap; for max. 2.5 mm <sup>2</sup> ; tool-free connection for individual test wires 0.08 - 2.5 mm | 2009-182             |
|  | <b>Item no.: 859-500</b><br>Test pin; 1 mm Ø; with solder connection for test wire                                                    | 859-500              |
| <b>Insulation stop</b>                                                             |                                                                                                                                       |                      |
|  | <b>Item no.: 2002-171</b><br>Insulation stop; 0.25 - 0.5 mm <sup>2</sup> ; 5 pieces/strip                                             | 2002-171             |
|  | <b>Item no.: 2002-172</b><br>Insulation stop; 0.75 - 1 mm <sup>2</sup> ; 5 pieces/strip                                               | 2002-172             |
| <b>Jumper</b>                                                                      |                                                                                                                                       |                      |
|  | <b>Item no.: 2002-400</b><br>Adjacent jumper for continuous commoning; insulated; 2-way; Nominal current 25 A                         | 2002-400             |
|  | <b>Item no.: 2002-402</b><br>Push-in type jumper bar; insulated; 2-way; Nominal current 25 A                                          | 2002-402             |
|  | <b>Item no.: 2002-402/000-005</b><br>Push-in type jumper bar; insulated; 2-way; Nominal current 25 A                                  | 2002-402<br>/000-005 |
|  | <b>Item no.: 2002-402/000-006</b><br>Push-in type jumper bar; insulated; 2-way; Nominal current 25 A                                  | 2002-402<br>/000-006 |
|  | <b>Item no.: 2002-403</b><br>Push-in type jumper bar; insulated; 3-way; Nominal current 25 A                                          | 2002-403             |

|                                                                                    |                                                                                                          |          |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|----------|
|    | <b>Item no.: 2022-403/000-005</b><br>Push-in type jumper bar; insulated; 3-way; Nominal current 25 A     | 2022-403 |
|                                                                                    | /000-005                                                                                                 |          |
|    | <b>Item no.: 2022-403/000-006</b><br>Push-in type jumper bar; insulated; 3-way; Nominal current 25 A     | 2022-403 |
|                                                                                    | /000-006                                                                                                 |          |
|    | <b>Item no.: 2022-404</b><br>Push-in type jumper bar; insulated; 4-way; Nominal current 25 A             | 2022-404 |
|    | <b>Item no.: 2022-404/000-005</b><br>Push-in type jumper bar; insulated; 4-way; Nominal current 25 A     | 2022-404 |
|                                                                                    | /000-005                                                                                                 |          |
|    | <b>Item no.: 2022-404/000-006</b><br>Push-in type jumper bar; insulated; 4-way; Nominal current 25 A     | 2022-404 |
|                                                                                    | /000-006                                                                                                 |          |
|    | <b>Item no.: 2022-405</b><br>Push-in type jumper bar; insulated; 5-way; Nominal current 25 A             | 2022-405 |
|    | <b>Item no.: 2022-405/000-005</b><br>Push-in type jumper bar; insulated; 5-way; Nominal current 25 A     | 2022-405 |
|                                                                                    | /000-005                                                                                                 |          |
|   | <b>Item no.: 2022-405/000-006</b><br>Push-in type jumper bar; insulated; 5-way; Nominal current 25 A     | 2022-405 |
|                                                                                    | /000-006                                                                                                 |          |
|  | <b>Item no.: 2022-405/011-000</b><br>Star point jumper; insulated; 3-way (1-3-5); IN = IN terminal block | 2022-405 |
|                                                                                    | /011-000                                                                                                 |          |
|  | <b>Item no.: 2022-406</b><br>Push-in type jumper bar; insulated; 6-way; Nominal current 25 A             | 2022-406 |
|  | <b>Item no.: 2022-406/000-005</b><br>Push-in type jumper bar; insulated; 6-way; Nominal current 25 A     | 2022-406 |
|                                                                                    | /000-005                                                                                                 |          |
|  | <b>Item no.: 2022-406/000-006</b><br>Push-in type jumper bar; insulated; 6-way; Nominal current 25 A     | 2022-406 |
|                                                                                    | /000-006                                                                                                 |          |
|  | <b>Item no.: 2022-406/020-000</b><br>Delta jumper; insulated; 1-2 3-4 5-6; IN = IN terminal block        | 2022-406 |
|                                                                                    | /020-000                                                                                                 |          |
|  | <b>Item no.: 2022-407</b><br>Push-in type jumper bar; insulated; 7-way; Nominal current 25 A             | 2022-407 |
|  | <b>Item no.: 2022-407/000-005</b><br>Push-in type jumper bar; insulated; 7-way; Nominal current 25 A     | 2022-407 |
|                                                                                    | /000-005                                                                                                 |          |
|  | <b>Item no.: 2022-407/000-006</b><br>Push-in type jumper bar; insulated; 7-way; Nominal current 25 A     | 2022-407 |
|                                                                                    | /000-006                                                                                                 |          |

|                                                                                    |                                                                                                                             |                      |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|----------------------|
|    | <b>Item no.: 2022-408</b><br>Push-in type jumper bar; insulated; 8-way; Nominal current 25 A                                | 2022-408             |
|    | <b>Item no.: 2022-408/000-005</b><br>Push-in type jumper bar; insulated; 8-way; Nominal current 25 A                        | 2022-408<br>/000-005 |
|    | <b>Item no.: 2022-408/000-006</b><br>Push-in type jumper bar; insulated; 8-way; Nominal current 25 A                        | 2022-408<br>/000-006 |
|    | <b>Item no.: 2022-409</b><br>Push-in type jumper bar; insulated; 9-way; Nominal current 25 A                                | 2022-409             |
|    | <b>Item no.: 2022-409/000-005</b><br>Push-in type jumper bar; insulated; 9-way; Nominal current 25 A                        | 2022-409<br>/000-005 |
|    | <b>Item no.: 2022-409/000-006</b><br>Push-in type jumper bar; insulated; 9-way; Nominal current 25 A                        | 2022-409<br>/000-006 |
|    | <b>Item no.: 2022-410</b><br>Push-in type jumper bar; insulated; 10-way; Nominal current 25 A                               | 2022-410             |
|  | <b>Item no.: 2022-410/000-005</b><br>Push-in type jumper bar; insulated; 10-way; Nominal current 25 A                       | 2022-410<br>/000-005 |
|  | <b>Item no.: 2022-410/000-006</b><br>Push-in type jumper bar; insulated; 10-way; Nominal current 25 A                       | 2022-410<br>/000-006 |
|  | <b>Item no.: 2022-423</b><br>Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A         | 2022-423             |
|  | <b>Item no.: 2022-423/000-005</b><br>Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A | 2022-423<br>/000-005 |
|  | <b>Item no.: 2022-423/000-006</b><br>Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A | 2022-423<br>/000-006 |
|  | <b>Item no.: 2022-433</b><br>Push-in type jumper bar; insulated; from 1 to 3; Nominal current 25 A                          | 2022-433             |
|  | <b>Item no.: 2022-434</b><br>Push-in type jumper bar; insulated; from 1 to 4; Nominal current 25 A                          | 2022-434             |
|  | <b>Item no.: 2022-435</b><br>Push-in type jumper bar; insulated; from 1 to 5; Nominal current 25 A                          | 2022-435             |
|  | <b>Item no.: 2022-436</b><br>Push-in type jumper bar; insulated; from 1 to 6; Nominal current 25 A                          | 2022-436             |
|  | <b>Item no.: 2022-437</b><br>Push-in type jumper bar; insulated; from 1 to 7; Nominal current 25 A                          | 2022-437             |

|                                                                                    |                                                                                                                                                                                   |                      |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|    | <b>Item no.: 2002-438</b><br>Push-in type jumper bar; insulated; from 1 to 8; Nominal current 25 A                                                                                | 2002-438             |
|    | <b>Item no.: 2002-439</b><br>Push-in type jumper bar; insulated; from 1 to 9; Nominal current 25 A                                                                                | 2002-439             |
|    | <b>Item no.: 2002-440</b><br>Push-in type jumper bar; insulated; from 1 to 10; Nominal current 25 A                                                                               | 2002-440             |
|    | <b>Item no.: 2002-472</b><br>Staggered jumper; insulated; 2-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks                             | 2002-472             |
|    | <b>Item no.: 2002-473</b><br>Staggered jumper; insulated; 3-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks                             | 2002-473             |
|                                                                                    | <b>Item no.: 2002-473/011-000</b><br>Ready-made staggered jumper; insulated; 2-way (1-3); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking   | 2002-473<br>/011-000 |
|    | <b>Item no.: 2002-474</b><br>Staggered jumper; insulated; 4-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks                             | 2002-474             |
|    | <b>Item no.: 2002-475</b><br>Staggered jumper; insulated; 5-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks                             | 2002-475             |
|                                                                                    | <b>Item no.: 2002-475/011-000</b><br>Ready-made staggered jumper; insulated; 3-way (1-3-5); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking | 2002-475<br>/011-000 |
|  | <b>Item no.: 2002-476</b><br>Staggered jumper; insulated; 6-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks                             | 2002-476             |
|  | <b>Item no.: 2002-477</b><br>Staggered jumper; insulated; 7-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks                             | 2002-477             |
|  | <b>Item no.: 2002-477/011-000</b><br>Ready-made staggered jumper; insulated; 1-3-5-7; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking       | 2002-477<br>/011-000 |
|  | <b>Item no.: 2002-478</b><br>Staggered jumper; insulated; 8-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks                             | 2002-478             |
|  | <b>Item no.: 2002-479</b><br>Staggered jumper; insulated; 9-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks                             | 2002-479             |
|                                                                                    | <b>Item no.: 2002-479/011-000</b><br>Ready-made staggered jumper; insulated; 1-3-5-7-9; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking     | 2002-479<br>/011-000 |
|  | <b>Item no.: 2002-480</b><br>Staggered jumper; insulated; 10-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks                            | 2002-480             |
|  | <b>Item no.: 2002-481</b><br>Staggered jumper; insulated; 11-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks                            | 2002-481             |

|                                                                                                                                                                                   |                                   |          |          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|----------|----------|
| <b>Item no.: 2002-481/011-000</b>                                                                                                                                                 |                                   |          | 2002-481 |
| Ready-made staggered jumper; insulated; 1-3-5-7-9-11; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking                                       |                                   | /011-000 |          |
|                                                                                                   | <b>Item no.: 2002-482</b>         |          | 2002-482 |
| Staggered jumper; insulated; 12-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks                                                         |                                   |          |          |
|                                                                                                   | <b>Item no.: 2009-412</b>         |          | 2009-412 |
| Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 1.5 mm <sup>2</sup> ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks  |                                   |          |          |
|                                                                                                   | <b>Item no.: 2009-414</b>         |          | 2009-414 |
| Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm <sup>2</sup> ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks |                                   |          |          |
|                                                                                                   | <b>Item no.: 2009-414/000-005</b> | /000-005 | 2009-414 |
| Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm <sup>2</sup> ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks |                                   |          |          |
|                                                                                                   | <b>Item no.: 2009-414/000-006</b> | /000-006 | 2009-414 |
| Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm <sup>2</sup> ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks |                                   |          |          |
|                                                                                                   | <b>Item no.: 2009-416</b>         |          | 2009-416 |
| Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 1.5 mm <sup>2</sup> ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks |                                   |          |          |
|                                                                                                   | <b>Item no.: 210-103</b>          |          | 210-103  |
| Wire commoning chain; insulated; 50 connections                                                                                                                                   |                                   |          |          |
|                                                                                                  | <b>Item no.: 210-123</b>          |          | 210-123  |
| Wire commoning chain; insulated; 50 connections                                                                                                                                   |                                   |          |          |
| <b>tools</b>                                                                                                                                                                      |                                   |          |          |
|                                                                                                 | <b>Item no.: 210-720</b>          |          | 210-720  |
| Operating tool with partially insulated shaft; Type 2, blade (3.5 x 0.5) mm                                                                                                       |                                   |          |          |
| <b>Coding</b>                                                                                                                                                                     |                                   |          |          |
|                                                                                                 | <b>Item no.: 2022-100</b>         |          | 2022-100 |
| Carrier with 6 coding pins; for coding of female plugs                                                                                                                            |                                   |          |          |
| <b>Female plug</b>                                                                                                                                                                |                                   |          |          |
|                                                                                                 | <b>Item no.: 2022-101</b>         |          | 2022-101 |
| 1-conductor female plug; 2.5 mm <sup>2</sup> ; 1-pole                                                                                                                             |                                   |          |          |
|                                                                                                 | <b>Item no.: 2022-101/000-006</b> | /000-006 | 2022-101 |
| 1-conductor female plug; 1-pole                                                                                                                                                   |                                   |          |          |
|                                                                                                 | <b>Item no.: 2022-101/000-012</b> | /000-012 | 2022-101 |
| 1-conductor female plug; 1-pole                                                                                                                                                   |                                   |          |          |
|                                                                                                 | <b>Item no.: 2022-101/000-016</b> | /000-016 | 2022-101 |
| 1-conductor female plug; 1-pole                                                                                                                                                   |                                   |          |          |
|                                                                                                                                                                                   | <b>Item no.: 2022-101/122-000</b> | /122-000 | 2022-101 |
| 1-conductor female plug; 1-pole                                                                                                                                                   |                                   |          |          |

|                                                                                    |                                                                                                                 |                       |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------------|
|                                                                                    | <b>Item no.: 2022-101/122-006</b><br>1-conductor female plug; 1-pole                                            | 2022-101<br>/ 122-006 |
|                                                                                    | <b>Item no.: 2022-101/122-016</b><br>1-conductor female plug; 1-pole                                            | 2022-101<br>/ 122-016 |
|                                                                                    | <b>Item no.: 2022-101/132-000</b><br>1-conductor female plug; Strain relief plate; 1-pole                       | 2022-101<br>/ 132-000 |
|                                                                                    | <b>Item no.: 2022-101/132-006</b><br>1-conductor female plug; Strain relief plate; 1-pole                       | 2022-101<br>/ 132-006 |
|                                                                                    | <b>Item no.: 2022-101/132-016</b><br>1-conductor female plug; Strain relief plate; 1-pole                       | 2022-101<br>/ 132-016 |
|                                                                                    | <b>Item no.: 2022-101/142-000</b><br>1-conductor female plug; Strain relief plate; 1-pole                       | 2022-101<br>/ 142-000 |
|                                                                                    | <b>Item no.: 2022-101/142-006</b><br>1-conductor female plug; Strain relief plate; 1-pole                       | 2022-101<br>/ 142-006 |
|                                                                                    | <b>Item no.: 2022-101/142-016</b><br>1-conductor female plug; Strain relief plate; 1-pole                       | 2022-101<br>/ 142-016 |
|  | <b>Item no.: 2022-102</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 2-pole                              | 2022-102              |
|  | <b>Item no.: 2022-102/000-006</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 2-pole                      | 2022-102<br>/ 000-006 |
|  | <b>Item no.: 2022-102/000-012</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 2-pole                      | 2022-102<br>/ 000-012 |
|  | <b>Item no.: 2022-102/000-016</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 2-pole                      | 2022-102<br>/ 000-016 |
|                                                                                    | <b>Item no.: 2022-102/122-000</b><br>1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 2-pole       | 2022-102<br>/ 122-000 |
|                                                                                    | <b>Item no.: 2022-102/132-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 2-pole | 2022-102<br>/ 132-000 |
|                                                                                    | <b>Item no.: 2022-102/142-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 2-pole | 2022-102<br>/ 142-000 |

|                                                                                    |                                                                                                                 |          |          |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|----------|----------|
|    | <b>Item no.: 2022-103</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole                              |          | 2022-103 |
|    | <b>Item no.: 2022-103/000-006</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole                      | /000-006 | 2022-103 |
|    | <b>Item no.: 2022-103/000-012</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole                      | /000-012 | 2022-103 |
|    | <b>Item no.: 2022-103/000-016</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole                      | /000-016 | 2022-103 |
|    | <b>Item no.: 2022-103/000-036</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole                      | /000-036 | 2022-103 |
|    | <b>Item no.: 2022-103/000-037</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole                      | /000-037 | 2022-103 |
|    | <b>Item no.: 2022-103/000-038</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole                      | /000-038 | 2022-103 |
|  | <b>Item no.: 2022-103/000-039</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 3-pole                      | /000-039 | 2022-103 |
|                                                                                    | <b>Item no.: 2022-103/123-000</b><br>1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 3-pole       | /123-000 | 2022-103 |
|                                                                                    | <b>Item no.: 2022-103/133-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 3-pole | /133-000 | 2022-103 |
|                                                                                    | <b>Item no.: 2022-103/143-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 3-pole | /143-000 | 2022-103 |
|  | <b>Item no.: 2022-104</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole                              |          | 2022-104 |
|  | <b>Item no.: 2022-104/000-006</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole                      | /000-006 | 2022-104 |
|  | <b>Item no.: 2022-104/000-012</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole                      | /000-012 | 2022-104 |
|  | <b>Item no.: 2022-104/000-016</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole                      | /000-016 | 2022-104 |

|                                                                                    |                                                                                                                 |          |          |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|----------|----------|
|    | <b>Item no.: 2022-104/000-036</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole                      | /000-036 | 2022-104 |
|    | <b>Item no.: 2022-104/000-037</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole                      | /000-037 | 2022-104 |
|    | <b>Item no.: 2022-104/000-038</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole                      | /000-038 | 2022-104 |
|    | <b>Item no.: 2022-104/000-039</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 4-pole                      | /000-039 | 2022-104 |
|                                                                                    | <b>Item no.: 2022-104/123-000</b><br>1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 4-pole       | /123-000 | 2022-104 |
|                                                                                    | <b>Item no.: 2022-104/133-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 4-pole | /133-000 | 2022-104 |
|                                                                                    | <b>Item no.: 2022-104/143-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 4-pole | /143-000 | 2022-104 |
|  | <b>Item no.: 2022-105</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 5-pole                              |          | 2022-105 |
|  | <b>Item no.: 2022-105/000-006</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 5-pole                      | /000-006 | 2022-105 |
|  | <b>Item no.: 2022-105/000-012</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 5-pole                      | /000-012 | 2022-105 |
|  | <b>Item no.: 2022-105/000-016</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 5-pole                      | /000-016 | 2022-105 |
|  | <b>Item no.: 2022-105/000-036</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 5-pole                      | /000-036 | 2022-105 |
|  | <b>Item no.: 2022-105/000-037</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 5-pole                      | /000-037 | 2022-105 |
|  | <b>Item no.: 2022-105/000-038</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 5-pole                      | /000-038 | 2022-105 |
|  | <b>Item no.: 2022-105/000-039</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 5-pole                      | /000-039 | 2022-105 |



**Item no.: 2022-105/123-000**  
1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 5-pole

/ 123-000

2022-105



**Item no.: 2022-105/134-000**  
1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 5-pole

/ 134-000

2022-105



**Item no.: 2022-105/144-000**  
1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 5-pole

/ 144-000

2022-105



**Item no.: 2022-106**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 6-pole

2022-106



**Item no.: 2022-106/000-006**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 6-pole

/ 000-006

2022-106



**Item no.: 2022-106/000-012**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 6-pole

/ 000-012

2022-106



**Item no.: 2022-106/000-016**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 6-pole

/ 000-016

2022-106



**Item no.: 2022-106/000-036**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 6-pole

/ 000-036

2022-106



**Item no.: 2022-106/000-037**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 6-pole

/ 000-037

2022-106



**Item no.: 2022-106/000-038**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 6-pole

/ 000-038

2022-106



**Item no.: 2022-106/000-039**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 6-pole

/ 000-039

2022-106

**Item no.: 2022-106/123-000**  
1-conductor female plug; Locking lever; 2.5 mm<sup>2</sup>; 6-pole

/ 123-000

2022-106

**Item no.: 2022-106/134-000**  
1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 6-pole

/ 134-000

2022-106

**Item no.: 2022-106/144-000**  
1-conductor female plug; Strain relief plate; 2.5 mm<sup>2</sup>; 6-pole

/ 144-000

2022-106



**Item no.: 2022-107**  
1-conductor female plug; 2.5 mm<sup>2</sup>; 7-pole

2022-107

|                                                                                    |                                                                                                                 |          |          |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|----------|----------|
|    | <b>Item no.: 2022-107/000-006</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole                      | /000-006 | 2022-107 |
|    | <b>Item no.: 2022-107/000-012</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole                      | /000-012 | 2022-107 |
|    | <b>Item no.: 2022-107/000-016</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole                      | /000-016 | 2022-107 |
|    | <b>Item no.: 2022-107/000-036</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole                      | /000-036 | 2022-107 |
|    | <b>Item no.: 2022-107/000-037</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole                      | /000-037 | 2022-107 |
|    | <b>Item no.: 2022-107/000-038</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole                      | /000-038 | 2022-107 |
|    | <b>Item no.: 2022-107/000-039</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 7-pole                      | /000-039 | 2022-107 |
|                                                                                    | <b>Item no.: 2022-107/123-000</b><br>1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 7-pole       | /123-000 | 2022-107 |
|                                                                                    | <b>Item no.: 2022-107/135-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 7-pole | /135-000 | 2022-107 |
|                                                                                    | <b>Item no.: 2022-107/145-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 7-pole | /145-000 | 2022-107 |
|  | <b>Item no.: 2022-108</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 8-pole                              |          | 2022-108 |
|  | <b>Item no.: 2022-108/000-006</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 8-pole                      | /000-006 | 2022-108 |
|  | <b>Item no.: 2022-108/000-012</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 8-pole                      | /000-012 | 2022-108 |
|  | <b>Item no.: 2022-108/000-016</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 8-pole                      | /000-016 | 2022-108 |
|  | <b>Item no.: 2022-108/000-036</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 8-pole                      | /000-036 | 2022-108 |



**Item no.: 2022-108/000-037**  
1-conductor female plug; 2.5 mm²; 8-pole

/000-037

2022-108



**Item no.: 2022-108/000-038**  
1-conductor female plug; 2.5 mm²; 8-pole

/000-038

2022-108



**Item no.: 2022-108/000-039**  
1-conductor female plug; 2.5 mm²; 8-pole

/000-039

2022-108

**Item no.: 2022-108/123-000**  
1-conductor female plug; Locking lever; 2.5 mm²; 8-pole

/123-000

2022-108

**Item no.: 2022-108/135-000**  
1-conductor female plug; Strain relief plate; 2.5 mm²; 8-pole

/135-000

2022-108

**Item no.: 2022-108/145-000**  
1-conductor female plug; Strain relief plate; 2.5 mm²; 8-pole

/145-000

2022-108



**Item no.: 2022-109**  
1-conductor female plug; 2.5 mm²; 9-pole

2022-109



**Item no.: 2022-109/000-006**  
1-conductor female plug; 2.5 mm²; 9-pole

/000-006

2022-109



**Item no.: 2022-109/000-012**  
1-conductor female plug; 2.5 mm²; 9-pole

/000-012

2022-109



**Item no.: 2022-109/000-016**  
1-conductor female plug; 2.5 mm²; 9-pole

/000-016

2022-109



**Item no.: 2022-109/000-036**  
1-conductor female plug; 2.5 mm²; 9-pole

/000-036

2022-109



**Item no.: 2022-109/000-037**  
1-conductor female plug; 2.5 mm²; 9-pole

/000-037

2022-109



**Item no.: 2022-109/000-038**  
1-conductor female plug; 2.5 mm²; 9-pole

/000-038

2022-109



**Item no.: 2022-109/000-039**  
1-conductor female plug; 2.5 mm²; 9-pole

/000-039

2022-109

**Item no.: 2022-109/123-000**  
1-conductor female plug; Locking lever; 2.5 mm²; 9-pole

/123-000

2022-109

|                                                                                    |                                                                                                                  |           |          |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------|----------|
|                                                                                    | <b>Item no.: 2022-109/135-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 9-pole  | / 135-000 | 2022-109 |
|                                                                                    | <b>Item no.: 2022-109/145-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 9-pole  | / 145-000 | 2022-109 |
|    | <b>Item no.: 2022-110</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole                              |           | 2022-110 |
|     | <b>Item no.: 2022-110/000-006</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole                      | /000-006  | 2022-110 |
|    | <b>Item no.: 2022-110/000-012</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole                      | /000-012  | 2022-110 |
|     | <b>Item no.: 2022-110/000-016</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole                      | /000-016  | 2022-110 |
|    | <b>Item no.: 2022-110/000-036</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole                      | /000-036  | 2022-110 |
|   | <b>Item no.: 2022-110/000-037</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole                      | /000-037  | 2022-110 |
|  | <b>Item no.: 2022-110/000-038</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole                      | /000-038  | 2022-110 |
|  | <b>Item no.: 2022-110/000-039</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 10-pole                      | /000-039  | 2022-110 |
|                                                                                    | <b>Item no.: 2022-110/123-000</b><br>1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 10-pole       | / 123-000 | 2022-110 |
|                                                                                    | <b>Item no.: 2022-110/135-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 10-pole | / 135-000 | 2022-110 |
|                                                                                    | <b>Item no.: 2022-110/145-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 10-pole | / 145-000 | 2022-110 |
|  | <b>Item no.: 2022-111</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 11-pole                              |           | 2022-111 |
|   | <b>Item no.: 2022-111/000-006</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 11-pole                      | /000-006  | 2022-111 |

**Item no.: 2022-111/000-012**

1-conductor female plug; 2.5 mm²; 11-pole

2022-111

/000-012

**Item no.: 2022-111/000-016**

1-conductor female plug; 2.5 mm²; 11-pole

2022-111

/000-016

**Item no.: 2022-111/000-036**

1-conductor female plug; 2.5 mm²; 11-pole

2022-111

/000-036

**Item no.: 2022-111/000-037**

1-conductor female plug; 2.5 mm²; 11-pole

2022-111

/000-037

**Item no.: 2022-111/000-038**

1-conductor female plug; 2.5 mm²; 11-pole

2022-111

/000-038

**Item no.: 2022-111/000-039**

1-conductor female plug; 2.5 mm²; 11-pole

2022-111

/000-039

**Item no.: 2022-111/126-000**

1-conductor female plug; Locking lever; 2.5 mm²; 11-pole

2022-111

/126-000

**Item no.: 2022-111/136-000**

1-conductor female plug; Strain relief plate; 2.5 mm²; 11-pole

2022-111

/136-000

**Item no.: 2022-111/146-000**

1-conductor female plug; Strain relief plate; 2.5 mm²; 11-pole

2022-111

/146-000

**Item no.: 2022-112**

1-conductor female plug; 2.5 mm²; 12-pole

2022-112

**Item no.: 2022-112/000-006**

1-conductor female plug; 2.5 mm²; 12-pole

2022-112

/000-006

**Item no.: 2022-112/000-012**

1-conductor female plug; 2.5 mm²; 12-pole

2022-112

/000-012

**Item no.: 2022-112/000-016**

1-conductor female plug; 2.5 mm²; 12-pole

2022-112

/000-016

**Item no.: 2022-112/000-036**

1-conductor female plug; 2.5 mm²; 12-pole

2022-112

/000-036

**Item no.: 2022-112/000-037**

1-conductor female plug; 2.5 mm²; 12-pole

2022-112

/000-037

|                                                                                    |                                                                                                                  |          |          |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|----------|----------|
|    | <b>Item no.: 2022-112/000-038</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 12-pole                      | /000-038 | 2022-112 |
|    | <b>Item no.: 2022-112/000-039</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 12-pole                      | /000-039 | 2022-112 |
|                                                                                    | <b>Item no.: 2022-112/126-000</b><br>1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 12-pole       | /126-000 | 2022-112 |
|                                                                                    | <b>Item no.: 2022-112/136-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 12-pole | /136-000 | 2022-112 |
|                                                                                    | <b>Item no.: 2022-112/146-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 12-pole | /146-000 | 2022-112 |
|    | <b>Item no.: 2022-113</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole                              |          | 2022-113 |
|    | <b>Item no.: 2022-113/000-006</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole                      | /000-006 | 2022-113 |
|  | <b>Item no.: 2022-113/000-012</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole                      | /000-012 | 2022-113 |
|  | <b>Item no.: 2022-113/000-016</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole                      | /000-016 | 2022-113 |
|  | <b>Item no.: 2022-113/000-036</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole                      | /000-036 | 2022-113 |
|  | <b>Item no.: 2022-113/000-037</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole                      | /000-037 | 2022-113 |
|  | <b>Item no.: 2022-113/000-038</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole                      | /000-038 | 2022-113 |
|  | <b>Item no.: 2022-113/000-039</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 13-pole                      | /000-039 | 2022-113 |
|                                                                                    | <b>Item no.: 2022-113/126-000</b><br>1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 13-pole       | /126-000 | 2022-113 |
|                                                                                    | <b>Item no.: 2022-113/136-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 13-pole | /136-000 | 2022-113 |

|                                                                                    |                                                                                                                  |           |          |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------|----------|
|                                                                                    | <b>Item no.: 2022-113/146-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 13-pole | / 146-000 | 2022-113 |
|    | <b>Item no.: 2022-114</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 14-pole                              |           | 2022-114 |
|     | <b>Item no.: 2022-114/000-006</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 14-pole                      | / 000-006 | 2022-114 |
|    | <b>Item no.: 2022-114/000-012</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 14-pole                      | / 000-012 | 2022-114 |
|     | <b>Item no.: 2022-114/000-016</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 14-pole                      | / 000-016 | 2022-114 |
|    | <b>Item no.: 2022-114/000-036</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 14-pole                      | / 000-036 | 2022-114 |
|    | <b>Item no.: 2022-114/000-037</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 14-pole                      | / 000-037 | 2022-114 |
|  | <b>Item no.: 2022-114/000-038</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 14-pole                      | / 000-038 | 2022-114 |
|  | <b>Item no.: 2022-114/000-039</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 14-pole                      | / 000-039 | 2022-114 |
|                                                                                    | <b>Item no.: 2022-114/126-000</b><br>1-conductor female plug; Locking lever; 2.5 mm <sup>2</sup> ; 14-pole       | / 126-000 | 2022-114 |
|                                                                                    | <b>Item no.: 2022-114/136-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 14-pole | / 136-000 | 2022-114 |
|                                                                                    | <b>Item no.: 2022-114/146-000</b><br>1-conductor female plug; Strain relief plate; 2.5 mm <sup>2</sup> ; 14-pole | / 146-000 | 2022-114 |
|  | <b>Item no.: 2022-115</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 15-pole                              |           | 2022-115 |
|   | <b>Item no.: 2022-115/000-006</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 15-pole                      | / 000-006 | 2022-115 |
|  | <b>Item no.: 2022-115/000-012</b><br>1-conductor female plug; 2.5 mm <sup>2</sup> ; 15-pole                      | / 000-012 | 2022-115 |



**Item no.: 2022-115/000-016**  
1-conductor female plug; 2.5 mm²; 15-pole

/000-016

2022-115



**Item no.: 2022-115/000-036**  
1-conductor female plug; 2.5 mm²; 15-pole

/000-036

2022-115



**Item no.: 2022-115/000-037**  
1-conductor female plug; 2.5 mm²; 15-pole

/000-037

2022-115



**Item no.: 2022-115/000-038**  
1-conductor female plug; 2.5 mm²; 15-pole

/000-038

2022-115



**Item no.: 2022-115/000-039**  
1-conductor female plug; 2.5 mm²; 15-pole

/000-039

2022-115

**Item no.: 2022-115/127-000**  
1-conductor female plug; Locking lever; 2.5 mm²; 15-pole

/127-000

2022-115

**Item no.: 2022-115/137-000**  
1-conductor female plug; Strain relief plate; 2.5 mm²; 15-pole

/137-000

2022-115

**Item no.: 2022-115/147-000**  
1-conductor female plug; Strain relief plate; 2.5 mm²; 15-pole

/147-000

2022-115

#### Protective Warning Marker



**Item no.: 2002-115**  
Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks

2002-115

#### General accessories



**Item no.: 2022-161**  
Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole

2022-161



**Item no.: 2022-162**  
Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole

2022-162



**Item no.: 2022-164**  
Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole

2022-164



**Item no.: 2022-167**  
Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole

2022-167



**Item no.: 2022-171**  
Center module for 1-conductor female connector; 2.5 mm²; 1-pole

2022-171



**Item no.: 2022-172**  
Center module for 1-conductor female connector; 2.5 mm²; 1-pole

2022-172



**Item no.: 2022-174**  
Center module for 1-conductor female connector; 2.5 mm²; 1-pole

2022-174

**Item no.: 2022-177**

Center module for 1-conductor female connector; 2.5 mm<sup>2</sup>; 1-pole

2022-177

**Item no.: 2022-181**End module for 1-conductor female connector; 2.5 mm<sup>2</sup>; 1-pole

2022-181

**Item no.: 2022-182**End module for 1-conductor female connector; 2.5 mm<sup>2</sup>; 1-pole

2022-182

**Item no.: 2022-184**End module for 1-conductor female connector; 2.5 mm<sup>2</sup>; 1-pole

2022-184

**Item no.: 2022-187**End module for 1-conductor female connector; 2.5 mm<sup>2</sup>; 1-pole

2022-187

**Downloads****Documentation****Bid Text**

2022-1207

docx  
15.5 kB

Download

**Additional Information**pdf  
2.1 MB

Download

**CAD/CAE - Smart Data****CAD data**

3D Download 2022-1207

URL

Download

**Product family****X-COM S**Show all products from the family

Subject to changes.