



Data sheet | Item number: 2022-1307

2-conductor/1-pin ground carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; Push-in CAGE CLAMP®



2022-1307



RoHS Compliant

[BOMcheck.net](https://www.bomcheck.net)

Color:

Data

Connection data

Connection technology	Push-in CAGE CLAMP®
Number of connection points (connection type)	2
Actuation type	Open Tool Slot Push-in
Connectable conductor materials	Copper
Nominal cross section	2.5 mm ²
Solid conductor	0.25 ... 4 mm ² / 22 ... 12 AWG
Solid conductor, push-in termination	0.75 ... 4 mm ² / 18 ... 12 AWG
Fine-stranded conductor	0.25 ... 4 mm ² / 22 ... 12 AWG
Strip length	10 ... 12 mm / 0.39 ... 0.47 inch
Number of connection points	1
Note (conductor cross-section)	Depending on the conductor characteristic, a conductor with a smaller cross section can also be inserted via push-in termination.
Total number of connection points	2
Total number of potentials	1
Number of levels	1
Type of wiring	Front-entry wiring

Geometrical Data

Width	5.2 mm / 0.205 inch
Height from upper-edge of DIN-35 rail	32.5 mm / 1.28 inch
Depth	59.2 mm / 2.331 inch

Mechanical data

Design	horizontal
Type of mounting	DIN-35 rail
Marking level	Center/side marking

Material Data

Color	green-yellow
Insulating material	Polyamide 66 (PA 66)
Fire load	0.136 MJ
Weight	9.272 g

Commercial data

Country of origin	CN
GTIN	4050821145165
Customs Tariff No.	85366990990

Approvals / Certificates

Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	EN 60947	NTR NL 7628
	CSA DEKRA Certification B.V.	C22.2 No. 158	70107915
	KEMA/KEUR DEKRA Certification B.V.	EN 60947	71- 101201
	KEMA/KEUR DEKRA Certification B.V.	EN 61984	71- 101201

Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	ABS American Bureau of Shipping	EN 60947	14-HG1293677-PDA
	BV Bureau Veritas S.A.	EN 60947	38586/A0 BV
	DNV GL Det Norske Veritas, Germanischer Lloyd	-	TAE00001V2
	LR Lloyds Register	EN 60947	91/20112 (E9)

UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UR Underwriters Laboratories Inc.	UL 1059	E45172

Compatible products

Insulation stop

	Item no.: 2022-171 Insulation stop; 0.25 - 0.5 mm ² ; 5 pieces/strip	2002-171
	Item no.: 2022-172 Insulation stop; 0.75 - 1 mm ² ; 5 pieces/strip	2002-172

End plate

	Item no.: 2022-1391 End and intermediate plate; 1 mm thick	2022-1391
	Item no.: 2022-1392 End and intermediate plate; 1 mm thick	2022-1392

Coding

	Item no.: 2022-100 Carrier with 6 coding pins; for coding of female plugs	2022-100
--	---	----------

Female plug

	Item no.: 2022-101 1-conductor female plug; 2.5 mm ² ; 1-pole	2022-101
	Item no.: 2022-101/000-006 1-conductor female plug; 1-pole	2022-101 /000-006
	Item no.: 2022-101/000-012 1-conductor female plug; 1-pole	2022-101 /000-012
	Item no.: 2022-101/000-016 1-conductor female plug; 1-pole	2022-101 /000-016
	Item no.: 2022-101/122-000 1-conductor female plug; 1-pole	2022-101 /122-000
	Item no.: 2022-101/122-006 1-conductor female plug; 1-pole	2022-101 /122-006
	Item no.: 2022-101/122-016 1-conductor female plug; 1-pole	2022-101 /122-016
	Item no.: 2022-101/132-000 1-conductor female plug; Strain relief plate; 1-pole	2022-101 /132-000
	Item no.: 2022-101/132-006 1-conductor female plug; Strain relief plate; 1-pole	2022-101 /132-006
	Item no.: 2022-101/132-016 1-conductor female plug; Strain relief plate; 1-pole	2022-101 /132-016
	Item no.: 2022-101/142-000 1-conductor female plug; Strain relief plate; 1-pole	2022-101 /142-000
	Item no.: 2022-101/142-006 1-conductor female plug; Strain relief plate; 1-pole	2022-101 /142-006

	Item no.: 2022-101/142-016 1-conductor female plug; Strain relief plate; 1-pole	/ 142-016	2022-101
	Item no.: 2022-102 1-conductor female plug; 2.5 mm ² ; 2-pole		2022-102
	Item no.: 2022-102/000-006 1-conductor female plug; 2.5 mm ² ; 2-pole	/000-006	2022-102
	Item no.: 2022-102/000-012 1-conductor female plug; 2.5 mm ² ; 2-pole	/000-012	2022-102
	Item no.: 2022-102/000-016 1-conductor female plug; 2.5 mm ² ; 2-pole	/000-016	2022-102
	Item no.: 2022-102/122-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 2-pole	/122-000	2022-102
	Item no.: 2022-102/132-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 2-pole	/132-000	2022-102
	Item no.: 2022-102/142-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 2-pole	/142-000	2022-102
	Item no.: 2022-103 1-conductor female plug; 2.5 mm ² ; 3-pole		2022-103
	Item no.: 2022-103/000-006 1-conductor female plug; 2.5 mm ² ; 3-pole	/000-006	2022-103
	Item no.: 2022-103/000-012 1-conductor female plug; 2.5 mm ² ; 3-pole	/000-012	2022-103
	Item no.: 2022-103/000-016 1-conductor female plug; 2.5 mm ² ; 3-pole	/000-016	2022-103
	Item no.: 2022-103/000-036 1-conductor female plug; 2.5 mm ² ; 3-pole	/000-036	2022-103
	Item no.: 2022-103/000-037 1-conductor female plug; 2.5 mm ² ; 3-pole	/000-037	2022-103
	Item no.: 2022-103/000-038 1-conductor female plug; 2.5 mm ² ; 3-pole	/000-038	2022-103



Item no.: 2022-103/000-039
1-conductor female plug; 2.5 mm²; 3-pole

/000-039

2022-103

Item no.: 2022-103/123-000
1-conductor female plug; Locking lever; 2.5 mm²; 3-pole

/123-000

2022-103

Item no.: 2022-103/133-000
1-conductor female plug; Strain relief plate; 2.5 mm²; 3-pole

/133-000

2022-103

Item no.: 2022-103/143-000
1-conductor female plug; Strain relief plate; 2.5 mm²; 3-pole

/143-000

2022-103



Item no.: 2022-104
1-conductor female plug; 2.5 mm²; 4-pole

2022-104



Item no.: 2022-104/000-006
1-conductor female plug; 2.5 mm²; 4-pole

/000-006

2022-104



Item no.: 2022-104/000-012
1-conductor female plug; 2.5 mm²; 4-pole

/000-012

2022-104



Item no.: 2022-104/000-016
1-conductor female plug; 2.5 mm²; 4-pole

/000-016

2022-104



Item no.: 2022-104/000-036
1-conductor female plug; 2.5 mm²; 4-pole

/000-036

2022-104



Item no.: 2022-104/000-037
1-conductor female plug; 2.5 mm²; 4-pole

/000-037

2022-104



Item no.: 2022-104/000-038
1-conductor female plug; 2.5 mm²; 4-pole

/000-038

2022-104



Item no.: 2022-104/000-039
1-conductor female plug; 2.5 mm²; 4-pole

/000-039

2022-104

Item no.: 2022-104/123-000
1-conductor female plug; Locking lever; 2.5 mm²; 4-pole

/123-000

2022-104

Item no.: 2022-104/133-000
1-conductor female plug; Strain relief plate; 2.5 mm²; 4-pole

/133-000

2022-104

Item no.: 2022-104/143-000
1-conductor female plug; Strain relief plate; 2.5 mm²; 4-pole

/143-000

2022-104

	Item no.: 2022-105 1-conductor female plug; 2.5 mm²; 5-pole		2022-105
	Item no.: 2022-105/000-006 1-conductor female plug; 2.5 mm²; 5-pole	/000-006	2022-105
	Item no.: 2022-105/000-012 1-conductor female plug; 2.5 mm²; 5-pole	/000-012	2022-105
	Item no.: 2022-105/000-016 1-conductor female plug; 2.5 mm²; 5-pole	/000-016	2022-105
	Item no.: 2022-105/000-036 1-conductor female plug; 2.5 mm²; 5-pole	/000-036	2022-105
	Item no.: 2022-105/000-037 1-conductor female plug; 2.5 mm²; 5-pole	/000-037	2022-105
	Item no.: 2022-105/000-038 1-conductor female plug; 2.5 mm²; 5-pole	/000-038	2022-105
	Item no.: 2022-105/000-039 1-conductor female plug; 2.5 mm²; 5-pole	/000-039	2022-105
	Item no.: 2022-105/123-000 1-conductor female plug; Locking lever; 2.5 mm²; 5-pole	/123-000	2022-105
	Item no.: 2022-105/134-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 5-pole	/134-000	2022-105
	Item no.: 2022-105/144-000 1-conductor female plug; Strain relief plate; 2.5 mm²; 5-pole	/144-000	2022-105
	Item no.: 2022-106 1-conductor female plug; 2.5 mm²; 6-pole		2022-106
	Item no.: 2022-106/000-006 1-conductor female plug; 2.5 mm²; 6-pole	/000-006	2022-106
	Item no.: 2022-106/000-012 1-conductor female plug; 2.5 mm²; 6-pole	/000-012	2022-106
	Item no.: 2022-106/000-016 1-conductor female plug; 2.5 mm²; 6-pole	/000-016	2022-106

	Item no.: 2022-106/000-036 1-conductor female plug; 2.5 mm ² ; 6-pole	/000-036	2022-106
	Item no.: 2022-106/000-037 1-conductor female plug; 2.5 mm ² ; 6-pole	/000-037	2022-106
	Item no.: 2022-106/000-038 1-conductor female plug; 2.5 mm ² ; 6-pole	/000-038	2022-106
	Item no.: 2022-106/000-039 1-conductor female plug; 2.5 mm ² ; 6-pole	/000-039	2022-106
	Item no.: 2022-106/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 6-pole	/123-000	2022-106
	Item no.: 2022-106/134-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 6-pole	/134-000	2022-106
	Item no.: 2022-106/144-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 6-pole	/144-000	2022-106
	Item no.: 2022-107 1-conductor female plug; 2.5 mm ² ; 7-pole		2022-107
	Item no.: 2022-107/000-006 1-conductor female plug; 2.5 mm ² ; 7-pole	/000-006	2022-107
	Item no.: 2022-107/000-012 1-conductor female plug; 2.5 mm ² ; 7-pole	/000-012	2022-107
	Item no.: 2022-107/000-016 1-conductor female plug; 2.5 mm ² ; 7-pole	/000-016	2022-107
	Item no.: 2022-107/000-036 1-conductor female plug; 2.5 mm ² ; 7-pole	/000-036	2022-107
	Item no.: 2022-107/000-037 1-conductor female plug; 2.5 mm ² ; 7-pole	/000-037	2022-107
	Item no.: 2022-107/000-038 1-conductor female plug; 2.5 mm ² ; 7-pole	/000-038	2022-107
	Item no.: 2022-107/000-039 1-conductor female plug; 2.5 mm ² ; 7-pole	/000-039	2022-107

	Item no.: 2022-107/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 7-pole	2022-107 / 123-000
	Item no.: 2022-107/135-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 7-pole	2022-107 / 135-000
	Item no.: 2022-107/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 7-pole	2022-107 / 145-000
	Item no.: 2022-108 1-conductor female plug; 2.5 mm ² ; 8-pole	2022-108
	Item no.: 2022-108/000-006 1-conductor female plug; 2.5 mm ² ; 8-pole	2022-108 / 000-006
	Item no.: 2022-108/000-012 1-conductor female plug; 2.5 mm ² ; 8-pole	2022-108 / 000-012
	Item no.: 2022-108/000-016 1-conductor female plug; 2.5 mm ² ; 8-pole	2022-108 / 000-016
	Item no.: 2022-108/000-036 1-conductor female plug; 2.5 mm ² ; 8-pole	2022-108 / 000-036
	Item no.: 2022-108/000-037 1-conductor female plug; 2.5 mm ² ; 8-pole	2022-108 / 000-037
	Item no.: 2022-108/000-038 1-conductor female plug; 2.5 mm ² ; 8-pole	2022-108 / 000-038
	Item no.: 2022-108/000-039 1-conductor female plug; 2.5 mm ² ; 8-pole	2022-108 / 000-039
	Item no.: 2022-108/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 8-pole	2022-108 / 123-000
	Item no.: 2022-108/135-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 8-pole	2022-108 / 135-000
	Item no.: 2022-108/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 8-pole	2022-108 / 145-000
	Item no.: 2022-109 1-conductor female plug; 2.5 mm ² ; 9-pole	2022-109

	Item no.: 2022-109/000-006 1-conductor female plug; 2.5 mm ² ; 9-pole	/000-006	2022-109
	Item no.: 2022-109/000-012 1-conductor female plug; 2.5 mm ² ; 9-pole	/000-012	2022-109
	Item no.: 2022-109/000-016 1-conductor female plug; 2.5 mm ² ; 9-pole	/000-016	2022-109
	Item no.: 2022-109/000-036 1-conductor female plug; 2.5 mm ² ; 9-pole	/000-036	2022-109
	Item no.: 2022-109/000-037 1-conductor female plug; 2.5 mm ² ; 9-pole	/000-037	2022-109
	Item no.: 2022-109/000-038 1-conductor female plug; 2.5 mm ² ; 9-pole	/000-038	2022-109
	Item no.: 2022-109/000-039 1-conductor female plug; 2.5 mm ² ; 9-pole	/000-039	2022-109
	Item no.: 2022-109/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 9-pole	/123-000	2022-109
	Item no.: 2022-109/135-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 9-pole	/135-000	2022-109
	Item no.: 2022-109/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 9-pole	/145-000	2022-109
	Item no.: 2022-110 1-conductor female plug; 2.5 mm ² ; 10-pole		2022-110
	Item no.: 2022-110/000-006 1-conductor female plug; 2.5 mm ² ; 10-pole	/000-006	2022-110
	Item no.: 2022-110/000-012 1-conductor female plug; 2.5 mm ² ; 10-pole	/000-012	2022-110
	Item no.: 2022-110/000-016 1-conductor female plug; 2.5 mm ² ; 10-pole	/000-016	2022-110
	Item no.: 2022-110/000-036 1-conductor female plug; 2.5 mm ² ; 10-pole	/000-036	2022-110

	Item no.: 2022-110/000-037 1-conductor female plug; 2.5 mm ² ; 10-pole	/000-037	2022-110
	Item no.: 2022-110/000-038 1-conductor female plug; 2.5 mm ² ; 10-pole	/000-038	2022-110
	Item no.: 2022-110/000-039 1-conductor female plug; 2.5 mm ² ; 10-pole	/000-039	2022-110
	Item no.: 2022-110/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 10-pole	/123-000	2022-110
	Item no.: 2022-110/135-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 10-pole	/135-000	2022-110
	Item no.: 2022-110/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 10-pole	/145-000	2022-110
	Item no.: 2022-111 1-conductor female plug; 2.5 mm ² ; 11-pole		2022-111
	Item no.: 2022-111/000-006 1-conductor female plug; 2.5 mm ² ; 11-pole	/000-006	2022-111
	Item no.: 2022-111/000-012 1-conductor female plug; 2.5 mm ² ; 11-pole	/000-012	2022-111
	Item no.: 2022-111/000-016 1-conductor female plug; 2.5 mm ² ; 11-pole	/000-016	2022-111
	Item no.: 2022-111/000-036 1-conductor female plug; 2.5 mm ² ; 11-pole	/000-036	2022-111
	Item no.: 2022-111/000-037 1-conductor female plug; 2.5 mm ² ; 11-pole	/000-037	2022-111
	Item no.: 2022-111/000-038 1-conductor female plug; 2.5 mm ² ; 11-pole	/000-038	2022-111
	Item no.: 2022-111/000-039 1-conductor female plug; 2.5 mm ² ; 11-pole	/000-039	2022-111
	Item no.: 2022-111/126-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 11-pole	/126-000	2022-111

	Item no.: 2022-111/136-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 11-pole	/ 136-000	2022-111
	Item no.: 2022-111/146-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 11-pole	/ 146-000	2022-111
	Item no.: 2022-112 1-conductor female plug; 2.5 mm ² ; 12-pole		2022-112
	Item no.: 2022-112/000-006 1-conductor female plug; 2.5 mm ² ; 12-pole	/000-006	2022-112
	Item no.: 2022-112/000-012 1-conductor female plug; 2.5 mm ² ; 12-pole	/000-012	2022-112
	Item no.: 2022-112/000-016 1-conductor female plug; 2.5 mm ² ; 12-pole	/000-016	2022-112
	Item no.: 2022-112/000-036 1-conductor female plug; 2.5 mm ² ; 12-pole	/000-036	2022-112
	Item no.: 2022-112/000-037 1-conductor female plug; 2.5 mm ² ; 12-pole	/000-037	2022-112
	Item no.: 2022-112/000-038 1-conductor female plug; 2.5 mm ² ; 12-pole	/000-038	2022-112
	Item no.: 2022-112/000-039 1-conductor female plug; 2.5 mm ² ; 12-pole	/000-039	2022-112
	Item no.: 2022-112/126-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 12-pole	/ 126-000	2022-112
	Item no.: 2022-112/136-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 12-pole	/ 136-000	2022-112
	Item no.: 2022-112/146-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 12-pole	/ 146-000	2022-112
	Item no.: 2022-113 1-conductor female plug; 2.5 mm ² ; 13-pole		2022-113
	Item no.: 2022-113/000-006 1-conductor female plug; 2.5 mm ² ; 13-pole	/000-006	2022-113

	Item no.: 2022-113/000-012 1-conductor female plug; 2.5 mm ² ; 13-pole	/000-012	2022-113
	Item no.: 2022-113/000-016 1-conductor female plug; 2.5 mm ² ; 13-pole	/000-016	2022-113
	Item no.: 2022-113/000-036 1-conductor female plug; 2.5 mm ² ; 13-pole	/000-036	2022-113
	Item no.: 2022-113/000-037 1-conductor female plug; 2.5 mm ² ; 13-pole	/000-037	2022-113
	Item no.: 2022-113/000-038 1-conductor female plug; 2.5 mm ² ; 13-pole	/000-038	2022-113
	Item no.: 2022-113/000-039 1-conductor female plug; 2.5 mm ² ; 13-pole	/000-039	2022-113
	Item no.: 2022-113/126-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 13-pole	/126-000	2022-113
	Item no.: 2022-113/136-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 13-pole	/136-000	2022-113
	Item no.: 2022-113/146-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 13-pole	/146-000	2022-113
	Item no.: 2022-114 1-conductor female plug; 2.5 mm ² ; 14-pole		2022-114
	Item no.: 2022-114/000-006 1-conductor female plug; 2.5 mm ² ; 14-pole	/000-006	2022-114
	Item no.: 2022-114/000-012 1-conductor female plug; 2.5 mm ² ; 14-pole	/000-012	2022-114
	Item no.: 2022-114/000-016 1-conductor female plug; 2.5 mm ² ; 14-pole	/000-016	2022-114
	Item no.: 2022-114/000-036 1-conductor female plug; 2.5 mm ² ; 14-pole	/000-036	2022-114
	Item no.: 2022-114/000-037 1-conductor female plug; 2.5 mm ² ; 14-pole	/000-037	2022-114

	Item no.: 2022-114/000-038 1-conductor female plug; 2.5 mm ² ; 14-pole	/000-038	2022-114
	Item no.: 2022-114/000-039 1-conductor female plug; 2.5 mm ² ; 14-pole	/000-039	2022-114
	Item no.: 2022-114/126-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 14-pole	/126-000	2022-114
	Item no.: 2022-114/136-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 14-pole	/136-000	2022-114
	Item no.: 2022-114/146-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 14-pole	/146-000	2022-114
	Item no.: 2022-115 1-conductor female plug; 2.5 mm ² ; 15-pole		2022-115
	Item no.: 2022-115/000-006 1-conductor female plug; 2.5 mm ² ; 15-pole	/000-006	2022-115
	Item no.: 2022-115/000-012 1-conductor female plug; 2.5 mm ² ; 15-pole	/000-012	2022-115
	Item no.: 2022-115/000-016 1-conductor female plug; 2.5 mm ² ; 15-pole	/000-016	2022-115
	Item no.: 2022-115/000-036 1-conductor female plug; 2.5 mm ² ; 15-pole	/000-036	2022-115
	Item no.: 2022-115/000-037 1-conductor female plug; 2.5 mm ² ; 15-pole	/000-037	2022-115
	Item no.: 2022-115/000-038 1-conductor female plug; 2.5 mm ² ; 15-pole	/000-038	2022-115
	Item no.: 2022-115/000-039 1-conductor female plug; 2.5 mm ² ; 15-pole	/000-039	2022-115
	Item no.: 2022-115/127-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 15-pole	/127-000	2022-115
	Item no.: 2022-115/137-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 15-pole	/137-000	2022-115

Item no.: 2022-115/147-000

2022-115

1-conductor female plug; Strain relief plate; 2.5 mm²; 15-pole

/147-000

Marking accessories

	Item no.: 2002-161 Adaptor	2002-161
	Item no.: 2009-110 Marking strips; on reel; not stretchable; plain; snap-on type	2009-110
	Item no.: 2009-115 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115
	Item no.: 2009-115/000-002 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115 /000-002
	Item no.: 2009-115/000-005 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115 /000-005
	Item no.: 2009-115/000-006 WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115 /000-006
	Item no.: 2009-115/000-007 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115 /000-007
	Item no.: 2009-115/000-012 WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115 /000-012
	Item no.: 2009-115/000-017 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115 /000-017
	Item no.: 2009-115/000-023 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115 /000-023
	Item no.: 2009-115/000-024 WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115 /000-024
	Item no.: 2009-145 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-002 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145 /000-002
	Item no.: 2009-145/000-005 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145 /000-005

	Item no.: 2009-145/000-006 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	/000-006	2009-145
	Item no.: 2009-145/000-007 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	/000-007	2009-145
	Item no.: 2009-145/000-012 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	/000-012	2009-145
	Item no.: 2009-145/000-023 Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	/000-023	2009-145
	Item no.: 2009-145/000-024 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	/000-024	2009-145
	Item no.: 2009-191 Group marker carrier		2009-191
	Item no.: 2009-192 Group marker carrier		2009-192
	Item no.: 2009-193 Group marker carrier		2009-193
	Item no.: 2009-198 Adaptor		2009-198
	Item no.: 248-501 Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card		248-501
	Item no.: 248-501/000-002 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	/000-002	248-501
	Item no.: 248-501/000-005 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	/000-005	248-501
	Item no.: 248-501/000-006 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	/000-006	248-501
	Item no.: 248-501/000-007 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	/000-007	248-501
	Item no.: 248-501/000-012 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	/000-012	248-501
	Item no.: 248-501/000-017 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	/000-017	248-501

**Item no.: 248-501/000-023**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-023

248-501

**Item no.: 248-501/000-024**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-024

248-501

**Item no.: 793-501**

WMB marking card; as card; not stretchable; plain; snap-on type

793-501

**Item no.: 793-501/000-002**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-002

793-501

**Item no.: 793-501/000-005**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-005

793-501

**Item no.: 793-501/000-006**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-006

793-501

**Item no.: 793-501/000-007**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-007

793-501

**Item no.: 793-501/000-012**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-012

793-501

**Item no.: 793-501/000-017**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-017

793-501

**Item no.: 793-501/000-023**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-023

793-501

**Item no.: 793-501/000-024**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-024

793-501

**Item no.: 793-5501**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

793-5501

**Item no.: 793-5501/000-002**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

/000-002

793-5501

**Item no.: 793-5501/000-005**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-005

793-5501

**Item no.: 793-5501/000-006**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-006

793-5501

**Item no.: 793-5501/000-007**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-007

793-5501

**Item no.: 793-5501/000-012**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-012

793-5501

**Item no.: 793-5501/000-014**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-014

793-5501

**Item no.: 793-5501/000-017**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-017

793-5501

**Item no.: 793-5501/000-023**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-023

793-5501

**Item no.: 793-5501/000-024**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-024

793-5501

ferrule**Item no.: 216-241**Ferrule; Sleeve for 0.5 mm² / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-241

**Item no.: 216-242**Ferrule; Sleeve for 0.75 mm² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-242

**Item no.: 216-243**Ferrule; Sleeve for 1 mm² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-243

**Item no.: 216-244**Ferrule; Sleeve for 1.5 mm² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-244

**Item no.: 216-246**Ferrule; Sleeve for 2.5 mm² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-246

**Item no.: 216-262**Ferrule; Sleeve for 0.75 mm² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-262

**Item no.: 216-263**Ferrule; Sleeve for 1 mm² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-263

**Item no.: 216-264**Ferrule; Sleeve for 1.5 mm² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-264

**Item no.: 216-266**Ferrule; Sleeve for 2.5 mm² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-266

**Item no.: 216-284**Ferrule; Sleeve for 1.5 mm² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-284

**Item no.: 216-286**

Ferrule; Sleeve for 2.5 mm² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90

216-286

tools**Item no.: 210-720**

Operating tool with partially insulated shaft; Type 2, blade (3.5 x 0.5) mm

210-720

Protective Warning Marker**Item no.: 2002-115**

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks

2002-115

General accessories**Item no.: 2022-161**

Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole

2022-161

**Item no.: 2022-162**

Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole

2022-162

**Item no.: 2022-164**

Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole

2022-164

**Item no.: 2022-167**

Start module for 1-conductor female connector; with integrated end plate; 2.5 mm²; 1-pole

2022-167

**Item no.: 2022-171**

Center module for 1-conductor female connector; 2.5 mm²; 1-pole

2022-171

**Item no.: 2022-172**

Center module for 1-conductor female connector; 2.5 mm²; 1-pole

2022-172

**Item no.: 2022-174**

Center module for 1-conductor female connector; 2.5 mm²; 1-pole

2022-174

**Item no.: 2022-177**

Center module for 1-conductor female connector; 2.5 mm²; 1-pole

2022-177

**Item no.: 2022-181**

End module for 1-conductor female connector; 2.5 mm²; 1-pole

2022-181

**Item no.: 2022-182**

End module for 1-conductor female connector; 2.5 mm²; 1-pole

2022-182

**Item no.: 2022-184**

End module for 1-conductor female connector; 2.5 mm²; 1-pole

2022-184

**Item no.: 2022-187**

End module for 1-conductor female connector; 2.5 mm²; 1-pole

2022-187

check**Item no.: 2002-511**

Modular TOPJOB®S connector; modular; for jumper contact slot; 1-pole

2002-511

**Item no.: 2002-549**

Spacer module; modular; e.g., for bridging commoned terminal blocks

2002-549

**Item no.: 2002-552**

Modular TOPJOB®S connector; modular; for jumper contact slot; 2-pole

2002-552



Item no.: 2002-553
Modular TOPJOB®S connector; modular; for jumper contact slot; 3-pole

2002-553



Item no.: 2002-554
Modular TOPJOB®S connector; modular; for jumper contact slot; 4-pole

2002-554



Item no.: 2002-555
Modular TOPJOB®S connector; modular; for jumper contact slot; 5-pole

2002-555



Item no.: 2002-556
Modular TOPJOB®S connector; modular; for jumper contact slot; 6-pole

2002-556



Item no.: 2002-557
Modular TOPJOB®S connector; modular; for jumper contact slot; 7-pole

2002-557



Item no.: 2002-558
Modular TOPJOB®S connector; modular; for jumper contact slot; 8-pole

2002-558



Item no.: 2002-559
Modular TOPJOB®S connector; modular; for jumper contact slot; 9-pole

2002-559



Item no.: 2002-560
Modular TOPJOB®S connector; modular; for jumper contact slot; 10-pole

2002-560



Item no.: 2009-174
Test plug adapter; for 4 mm Ø test plugs; for testing TOPJOB®S rail-mounted terminal blocks

2009-174



Item no.: 2009-182
Testing tap; for max. 2.5 mm²; tool-free connection for individual test wires 0.08 - 2.5 mm

2009-182



Item no.: 859-500
Test pin; 1 mm Ø; with solder connection for test wire

859-500

Carrier rail



Item no.: 210-112
Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm

210-112



Item no.: 210-113
Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715

210-113



Item no.: 210-114
Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715

210-114



Item no.: 210-115
Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm

210-115



Item no.: 210-118
Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

210-118



Item no.: 210-196
Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715

210-196



Item no.: 210-197
Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715

210-197



Item no.: 210-198
Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

210-198

Jumper

	Item no.: 2022-400 Adjacent jumper for continuous commoning; insulated; 2-way; Nominal current 25 A		2022-400
	Item no.: 2022-402 Push-in type jumper bar; insulated; 2-way; Nominal current 25 A		2022-402
	Item no.: 2022-402/000-005 Push-in type jumper bar; insulated; 2-way; Nominal current 25 A	/000-005	2022-402
	Item no.: 2022-402/000-006 Push-in type jumper bar; insulated; 2-way; Nominal current 25 A	/000-006	2022-402
	Item no.: 2022-403 Push-in type jumper bar; insulated; 3-way; Nominal current 25 A		2022-403
	Item no.: 2022-403/000-005 Push-in type jumper bar; insulated; 3-way; Nominal current 25 A	/000-005	2022-403
	Item no.: 2022-403/000-006 Push-in type jumper bar; insulated; 3-way; Nominal current 25 A	/000-006	2022-403
	Item no.: 2022-404 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A		2022-404
	Item no.: 2022-404/000-005 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A	/000-005	2022-404
	Item no.: 2022-404/000-006 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A	/000-006	2022-404
	Item no.: 2022-405 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A		2022-405
	Item no.: 2022-405/000-005 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A	/000-005	2022-405
	Item no.: 2022-405/000-006 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A	/000-006	2022-405
	Item no.: 2022-405/011-000 Star point jumper; insulated; 3-way (1-3-5); IN = IN terminal block	/011-000	2022-405
	Item no.: 2022-406 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A		2022-406
	Item no.: 2022-406/000-005 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A	/000-005	2022-406

	Item no.: 2002-406/000-006 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A	/0000-0006	2002-406
	Item no.: 2002-406/020-000 Delta jumper; insulated; 1-2 3-4 5-6; IN = IN terminal block	/0020-0000	2002-406
	Item no.: 2002-407 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A		2002-407
	Item no.: 2002-407/000-005 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A	/0000-0005	2002-407
	Item no.: 2002-407/000-006 Push-in type jumper bar; insulated; 7-way; Nominal current 25 A	/0000-0006	2002-407
	Item no.: 2002-408 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A		2002-408
	Item no.: 2002-408/000-005 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A	/0000-0005	2002-408
	Item no.: 2002-408/000-006 Push-in type jumper bar; insulated; 8-way; Nominal current 25 A	/0000-0006	2002-408
	Item no.: 2002-409 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A		2002-409
	Item no.: 2002-409/000-005 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A	/0000-0005	2002-409
	Item no.: 2002-409/000-006 Push-in type jumper bar; insulated; 9-way; Nominal current 25 A	/0000-0006	2002-409
	Item no.: 2002-410 Push-in type jumper bar; insulated; 10-way; Nominal current 25 A		2002-410
	Item no.: 2002-410/000-005 Push-in type jumper bar; insulated; 10-way; Nominal current 25 A	/0000-0005	2002-410
	Item no.: 2002-410/000-006 Push-in type jumper bar; insulated; 10-way; Nominal current 25 A	/0000-0006	2002-410
	Item no.: 2002-423 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A		2002-423
	Item no.: 2002-423/000-005 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A	/0000-0005	2002-423

	Item no.: 2002-423/000-006 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A	2002-423 /000-006
	Item no.: 2002-433 Push-in type jumper bar; insulated; from 1 to 3; Nominal current 25 A	2002-433
	Item no.: 2002-434 Push-in type jumper bar; insulated; from 1 to 4; Nominal current 25 A	2002-434
	Item no.: 2002-435 Push-in type jumper bar; insulated; from 1 to 5; Nominal current 25 A	2002-435
	Item no.: 2002-436 Push-in type jumper bar; insulated; from 1 to 6; Nominal current 25 A	2002-436
	Item no.: 2002-437 Push-in type jumper bar; insulated; from 1 to 7; Nominal current 25 A	2002-437
	Item no.: 2002-438 Push-in type jumper bar; insulated; from 1 to 8; Nominal current 25 A	2002-438
	Item no.: 2002-439 Push-in type jumper bar; insulated; from 1 to 9; Nominal current 25 A	2002-439
	Item no.: 2002-440 Push-in type jumper bar; insulated; from 1 to 10; Nominal current 25 A	2002-440
	Item no.: 2002-472 Staggered jumper; insulated; 2-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks	2002-472
	Item no.: 2002-473 Staggered jumper; insulated; 3-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks	2002-473
	Item no.: 2002-473/011-000 Ready-made staggered jumper; insulated; 2-way (1-3); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking	2002-473 /011-000
	Item no.: 2002-474 Staggered jumper; insulated; 4-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks	2002-474
	Item no.: 2002-475 Staggered jumper; insulated; 5-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks	2002-475
	Item no.: 2002-475/011-000 Ready-made staggered jumper; insulated; 3-way (1-3-5); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking	2002-475 /011-000
	Item no.: 2002-476 Staggered jumper; insulated; 6-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks	2002-476
	Item no.: 2002-477 Staggered jumper; insulated; 7-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks	2002-477
	Item no.: 2002-477/011-000 Ready-made staggered jumper; insulated; 1-3-5-7; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking	2002-477 /011-000

	Item no.: 2002-478 Staggered jumper; insulated; 8-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks	2002-478
	Item no.: 2002-479 Staggered jumper; insulated; 9-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks	2002-479
	Item no.: 2002-479/011-000 Ready-made staggered jumper; insulated; 1-3-5-7-9; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking	2002-479 /011-000
	Item no.: 2002-480 Staggered jumper; insulated; 10-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks	2002-480
	Item no.: 2002-481 Staggered jumper; insulated; 11-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks	2002-481
	Item no.: 2002-481/011-000 Ready-made staggered jumper; insulated; 1-3-5-7-9-11; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking	2002-481 /011-000
	Item no.: 2002-482 Staggered jumper; insulated; 12-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks	2002-482
	Item no.: 2009-412 Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks	2009-412
	Item no.: 2009-414 Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks	2009-414
	Item no.: 2009-414/000-005 Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks	2009-414 /000-005
	Item no.: 2009-414/000-006 Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks	2009-414 /000-006
	Item no.: 2009-416 Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 1.5 mm ² ; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks	2009-416
	Item no.: 210-103 Wire commoning chain; insulated; 50 connections	210-103
	Item no.: 210-123 Wire commoning chain; insulated; 50 connections	210-123

Downloads

Documentation

Bid Text

2022-1307

docx
15.4 kB

Download



Additional Information

pdf
2.1 MB

Download

CAD/CAE - Smart Data

CAD data

3D Download 2022-1307

URL

Download

Product family

X-COM S

Show all products from the family



Subject to changes.