


280-802



Item description

Empty component plug housing, type 2

Note:

Inside dimensions of plug W/H/D 8.2/15/15 mm (0.323/0.591/0.591 in)

Data

Electrical data

Rated continuous current	6 A
--------------------------	-----

Safety and protection:

Rated voltage	250 V
Rated impulse voltage	4 kV
Pollution degree	3

Connection data

No. of poles	2
Type of wiring	Front-entry wiring

Geometrical Data

Width	10 mm / 0.394 inch
-------	--------------------

Mechanical data

Housing design	Pluggable module for terminal blocks
Type of mounting	Pluggable module for carrier terminal block

Material Data

Color	gray
Fire load	0.073 MJ
Weight	3.05 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
Country of origin	DE
GTIN	4044918270410
Customs Tariff No.	85369010000

Compatible products

Marking accessories

	Item no.: 210-831 Marking strips; on reel; 2.3 mm wide; plain; Self-adhesive	210-831
	Item no.: 210-832 Marking strips; on reel; 3 mm wide; plain; Self-adhesive	210-832
	Item no.: 210-833 Marking strips; on reel; 6 mm wide; plain; Self-adhesive	210-833
	Item no.: 210-834 Marking strips; on reel; 5 mm wide; plain; Self-adhesive	210-834

Downloads

Documentation

Additional Information

Disposal; Electrical and electronic equipment, Packaging	V 1.0.0	pdf 265.8 kB	Download
--	---------	-----------------	----------

CAD/CAE - Smart Data

CAD data

