


## Data sheet | Item number: 280-856

Fuse plug; with soldered miniature fuse; 2 A FF; 5 mm wide

280-856



### Item description

#### Safety information 1:

Electrical ratings are given by the fuse.

### Data

#### Electrical data

#### Ratings per IEC/EN 60664-1

|                         |       |
|-------------------------|-------|
| Rated voltage (III / 3) | 125 V |
| Rated current           | 5 A   |

#### Geometrical Data

|       |                   |
|-------|-------------------|
| Width | 5 mm / 0.197 inch |
|-------|-------------------|

#### Mechanical data

|               |                       |
|---------------|-----------------------|
| Marking level | without marking level |
|---------------|-----------------------|

#### Material Data

|                     |                      |
|---------------------|----------------------|
| Color               | gray                 |
| Insulating material | Polyamide 66 (PA 66) |
| Fire load           | 0 MJ                 |
| Weight              | 2.655 g              |

## Commercial data

|                    |                                  |
|--------------------|----------------------------------|
| Product Group      | 1 (Rail Mounted Terminal Blocks) |
| Country of origin  | DE                               |
| GTIN               | 4045454196448                    |
| Customs Tariff No. | 85369010000                      |

## Compatible products

### clamps

|                                                                                   |                                                                                                                               |         |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|---------|
|   | Item no.: 280-610<br>3-conductor carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm <sup>2</sup> ; CAGE CLAMP® | 280-610 |
|   | Item no.: 280-616<br>2-conductor carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm <sup>2</sup> ; CAGE CLAMP® | 280-616 |
|   | Item no.: 280-686<br>4-conductor carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm <sup>2</sup> ; CAGE CLAMP® | 280-686 |
|   | Item no.: 280-816<br>4-conductor carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm <sup>2</sup> ; CAGE CLAMP® | 280-816 |
|  | Item no.: 280-916<br>2-conductor carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm <sup>2</sup> ; CAGE CLAMP® | 280-916 |

## Downloads

### Documentation

#### Bid Text

|         |                |          |
|---------|----------------|----------|
| 280-856 | doc<br>24.1 kB | Download |
|---------|----------------|----------|

#### Additional Information

|  |               |          |
|--|---------------|----------|
|  | pdf<br>2.1 MB | Download |
|--|---------------|----------|

## CAD/CAE - Smart Data

### CAD data

|                     |     |          |
|---------------------|-----|----------|
| 3D Download 280-856 | URL | Download |
|---------------------|-----|----------|



Subject to changes.

---