


## Data sheet | Item number: 282-435

Jumper; insulated; 5-way; Nominal current 30 A



282-435



### Data

#### Electrical data

#### Ratings per IEC/EN 60664-1

|               |      |
|---------------|------|
| Rated current | 30 A |
|---------------|------|

#### Material Data

|           |          |
|-----------|----------|
| Color     | orange   |
| Fire load | 0.035 MJ |
| Weight    | 5.972 g  |

#### Commercial data

|                    |               |
|--------------------|---------------|
| Country of origin  | DE            |
| GTIN               | 4044918607612 |
| Customs Tariff No. | 85366990990   |

### Approvals / Certificates

#### Country specific Approvals

| Logo | Approval                 | Additional Approval Text | Certificate name |
|------|--------------------------|--------------------------|------------------|
|      | CCA                      | EN 60947                 | 2195540.01       |
|      | DEKRA Certification B.V. |                          |                  |
|      | CCA                      | EN 60947                 | NTR NL-          |



DEKRA Certification B.V.

7522



CSA  
DEKRA Certification B.V.

C22.2 No. 158

1505033

## Ship Approvals

| Logo                                                                               | Approval                                                | Additional Approval Text | Certificate name         |
|------------------------------------------------------------------------------------|---------------------------------------------------------|--------------------------|--------------------------|
|    | <b>ABS</b><br>American Bureau of Shipping               | EN 60947                 | 14-<br>HG1293677-<br>PDA |
|    | <b>BV</b><br>Bureau Veritas S.A.                        | EN 60947                 | 07436/E0 BV              |
|   | <b>DNV GL</b><br>Det Norske Veritas, Germanischer Lloyd | -                        | TAE00001V2               |
|  | <b>LR</b><br>Lloyds Register                            | EN 60947                 | 91/20112<br>(E9)         |

## UL-Approvals

| Logo                                                                               | Approval                                    | Additional Approval Text | Certificate name |
|------------------------------------------------------------------------------------|---------------------------------------------|--------------------------|------------------|
|  | <b>UR</b><br>Underwriters Laboratories Inc. | UL 1059                  | E45172           |

## Downloads

### Documentation

#### Bid Text

282-435

doc  
24.1 kB

Download



CAD/CAE - Smart Data

CAD data

|                     |     |          |
|---------------------|-----|----------|
| 3D Download 282-435 | URL | Download |
|---------------------|-----|----------|



Subject to changes.