



Data sheet | Item number: 286-664

Current flow monitoring module; AC current flow monitoring module; 1 A ...
10 A; Adjustable; Relay with 1 changeover contact (1u)




286-664



RoHS Compliant

[BOMcheck.net](https://www.bomcheck.net)

Color:



Data

Electrical data

Nominal operating voltage	DC 24 V
Current consumption at supply voltage	≤ 17 mA
Voltage drop at input	44 ... 430 mV
Max. measuring span	0.2 ... 3 AAC
Min. switching treshold (adjustable)	0.2 A
Response time	300ms
Number of changeover/switchover contacts	1
Number of break contacts/switch off contacts	1
Limiting continuous current	5 A
Max. switching voltage	AC 250 V
Max. switching power (resistive)	AC 1,250 VA
Status indication	LED red, Relay switched (Current < switching treshold)

Safety and protection:

Rated voltage	250 V
Rated impulse voltage	4 kV
Pollution degree	2
Dielectric strength input/output (AC, 1 min)	1.5 kVrms

Mechanical data

Type of mounting	Pluggable module for carrier terminal blocks
Housing design	Pluggable module for terminal blocks

Material Data

Color	light gray
Fire load	0 MJ
Weight	58

Environmental Requirements

Surrounding air (operating) temperature	-25 ... 40 °C
Surrounding air (storage) temperature	-40 ... 70 °C

Commercial data

Product Group	6 (Interface Electronics)
Country of origin	DE
GTIN	4050821654407
Customs Tariff No.	85364900990

Compatible products

Marking accessories

	Item no.: 209-701 WSB marking card; as card; not stretchable; plain; snap-on type	209-701
	Item no.: 209-701/000-002 WSB marking card; as card; not stretchable; plain; snap-on type	209-701 /000-002
	Item no.: 209-701/000-005 WSB marking card; as card; not stretchable; plain; snap-on type	209-701 /000-005
	Item no.: 209-701/000-006 WSB marking card; as card; not stretchable; plain; snap-on type	209-701 /000-006
	Item no.: 209-701/000-007 WSB marking card; as card; not stretchable; plain; snap-on type	209-701 /000-007
	Item no.: 209-701/000-012 WSB marking card; as card; not stretchable; plain; snap-on type	209-701 /000-012
	Item no.: 209-701/000-017 WSB marking card; as card; not stretchable; plain; snap-on type	209-701 /000-017



Item no.: 209-701/000-023

WSB marking card; as card; not stretchable; plain; snap-on type

/000-023

209-701



Item no.: 209-701/000-024

WSB marking card; as card; not stretchable; plain; snap-on type

/000-024

209-701

Downloads

Documentation

Bid Text

286-664

Interface-Bausteine mit Sonderfunktionen

Jan 15, 2016

doc
25.6 kB

Download

Additional Information

Disposal; Electrical and electronic equipment, Packaging

V 1.0.0

pdf
265.8 kB

Download

CAD/CAE - Smart Data

CAD data

3D Download 286-664

URL

Download

Subject to changes.