Data sheet | Item number: 706-100/310-200

System cable; 10-pole; Pluggable connector per DIN 41651; open-ended;

Length: 2 m; Conductor cross-section: 0.14 mm²

www.wago.com/706-100_310-200





Item description

Note:

When using more than 10 wires, the maximum current per wire must be reduced to 0.7 A. $\,$

Subject to changes. Please also observe the further product documentation!

WAGO Corporation Germantown, WI 53022

Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222

Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products? We are always happy to take your call at (262) 255-6222 or 1 800-DIN-RAIL.

Data sheet | Item number: 706-100/310-200

www.wago.com/706-100_310-200



Data

Electrical data

Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	1 A

Connection data

Pole No.	10
Connection type (1)	System
Pole number 1	10
Pluggable connectors	Pluggable connector per DIN 41651; Female connector
Connection type 2	Open-ended
Cable type	LiYY
Wire cross-section	0.14 mm²
Color code	per DIN VDE 47100

Physical data

Cable length	2 m
--------------	-----

Material data

Weight	91 g	

Environmental requirements

Surrounding air temperature (operation)	-20 50 °C	

Commercial data

Packaging type	bag
Country of origin	FR
GTIN	4055143406536
Customs tariff number	85444290900

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 706-100/310-200 URL Download

 $\label{lem:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO Corporation
Germantown, WI 53022

Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222

Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products? We are always happy to take your call at (262) 255-6222 or 1 800-DIN-RAIL.

www.wago.com/706-100_310-200



System cable; 10-pole; Pluggable connector per DIN 41651; open-ended; Length: 2 m; Conductor cross-section: $0.14~\rm mm^2$

Installation Notes



 $\label{lem:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO Corporation Germantown, WI 53022

Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222

Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products? We are always happy to take your call at (262) 255-6222 or 1 800-DIN-RAIL.