
Data sheet | Item number: 706-4756/102-200

System cable; for Rockwell Control Logix; 2 x 16 digital inputs; Length: 2 m;

Conductor cross-section: 0.14 mm²

www.wago.com/706-4756_102-200





Item description

Note:

When using more than 10 wires, the maximum current per wire must be reduced to 0.7 A.

Data Electrical data

Inputs/outputs	2 x 12 digital inputs
Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	1 A

Connection data

Compatible PLC Modules	Rockwell Control Logix
Compatible PLC I/O Card Types	1756 - IB32
Connection type (1)	System
Pole number 1	20
Pluggable connectors	Pluggable connector per DIN 41651; Female connector
Connection type 2	System
Pole number 2	20
Connector 2	Pluggable connector per DIN 41651; Female connector
Connection type (3)	System

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (3/

Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222

Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products? We are always happy to take your call at (262) 255-6222 or 1 800-DIN-RAIL.

Data sheet | Item number: 706-4756/102-200

www.wago.com/706-4756_102-200



Pole number 3	36
Connector 3	Allen Bradley 1756-TBS6H/A
Cable type	LiYY
Wire cross-section	0.14 mm²
Color code	per DIN VDE 47100

Physical data

Cable length 2 m

Material data

Weight 452 g

Environmental requirements

Surrounding air temperature (operation) -20 ... 50 °C

Commercial data

Product Group		30 ()
Packaging type		0
Country of origin		FR
GTIN		4045454920920
Customs tariff number		85444290900

Downloads

Documentation

System Description

WAGO System Wiring, Selection Guide pdf Download
This guide will help you select the appropriate interface modules and system cables 545.9 kB

for the controller you are usng.

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 706-4756/102-200 URL Download

System cable; for Rockwell Control Logix; 2 x 16 digital inputs; Length: 2 m;

Conductor cross-section: 0.14 mm²

Subject to changes. Please also observe the further product documentation!

WAGO Corporation

Germantown, WI 53022

Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222

Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products? We are always happy to take your call at (262) 255-6222 or 1 800-DIN-

RAIL.



Installation Notes



 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO Corporation Germantown, WI 53022

Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222

Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products? We are always happy to take your call at (262) 255-6222 or 1 800-DIN-RAIL.