


Data sheet | Item number: 706-753/301-100



Connection cable; 16-pole; Pluggable connector per DIN 41651; 16-pole;
Pluggable connector per DIN 41651; Length: 1 m (1 MOhm); Conductor
cross-section: 0.14 mm²

706-753/301-100



Item description

Short description:

WAGO's 16-Pole Interface Cables transmit signals one-to-one from the 16-pole pluggable connector and are available in 1-, 2- and 3-meter lengths. Signal transmission from the 857-980 Interface Adapter is also possible.

Suitable for system wiring when paired with WAGO's Interface Adapter (857-980)

Note:

When using more than 10 wires, the maximum current per wire must be reduced to 0.7 A.

Data

Electrical data

Operating voltage	≤ DC 35 V
Max. current per conductor	1 A

Safety and protection:

Protection class	IP20
------------------	------

Connection data

No. of poles	16
Connection type (1)	System
No. of poles 1	16
Pluggable connector	Pluggable connector per DIN 41651; female connector
Connection type (2)	System
No. of poles 2	16
Pluggable connector 2	Pluggable connector per DIN 41651; female connector
Type of cable	LiYY
Cross section of single conductor	0.14 mm ²
Color coding	per DIN VDE 47100

Geometrical Data

Cable length	1 m
--------------	-----

Material Data

Weight	9.999 g
--------	---------

Environmental Requirements

Surrounding air (operating) temperature	-25 ... 70 °C
---	---------------

Commercial data

Product Group	30 ()
Country of origin	FR
GTIN	4050821038856
Customs Tariff No.	85444290900

Compatible products

transfer module



Item no.: 857-980
 Interface adapter; 16-pole; analog

857-980

Downloads

Documentation

Bid Text

706-753/301-300	Oct 2, 2014	doc	Download
WAGO-Interface-Kabel		26.1 kB	

Additional Information

Disposal; Electrical and electronic equipment, Packaging

V 1.0.0

pdf
265.8 kB

[Download](#)



Subject to changes.
