



Data sheet | Item number: 750-965

Fieldbus Connector CC-Link; with D-sub male connector; 9-pole




750-965



RoHS Compliant

[BOMcheck.net](https://www.bomcheck.net)

Color:



Item description

The fieldbus connector connects a CC-Link device to a CC-Link line.

The fieldbus connector has the following features:

- 2 horizontal cable entries. One input and one output.



- Fast and maintenance-free CAGE CLAMP® connection, can be held in the open position with the help of an actuation slide mechanism.
- Externally operable switch to activate and/or deactivate the termination resistor.

For the first and last station on the bus, the switch must be set to "ON" (terminating resistor activated). Switch setting to "OFF" for the intermediate stations on the bus (terminating resistor deactivated).

Data

Technical Data

Connection type	Stecker D-Sub 9
No. of poles	9
Communication/Fieldbus	CC-Link
Baud rate	-

Connection data

Connection type (1)	CAGE CLAMP®-Klemmleiste mit Betätigungsschieber (Serie 218)
Solid conductor	0.08 ... 0.5 mm ² / 28 ... 20 AWG
Strip length	5 ... 6 mm / 0.2 ... 0.24 inch

Geometrical Data

Width	45 mm / 1.772 inch
Height	16 mm / 0.63 inch
Depth	54 mm / 2.126 inch

Mechanical data

Connectable sheathed cable diameter	4.5 ... 9.5 mm
Leitungseinführungen, Anzahl	2
Housing material	PA66-105-V2
Weight	34.1 g
Color	light gray

Environmental Requirements

Surrounding air (operating) temperature	0 ... 60 °C
Surrounding air (storage) temperature	-25 ... 85 °C
Protection class	IP20
Relative air humidity (no condensation)	95 %
Fire load	0 MJ

Commercial data

Product Group	15 (Remote I/O)
---------------	-----------------

Country of origin	DE
GTIN	4050821096030
Customs Tariff No.	85366990990

Approvals / Certificates

UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UL UL International Netherlands B.V. (ORDINARY LOCATIONS)	UL 508	E175199 Sec.1

Downloads

Documentation

Bid Text

750-965 IO, Feldbusstecker	Oct 2, 2014	doc 25.1 kB	Download
-------------------------------	-------------	----------------	----------

Additional Information

Disposal; Electrical and electronic equipment, Packaging	V 1.0.0	pdf 265.8 kB	Download
--	---------	-----------------	----------

Subject to changes.