





RoHS   
Compliant

[BOMcheck.net](https://www.bomcheck.net)



Conductor size

Ø 6 ... 8 mm / 0.14 - 0.5 mm<sup>2</sup>

## Data

### Technical Data

|                                              |            |
|----------------------------------------------|------------|
| Connection type                              | M12 socket |
| No. of poles                                 | 5          |
| Anschlusspunkt geschirmt                     | yes        |
| Leistungsanschlussrichtung zur Steckrichtung | 0°         |
| Steckgesichtskodierung Leitung/Adapter 1 1   | A coded    |

### Connection data

|                     |              |
|---------------------|--------------|
| Connection type (1) | Federtechnik |
|---------------------|--------------|

### Mechanical data

|                                     |            |
|-------------------------------------|------------|
| Connectable sheathed cable diameter | 6 ... 8 mm |
| Weight                              | 13.5 g     |

### Environmental Requirements

|                  |      |
|------------------|------|
| Protection class | IP67 |
|------------------|------|

### Commercial data

|                    |               |
|--------------------|---------------|
| Country of origin  | DE            |
| GTIN               | 4045454640231 |
| Customs Tariff No. | 85369010000   |



Downloads  
Documentation  
System Description

|                                              |                 |          |
|----------------------------------------------|-----------------|----------|
| 767 Series, SPEEDWAY accessories, data sheet | pdf<br>1.0 MB   | Download |
| IP67 Cables and Pluggable Connectors         | pdf<br>293.9 kB | Download |



Subject to changes.