



Data

Technical data

Memory	8 GB (pSLC)
Write/read cycles (max.)	45 MB/s / 48 MB/s
MTBF	> 2 million h
Service life	per Cell: 20.000 write cycles

Physical data

Width	15 mm
Height	11 mm
Depth	1 mm

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at (262) 255-6222 or 1 800-DIN-RAIL.

Material data

Weight	0.4 g
--------	-------

Environmental requirements

Surrounding air temperature (operation)	-40 ... 90 °C
Surrounding air temperature (storage)	-40 ... 90 °C
Relative humidity (without condensation)	95 %
Vibration resistance	15g
Shock resistance	50g

Commercial data

Packaging type	bag
Country of origin	DE
GTIN	4055143904599
Customs tariff number	8523520010

Downloads

Documentation

Bid Text

758-879/000-3108	xml 3.2 kB	Download
758-879/000-3108	docx 14.0 kB	Download

Additional Information

Disposal; Electrical and electronic equipment, Packaging	V 1.0.0	pdf 265.8 kB	Download
--	---------	-----------------	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 758-879/000-3108	URL	Download
Memory Card SD Micro; pSLC-NAND; 8 GB; Temperature range: -40 to 90°C		

Subject to changes. Please also observe the further product documentation!



Installation Notes



Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at (262) 255-6222 or 1 800-DIN-RAIL.