4-pin ground carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5

769-207



Data

Connection data

Total number of potentials	1
Number of levels	1
Type of wiring	Front-entry wiring

Geometrical Data

Width	5 mm / 0.197 inch
Height from upper-edge of DIN-35 rail	28.5 mm / 1.122 inch
Depth	87.5 mm / 3.445 inch

Mechanical data

Design	horizontal
Type of mounting	DIN-35 rail
Marking level	Center marking

Material Data

Color	green-yellow
Insulating material	Polyamide 66 (PA 66)
Fire load	0.161 MJ
Weight	10.19 g

Commercial data

Product Group	18 (X-COM-System)
Country of origin	DE
GTIN	4044918827775
Customs Tariff No.	85366990990

Approvals / Certificates

Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	EN 60947	NTR NL-7626
	CSA DEKRA Certification B.V.	C22.2 No. 158	1101144
	KEMA/KEUR DEKRA Certification B.V.	EN 60947	2190419.01

Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	ABS American Bureau of Shipping	EN 60947	14-HG1293677-PDA
	LR Lloyds Register	EN 60947	91/20112 (E9)

UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UR Underwriters Laboratories Inc.	UL 1977	E45171
	UR Underwriters Laboratories Inc.	UL 1059	E45172

Compatible products

check		
	Item no.: 210-137 Test plug; 2.3 mm Ø; with 500 mm cable	210-137
End plate		
	Item no.: 769-301 End and intermediate plate; 1.1 mm thick	769-301
	Item no.: 769-302 End and intermediate plate; 1.1 mm thick	769-302
Female plug		
	Item no.: 769-101 1-conductor female plug; 4 mm²; 1-pole	769-101
	Item no.: 769-101/000-006 1-conductor female plug; 4 mm²; 1-pole	769-101 7000-006
	Item no.: 769-101/000-016 1-conductor female plug; 4 mm²; 1-pole	769-101 7000-016
	Item no.: 769-102 1-conductor female plug; 4 mm²; 2-pole	769-102
	Item no.: 769-102/000-006 1-conductor female plug; 4 mm²; 2-pole	769-102 7000-006
	Item no.: 769-102/000-036 1-conductor female plug; 4 mm²; 2-pole	769-102 7000-036
	Item no.: 769-102/000-037 1-conductor female plug; 4 mm²; 2-pole	769-102 7000-037
	Item no.: 769-103 1-conductor female plug; 4 mm²; 3-pole	769-103

	Item no.: 769-103/000-006 1-conductor female plug; 4 mm²; 3-pole	769-103
	Item no.: 769-103/000-036 1-conductor female plug; 4 mm²; 3-pole	769-103
	Item no.: 769-103/000-037 1-conductor female plug; 4 mm²; 3-pole	769-103
	Item no.: 769-103/000-038 1-conductor female plug; 4 mm²; 3-pole	769-103
	Item no.: 769-103/000-039 1-conductor female plug; 4 mm²; 3-pole	769-103
	Item no.: 769-104 1-conductor female plug; 4 mm²; 4-pole	769-104
	Item no.: 769-104/000-006 1-conductor female plug; 4 mm²; 4-pole	769-104
	Item no.: 769-104/000-036 1-conductor female plug; 4 mm²; 4-pole	769-104
	Item no.: 769-104/000-037 1-conductor female plug; 4 mm²; 4-pole	769-104
	Item no.: 769-104/000-038 1-conductor female plug; 4 mm²; 4-pole	769-104
	Item no.: 769-104/000-039 1-conductor female plug; 4 mm²; 4-pole	769-104
	Item no.: 769-105 1-conductor female plug; 4 mm²; 5-pole	769-105
	Item no.: 769-105/000-006 1-conductor female plug; 4 mm²; 5-pole	769-105
	Item no.: 769-105/000-036 1-conductor female plug; 4 mm²; 5-pole	769-105
	Item no.: 769-105/000-037 1-conductor female plug; 4 mm²; 5-pole	769-105

	Item no.: 769-105/000-038 1-conductor female plug; 4 mm²; 5-pole	769-105
	Item no.: 769-105/000-039 1-conductor female plug; 4 mm²; 5-pole	769-105
	Item no.: 769-106 1-conductor female plug; 4 mm²; 6-pole	769-106
	Item no.: 769-106/000-006 1-conductor female plug; 4 mm²; 6-pole	769-106
	Item no.: 769-106/000-036 1-conductor female plug; 4 mm²; 6-pole	769-106
	Item no.: 769-106/000-037 1-conductor female plug; 4 mm²; 6-pole	769-106
	Item no.: 769-106/000-038 1-conductor female plug; 4 mm²; 6-pole	769-106
	Item no.: 769-106/000-039 1-conductor female plug; 4 mm²; 6-pole	769-106
	Item no.: 769-107 1-conductor female plug; 4 mm²; 7-pole	769-107
	Item no.: 769-107/000-006 1-conductor female plug; 4 mm²; 7-pole	769-107
	Item no.: 769-107/000-036 1-conductor female plug; 4 mm²; 7-pole	769-107
	Item no.: 769-107/000-037 1-conductor female plug; 4 mm²; 7-pole	769-107
	Item no.: 769-107/000-038 1-conductor female plug; 4 mm²; 7-pole	769-107
	Item no.: 769-107/000-039 1-conductor female plug; 4 mm²; 7-pole	769-107
	Item no.: 769-108 1-conductor female plug; 4 mm²; 8-pole	769-108
	Item no.: 769-108/000-006 1-conductor female plug; 4 mm²; 8-pole	769-108

	Item no.: 769-108/000-036 1-conductor female plug; 4 mm²; 8-pole	769-108 /000-036
	Item no.: 769-108/000-037 1-conductor female plug; 4 mm²; 8-pole	769-108 /000-037
	Item no.: 769-108/000-038 1-conductor female plug; 4 mm²; 8-pole	769-108 /000-038
	Item no.: 769-108/000-039 1-conductor female plug; 4 mm²; 8-pole	769-108 /000-039
	Item no.: 769-109 1-conductor female plug; 4 mm²; 9-pole	769-109
	Item no.: 769-109/000-006 1-conductor female plug; 4 mm²; 9-pole	769-109 /000-006
	Item no.: 769-109/000-036 1-conductor female plug; 4 mm²; 9-pole	769-109 /000-036
	Item no.: 769-109/000-037 1-conductor female plug; 4 mm²; 9-pole	769-109 /000-037
	Item no.: 769-109/000-038 1-conductor female plug; 4 mm²; 9-pole	769-109 /000-038
	Item no.: 769-109/000-039 1-conductor female plug; 4 mm²; 9-pole	769-109 /000-039
	Item no.: 769-110 1-conductor female plug; 4 mm²; 10-pole	769-110
	Item no.: 769-110/000-006 1-conductor female plug; 4 mm²; 10-pole	769-110 /000-006
	Item no.: 769-110/000-036 1-conductor female plug; 4 mm²; 10-pole	769-110 /000-036
	Item no.: 769-110/000-037 1-conductor female plug; 4 mm²; 10-pole	769-110 /000-037

	Item no.: 769-110/000-038 1-conductor female plug; 4 mm²; 10-pole	769-110
	Item no.: 769-110/000-039 1-conductor female plug; 4 mm²; 10-pole	769-110
	Item no.: 769-111 1-conductor female plug; 4 mm²; 11-pole	769-111
	Item no.: 769-111/000-006 1-conductor female plug; 4 mm²; 11-pole	769-111
	Item no.: 769-111/000-036 1-conductor female plug; 4 mm²; 11-pole	769-111
	Item no.: 769-111/000-037 1-conductor female plug; 4 mm²; 11-pole	769-111
	Item no.: 769-111/000-038 1-conductor female plug; 4 mm²; 11-pole	769-111
	Item no.: 769-111/000-039 1-conductor female plug; 4 mm²; 11-pole	769-111
	Item no.: 769-112 1-conductor female plug; 4 mm²; 12-pole	769-112
	Item no.: 769-112/000-006 1-conductor female plug; 4 mm²; 12-pole	769-112
	Item no.: 769-112/000-036 1-conductor female plug; 4 mm²; 12-pole	769-112
	Item no.: 769-112/000-037 1-conductor female plug; 4 mm²; 12-pole	769-112
	Item no.: 769-112/000-038 1-conductor female plug; 4 mm²; 12-pole	769-112
	Item no.: 769-112/000-039 1-conductor female plug; 4 mm²; 12-pole	769-112
	Item no.: 769-113 1-conductor female plug; 4 mm²; 13-pole	769-113

	Item no.: 769-113/000-036 1-conductor female plug; 4 mm²; 13-pole	769-113 /000-036
	Item no.: 769-113/000-037 1-conductor female plug; 4 mm²; 13-pole	769-113 /000-037
	Item no.: 769-113/000-038 1-conductor female plug; 4 mm²; 13-pole	769-113 /000-038
	Item no.: 769-113/000-039 1-conductor female plug; 4 mm²; 13-pole	769-113 /000-039
	Item no.: 769-114 1-conductor female plug; 4 mm²; 14-pole	769-114
	Item no.: 769-114/000-006 1-conductor female plug; 4 mm²; 14-pole	769-114 /000-006
	Item no.: 769-114/000-036 1-conductor female plug; 4 mm²; 14-pole	769-114 /000-036
	Item no.: 769-114/000-037 1-conductor female plug; 4 mm²; 14-pole	769-114 /000-037
	Item no.: 769-114/000-038 1-conductor female plug; 4 mm²; 14-pole	769-114 /000-038
	Item no.: 769-114/000-039 1-conductor female plug; 4 mm²; 14-pole	769-114 /000-039
	Item no.: 769-115 1-conductor female plug; 4 mm²; 15-pole	769-115
	Item no.: 769-115/000-036 1-conductor female plug; 4 mm²; 15-pole	769-115 /000-036
	Item no.: 769-115/000-037 1-conductor female plug; 4 mm²; 15-pole	769-115 /000-037
	Item no.: 769-115/000-038 1-conductor female plug; 4 mm²; 15-pole	769-115 /000-038
	Item no.: 769-115/000-039 1-conductor female plug; 4 mm²; 15-pole	769-115 /000-039

	Item no.: 769-121 2-conductor female connector; 4 mm²; 1-pole	769-121
	Item no.: 769-121/000-016 2-conductor female connector; 4 mm²; 1-pole	769-121 7000-016
	Item no.: 769-122 2-conductor female connector; 4 mm²; 2-pole	769-122
	Item no.: 769-123 2-conductor female connector; 4 mm²; 3-pole	769-123
	Item no.: 769-124 2-conductor female connector; 4 mm²; 4-pole	769-124
	Item no.: 769-125 2-conductor female connector; 4 mm²; 5-pole	769-125
	Item no.: 769-126 2-conductor female connector; 4 mm²; 6-pole	769-126
	Item no.: 769-127 2-conductor female connector; 4 mm²; 7-pole	769-127
	Item no.: 769-128 2-conductor female connector; 4 mm²; 8-pole	769-128
	Item no.: 769-129 2-conductor female connector; 4 mm²; 9-pole	769-129
	Item no.: 769-130 2-conductor female connector; 4 mm²; 10-pole	769-130
	Item no.: 769-131 2-conductor female connector; 4 mm²; 11-pole	769-131
	Item no.: 769-132 2-conductor female connector; 4 mm²; 12-pole	769-132
	Item no.: 769-133 2-conductor female connector; 4 mm²; 13-pole	769-133
	Item no.: 769-134 2-conductor female connector; 4 mm²; 14-pole	769-134
	Item no.: 769-135 2-conductor female connector; 4 mm²; 15-pole	769-135

Carrier rail

	Item no.: 210-112 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm	210-112
	Item no.: 210-113 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715	210-113
	Item no.: 210-114 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715	210-114

	Item no.: 210-115 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm	210-115
	Item no.: 210-118 Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715	210-118
	Item no.: 210-196 Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715	210-196
	Item no.: 210-197 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715	210-197
	Item no.: 210-198 Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715	210-198
	Item no.: 210-504 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; galvanized; according to EN 60715	210-504
	Item no.: 210-505 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; galvanized; according to EN 60715	210-505
	Item no.: 210-506 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; galvanized; similar to EN 60715	210-506
	Item no.: 210-508 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; galvanized; similar to EN 60715	210-508
Coding		
	Item no.: 769-435 Coding pin; for coding of female plugs; for carrier terminal blocks / male connectors	769-435
tools		
	Item no.: 210-720 Operating tool with partially insulated shaft; Type 2, blade (3.5 x 0.5) mm	210-720
Marking accessories		
	Item no.: 2009-145 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-002 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-005 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-006 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-007 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-012 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145

	Item no.: 2009-145/000-023 Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-024 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 248-501 Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card	248-501
	Item no.: 248-501/000-002 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	Item no.: 248-501/000-005 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	Item no.: 248-501/000-006 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	Item no.: 248-501/000-007 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	Item no.: 248-501/000-012 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	Item no.: 248-501/000-017 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	Item no.: 248-501/000-023 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	Item no.: 248-501/000-024 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501

assembling

	Item no.: 209-106 Mounting carrier; for isolated mounting on DIN 35 rails	209-106

Jumper

	Item no.: 249-123 Push-in type wire jumper; insulated; wire length 180 mm; Conductor cross section 0.75 mm²	249-123
	Item no.: 249-125 Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 0.75 mm²	249-125
	Item no.: 249-126 Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 0.75 mm²	249-126

	Item no.: 249-127 Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 0.75 mm²	249-127
	Item no.: 280-402 Adjacent jumper; insulated; IN = IN terminal block	280-402
	Item no.: 280-409 Alternate jumper; insulated; IN = IN terminal block	280-409
	Item no.: 280-422 Adjacent jumper; insulated; IN = IN terminal block	280-422
	Item no.: 780-452 Staggered jumper; insulated; from 1 to 2; Spacing: 5 mm; suitable for 2-conductor female plugs	780-452
	Item no.: 780-453 Staggered jumper; insulated; from 1 to 3; Spacing: 5 mm; suitable for 2-conductor female plugs	780-453
	Item no.: 780-454 Staggered jumper; insulated; from 1 to 4; Spacing: 5 mm; suitable for 2-conductor female plugs	780-454
	Item no.: 780-455 Staggered jumper; insulated; from 1 to 5; Spacing: 5 mm; suitable for 2-conductor female plugs	780-455
	Item no.: 780-456 Staggered jumper; insulated; from 1 to 6; Spacing: 5 mm; suitable for 2-conductor female plugs	780-456
	Item no.: 780-457 Staggered jumper; insulated; from 1 to 7; Spacing: 5 mm; suitable for 2-conductor female plugs	780-457
	Item no.: 780-458 Staggered jumper; insulated; from 1 to 8; Spacing: 5 mm; suitable for 2-conductor female plugs	780-458

General accessories

	Item no.: 280-404 Test plug adapter; 5 mm wide; for test plug 210-137 (2.3 mm Ø); suitable for 1.5 mm² - 4 mm² tbs	280-404
	Item no.: 280-418 Test plug module; modular; suitable for all WAGO 280 and 780 Series rail-mounted terminal blocks with jumper slots in the current bar	280-418
	Item no.: 280-419 Spacer module; modular; bridging commoned terminal blocks	280-419
	Item no.: 769-438 Pin cover; with marker slot for miniature WSB	769-438
	Item no.: 769-439 Pin cover; with marker slot for miniature WSB	769-439
	Item no.: 769-501 Start module for 1-conductor female connector; with integrated end plate; 4 mm²; 1-pole	769-501
	Item no.: 769-501/000-006 Start module for 1-conductor female connector; 4 mm²; 1-pole /000-006	769-501
	Item no.: 769-501/000-016 Start module for 1-conductor female connector; with integrated end plate; 4 mm²; 1-pole /000-016	769-501

	Item no.: 769-502 Center module for 1-conductor female connector; 4 mm²; 1-pole	769-502
	Item no.: 769-502/000-006 Center module for 1-conductor female connector; 4 mm²; 1-pole /000-006	769-502
	Item no.: 769-502/000-016 Center module for 1-conductor female connector; 4 mm²; 1-pole /000-016	769-502
	Item no.: 769-503 End module for 1-conductor female connector; 4 mm²; 1-pole	769-503
	Item no.: 769-503/000-006 End module for 1-conductor female connector; 4 mm²; 1-pole /000-006	769-503
	Item no.: 769-503/000-016 End module for 1-conductor female connector; 4 mm²; 1-pole /000-016	769-503
	Item no.: 769-504 Start module for 2-conductor female connector; with integrated end plate; 4 mm²; 1-pole	769-504
	Item no.: 769-504/000-006 Start module for 2-conductor female connector; with integrated end plate; 4 mm²; 1-pole /000-006	769-504
	Item no.: 769-504/000-016 Start module for 2-conductor female connector; 4 mm²; 1-pole /000-016	769-504
	Item no.: 769-505 Center module for 2-conductor female connector; 4 mm²; 1-pole	769-505
	Item no.: 769-505/000-006 Center module for 2-conductor female connector; 4 mm²; 1-pole /000-006	769-505
	Item no.: 769-505/000-016 Center module for 2-conductor female connector; 4 mm²; 1-pole /000-016	769-505
	Item no.: 769-506 End module for 2-conductor female connector; 4 mm²; 1-pole	769-506
	Item no.: 769-506/000-006 End module for 2-conductor female connector; 4 mm²; 1-pole /000-006	769-506
	Item no.: 769-506/000-016 End module for 2-conductor female connector; 4 mm²; 1-pole /000-016	769-506
	Item no.: 769-512 Start module for 1-conductor female connector; angled; 4 mm²; 1-pole	769-512

	Item no.: 769-512/000-006 Start module for 1-conductor female connector; angled; 4 mm²; 1-pole	769-512
	Item no.: 769-512/000-016 Start module for 1-conductor female connector; angled; 4 mm²; 1-pole	769-512
	Item no.: 769-513 Center module for 1-conductor female connector; angled; 4 mm²; 1-pole	769-513
	Item no.: 769-513/000-006 1-conductor center module; angled; codable; 1-pole	769-513
	Item no.: 769-513/000-016 1-conductor center module; angled; codable; 1-pole	769-513
	Item no.: 769-515 1-conductor end module; angled; codable; 1-pole	769-515
	Item no.: 769-515/000-006 1-conductor end module; angled; codable; 1-pole	769-515
	Item no.: 769-515/000-016 1-conductor end module; angled; codable; 1-pole	769-515

Downloads

Documentation

Bid Text

769-207	doc 24.1 kB	Download

CAD/CAE - Smart Data

CAD data

3D Download 769-207	URL	Download

Product family

X-COM
Learn more about the product family.

Show all products from the family

AUTOMATION APEX & MACHINE

Subject to changes.