



Data sheet | Item number: 769-239/281-413

1-conductor/1-pin component carrier terminal block; LED (red); 24 VDC; for DIN-rail 35 x 15 and 35 x 7.5; 4 mm²; CAGE CLAMP®




769-239/281-413



RoHS Compliant

[BOMcheck.net](#)

Color:



Data

Electrical data

Voltage type (1)	DC
Nominal voltage	24 V

Ratings per IEC/EN 60664-1

Rated current	0.025 A
---------------	---------

Connection data

Connection technology	CAGE CLAMP®
Actuation type	Open Tool Slot
Connectable conductor materials	Copper
Nominal cross section	4 mm²
Solid conductor	0.08 ... 4 mm² / 28 ... 12 AWG
Fine-stranded conductor	0.08 ... 4 mm² / 28 ... 12 AWG
Strip length	8 ... 9 mm / 0.31 ... 0.35 inch
Total number of connection points	1
Total number of potentials	1
Number of levels	1
Type of wiring	Front-entry wiring

Geometrical Data

Width	5 mm / 0.197 inch
Height from upper-edge of DIN-35 rail	28.5 mm / 1.122 inch
Depth	52.5 mm / 2.067 inch

Mechanical data

Design	horizontal
Type of mounting	DIN-35 rail
Marking level	Center marking

Material Data

Color	gray
Insulating material	Polyamide 66 (PA 66)
Fire load	0.099 MJ
Weight	5.3 g

Commercial data

Product Group	18 (X-COM-System)
Country of origin	DE
GTIN	4045454619534
Customs Tariff No.	85369010000

Approvals / Certificates

Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	EN 60947	NTR NL-7626
	CSA DEKRA Certification B.V.	C22.2 No. 158	1101144
	KEMA/KEUR DEKRA Certification B.V.	EN 60947	2190419.01

Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	ABS American Bureau of Shipping	EN 60947	14-HG1293677-PDA

Compatible products

Protective Warning Marker

	Item no.: 280-415 Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks	280-415
--	---	---------

Female plug

	Item no.: 769-101 1-conductor female plug; 4 mm ² ; 1-pole	769-101
	Item no.: 769-101/000-006 1-conductor female plug; 4 mm ² ; 1-pole	769-101 /000-006

	Item no.: 769-101/000-016 1-conductor female plug; 4 mm ² ; 1-pole	/000-016	769-101
	Item no.: 769-101/022-000 1-conductor female plug; angled; 4 mm ² ; 1-pole	/022-000	769-101
	Item no.: 769-101/022-016 1-conductor female plug; angled; 4 mm ² ; 1-pole	/022-016	769-101
	Item no.: 769-102 1-conductor female plug; 4 mm ² ; 2-pole		769-102
	Item no.: 769-102/000-006 1-conductor female plug; 4 mm ² ; 2-pole	/000-006	769-102
	Item no.: 769-102/000-036 1-conductor female plug; 4 mm ² ; 2-pole	/000-036	769-102
	Item no.: 769-102/000-037 1-conductor female plug; 4 mm ² ; 2-pole	/000-037	769-102
	Item no.: 769-102/022-000 1-conductor female plug; angled; 4 mm ² ; 2-pole	/022-000	769-102
	Item no.: 769-103 1-conductor female plug; 4 mm ² ; 3-pole		769-103
	Item no.: 769-103/000-006 1-conductor female plug; 4 mm ² ; 3-pole	/000-006	769-103
	Item no.: 769-103/000-036 1-conductor female plug; 4 mm ² ; 3-pole	/000-036	769-103
	Item no.: 769-103/000-037 1-conductor female plug; 4 mm ² ; 3-pole	/000-037	769-103
	Item no.: 769-103/000-038 1-conductor female plug; 4 mm ² ; 3-pole	/000-038	769-103
	Item no.: 769-103/000-039 1-conductor female plug; 4 mm ² ; 3-pole	/000-039	769-103
	Item no.: 769-103/022-000 1-conductor female plug; angled; 4 mm ² ; 3-pole	/022-000	769-103

**Item no.: 769-104**

1-conductor female plug; 4 mm²; 4-pole

769-104

**Item no.: 769-104/000-006**

1-conductor female plug; 4 mm²; 4-pole

/000-006

769-104

**Item no.: 769-104/000-036**

1-conductor female plug; 4 mm²; 4-pole

/000-036

769-104

**Item no.: 769-104/000-037**

1-conductor female plug; 4 mm²; 4-pole

/000-037

769-104

**Item no.: 769-104/000-038**

1-conductor female plug; 4 mm²; 4-pole

/000-038

769-104

**Item no.: 769-104/000-039**

1-conductor female plug; 4 mm²; 4-pole

/000-039

769-104

**Item no.: 769-104/022-000**

1-conductor female plug; angled; 4 mm²; 4-pole

/022-000

769-104

**Item no.: 769-105**

1-conductor female plug; 4 mm²; 5-pole

769-105

**Item no.: 769-105/000-006**

1-conductor female plug; 4 mm²; 5-pole

/000-006

769-105

**Item no.: 769-105/000-036**

1-conductor female plug; 4 mm²; 5-pole

/000-036

769-105

**Item no.: 769-105/000-037**

1-conductor female plug; 4 mm²; 5-pole

/000-037

769-105

**Item no.: 769-105/000-038**

1-conductor female plug; 4 mm²; 5-pole

/000-038

769-105

**Item no.: 769-105/000-039**

1-conductor female plug; 4 mm²; 5-pole

/000-039

769-105

**Item no.: 769-105/022-000**

1-conductor female plug; angled; 4 mm²; 5-pole

/022-000

769-105

**Item no.: 769-106**

1-conductor female plug; 4 mm²; 6-pole

769-106

**Item no.: 769-106/000-006**1-conductor female plug; 4 mm²; 6-pole

/000-006

769-106

**Item no.: 769-106/000-036**1-conductor female plug; 4 mm²; 6-pole

/000-036

769-106

**Item no.: 769-106/000-037**1-conductor female plug; 4 mm²; 6-pole

/000-037

769-106

**Item no.: 769-106/000-038**1-conductor female plug; 4 mm²; 6-pole

/000-038

769-106

**Item no.: 769-106/000-039**1-conductor female plug; 4 mm²; 6-pole

/000-039

769-106

**Item no.: 769-106/022-000**1-conductor female plug; angled; 4 mm²; 6-pole

/022-000

769-106

**Item no.: 769-107**1-conductor female plug; 4 mm²; 7-pole

769-107

**Item no.: 769-107/000-006**1-conductor female plug; 4 mm²; 7-pole

/000-006

769-107

**Item no.: 769-107/000-036**1-conductor female plug; 4 mm²; 7-pole

/000-036

769-107

**Item no.: 769-107/000-037**1-conductor female plug; 4 mm²; 7-pole

/000-037

769-107

**Item no.: 769-107/000-038**1-conductor female plug; 4 mm²; 7-pole

/000-038

769-107

**Item no.: 769-107/000-039**1-conductor female plug; 4 mm²; 7-pole

/000-039

769-107

**Item no.: 769-107/022-000**1-conductor female plug; angled; 4 mm²; 7-pole

/022-000

769-107

**Item no.: 769-108**1-conductor female plug; 4 mm²; 8-pole

769-108

**Item no.: 769-108/000-006**1-conductor female plug; 4 mm²; 8-pole

/000-006

769-108

	Item no.: 769-108/000-036 1-conductor female plug; 4 mm ² ; 8-pole	769-108 /000-036
	Item no.: 769-108/000-037 1-conductor female plug; 4 mm ² ; 8-pole	769-108 /000-037
	Item no.: 769-108/000-038 1-conductor female plug; 4 mm ² ; 8-pole	769-108 /000-038
	Item no.: 769-108/000-039 1-conductor female plug; 4 mm ² ; 8-pole	769-108 /000-039
	Item no.: 769-108/022-000 1-conductor female plug; angled; 4 mm ² ; 8-pole	769-108 /022-000
	Item no.: 769-109 1-conductor female plug; 4 mm ² ; 9-pole	769-109
	Item no.: 769-109/000-006 1-conductor female plug; 4 mm ² ; 9-pole	769-109 /000-006
	Item no.: 769-109/000-036 1-conductor female plug; 4 mm ² ; 9-pole	769-109 /000-036
	Item no.: 769-109/000-037 1-conductor female plug; 4 mm ² ; 9-pole	769-109 /000-037
	Item no.: 769-109/000-038 1-conductor female plug; 4 mm ² ; 9-pole	769-109 /000-038
	Item no.: 769-109/000-039 1-conductor female plug; 4 mm ² ; 9-pole	769-109 /000-039
	Item no.: 769-109/022-000 1-conductor female plug; angled; 4 mm ² ; 9-pole	769-109 /022-000
	Item no.: 769-110 1-conductor female plug; 4 mm ² ; 10-pole	769-110
	Item no.: 769-110/000-006 1-conductor female plug; 4 mm ² ; 10-pole	769-110 /000-006
	Item no.: 769-110/000-036 1-conductor female plug; 4 mm ² ; 10-pole	769-110 /000-036

	Item no.: 769-110/000-037 1-conductor female plug; 4 mm²; 10-pole	/000-037	769-110
	Item no.: 769-110/000-038 1-conductor female plug; 4 mm²; 10-pole	/000-038	769-110
	Item no.: 769-110/000-039 1-conductor female plug; 4 mm²; 10-pole	/000-039	769-110
	Item no.: 769-110/022-000 1-conductor female plug; angled; 4 mm²; 10-pole	/022-000	769-110
	Item no.: 769-111 1-conductor female plug; 4 mm²; 11-pole		769-111
	Item no.: 769-111/000-006 1-conductor female plug; 4 mm²; 11-pole	/000-006	769-111
	Item no.: 769-111/000-036 1-conductor female plug; 4 mm²; 11-pole	/000-036	769-111
	Item no.: 769-111/000-037 1-conductor female plug; 4 mm²; 11-pole	/000-037	769-111
	Item no.: 769-111/000-038 1-conductor female plug; 4 mm²; 11-pole	/000-038	769-111
	Item no.: 769-111/000-039 1-conductor female plug; 4 mm²; 11-pole	/000-039	769-111
	Item no.: 769-111/022-000 1-conductor female plug; angled; 4 mm²; 11-pole	/022-000	769-111
	Item no.: 769-112 1-conductor female plug; 4 mm²; 12-pole		769-112
	Item no.: 769-112/000-006 1-conductor female plug; 4 mm²; 12-pole	/000-006	769-112
	Item no.: 769-112/000-036 1-conductor female plug; 4 mm²; 12-pole	/000-036	769-112
	Item no.: 769-112/000-037 1-conductor female plug; 4 mm²; 12-pole	/000-037	769-112



Item no.: 769-112/000-038
1-conductor female plug; 4 mm²; 12-pole

/000-038

769-112



Item no.: 769-112/000-039
1-conductor female plug; 4 mm²; 12-pole

/000-039

769-112



Item no.: 769-112/022-000
1-conductor female plug; angled; 4 mm²; 12-pole

/022-000

769-112



Item no.: 769-113
1-conductor female plug; 4 mm²; 13-pole

769-113



Item no.: 769-113/000-036
1-conductor female plug; 4 mm²; 13-pole

/000-036

769-113



Item no.: 769-113/000-037
1-conductor female plug; 4 mm²; 13-pole

/000-037

769-113



Item no.: 769-113/000-038
1-conductor female plug; 4 mm²; 13-pole

/000-038

769-113



Item no.: 769-113/000-039
1-conductor female plug; 4 mm²; 13-pole

/000-039

769-113



Item no.: 769-113/022-000
1-conductor female plug; angled; 4 mm²; 13-pole

/022-000

769-113



Item no.: 769-114
1-conductor female plug; 4 mm²; 14-pole

769-114



Item no.: 769-114/000-006
1-conductor female plug; 4 mm²; 14-pole

/000-006

769-114



Item no.: 769-114/000-036
1-conductor female plug; 4 mm²; 14-pole

/000-036

769-114



Item no.: 769-114/000-037
1-conductor female plug; 4 mm²; 14-pole

/000-037

769-114



Item no.: 769-114/000-038
1-conductor female plug; 4 mm²; 14-pole

/000-038

769-114



Item no.: 769-114/000-039
1-conductor female plug; 4 mm²; 14-pole

/000-039

769-114

**Item no.: 769-114/022-000**

1-conductor female plug; angled; 4 mm²; 14-pole

769-114

/022-000

**Item no.: 769-115**

1-conductor female plug; 4 mm²; 15-pole

769-115

**Item no.: 769-115/000-036**

1-conductor female plug; 4 mm²; 15-pole

769-115

/000-036

**Item no.: 769-115/000-037**

1-conductor female plug; 4 mm²; 15-pole

769-115

/000-037

**Item no.: 769-115/000-038**

1-conductor female plug; 4 mm²; 15-pole

769-115

/000-038

**Item no.: 769-115/000-039**

1-conductor female plug; 4 mm²; 15-pole

769-115

/000-039

**Item no.: 769-115/022-000**

1-conductor female plug; angled; 4 mm²; 15-pole

769-115

/022-000

**Item no.: 769-121**

2-conductor female connector; 4 mm²; 1-pole

769-121

**Item no.: 769-121/000-016**

2-conductor female connector; 4 mm²; 1-pole

769-121

/000-016

**Item no.: 769-122**

2-conductor female connector; 4 mm²; 2-pole

769-122

**Item no.: 769-123**

2-conductor female connector; 4 mm²; 3-pole

769-123

**Item no.: 769-124**

2-conductor female connector; 4 mm²; 4-pole

769-124

**Item no.: 769-125**

2-conductor female connector; 4 mm²; 5-pole

769-125

**Item no.: 769-126**

2-conductor female connector; 4 mm²; 6-pole

769-126

**Item no.: 769-127**

2-conductor female connector; 4 mm²; 7-pole

769-127

**Item no.: 769-128**

2-conductor female connector; 4 mm²; 8-pole

769-128

**Item no.: 769-129**

2-conductor female connector; 4 mm²; 9-pole

769-129



Item no.: 769-130
2-conductor female connector; 4 mm²; 10-pole

769-130



Item no.: 769-131
2-conductor female connector; 4 mm²; 11-pole

769-131



Item no.: 769-132
2-conductor female connector; 4 mm²; 12-pole

769-132



Item no.: 769-133
2-conductor female connector; 4 mm²; 13-pole

769-133



Item no.: 769-134
2-conductor female connector; 4 mm²; 14-pole

769-134



Item no.: 769-135
2-conductor female connector; 4 mm²; 15-pole

769-135

check

Item no.: 210-136
Test plug; 2 mm Ø; with 500 mm cable

210-136



Item no.: 210-137
Test plug; 2.3 mm Ø; with 500 mm cable

210-137

assembling

Item no.: 209-106
Mounting carrier; for isolated mounting on DIN 35 rails

209-106

Coding

Item no.: 769-435
Coding pin; for coding of female plugs; for carrier terminal blocks / male connectors

769-435

Insulation stop

Item no.: 769-470
Insulation stop; 0.08 - 0.2 mm² "s" (0.14 mm² "f-st"); 5 pieces/strip

769-470



Item no.: 769-471
Insulation stop; 0.25 - 0.5 mm²; 5 pieces/strip

769-471



Item no.: 769-472
Insulation stop; 0.75 - 1 mm²; 5 pieces/strip

769-472

ferrule

Item no.: 216-101
Ferrule; Sleeve for 0.5 mm² / AWG 22; uninsulated; electro-tin plated

216-101



Item no.: 216-102
Ferrule; Sleeve for 0.75 mm² / AWG 20; uninsulated; electro-tin plated

216-102



Item no.: 216-103
Ferrule; Sleeve for 1 mm² / AWG 18; uninsulated; electro-tin plated

216-103



Item no.: 216-104
Ferrule; Sleeve for 1.5 mm² / AWG 16; uninsulated; electro-tin plated

216-104



Item no.: 216-201
Ferrule; Sleeve for 0.5 mm² / 20 AWG; insulated; electro-tin plated

216-201

	Item no.: 216-202 Ferrule; Sleeve for 0.75 mm ² / 18 AWG; insulated; electro-tin plated	216-202
	Item no.: 216-203 Ferrule; Sleeve for 1 mm ² / AWG 18; insulated; electro-tin plated	216-203
	Item no.: 216-204 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated	216-204
	Item no.: 216-206 Ferrule; Sleeve for 2.5 mm ² / AWG 14; insulated; electro-tin plated	216-206
	Item no.: 216-301 Ferrule; Sleeve for 0.25 mm ² / AWG 24; insulated; electro-tin plated	216-301
	Item no.: 216-302 Ferrule; Sleeve for 0.34 mm ² / 22 AWG; insulated; electro-tin plated	216-302
tools		
	Item no.: 210-720 Operating tool with partially insulated shaft; Type 2, blade (3.5 x 0.5) mm	210-720
Carrier rail		
	Item no.: 210-112 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm	210-112
	Item no.: 210-113 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715	210-113
	Item no.: 210-114 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715	210-114
	Item no.: 210-115 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm	210-115
	Item no.: 210-118 Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715	210-118
	Item no.: 210-196 Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715	210-196
	Item no.: 210-197 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715	210-197
	Item no.: 210-198 Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715	210-198
	Item no.: 210-504 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; galvanized; according to EN 60715	210-504
	Item no.: 210-505 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; galvanized; according to EN 60715	210-505
	Item no.: 210-506 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; galvanized; similar to EN 60715	210-506
	Item no.: 210-508 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; galvanized; similar to EN 60715	210-508
End plate		



Item no.: 769-307
End and intermediate plate; 1.1 mm thick

769-307



Item no.: 769-308
End and intermediate plate; 1.1 mm thick

769-308

Marking accessories

Item no.: 2009-145
Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

2009-145



Item no.: 2009-145/000-002
Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-002

2009-145



Item no.: 2009-145/000-005
Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-005

2009-145



Item no.: 2009-145/000-006
Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-006

2009-145



Item no.: 2009-145/000-007
Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-007

2009-145



Item no.: 2009-145/000-012
Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-012

2009-145



Item no.: 2009-145/000-023
Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-023

2009-145



Item no.: 2009-145/000-024
Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-024

2009-145



Item no.: 248-501
Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card

248-501



Item no.: 248-501/000-002
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-002

248-501



Item no.: 248-501/000-005
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-005

248-501



Item no.: 248-501/000-006
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-006

248-501



Item no.: 248-501/000-007
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-007

248-501

**Item no.: 248-501/000-012**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-012

248-501

**Item no.: 248-501/000-017**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-017

248-501

**Item no.: 248-501/000-023**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-023

248-501

**Item no.: 248-501/000-024**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-024

248-501

General accessories**Item no.: 280-418**

Test plug module; modular; suitable for all WAGO 280 and 780 Series rail-mounted terminal blocks with jumper slots in the current bar

280-418

**Item no.: 280-419**

Spacer module; modular; bridging commoned terminal blocks

280-419

**Item no.: 769-438**

Pin cover; with marker slot for miniature WSB

769-438

**Item no.: 769-439**

Pin cover; with marker slot for miniature WSB

769-439

**Item no.: 769-501**Start module for 1-conductor female connector; with integrated end plate; 4 mm²; 1-pole

769-501

**Item no.: 769-501/000-006**Start module for 1-conductor female connector; 4 mm²; 1-pole

/000-006

769-501

**Item no.: 769-501/000-016**Start module for 1-conductor female connector; with integrated end plate; 4 mm²; 1-pole

/000-016

769-501

**Item no.: 769-502**Center module for 1-conductor female connector; 4 mm²; 1-pole

769-502

**Item no.: 769-502/000-006**Center module for 1-conductor female connector; 4 mm²; 1-pole

/000-006

769-502

**Item no.: 769-502/000-016**Center module for 1-conductor female connector; 4 mm²; 1-pole

/000-016

769-502

**Item no.: 769-503**End module for 1-conductor female connector; 4 mm²; 1-pole

769-503

**Item no.: 769-503/000-006**End module for 1-conductor female connector; 4 mm²; 1-pole

/000-006

769-503

	Item no.: 769-503/000-016 End module for 1-conductor female connector; 4 mm ² ; 1-pole	769-503 /000-016
	Item no.: 769-504 Start module for 2-conductor female connector; with integrated end plate; 4 mm ² ; 1-pole	769-504
	Item no.: 769-504/000-006 Start module for 2-conductor female connector; with integrated end plate; 4 mm ² ; 1-pole	769-504 /000-006
	Item no.: 769-504/000-016 Start module for 2-conductor female connector; 4 mm ² ; 1-pole	769-504 /000-016
	Item no.: 769-505 Center module for 2-conductor female connector; 4 mm ² ; 1-pole	769-505
	Item no.: 769-505/000-006 Center module for 2-conductor female connector; 4 mm ² ; 1-pole	769-505 /000-006
	Item no.: 769-505/000-016 Center module for 2-conductor female connector; 4 mm ² ; 1-pole	769-505 /000-016
	Item no.: 769-506 End module for 2-conductor female connector; 4 mm ² ; 1-pole	769-506
	Item no.: 769-506/000-006 End module for 2-conductor female connector; 4 mm ² ; 1-pole	769-506 /000-006
	Item no.: 769-506/000-016 End module for 2-conductor female connector; 4 mm ² ; 1-pole	769-506 /000-016
	Item no.: 769-512 Start module for 1-conductor female connector; angled; 4 mm ² ; 1-pole	769-512
	Item no.: 769-512/000-006 Start module for 1-conductor female connector; angled; 4 mm ² ; 1-pole	769-512 /000-006
	Item no.: 769-512/000-016 Start module for 1-conductor female connector; angled; 4 mm ² ; 1-pole	769-512 /000-016
	Item no.: 769-513 Center module for 1-conductor female connector; angled; 4 mm ² ; 1-pole	769-513
	Item no.: 769-513/000-006 1-conductor center module; angled; codable; 1-pole	769-513 /000-006
	Item no.: 769-513/000-016 1-conductor center module; angled; codable; 1-pole	769-513 /000-016

**Item no.: 769-515**

769-515

1-conductor end module; angled; codable; 1-pole

**Item no.: 769-515/000-006**

769-515

1-conductor end module; angled; codable; 1-pole

/000-006

**Item no.: 769-515/000-016**

769-515

1-conductor end module; angled; codable; 1-pole

/000-016

Jumper**Item no.: 249-123**

249-123

Push-in type wire jumper; insulated; wire length 180 mm; Conductor cross section 0.75 mm²**Item no.: 249-125**

249-125

Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 0.75 mm²**Item no.: 249-126**

249-126

Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 0.75 mm²**Item no.: 249-127**

249-127

Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 0.75 mm²**Downloads****Documentation****Bid Text**

769-239/281-413

doc
25.1 kB

Download

CAD/CAE - Smart Data**CAD data**

3D Download 769-239/281-413

URL

Download

Product family**X-COM**[Learn more about the product family.](#)[Show all products from the family](#)



Subject to changes.
