

Data sheet | Item number: 769-609/005-000

1-conductor male connector; Snap-in flange; 4 mm²; Pin spacing 5 mm; 9-pole




769-609/005-000



RoHS
Compliant

BOMcheck.net

Color: ■



Data

Electrical data

Ratings per IEC/EN 60664-1

Rated voltage (III / 3)	500 V
Rated impulse voltage (III / 3)	6 kV
Rated current	32 A

Connection data

Connection technology	CAGE CLAMP®
Actuation type	Operating tool
Connectable conductor materials	Copper
Nominal cross section	4 mm²
Solid conductor	0.08 ... 4 mm² / 28 ... 12 AWG
Fine-stranded conductor	0.08 ... 4 mm² / 28 ... 12 AWG
Strip length	8 ... 9 mm / 0.31 ... 0.35 inch
No. of poles	9

Total number of connection points	9
Total number of potentials	9
Type of wiring	Front-entry wiring

Geometrical Data

Pin spacing	5 mm / 0.197 inch
Width	66.3 mm / 2.61 inch
Height	24.4 mm / 0.961 inch
Depth	40.8 mm / 1.606 inch

Mechanical data

Mounting type	Snap-in
---------------	---------

Plug connection

Contact type (pluggable connector)	Male connector/plug
Connector connection type	for conductors

Material Data

Color	gray
Insulating material	Polyamide 66 (PA 66)
Fire load	0.577 MJ
Weight	27.803 g

Commercial data

Product Group	18 (X-COM-System)
Country of origin	PL
GTIN	4044918854504
Customs Tariff No.	85366990990

Approvals / Certificates

Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	IEC 61984	NL-47799
	CCA DEKRA Certification B.V.	EN 61984	2190419.02
	CSA DEKRA Certification B.V.	C22.2 No. 158	1101144



UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UR Underwriters Laboratories Inc.	UL 1977	E45171
	UR Underwriters Laboratories Inc.	UL 1059	E45172

Compatible products

Marking accessories

	Item no.: 2009-145 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-002 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145 /000-002
	Item no.: 2009-145/000-005 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145 /000-005
	Item no.: 2009-145/000-006 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145 /000-006
	Item no.: 2009-145/000-007 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145 /000-007
	Item no.: 2009-145/000-012 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145 /000-012

	Item no.: 2009-145/000-023 Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	7000-023	
	Item no.: 2009-145/000-024 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	7000-024	
	Item no.: 210-831 Marking strips; on reel; 2.3 mm wide; plain; Self-adhesive	210-831
	Item no.: 210-832 Marking strips; on reel; 3 mm wide; plain; Self-adhesive	210-832
	Item no.: 210-833 Marking strips; on reel; 6 mm wide; plain; Self-adhesive	210-833
	Item no.: 210-834 Marking strips; on reel; 5 mm wide; plain; Self-adhesive	210-834
	Item no.: 248-501 Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card	248-501
	Item no.: 248-501/000-002 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	7000-002	
	Item no.: 248-501/000-005 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	7000-005	
	Item no.: 248-501/000-006 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	7000-006	
	Item no.: 248-501/000-007 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	7000-007	
	Item no.: 248-501/000-012 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	7000-012	
	Item no.: 248-501/000-017 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	7000-017	
	Item no.: 248-501/000-023 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	7000-023	
	Item no.: 248-501/000-024 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	7000-024	
Protective Warning Marker		
	Item no.: 280-415 Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks	280-415

Coding



Item no.: 769-435

Coding pin; for coding of female plugs; for carrier terminal blocks / male connectors

769-435

Female plug



Item no.: 769-101

1-conductor female plug; 4 mm²; 1-pole

769-101



Item no.: 769-101/000-016

1-conductor female plug; 4 mm²; 1-pole

/000-016

769-101



Item no.: 769-102

1-conductor female plug; 4 mm²; 2-pole

769-102



Item no.: 769-102/000-036

1-conductor female plug; 4 mm²; 2-pole

/000-036

769-102



Item no.: 769-102/000-037

1-conductor female plug; 4 mm²; 2-pole

/000-037

769-102



Item no.: 769-103

1-conductor female plug; 4 mm²; 3-pole

769-103



Item no.: 769-103/000-036

1-conductor female plug; 4 mm²; 3-pole

/000-036

769-103



Item no.: 769-103/000-037

1-conductor female plug; 4 mm²; 3-pole

/000-037

769-103



Item no.: 769-103/000-038

1-conductor female plug; 4 mm²; 3-pole

/000-038

769-103



Item no.: 769-103/000-039

1-conductor female plug; 4 mm²; 3-pole

/000-039

769-103



Item no.: 769-104

1-conductor female plug; 4 mm²; 4-pole

769-104



Item no.: 769-104/000-036

1-conductor female plug; 4 mm²; 4-pole

/000-036

769-104



Item no.: 769-104/000-037

1-conductor female plug; 4 mm²; 4-pole

/000-037

769-104



Item no.: 769-104/000-038

1-conductor female plug; 4 mm²; 4-pole

/000-038

769-104

	Item no.: 769-104/000-039 1-conductor female plug; 4 mm²; 4-pole	769-104 /000-039
	Item no.: 769-105 1-conductor female plug; 4 mm²; 5-pole	769-105
	Item no.: 769-105/000-036 1-conductor female plug; 4 mm²; 5-pole	769-105 /000-036
	Item no.: 769-105/000-037 1-conductor female plug; 4 mm²; 5-pole	769-105 /000-037
	Item no.: 769-105/000-038 1-conductor female plug; 4 mm²; 5-pole	769-105 /000-038
	Item no.: 769-105/000-039 1-conductor female plug; 4 mm²; 5-pole	769-105 /000-039
	Item no.: 769-106 1-conductor female plug; 4 mm²; 6-pole	769-106
	Item no.: 769-106/000-006 1-conductor female plug; 4 mm²; 6-pole	769-106 /000-006
	Item no.: 769-106/000-036 1-conductor female plug; 4 mm²; 6-pole	769-106 /000-036
	Item no.: 769-106/000-037 1-conductor female plug; 4 mm²; 6-pole	769-106 /000-037
	Item no.: 769-106/000-038 1-conductor female plug; 4 mm²; 6-pole	769-106 /000-038
	Item no.: 769-106/000-039 1-conductor female plug; 4 mm²; 6-pole	769-106 /000-039
	Item no.: 769-107 1-conductor female plug; 4 mm²; 7-pole	769-107
	Item no.: 769-107/000-036 1-conductor female plug; 4 mm²; 7-pole	769-107 /000-036
	Item no.: 769-107/000-037 1-conductor female plug; 4 mm²; 7-pole	769-107 /000-037
	Item no.: 769-107/000-038 1-conductor female plug; 4 mm²; 7-pole	769-107 /000-038



Item no.: 769-107/000-039
 1-conductor female plug; 4 mm²; 7-pole

/000-039

769-107

Item no.: 769-108
 1-conductor female plug; 4 mm²; 8-pole

769-108

Item no.: 769-108/000-036
 1-conductor female plug; 4 mm²; 8-pole

/000-036

769-108

Item no.: 769-108/000-037
 1-conductor female plug; 4 mm²; 8-pole

/000-037

769-108

Item no.: 769-108/000-038
 1-conductor female plug; 4 mm²; 8-pole

/000-038

769-108

Item no.: 769-108/000-039
 1-conductor female plug; 4 mm²; 8-pole

/000-039

769-108

Item no.: 769-109
 1-conductor female plug; 4 mm²; 9-pole

769-109

Item no.: 769-109/000-036
 1-conductor female plug; 4 mm²; 9-pole

/000-036

769-109

Item no.: 769-109/000-037
 1-conductor female plug; 4 mm²; 9-pole

/000-037

769-109

Item no.: 769-109/000-038
 1-conductor female plug; 4 mm²; 9-pole

/000-038

769-109

Item no.: 769-109/000-039
 1-conductor female plug; 4 mm²; 9-pole

/000-039

769-109

Item no.: 769-109/021-000
 1-conductor female plug; Locking lever; 4 mm²; 9-pole

/021-000

769-109

Item no.: 769-121
 2-conductor female connector; 4 mm²; 1-pole

769-121

Item no.: 769-121/000-016
 2-conductor female connector; 4 mm²; 1-pole

/000-016

769-121

Item no.: 769-122
 2-conductor female connector; 4 mm²; 2-pole

769-122



Item no.: 769-123
2-conductor female connector; 4 mm²; 3-pole

769-123



Item no.: 769-124
2-conductor female connector; 4 mm²; 4-pole

769-124



Item no.: 769-125
2-conductor female connector; 4 mm²; 5-pole

769-125



Item no.: 769-126
2-conductor female connector; 4 mm²; 6-pole

769-126



Item no.: 769-127
2-conductor female connector; 4 mm²; 7-pole

769-127



Item no.: 769-128
2-conductor female connector; 4 mm²; 8-pole

769-128



Item no.: 769-129
2-conductor female connector; 4 mm²; 9-pole

769-129

Strain relief plate



Item no.: 769-410
Strain relief plate

769-410



Item no.: 769-413
Strain relief plate

769-413

Insulation stop



Item no.: 769-470
Insulation stop; 0.08 - 0.2 mm² "s" (0.14 mm² "f-st"); 5 pieces/strip

769-470



Item no.: 769-471
Insulation stop; 0.25 - 0.5 mm²; 5 pieces/strip

769-471



Item no.: 769-472
Insulation stop; 0.75 - 1 mm²; 5 pieces/strip

769-472

ferrule



Item no.: 216-101
Ferrule; Sleeve for 0.5 mm² / AWG 22; uninsulated; electro-tin plated

216-101



Item no.: 216-102
Ferrule; Sleeve for 0.75 mm² / AWG 20; uninsulated; electro-tin plated

216-102



Item no.: 216-103
Ferrule; Sleeve for 1 mm² / AWG 18; uninsulated; electro-tin plated

216-103



Item no.: 216-104
Ferrule; Sleeve for 1.5 mm² / AWG 16; uninsulated; electro-tin plated

216-104



Item no.: 216-201
Ferrule; Sleeve for 0.5 mm² / 20 AWG; insulated; electro-tin plated

216-201



Item no.: 216-202
Ferrule; Sleeve for 0.75 mm² / 18 AWG; insulated; electro-tin plated

216-202



Item no.: 216-203
Ferrule; Sleeve for 1 mm² / AWG 18; insulated; electro-tin plated

216-203

**Item no.: 216-204**Ferrule; Sleeve for 1.5 mm² / AWG 16; insulated; electro-tin plated

216-204

**Item no.: 216-206**Ferrule; Sleeve for 2.5 mm² / AWG 14; insulated; electro-tin plated

216-206

tools**Item no.: 210-490**

Operating tool; for female and male connectors with CAGE CLAMP® connection

210-490

**Item no.: 769-434**

Push-button; loose; for female and male connectors with CAGE CLAMP® connection

769-434

Downloads**Documentation****Bid Text**

769-609/005-000

doc
25.6 kB

Download

CAD/CAE - Smart Data**CAD data**

3D Download 769-609/005-000

URL

Download

Product family**X-COM**[Learn more about the product family.](#)[Show all products from the family](#)

Subject to changes.