


Data sheet | Item number: 769-664

THT male header; 1.0 x 1.0 mm solder pin; angled; Pin spacing 5 mm; 4-pole



769-664



Data

Electrical data

Ratings per IEC/EN 60664-1

Rated voltage (III / 3)	250 V
Rated impulse voltage (III / 3)	4 kV
Rated voltage (III / 2)	500 V
Rated impulse voltage (III / 2)	4 kV
Rated current	32 A

Connection data

No. of poles	4
Total number of potentials	4
Number of levels	1

Geometrical Data

Pin spacing	5 mm / 0.197 inch
Width	23.6 mm / 0.929 inch
Height from the surface	18.3 mm / 0.72 inch
Depth	22.2 mm / 0.874 inch

Plug connection

Contact type (pluggable connector)	Male connector/plug
Connector connection type	for PCBs

Mismating protection	No
Mating direction to the PCB	0°

PCB contact

PCB contact	THT
-------------	-----

Material Data

Color	gray
Insulating material	Polyamide 66 (PA 66)
Fire load	0.094 MJ
Weight	4.586 g

Commercial data

Product Group	18 (X-COM-System)
Country of origin	DE
GTIN	4044918396639
Customs Tariff No.	85366990990

Approvals / Certificates**Country specific Approvals**

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	EN 60947	NTR NL-7626
	CCA DEKRA Certification B.V.	IEC 61984	NL-47799
	CCA DEKRA Certification B.V.	EN 61984	2190419.02
	CSA DEKRA Certification B.V.	C22.2 No. 158	1101144
	KEMA/KEUR DEKRA Certification B.V.	EN 60947	2190419.01

UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
------	----------	--------------------------	------------------

	UR Underwriters Laboratories Inc.	UL 1059	E45172
	UR Underwriters Laboratories Inc.	UL 1977	E45171

Compatible products

Coding



Item no.: 769-435

Coding pin; for coding of female plugs; for carrier terminal blocks / male connectors

769-435

Marking accessories



Item no.: 210-831

Marking strips; on reel; 2.3 mm wide; plain; Self-adhesive

210-831



Item no.: 210-832

Marking strips; on reel; 3 mm wide; plain; Self-adhesive

210-832



Item no.: 210-833

Marking strips; on reel; 6 mm wide; plain; Self-adhesive

210-833



Item no.: 210-834

Marking strips; on reel; 5 mm wide; plain; Self-adhesive

210-834

Female plug



Item no.: 769-101

1-conductor female plug; 4 mm²; 1-pole

769-101



Item no.: 769-102

1-conductor female plug; 4 mm²; 2-pole

769-102



Item no.: 769-102/000-036

1-conductor female plug; 4 mm²; 2-pole

/000-036

769-102



Item no.: 769-102/000-037

1-conductor female plug; 4 mm²; 2-pole

/000-037

769-102



Item no.: 769-103

1-conductor female plug; 4 mm²; 3-pole

769-103



Item no.: 769-103/000-036

1-conductor female plug; 4 mm²; 3-pole

/000-036

769-103

	Item no.: 769-103/000-037 1-conductor female plug; 4 mm ² ; 3-pole	/000-037	769-103
	Item no.: 769-103/000-038 1-conductor female plug; 4 mm ² ; 3-pole	/000-038	769-103
	Item no.: 769-103/000-039 1-conductor female plug; 4 mm ² ; 3-pole	/000-039	769-103
	Item no.: 769-104 1-conductor female plug; 4 mm ² ; 4-pole		769-104
	Item no.: 769-104/000-036 1-conductor female plug; 4 mm ² ; 4-pole	/000-036	769-104
	Item no.: 769-104/000-037 1-conductor female plug; 4 mm ² ; 4-pole	/000-037	769-104
	Item no.: 769-104/000-038 1-conductor female plug; 4 mm ² ; 4-pole	/000-038	769-104
	Item no.: 769-104/000-039 1-conductor female plug; 4 mm ² ; 4-pole	/000-039	769-104
	Item no.: 769-104/021-000 1-conductor female plug; Locking lever; 4 mm ² ; 4-pole	/021-000	769-104
	Item no.: 769-105 1-conductor female plug; 4 mm ² ; 5-pole		769-105
	Item no.: 769-105/000-036 1-conductor female plug; 4 mm ² ; 5-pole	/000-036	769-105
	Item no.: 769-105/000-037 1-conductor female plug; 4 mm ² ; 5-pole	/000-037	769-105
	Item no.: 769-105/000-038 1-conductor female plug; 4 mm ² ; 5-pole	/000-038	769-105
	Item no.: 769-105/000-039 1-conductor female plug; 4 mm ² ; 5-pole	/000-039	769-105
	Item no.: 769-106 1-conductor female plug; 4 mm ² ; 6-pole		769-106
	Item no.: 769-106/000-006 1-conductor female plug; 4 mm ² ; 6-pole	/000-006	769-106

**Item no.: 769-106/000-036**1-conductor female plug; 4 mm²; 6-pole

/000-036

769-106

Item no.: 769-106/000-0371-conductor female plug; 4 mm²; 6-pole

/000-037

769-106

Item no.: 769-106/000-0381-conductor female plug; 4 mm²; 6-pole

/000-038

769-106

Item no.: 769-106/000-0391-conductor female plug; 4 mm²; 6-pole

/000-039

769-106

Item no.: 769-1071-conductor female plug; 4 mm²; 7-pole

769-107

Item no.: 769-107/000-0361-conductor female plug; 4 mm²; 7-pole

/000-036

769-107

Item no.: 769-107/000-0371-conductor female plug; 4 mm²; 7-pole

/000-037

769-107

Item no.: 769-107/000-0381-conductor female plug; 4 mm²; 7-pole

/000-038

769-107

Item no.: 769-107/000-0391-conductor female plug; 4 mm²; 7-pole

/000-039

769-107

Item no.: 769-1081-conductor female plug; 4 mm²; 8-pole

769-108

Item no.: 769-108/000-0361-conductor female plug; 4 mm²; 8-pole

/000-036

769-108

Item no.: 769-108/000-0371-conductor female plug; 4 mm²; 8-pole

/000-037

769-108

Item no.: 769-108/000-0381-conductor female plug; 4 mm²; 8-pole

/000-038

769-108

Item no.: 769-108/000-0391-conductor female plug; 4 mm²; 8-pole

/000-039

769-108

Item no.: 769-1091-conductor female plug; 4 mm²; 9-pole

769-109



Item no.: 769-109/000-036
1-conductor female plug; 4 mm²; 9-pole

/000-036

769-109

Item no.: 769-109/000-037
1-conductor female plug; 4 mm²; 9-pole

/000-037

769-109

Item no.: 769-109/000-038
1-conductor female plug; 4 mm²; 9-pole

/000-038

769-109

Item no.: 769-109/000-039
1-conductor female plug; 4 mm²; 9-pole

/000-039

769-109

Item no.: 769-110
1-conductor female plug; 4 mm²; 10-pole

769-110

Item no.: 769-110/000-036
1-conductor female plug; 4 mm²; 10-pole

/000-036

769-110

Item no.: 769-110/000-037
1-conductor female plug; 4 mm²; 10-pole

/000-037

769-110

Item no.: 769-110/000-038
1-conductor female plug; 4 mm²; 10-pole

/000-038

769-110

Item no.: 769-110/000-039
1-conductor female plug; 4 mm²; 10-pole

/000-039

769-110

Item no.: 769-111
1-conductor female plug; 4 mm²; 11-pole

769-111

Item no.: 769-111/000-036
1-conductor female plug; 4 mm²; 11-pole

/000-036

769-111

Item no.: 769-111/000-037
1-conductor female plug; 4 mm²; 11-pole

/000-037

769-111

Item no.: 769-111/000-038
1-conductor female plug; 4 mm²; 11-pole

/000-038

769-111

Item no.: 769-111/000-039
1-conductor female plug; 4 mm²; 11-pole

/000-039

769-111

Item no.: 769-112
1-conductor female plug; 4 mm²; 12-pole

769-112



Item no.: 769-112/000-036
1-conductor female plug; 4 mm²; 12-pole

/000-036

769-112

Item no.: 769-112/000-037
1-conductor female plug; 4 mm²; 12-pole

/000-037

769-112

Item no.: 769-112/000-038
1-conductor female plug; 4 mm²; 12-pole

/000-038

769-112

Item no.: 769-112/000-039
1-conductor female plug; 4 mm²; 12-pole

/000-039

769-112

Item no.: 769-113
1-conductor female plug; 4 mm²; 13-pole

769-113

Item no.: 769-113/000-036
1-conductor female plug; 4 mm²; 13-pole

/000-036

769-113

Item no.: 769-113/000-037
1-conductor female plug; 4 mm²; 13-pole

/000-037

769-113

Item no.: 769-113/000-038
1-conductor female plug; 4 mm²; 13-pole

/000-038

769-113

Item no.: 769-113/000-039
1-conductor female plug; 4 mm²; 13-pole

/000-039

769-113

Item no.: 769-114
1-conductor female plug; 4 mm²; 14-pole

769-114

Item no.: 769-114/000-036
1-conductor female plug; 4 mm²; 14-pole

/000-036

769-114

Item no.: 769-114/000-037
1-conductor female plug; 4 mm²; 14-pole

/000-037

769-114

Item no.: 769-114/000-038
1-conductor female plug; 4 mm²; 14-pole

/000-038

769-114

Item no.: 769-114/000-039
1-conductor female plug; 4 mm²; 14-pole

/000-039

769-114

Item no.: 769-115
1-conductor female plug; 4 mm²; 15-pole

769-115

**Item no.: 769-115/000-036**1-conductor female plug; 4 mm²; 15-pole

/000-036

769-115

Item no.: 769-115/000-0371-conductor female plug; 4 mm²; 15-pole

/000-037

769-115

Item no.: 769-115/000-0381-conductor female plug; 4 mm²; 15-pole

/000-038

769-115

Item no.: 769-115/000-0391-conductor female plug; 4 mm²; 15-pole

/000-039

769-115

Item no.: 769-1212-conductor female connector; 4 mm²; 1-pole

769-121

Item no.: 769-1222-conductor female connector; 4 mm²; 2-pole

769-122

Item no.: 769-1232-conductor female connector; 4 mm²; 3-pole

769-123

Item no.: 769-1242-conductor female connector; 4 mm²; 4-pole

769-124

Item no.: 769-1252-conductor female connector; 4 mm²; 5-pole

769-125

Item no.: 769-1262-conductor female connector; 4 mm²; 6-pole

769-126

Item no.: 769-1272-conductor female connector; 4 mm²; 7-pole

769-127

Item no.: 769-1282-conductor female connector; 4 mm²; 8-pole

769-128

Item no.: 769-1292-conductor female connector; 4 mm²; 9-pole

769-129

Item no.: 769-1302-conductor female connector; 4 mm²; 10-pole

769-130

Item no.: 769-1322-conductor female connector; 4 mm²; 12-pole

769-132

Item no.: 769-1332-conductor female connector; 4 mm²; 13-pole

769-133

Item no.: 769-1342-conductor female connector; 4 mm²; 14-pole

769-134

**Item no.: 769-135**

769-135

2-conductor female connector; 4 mm²; 15-pole**ferrule****Item no.: 216-101**

216-101

Ferrule; Sleeve for 0.5 mm² / AWG 22; uninsulated; electro-tin plated**Item no.: 216-102**

216-102

Ferrule; Sleeve for 0.75 mm² / AWG 20; uninsulated; electro-tin plated**Item no.: 216-103**

216-103

Ferrule; Sleeve for 1 mm² / AWG 18; uninsulated; electro-tin plated**Item no.: 216-104**

216-104

Ferrule; Sleeve for 1.5 mm² / AWG 16; uninsulated; electro-tin plated**Item no.: 216-201**

216-201

Ferrule; Sleeve for 0.5 mm² / 20 AWG; insulated; electro-tin plated**Item no.: 216-202**

216-202

Ferrule; Sleeve for 0.75 mm² / 18 AWG; insulated; electro-tin plated**Item no.: 216-203**

216-203

Ferrule; Sleeve for 1 mm² / AWG 18; insulated; electro-tin plated**Item no.: 216-204**

216-204

Ferrule; Sleeve for 1.5 mm² / AWG 16; insulated; electro-tin plated**Item no.: 216-206**

216-206

Ferrule; Sleeve for 2.5 mm² / AWG 14; insulated; electro-tin plated**Item no.: 216-301**

216-301

Ferrule; Sleeve for 0.25 mm² / AWG 24; insulated; electro-tin plated**Item no.: 216-302**

216-302

Ferrule; Sleeve for 0.34 mm² / 22 AWG; insulated; electro-tin plated**Downloads****Documentation****Bid Text**

769-664

doc
25.6 kB[Download](#)**CAD/CAE - Smart Data****CAD data**

3D Download 769-664

[URL](#)[Download](#)

Product family

X-COM

[Learn more about the product family.](#)

[Show all products from the family](#)



Subject to changes.
