





770-624



RoHS Compliant Color:



Data
Mechanical data

Mounting type	Screw mounting
---------------	----------------

Material Data

Color	black
Insulating material	Polyamide 66 (PA 66)
Flammability class per UL94	V0
Fire load	0.184 MJ

Weight	5.76 g
--------	--------

Environmental Requirements

Processing temperature	-5 +40 °C
Continuous operating temperature	-35 +85 °C
Note on Continuous Service Temperature	Insulating parts for temperatures ≤ 105 °C

Commercial data

Product Group	20 (WINSTA)
Country of origin	DE
GTIN	4044918451420
Customs Tariff No.	39269097900

Compatible products

assembling

	Item no.: 770-601 Fixing pin; 6 mm Ø, for 1.0 ... 2.5 mm mounting plates; Plastic; black	770-601
	Item no.: 890-601 Fixing pin; 6 mm Ø, for 1.0 ... 2.5 mm mounting plates; Plastic; black	890-601

Downloads

Documentation

Bid Text

770-624	doc 23.0 kB	Download
---------	----------------	----------

CAD/CAE - Smart Data

CAD data

3D Download 770-624	URL	Download
---------------------	-----	----------

WSCAD

WSCAD Universe	Download
----------------	----------



Subject to changes.
