



Data sheet | Item number: 870-1131

2-conductor/2-pin double-deck carrier terminal; 2-conductor/1-pin through terminal block; L/L; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; gray



870-1131



RoHS
Compliant

[BOMcheck.net](https://www.bomcheck.net)

Color:

Item description

Safety information 1:

Max. insulation diameter: 4.4 mm

Data

Electrical data

Ratings per IEC/EN 60664-1

Rated voltage (III / 3)	500 V
Rated impulse voltage (III / 3)	6 kV
Rated current	16 A

Connection data

Connection technology	CAGE CLAMP®
Actuation type	Open Tool Slot
Connectable conductor materials	Copper
Solid conductor	0.08 2.5 mm ² / 28 12 AWG
Fine-stranded conductor	0.08 4 mm ² / 28 12 AWG
Strip length	6 7 mm / 0.24 0.28 inch
Total number of connection points	6

Total number of potentials	2
Number of levels	2
Type of wiring	Front-entry wiring

Geometrical Data

Width	5 mm / 0.197 inch
Height from upper-edge of DIN-35 rail	39.8 mm / 1.567 inch
Depth	91 mm / 3.583 inch

Mechanical data

Design	horizontal
Type of mounting	DIN-35 rail
Potential marking	L/L
Marking level	Side marking

Material Data

Color	gray
Weight	13.5 g

Commercial data

Country of origin	DE
GTIN	4055143343251
Customs Tariff No.	85366990990

Approvals / Certificates

Radio-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	EN 60947	NTR NL 7468
	CCA DEKRA Certification B.V.	EN 60947	2189801.01

Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	ABS American Bureau of Shipping	-	14- HG1293677-



PDA



CCA
DEKRA Certification B.V.

EN 60947

NTR NL
7468



CCA
DEKRA Certification B.V.

EN 60947

2189801.01

Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	ABS American Bureau of Shipping	-	14- HG1293677- PDA

Other Approvals

Logo	Approval	Additional Approval Text	Certificate name
	cURus UL International Germany GmbH	UL 1059	20160928- E45172

UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	cURus UL International Germany GmbH	UL 1059	20160928- E45172

Compatible products

Jumper

	Item no.: 210-103 Wire commoning chain; insulated; 50 connections; black	210-103
	Item no.: 709-110 Wire commoning chain; insulated; 4 connections; 3 x 110 mm; black	709-110
	Item no.: 709-111 Wire commoning chain; insulated; 3 connections; 2 x 120 mm; black	709-111
	Item no.: 709-112 Wire commoning chain; insulated; 3 connections; 2 x 170 mm; black	709-112
	Item no.: 870-402 Push-in type jumper bar; insulated; 2-way; Nominal current 18 A; light gray	870-402
	Item no.: 870-403 Push-in type jumper bar; insulated; 3-way; Nominal current 18 A; light gray	870-403
	Item no.: 870-404 Push-in type jumper bar; insulated; 4-way; Nominal current 18 A; light gray	870-404
	Item no.: 870-405 Push-in type jumper bar; insulated; 5-way; Nominal current 18 A; light gray	870-405
	Item no.: 870-405/011-000 Ready-made push-in type jumper bar; insulated; 3-way (1-3-5); Nominal current 18 A; light gray	870-405 /011-000
	Item no.: 870-406 Push-in type jumper bar; insulated; 6-way; Nominal current 18 A; light gray	870-406
	Item no.: 870-407 Push-in type jumper bar; insulated; 7-way; Nominal current 18 A; light gray	870-407
	Item no.: 870-407/011-000 Ready-made push-in type jumper bar; insulated; 1-3-5-7; Nominal current 18 A; light gray	870-407 /011-000
	Item no.: 870-408 Push-in type jumper bar; insulated; 8-way; Nominal current 18 A; light gray	870-408
	Item no.: 870-409 Push-in type jumper bar; insulated; 9-way; Nominal current 18 A; light gray	870-409
	Item no.: 870-409/011-000 Ready-made push-in type jumper bar; insulated; 1-3-5-7-9; Nominal current 18 A; light gray	870-409 /011-000
	Item no.: 870-410 Push-in type jumper bar; insulated; 10-way; Nominal current 18 A; light gray	870-410
	Item no.: 870-433 Push-in type jumper bar; insulated; from 1 to 3; Nominal current 18 A; light gray	870-433
	Item no.: 870-434 Push-in type jumper bar; insulated; from 1 to 4; Nominal current 18 A; light gray	870-434

**Item no.: 870-435**

Push-in type jumper bar; insulated; from 1 to 5; Nominal current 18 A; light gray

870-435

**Item no.: 870-440**

Push-in type jumper bar; insulated; from 1 to 10; Nominal current 18 A; light gray

870-440

Protective Warning Marker**Item no.: 280-405**

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow

280-405

End plate**Item no.: 870-1148**

End and intermediate plate; 1 mm thick; gray

870-1148

**Item no.: 870-1149**

End and intermediate plate; 1 mm thick; orange

870-1149

General accessories**Item no.: 769-438**

Pin cover; with marker slot for miniature WSB; gray

769-438

**Item no.: 769-439**

Pin cover; with marker slot for miniature WSB; orange

769-439

**Item no.: 769-501**Start module for 1-conductor female connector; with integrated end plate; 4 mm²; 1-pole; 4,00 mm²; gray

769-501

**Item no.: 769-501/000-006**Start module for 1-conductor female connector; 4 mm²; 1-pole; 4,00 mm²; blue

769-501

/000-006

**Item no.: 769-501/000-016**Start module for 1-conductor female connector; with integrated end plate; 4 mm²; 1-pole; 4,00 mm²; green-yellow

769-501

/000-016

**Item no.: 769-502**Center module for 1-conductor female connector; 4 mm²; 1-pole; 4,00 mm²; gray

769-502

**Item no.: 769-502/000-006**Center module for 1-conductor female connector; 4 mm²; 1-pole; 4,00 mm²; blue

769-502

/000-006

**Item no.: 769-502/000-016**Center module for 1-conductor female connector; 4 mm²; 1-pole; 4,00 mm²; green-yellow

769-502

/000-016

**Item no.: 769-503**End module for 1-conductor female connector; 4 mm²; 1-pole; 4,00 mm²; gray

769-503

**Item no.: 769-503/000-006**End module for 1-conductor female connector; 4 mm²; 1-pole; 4,00 mm²; blue

769-503

/000-006

**Item no.: 769-503/000-016**End module for 1-conductor female connector; 4 mm²; 1-pole; 4,00 mm²; green-yellow

769-503

/000-016

**Item no.: 769-512**Start module for 1-conductor female connector; angled; 4 mm²; 1-pole; 4,00 mm²; gray

769-512

**Item no.: 769-512/000-006**Start module for 1-conductor female connector; angled; 4 mm²; 1-pole; 4,00 mm²; blue

769-512

/000-006

**Item no.: 769-512/000-016**Start module for 1-conductor female connector; angled; 4 mm²; 1-pole; 4,00 mm²; green-yellow

769-512

/000-016

**Item no.: 769-513**Center module for 1-conductor female connector; angled; 4 mm²; 1-pole; 4,00 mm²; gray

769-513

**Item no.: 769-513/000-006**Center module for 1-conductor female connector; angled; 4 mm²; 1-pole; 4,00 mm²; blue

769-513

/000-006

**Item no.: 769-513/000-016**Center module for 1-conductor female connector; angled; 4 mm²; 1-pole; 4,00 mm²; green-yellow

769-513

/000-016

**Item no.: 769-515**End module for 1-conductor female connector; angled; 4 mm²; 1-pole; 4,00 mm²; gray

769-515

**Item no.: 769-515/000-006**End module for 1-conductor female connector; angled; 4 mm²; 1-pole; 4,00 mm²; blue

769-515

/000-006

**Item no.: 769-515/000-016**End module for 1-conductor female connector; angled; 4 mm²; 1-pole; 4,00 mm²; green-yellow

769-515

/000-016

**Item no.: 870-182**

Adaptor

870-182

**Item no.: 870-183**

Adaptor

870-183

**Item no.: 870-184**

Adaptor

870-184

**Item no.: 870-425**Tap-off module; with anti-rotation protection; modular; suitable for 870 Series terminal blocks with jumper slots in the current bar; 2,50 mm²; gray

870-425

**Item no.: 870-426**

Tap-off module; modular; suitable for 870 Series terminal blocks with jumper slots in the current bar; gray

870-426

**Item no.: 870-427**

Spacer module; modular; bridging commoned terminal blocks; gray

870-427

assembling**Item no.: 209-106**

Mounting carrier; for isolated mounting on DIN 35 rails; gray

209-106



ferrule

	Item no.: 216-121 Ferrule; Sleeve for 0.5 mm ² / AWG 22; uninsulated; electro-tin plated	216-121
	Item no.: 216-122 Ferrule; Sleeve for 0.75 mm ² / AWG 20; uninsulated; electro-tin plated	216-122
	Item no.: 216-123 Ferrule; Sleeve for 1 mm ² / AWG 18; uninsulated; electro-tin plated	216-123
	Item no.: 216-124 Ferrule; Sleeve for 1.5 mm ² / AWG 16; uninsulated; electro-tin plated	216-124
	Item no.: 216-131 Ferrule; Sleeve for 0.25 mm ² / AWG 24; uninsulated; electro-tin plated	216-131
	Item no.: 216-132 Ferrule; Sleeve for 0.34 mm ² / AWG 24; uninsulated; electro-tin plated	216-132
	Item no.: 216-221 Ferrule; Sleeve for 0.5 mm ² / 20 AWG; insulated; electro-tin plated; white	216-221
	Item no.: 216-222 Ferrule; Sleeve for 0.75 mm ² / 18 AWG; insulated; electro-tin plated; gray	216-222
	Item no.: 216-223 Ferrule; Sleeve for 1 mm ² / AWG 18; insulated; electro-tin plated; red	216-223
	Item no.: 216-224 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated; black	216-224
	Item no.: 216-321 Ferrule; Sleeve for 0.25 mm ² / AWG 24; insulated; electro-tin plated; yellow	216-321
	Item no.: 216-322 Ferrule; Sleeve for 0.34 mm ² / 22 AWG; insulated; electro-tin plated; green	216-322

Marking accessories

	Item no.: 2009-115 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; white	2009-115
	Item no.: 2009-115/000-002 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; yellow	2009-115 /UUU-UU2
	Item no.: 2009-115/000-006 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; blue	2009-115 /UUU-UU6
	Item no.: 2009-115/000-007 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; gray	2009-115 /UUU-UU7
	Item no.: 2009-115/000-012 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; orange	2009-115 /UUU-U12

	Item no.: 2009-115/000-017 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; light green	/000-017	2009-115
	Item no.: 2009-115/000-023 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; green	/000-023	2009-115
	Item no.: 2009-115/000-024 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; violet	/000-024	2009-115
	Item no.: 2009-145 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; white		2009-145
	Item no.: 2009-145/000-002 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; yellow	/000-002	2009-145
	Item no.: 2009-145/000-005 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; red	/000-005	2009-145
	Item no.: 2009-145/000-006 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; blue	/000-006	2009-145
	Item no.: 2009-145/000-007 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; gray	/000-007	2009-145
	Item no.: 2009-145/000-012 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; orange	/000-012	2009-145
	Item no.: 2009-145/000-023 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; green	/000-023	2009-145
	Item no.: 2009-145/000-024 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type; violet	/000-024	2009-145
	Item no.: 2009-198 Adaptor		2009-198
	Item no.: 248-501 Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card		248-501
	Item no.: 248-501/000-002 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; yellow	/000-002	248-501
	Item no.: 248-501/000-005 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; white	/000-005	248-501

**Item no.: 248-501/000-006**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; white

/000-006

248-501

**Item no.: 248-501/000-007**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; white

/000-007

248-501

**Item no.: 248-501/000-012**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; white

/000-012

248-501

**Item no.: 248-501/000-017**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; white

/000-017

248-501

**Item no.: 248-501/000-023**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; white

/000-023

248-501

**Item no.: 248-501/000-024**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; white

/000-024

248-501

**Item no.: 793-501**

WMB marking card; as card; not stretchable; plain; snap-on type; white

793-501

**Item no.: 793-501/000-002**

WMB marking card; as card; not stretchable; plain; snap-on type; white

/000-002

793-501

**Item no.: 793-501/000-005**

WMB marking card; as card; not stretchable; plain; snap-on type; white

/000-005

793-501

**Item no.: 793-501/000-006**

WMB marking card; as card; not stretchable; plain; snap-on type; white

/000-006

793-501

**Item no.: 793-501/000-007**

WMB marking card; as card; not stretchable; plain; snap-on type; white

/000-007

793-501

**Item no.: 793-501/000-012**

WMB marking card; as card; not stretchable; plain; snap-on type; white

/000-012

793-501

**Item no.: 793-501/000-017**

WMB marking card; as card; not stretchable; plain; snap-on type; white

/000-017

793-501

**Item no.: 793-501/000-023**

WMB marking card; as card; not stretchable; plain; snap-on type; white

/000-023

793-501

**Item no.: 793-501/000-024**

WMB marking card; as card; not stretchable; plain; snap-on type; white

/000-024

793-501

**Item no.: 793-5501**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; white

793-5501

**Item no.: 793-5501/000-002**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

/000-002

793-5501

**Item no.: 793-5501/000-005**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type; red

/000-005

793-5501

**Item no.: 793-5501/000-006**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type; blue

/000-006

793-5501

**Item no.: 793-5501/000-007**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type; gray

/000-007

793-5501

**Item no.: 793-5501/000-012**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type; orange

/000-012

793-5501

**Item no.: 793-5501/000-017**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type; light green

/000-017

793-5501

**Item no.: 793-5501/000-023**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type; green

/000-023

793-5501

**Item no.: 793-5501/000-024**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type; violet

/000-024

793-5501

Carrier rail**Item no.: 210-112**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm

210-112

**Item no.: 210-113**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715

210-113

**Item no.: 210-114**


Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715

210-114

**Item no.: 210-115**


Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm

210-115

**Item no.: 210-118**

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

210-118

**Item no.: 210-196**

Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored

210-196

**Item no.: 210-197**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715

210-197

**Item no.: 210-198**

Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored

210-198

**Item no.: 210-504**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; galvanized; according to EN 60715

210-504

**Item no.: 210-505**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; galvanized; according to EN 60715

210-505

**Item no.: 210-506**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; galvanized; similar to EN 60715

210-506

**Item no.: 210-508**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; galvanized; similar to EN 60715

210-508

tools**Item no.: 210-720**

Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft

210-720

Coding**Item no.: 769-435**

Coding pin; for coding of female plugs; for carrier terminal blocks / male connectors; orange

769-435

Insulation stop**Item no.: 280-470**Insulation stop; 0.08 - 0.2 mm² "s" (0.14 mm² "f-st"); 5 pieces/strip; white

280-470

**Item no.: 280-471**Insulation stop; 0.25 - 0.5 mm²; 5 pieces/strip; light gray

280-471

**Item no.: 280-472**Insulation stop; 0.75 - 1 mm²; 5 pieces/strip

280-472

Female plug**Item no.: 769-101**1-conductor female plug; 4 mm²; 1-pole; 4,00 mm²; gray

769-101

**Item no.: 769-101/000-006**1-conductor female plug; 4 mm²; 1-pole; 4,00 mm²; blue

769-101

/000-006

**Item no.: 769-101/000-016**1-conductor female plug; 4 mm²; 1-pole; 4,00 mm²; green-yellow

769-101

/000-016

**Item no.: 769-101/022-000**1-conductor female plug; angled; 4 mm²; 1-pole; 4,00 mm²; gray

769-101

/022-000

**Item no.: 769-101/022-016**1-conductor female plug; angled; 4 mm²; 1-pole; 4,00 mm²; green-yellow

769-101

/022-016

**Item no.: 769-102**1-conductor female plug; 4 mm²; 2-pole; 4,00 mm²; gray

769-102

**Item no.: 769-102/000-006**

1-conductor female plug; 4 mm²; 2-pole; 4,00 mm²; blue

/000-006

769-102

**Item no.: 769-102/000-036**

1-conductor female plug; 4 mm²; 2-pole; 4,00 mm²; gray, green-yellow

/000-036

769-102

**Item no.: 769-102/000-037**

1-conductor female plug; 4 mm²; 2-pole; 4,00 mm²; green-yellow, gray

/000-037

769-102

**Item no.: 769-102/022-000**

1-conductor female plug; angled; 4 mm²; 2-pole; 4,00 mm²; gray

/022-000

769-102

**Item no.: 769-103**

1-conductor female plug; 4 mm²; 3-pole; 4,00 mm²; gray

769-103

**Item no.: 769-103/000-006**

1-conductor female plug; 4 mm²; 3-pole; 4,00 mm²; blue

/000-006

769-103

**Item no.: 769-103/000-036**

1-conductor female plug; 4 mm²; 3-pole; 4,00 mm²; gray, green-yellow

/000-036

769-103

**Item no.: 769-103/000-037**

1-conductor female plug; 4 mm²; 3-pole; 4,00 mm²; green-yellow, gray

/000-037

769-103

**Item no.: 769-103/000-038**

1-conductor female plug; 4 mm²; 3-pole; 4,00 mm²; gray, blue, green-yellow

/000-038

769-103

**Item no.: 769-103/000-039**

1-conductor female plug; 4 mm²; 3-pole; 4,00 mm²; green-yellow, blue, gray

/000-039

769-103

**Item no.: 769-103/022-000**

1-conductor female plug; angled; 4 mm²; 3-pole; 4,00 mm²; gray

/022-000

769-103

**Item no.: 769-104**

1-conductor female plug; 4 mm²; 4-pole; 4,00 mm²; gray

769-104

**Item no.: 769-104/000-006**

1-conductor female plug; 4 mm²; 4-pole; 4,00 mm²; blue

/000-006

769-104

**Item no.: 769-104/000-036**

1-conductor female plug; 4 mm²; 4-pole; 4,00 mm²; gray, green-yellow

/000-036

769-104

**Item no.: 769-104/000-037**

1-conductor female plug; 4 mm²; 4-pole; 4,00 mm²; green-yellow, gray

/000-037

769-104

	Item no.: 769-104/000-038 1-conductor female plug; 4 mm ² ; 4-pole; 4,00 mm ² ; gray, blue, green-yellow	/000-038	769-104
	Item no.: 769-104/000-039 1-conductor female plug; 4 mm ² ; 4-pole; 4,00 mm ² ; green-yellow, blue, gray	/000-039	769-104
	Item no.: 769-104/022-000 1-conductor female plug; angled; 4 mm ² ; 4-pole; 4,00 mm ² ; gray	/022-000	769-104
	Item no.: 769-105 1-conductor female plug; 4 mm ² ; 5-pole; 4,00 mm ² ; gray		769-105
	Item no.: 769-105/000-006 1-conductor female plug; 4 mm ² ; 5-pole; 4,00 mm ² ; blue	/000-006	769-105
	Item no.: 769-105/000-036 1-conductor female plug; 4 mm ² ; 5-pole; 4,00 mm ² ; gray, green-yellow	/000-036	769-105
	Item no.: 769-105/000-037 1-conductor female plug; 4 mm ² ; 5-pole; 4,00 mm ² ; green-yellow, gray	/000-037	769-105
	Item no.: 769-105/000-038 1-conductor female plug; 4 mm ² ; 5-pole; 4,00 mm ² ; gray, blue, green-yellow	/000-038	769-105
	Item no.: 769-105/000-039 1-conductor female plug; 4 mm ² ; 5-pole; 4,00 mm ² ; green-yellow, blue, gray	/000-039	769-105
	Item no.: 769-105/022-000 1-conductor female plug; angled; 4 mm ² ; 5-pole; 4,00 mm ² ; gray	/022-000	769-105
	Item no.: 769-106 1-conductor female plug; 4 mm ² ; 6-pole; 4,00 mm ² ; gray		769-106
	Item no.: 769-106/000-006 1-conductor female plug; 4 mm ² ; 6-pole; 4,00 mm ² ; blue	/000-006	769-106
	Item no.: 769-106/000-036 1-conductor female plug; 4 mm ² ; 6-pole; 4,00 mm ² ; gray, green-yellow	/000-036	769-106
	Item no.: 769-106/000-037 1-conductor female plug; 4 mm ² ; 6-pole; 4,00 mm ² ; green-yellow, gray	/000-037	769-106
	Item no.: 769-106/000-038 1-conductor female plug; 4 mm ² ; 6-pole; 4,00 mm ² ; gray, blue, green-yellow	/000-038	769-106

**Item no.: 769-106/000-039**1-conductor female plug; 4 mm²; 6-pole; 4,00 mm²; green-yellow, blue, gray

/000-039

769-106

**Item no.: 769-106/022-000**1-conductor female plug; angled; 4 mm²; 6-pole; 4,00 mm²; gray

/022-000

769-106

**Item no.: 769-107**1-conductor female plug; 4 mm²; 7-pole; 4,00 mm²; gray

769-107

**Item no.: 769-107/000-006**1-conductor female plug; 4 mm²; 7-pole; 4,00 mm²; blue

/000-006

769-107

**Item no.: 769-107/000-036**1-conductor female plug; 4 mm²; 7-pole; 4,00 mm²; gray, green-yellow

/000-036

769-107

**Item no.: 769-107/000-037**1-conductor female plug; 4 mm²; 7-pole; 4,00 mm²; green-yellow, gray

/000-037

769-107

**Item no.: 769-107/000-038**1-conductor female plug; 4 mm²; 7-pole; 4,00 mm²; gray, blue, green-yellow

/000-038

769-107

**Item no.: 769-107/000-039**1-conductor female plug; 4 mm²; 7-pole; 4,00 mm²; green-yellow, blue, gray

/000-039

769-107

**Item no.: 769-107/022-000**1-conductor female plug; angled; 4 mm²; 7-pole; 4,00 mm²; gray

/022-000

769-107

**Item no.: 769-108**1-conductor female plug; 4 mm²; 8-pole; 4,00 mm²; gray

769-108

**Item no.: 769-108/000-006**1-conductor female plug; 4 mm²; 8-pole; 4,00 mm²; blue

/000-006

769-108

**Item no.: 769-108/000-036**1-conductor female plug; 4 mm²; 8-pole; 4,00 mm²; gray, green-yellow

/000-036

769-108

**Item no.: 769-108/000-037**1-conductor female plug; 4 mm²; 8-pole; 4,00 mm²; green-yellow, gray

/000-037

769-108

**Item no.: 769-108/000-038**1-conductor female plug; 4 mm²; 8-pole; 4,00 mm²; gray, blue, green-yellow

/000-038

769-108

**Item no.: 769-108/000-039**1-conductor female plug; 4 mm²; 8-pole; 4,00 mm²; green-yellow, blue, gray

/000-039

769-108



Item no.: 769-108/022-000
1-conductor female plug; angled; 4 mm²; 8-pole; 4,00 mm2; gray

/022-000

769-108



Item no.: 769-109
1-conductor female plug; 4 mm²; 9-pole; 4,00 mm2; gray

769-109



Item no.: 769-109/000-006
1-conductor female plug; 4 mm²; 9-pole; 4,00 mm2; blue

/000-006

769-109



Item no.: 769-109/000-036
1-conductor female plug; 4 mm²; 9-pole; 4,00 mm2; gray, green-yellow

/000-036

769-109



Item no.: 769-109/000-037
1-conductor female plug; 4 mm²; 9-pole; 4,00 mm2; green-yellow, gray

/000-037

769-109



Item no.: 769-109/000-038
1-conductor female plug; 4 mm²; 9-pole; 4,00 mm2; gray, blue, green-yellow

/000-038

769-109



Item no.: 769-109/000-039
1-conductor female plug; 4 mm²; 9-pole; 4,00 mm2; green-yellow, blue, gray

/000-039

769-109



Item no.: 769-109/022-000
1-conductor female plug; angled; 4 mm²; 9-pole; 4,00 mm2; gray

/022-000

769-109



Item no.: 769-110
1-conductor female plug; 4 mm²; 10-pole; 4,00 mm2; gray

769-110



Item no.: 769-110/000-006
1-conductor female plug; 4 mm²; 10-pole; 4,00 mm2; blue

/000-006

769-110



Item no.: 769-110/000-036
1-conductor female plug; 4 mm²; 10-pole; 4,00 mm2; gray, green-yellow

/000-036

769-110



Item no.: 769-110/000-037
1-conductor female plug; 4 mm²; 10-pole; 4,00 mm2; green-yellow, gray

/000-037

769-110



Item no.: 769-110/000-038
1-conductor female plug; 4 mm²; 10-pole; 4,00 mm2; gray, blue, green-yellow

/000-038

769-110



Item no.: 769-110/000-039
1-conductor female plug; 4 mm²; 10-pole; 4,00 mm2; green-yellow, blue, gray

/000-039

769-110



Item no.: 769-110/022-000
1-conductor female plug; angled; 4 mm²; 10-pole; 4,00 mm2; gray

/022-000

769-110

Item no.: 769-111



1-conductor female plug; 4 mm²; 11-pole; 4,00 mm²; gray

769-111

**Item no.: 769-111/000-006**

1-conductor female plug; 4 mm²; 11-pole; 4,00 mm²; blue

/000-006

769-111

**Item no.: 769-111/000-036**

1-conductor female plug; 4 mm²; 11-pole; 4,00 mm²; gray, green-yellow

/000-036

769-111

**Item no.: 769-111/000-037**

1-conductor female plug; 4 mm²; 11-pole; 4,00 mm²; green-yellow, gray

/000-037

769-111

**Item no.: 769-111/000-038**

1-conductor female plug; 4 mm²; 11-pole; 4,00 mm²; gray, blue, green-yellow

/000-038

769-111

**Item no.: 769-111/000-039**

1-conductor female plug; 4 mm²; 11-pole; 4,00 mm²; green-yellow, blue, gray

/000-039

769-111

**Item no.: 769-111/022-000**

1-conductor female plug; angled; 4 mm²; 11-pole; 4,00 mm²; gray

/022-000

769-111

**Item no.: 769-112**

1-conductor female plug; 4 mm²; 12-pole; 4,00 mm²; gray

769-112

**Item no.: 769-112/000-006**

1-conductor female plug; 4 mm²; 12-pole; 4,00 mm²; blue

/000-006

769-112

**Item no.: 769-112/000-036**

1-conductor female plug; 4 mm²; 12-pole; 4,00 mm²; gray, green-yellow

/000-036

769-112

**Item no.: 769-112/000-037**

1-conductor female plug; 4 mm²; 12-pole; 4,00 mm²; green-yellow, gray

/000-037

769-112

**Item no.: 769-112/000-038**

1-conductor female plug; 4 mm²; 12-pole; 4,00 mm²; gray, blue, green-yellow

/000-038

769-112

**Item no.: 769-112/000-039**

1-conductor female plug; 4 mm²; 12-pole; 4,00 mm²; green-yellow, blue, gray

/000-039

769-112

**Item no.: 769-112/022-000**

1-conductor female plug; angled; 4 mm²; 12-pole; 4,00 mm²; gray

/022-000

769-112

**Item no.: 769-113**

1-conductor female plug; 4 mm²; 13-pole; 4,00 mm²; gray

769-113

**Item no.: 769-113/000-036**

1-conductor female plug; 4 mm²; 13-pole; 4,00 mm²; gray, green-yellow

/000-036

769-113

**Item no.: 769-113/000-037**

1-conductor female plug; 4 mm²; 13-pole; 4,00 mm²; green-yellow, gray

/000-037

769-113

**Item no.: 769-113/000-038**

1-conductor female plug; 4 mm²; 13-pole; 4,00 mm²; gray, blue, green-yellow

/000-038

769-113

**Item no.: 769-113/000-039**

1-conductor female plug; 4 mm²; 13-pole; 4,00 mm²; green-yellow, blue, gray

/000-039

769-113

**Item no.: 769-113/022-000**

1-conductor female plug; angled; 4 mm²; 13-pole; 4,00 mm²; gray

/022-000

769-113

**Item no.: 769-114**

1-conductor female plug; 4 mm²; 14-pole; 4,00 mm²; gray

769-114

**Item no.: 769-114/000-006**

1-conductor female plug; 4 mm²; 14-pole; 4,00 mm²; blue

/000-006

769-114

**Item no.: 769-114/000-036**

1-conductor female plug; 4 mm²; 14-pole; 4,00 mm²; gray, green-yellow

/000-036

769-114

**Item no.: 769-114/000-037**

1-conductor female plug; 4 mm²; 14-pole; 4,00 mm²; green-yellow, gray

/000-037

769-114

**Item no.: 769-114/000-038**

1-conductor female plug; 4 mm²; 14-pole; 4,00 mm²; gray, blue, green-yellow

/000-038

769-114

**Item no.: 769-114/000-039**

1-conductor female plug; 4 mm²; 14-pole; 4,00 mm²; green-yellow, blue, gray

/000-039

769-114

**Item no.: 769-114/022-000**

1-conductor female plug; angled; 4 mm²; 14-pole; 4,00 mm²; gray

/022-000

769-114

**Item no.: 769-115**

1-conductor female plug; 4 mm²; 15-pole; 4,00 mm²; gray

769-115

**Item no.: 769-115/000-036**

1-conductor female plug; 4 mm²; 15-pole; 4,00 mm²; gray, green-yellow

/000-036

769-115

**Item no.: 769-115/000-037**

1-conductor female plug; 4 mm²; 15-pole; 4,00 mm²; green-yellow, gray

/000-037

769-115



Item no.: 769-115/000-038

1-conductor female plug; 4 mm²; 15-pole; 4,00 mm²; gray, blue, green-yellow

/000-038

769-115



Item no.: 769-115/000-039

1-conductor female plug; 4 mm²; 15-pole; 4,00 mm²; green-yellow, blue, gray

/000-039

769-115



Item no.: 769-115/022-000

1-conductor female plug; angled; 4 mm²; 15-pole; 4,00 mm²; gray

/022-000

769-115

Downloads

Documentation

Bid Text

870-1131

doc
25.6 kB

Download

Additional Information

Technical explanations

Apr 3, 2019

pdf
2.1 MB

Download

CAD/CAE - Smart Data

CAD data

3D Download 870-1131

URL

Download

EPLAN

EPLAN Data Portal

Download

Product family

X-COM

Show all products from the family

Subject to changes.