




Data sheet | Item number: 870-131

2-conductor/2-pin, double-deck carrier terminal block; Through/through terminal block; L/L; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®



870-131



Item description

Safety information 1:

Max. insulation diameter: 4.4 mm

Data

Electrical data

Ratings per IEC/EN 60664-1

Rated voltage (III / 3)	500 V
Rated impulse voltage (III / 3)	6 kV
Rated current	16 A

Connection data

Connection technology	CAGE CLAMP®
Actuation type	Open Tool Slot
Connectable conductor materials	Copper
Solid conductor	0.08 ... 2.5 mm ² / 28 ... 12 AWG
Fine-stranded conductor	0.08 ... 4 mm ² / 28 ... 12 AWG
Strip length	6 ... 7 mm / 0.24 ... 0.28 inch
Total number of connection points	4
Total number of potentials	2
Number of levels	2
Type of wiring	Front-entry wiring

Geometrical Data

Width	5 mm / 0.197 inch
Height from upper-edge of DIN-35 rail	37.1 mm / 1.461 inch
Depth	132.7 mm / 5.224 inch

Mechanical data

Design	horizontal
Type of mounting	DIN-35 rail
Potential marking	L/L
Marking level	Side marking

Material Data

Color	gray
Fire load	0.287 MJ
Weight	19 g

Commercial data

Product Group	16 (Rail Mounted Terminal Block with CCC)
Country of origin	DE
GTIN	4045454600211
Customs Tariff No.	85369010000

Approvals / Certificates

Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	EN 60947	2189801.01
	CCA DEKRA Certification B.V.	EN 60947	NTR NL 7468

Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	ABS American Bureau of Shipping	-	14- HG1293677- PDA

UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	cURus UL International Germany GmbH	UL 1059	20160928- E45172

Compatible products

Coding

	Item no.: 769-435 Coding pin; for coding of female plugs; for carrier terminal blocks / male connectors	769-435
--	---	---------

End plate

Item no.: 870-148

	End and intermediate plate; 1 mm thick		870-148
	Item no.: 870-149 End and intermediate plate; 1 mm thick		870-149
Female plug			
	Item no.: 769-101 1-conductor female plug; 4 mm²; 1-pole		769-101
	Item no.: 769-101/000-006 1-conductor female plug; 4 mm²; 1-pole	/000-006	769-101
	Item no.: 769-101/000-016 1-conductor female plug; 4 mm²; 1-pole	/000-016	769-101
	Item no.: 769-102 1-conductor female plug; 4 mm²; 2-pole		769-102
	Item no.: 769-102/000-006 1-conductor female plug; 4 mm²; 2-pole	/000-006	769-102
	Item no.: 769-102/000-036 1-conductor female plug; 4 mm²; 2-pole	/000-036	769-102
	Item no.: 769-102/000-037 1-conductor female plug; 4 mm²; 2-pole	/000-037	769-102
	Item no.: 769-103 1-conductor female plug; 4 mm²; 3-pole		769-103
	Item no.: 769-103/000-006 1-conductor female plug; 4 mm²; 3-pole	/000-006	769-103
	Item no.: 769-103/000-036 1-conductor female plug; 4 mm²; 3-pole	/000-036	769-103
	Item no.: 769-103/000-037 1-conductor female plug; 4 mm²; 3-pole	/000-037	769-103
	Item no.: 769-103/000-038 1-conductor female plug; 4 mm²; 3-pole	/000-038	769-103
	Item no.: 769-103/000-039 1-conductor female plug; 4 mm²; 3-pole	/000-039	769-103
	Item no.: 769-104 1-conductor female plug; 4 mm²; 4-pole		769-104

**Item no.: 769-104/000-006**

1-conductor female plug; 4 mm²; 4-pole

/000-006

769-104

**Item no.: 769-104/000-036**

1-conductor female plug; 4 mm²; 4-pole

/000-036

769-104

**Item no.: 769-104/000-037**

1-conductor female plug; 4 mm²; 4-pole

/000-037

769-104

**Item no.: 769-104/000-038**

1-conductor female plug; 4 mm²; 4-pole

/000-038

769-104

**Item no.: 769-104/000-039**

1-conductor female plug; 4 mm²; 4-pole

/000-039

769-104

**Item no.: 769-105**

1-conductor female plug; 4 mm²; 5-pole

/000-000

769-105

**Item no.: 769-105/000-006**

1-conductor female plug; 4 mm²; 5-pole

/000-006

769-105

**Item no.: 769-105/000-036**

1-conductor female plug; 4 mm²; 5-pole

/000-036

769-105

**Item no.: 769-105/000-037**

1-conductor female plug; 4 mm²; 5-pole

/000-037

769-105

**Item no.: 769-105/000-038**

1-conductor female plug; 4 mm²; 5-pole

/000-038

769-105

**Item no.: 769-105/000-039**

1-conductor female plug; 4 mm²; 5-pole

/000-039

769-105

**Item no.: 769-106**

1-conductor female plug; 4 mm²; 6-pole

/000-000

769-106

**Item no.: 769-106/000-006**

1-conductor female plug; 4 mm²; 6-pole

/000-006

769-106

**Item no.: 769-106/000-036**

1-conductor female plug; 4 mm²; 6-pole

/000-036

769-106

**Item no.: 769-106/000-037**

1-conductor female plug; 4 mm²; 6-pole

/000-037

769-106

	Item no.: 769-106/000-038 1-conductor female plug; 4 mm ² ; 6-pole	769-106 /000-038
	Item no.: 769-106/000-039 1-conductor female plug; 4 mm ² ; 6-pole	769-106 /000-039
	Item no.: 769-107 1-conductor female plug; 4 mm ² ; 7-pole	769-107
	Item no.: 769-107/000-006 1-conductor female plug; 4 mm ² ; 7-pole	769-107 /000-006
	Item no.: 769-107/000-036 1-conductor female plug; 4 mm ² ; 7-pole	769-107 /000-036
	Item no.: 769-107/000-037 1-conductor female plug; 4 mm ² ; 7-pole	769-107 /000-037
	Item no.: 769-107/000-038 1-conductor female plug; 4 mm ² ; 7-pole	769-107 /000-038
	Item no.: 769-107/000-039 1-conductor female plug; 4 mm ² ; 7-pole	769-107 /000-039
	Item no.: 769-108 1-conductor female plug; 4 mm ² ; 8-pole	769-108
	Item no.: 769-108/000-006 1-conductor female plug; 4 mm ² ; 8-pole	769-108 /000-006
	Item no.: 769-108/000-036 1-conductor female plug; 4 mm ² ; 8-pole	769-108 /000-036
	Item no.: 769-108/000-037 1-conductor female plug; 4 mm ² ; 8-pole	769-108 /000-037
	Item no.: 769-108/000-038 1-conductor female plug; 4 mm ² ; 8-pole	769-108 /000-038
	Item no.: 769-108/000-039 1-conductor female plug; 4 mm ² ; 8-pole	769-108 /000-039
	Item no.: 769-109 1-conductor female plug; 4 mm ² ; 9-pole	769-109
	Item no.: 769-109/000-006 1-conductor female plug; 4 mm ² ; 9-pole	769-109 /000-006

**Item no.: 769-109/000-036**1-conductor female plug; 4 mm²; 9-pole

/000-036

769-109

Item no.: 769-109/000-0371-conductor female plug; 4 mm²; 9-pole

/000-037

769-109

Item no.: 769-109/000-0381-conductor female plug; 4 mm²; 9-pole

/000-038

769-109

Item no.: 769-109/000-0391-conductor female plug; 4 mm²; 9-pole

/000-039

769-109

Item no.: 769-1101-conductor female plug; 4 mm²; 10-pole

769-110

Item no.: 769-110/000-0061-conductor female plug; 4 mm²; 10-pole

/000-006

769-110

Item no.: 769-110/000-0361-conductor female plug; 4 mm²; 10-pole

/000-036

769-110

Item no.: 769-110/000-0371-conductor female plug; 4 mm²; 10-pole

/000-037

769-110

Item no.: 769-110/000-0381-conductor female plug; 4 mm²; 10-pole

/000-038

769-110

Item no.: 769-110/000-0391-conductor female plug; 4 mm²; 10-pole

/000-039

769-110

Item no.: 769-1111-conductor female plug; 4 mm²; 11-pole

769-111

Item no.: 769-111/000-0061-conductor female plug; 4 mm²; 11-pole

/000-006

769-111

Item no.: 769-111/000-0361-conductor female plug; 4 mm²; 11-pole

/000-036

769-111

Item no.: 769-111/000-0371-conductor female plug; 4 mm²; 11-pole

/000-037

769-111

**Item no.: 769-111/000-038**

1-conductor female plug; 4 mm²; 11-pole

/000-038

769-111

**Item no.: 769-111/000-039**

1-conductor female plug; 4 mm²; 11-pole

/000-039

769-111

**Item no.: 769-112**

1-conductor female plug; 4 mm²; 12-pole

/000-038

769-112

**Item no.: 769-112/000-006**

1-conductor female plug; 4 mm²; 12-pole

/000-006

769-112

**Item no.: 769-112/000-036**

1-conductor female plug; 4 mm²; 12-pole

/000-036

769-112

**Item no.: 769-112/000-037**

1-conductor female plug; 4 mm²; 12-pole

/000-037

769-112

**Item no.: 769-112/000-038**

1-conductor female plug; 4 mm²; 12-pole

/000-038

769-112

**Item no.: 769-112/000-039**

1-conductor female plug; 4 mm²; 12-pole

/000-039

769-112

**Item no.: 769-113**

1-conductor female plug; 4 mm²; 13-pole

/000-038

769-113

**Item no.: 769-113/000-036**

1-conductor female plug; 4 mm²; 13-pole

/000-036

769-113

**Item no.: 769-113/000-037**

1-conductor female plug; 4 mm²; 13-pole

/000-037

769-113

**Item no.: 769-113/000-038**

1-conductor female plug; 4 mm²; 13-pole

/000-038

769-113

**Item no.: 769-113/000-039**

1-conductor female plug; 4 mm²; 13-pole

/000-039

769-113

**Item no.: 769-114**

1-conductor female plug; 4 mm²; 14-pole

/000-038

769-114

**Item no.: 769-114/000-006**

1-conductor female plug; 4 mm²; 14-pole

/000-006

769-114

**Item no.: 769-114/000-036**1-conductor female plug; 4 mm²; 14-pole

/000-036

769-114

**Item no.: 769-114/000-037**1-conductor female plug; 4 mm²; 14-pole

/000-037

769-114

**Item no.: 769-114/000-038**1-conductor female plug; 4 mm²; 14-pole

/000-038

769-114

**Item no.: 769-114/000-039**1-conductor female plug; 4 mm²; 14-pole

/000-039

769-114

**Item no.: 769-115**1-conductor female plug; 4 mm²; 15-pole

769-115

**Item no.: 769-115/000-036**1-conductor female plug; 4 mm²; 15-pole

/000-036

769-115

**Item no.: 769-115/000-037**1-conductor female plug; 4 mm²; 15-pole

/000-037

769-115

**Item no.: 769-115/000-038**1-conductor female plug; 4 mm²; 15-pole

/000-038

769-115

**Item no.: 769-115/000-039**1-conductor female plug; 4 mm²; 15-pole

/000-039

769-115

Carrier rail**Item no.: 210-112**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm

210-112

**Item no.: 210-113**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715

210-113

**Item no.: 210-114**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715

210-114

**Item no.: 210-115**


Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm

210-115

**Item no.: 210-118**

Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

210-118

**Item no.: 210-196**

Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715

210-196

**Item no.: 210-197**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715

210-197

	Item no.: 210-198 Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715	210-198
	Item no.: 210-504 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; galvanized; according to EN 60715	210-504
	Item no.: 210-505 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; galvanized; according to EN 60715	210-505
	Item no.: 210-506 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; galvanized; similar to EN 60715	210-506
	Item no.: 210-508 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; galvanized; similar to EN 60715	210-508
Insulation stop		
	Item no.: 280-470 Insulation stop; 0.08 - 0.2 mm ² "s" (0.14 mm ² "f-st"); 5 pieces/strip	280-470
	Item no.: 280-471 Insulation stop; 0.25 - 0.5 mm ² ; 5 pieces/strip	280-471
	Item no.: 280-472 Insulation stop; 0.75 - 1 mm ² ; 5 pieces/strip	280-472
ferrule		
	Item no.: 216-121 Ferrule; Sleeve for 0.5 mm ² / AWG 22; uninsulated; electro-tin plated	216-121
	Item no.: 216-122 Ferrule; Sleeve for 0.75 mm ² / AWG 20; uninsulated; electro-tin plated	216-122
	Item no.: 216-123 Ferrule; Sleeve for 1 mm ² / AWG 18; uninsulated; electro-tin plated	216-123
	Item no.: 216-124 Ferrule; Sleeve for 1.5 mm ² / AWG 16; uninsulated; electro-tin plated	216-124
	Item no.: 216-131 Ferrule; Sleeve for 0.25 mm ² / AWG 24; uninsulated; electro-tin plated	216-131
	Item no.: 216-132 Ferrule; Sleeve for 0.34 mm ² / AWG 24; uninsulated; electro-tin plated	216-132
	Item no.: 216-221 Ferrule; Sleeve for 0.5 mm ² / 20 AWG; insulated; electro-tin plated	216-221
	Item no.: 216-222 Ferrule; Sleeve for 0.75 mm ² / 18 AWG; insulated; electro-tin plated	216-222
	Item no.: 216-223 Ferrule; Sleeve for 1 mm ² / AWG 18; insulated; electro-tin plated	216-223
	Item no.: 216-224 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated	216-224
	Item no.: 216-321 Ferrule; Sleeve for 0.25 mm ² / AWG 24; insulated; electro-tin plated	216-321



Item no.: 216-322

216-322

Ferrule; Sleeve for 0.34 mm² / 22 AWG; insulated; electro-tin plated

Protective Warning Marker



Item no.: 280-405

280-405

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks

Marking accessories



Item no.: 2009-115

2009-115

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type



Item no.: 2009-115/000-002

2009-115

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-002



Item no.: 2009-115/000-006

2009-115

WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-006



Item no.: 2009-115/000-007

2009-115

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-007



Item no.: 2009-115/000-012

2009-115

WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-012



Item no.: 2009-115/000-017

2009-115

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-017



Item no.: 2009-115/000-023

2009-115

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-023



Item no.: 2009-115/000-024

2009-115

WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-024



Item no.: 2009-145

2009-145

Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type



Item no.: 2009-145/000-002

2009-145

Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-002



Item no.: 2009-145/000-005

2009-145

Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-005



Item no.: 2009-145/000-006

2009-145

Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-006



Item no.: 2009-145/000-007

2009-145

Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-007

	Item no.: 2009-145/000-012 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-023 Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-024 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-198 Adaptor	2009-198
	Item no.: 248-501 Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card	248-501
	Item no.: 248-501/000-002 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	Item no.: 248-501/000-005 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	Item no.: 248-501/000-006 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	Item no.: 248-501/000-007 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	Item no.: 248-501/000-012 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	Item no.: 248-501/000-017 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	Item no.: 248-501/000-023 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	Item no.: 248-501/000-024 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	248-501
	Item no.: 793-501 WMB marking card; as card; not stretchable; plain; snap-on type	793-501
	Item no.: 793-501/000-002 WMB marking card; as card; not stretchable; plain; snap-on type	793-501

**Item no.: 793-501/000-005**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-005

793-501

**Item no.: 793-501/000-006**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-006

793-501

**Item no.: 793-501/000-007**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-007

793-501

**Item no.: 793-501/000-012**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-012

793-501

**Item no.: 793-501/000-017**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-017

793-501

**Item no.: 793-501/000-023**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-023

793-501

**Item no.: 793-501/000-024**

WMB marking card; as card; not stretchable; plain; snap-on type

/000-024

793-501

**Item no.: 793-5501**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

793-5501

**Item no.: 793-5501/000-002**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

/000-002

793-5501

**Item no.: 793-5501/000-005**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-005

793-5501

**Item no.: 793-5501/000-006**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-006

793-5501

**Item no.: 793-5501/000-007**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-007

793-5501

**Item no.: 793-5501/000-012**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-012

793-5501

**Item no.: 793-5501/000-017**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-017

793-5501

**Item no.: 793-5501/000-023**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-023

793-5501

**Item no.: 793-5501/000-024**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-024

793-5501

General accessories**Item no.: 769-438**

Pin cover; with marker slot for miniature WSB

769-438

**Item no.: 769-439**

Pin cover; with marker slot for miniature WSB

769-439

**Item no.: 769-501**Start module for 1-conductor female connector; with integrated end plate; 4 mm²; 1-pole

769-501

**Item no.: 769-501/000-006**Start module for 1-conductor female connector; 4 mm²; 1-pole

/000-006

769-501

**Item no.: 769-501/000-016**Start module for 1-conductor female connector; with integrated end plate; 4 mm²; 1-pole

/000-016

769-501

**Item no.: 769-502**Center module for 1-conductor female connector; 4 mm²; 1-pole

769-502

**Item no.: 769-502/000-006**Center module for 1-conductor female connector; 4 mm²; 1-pole

/000-006

769-502

**Item no.: 769-502/000-016**Center module for 1-conductor female connector; 4 mm²; 1-pole

/000-016

769-502

**Item no.: 769-503**End module for 1-conductor female connector; 4 mm²; 1-pole

769-503

**Item no.: 769-503/000-006**End module for 1-conductor female connector; 4 mm²; 1-pole

/000-006

769-503

**Item no.: 769-503/000-016**End module for 1-conductor female connector; 4 mm²; 1-pole

/000-016

769-503

**Item no.: 870-182**

Adaptor

870-182

**Item no.: 870-183**

Adaptor

870-183

**Item no.: 870-184**

Adaptor

870-184

**Item no.: 870-425**

Tap-off module; with anti-rotation protection; modular; suitable for 870 Series terminal blocks with jumper slots in the current bar

870-425

Item no.: 870-426

Tap-off module; modular; suitable for 870 Series terminal blocks with jumper slots in the current

870-426



bar



Item no.: 870-427
Spacer module; modular; bridging commoned terminal blocks

870-427

assembling



Item no.: 209-106
Mounting carrier; for isolated mounting on DIN 35 rails

209-106

Jumper



Item no.: 210-103
Wire commoning chain; insulated; 50 connections

210-103



Item no.: 709-110
Wire commoning chain; insulated; 4 connections; 3 x 110 mm

709-110



Item no.: 709-111
Wire commoning chain; insulated; 3 connections; 2 x 120 mm

709-111



Item no.: 709-112
Wire commoning chain; insulated; 3 connections; 2 x 170 mm

709-112



Item no.: 870-402
Push-in type jumper bar; insulated; 2-way; Nominal current 18 A

870-402



Item no.: 870-403
Push-in type jumper bar; insulated; 3-way; Nominal current 18 A

870-403

Item no.: 870-404
Push-in type jumper bar; insulated; 4-way; Nominal current 18 A

870-404



Item no.: 870-405
Push-in type jumper bar; insulated; 5-way; Nominal current 18 A

870-405

Item no.: 870-405/011-000
Ready-made push-in type jumper bar; insulated; 3-way (1-3-5); Nominal current 18 A

/011-000

870-405



Item no.: 870-406
Push-in type jumper bar; insulated; 6-way; Nominal current 18 A

870-406



Item no.: 870-407
Push-in type jumper bar; insulated; 7-way; Nominal current 18 A

870-407

Item no.: 870-407/011-000
Ready-made push-in type jumper bar; insulated; 3-way (1-3-5); Nominal current 18 A

/011-000

870-407



Item no.: 870-408
Push-in type jumper bar; insulated; 8-way; Nominal current 18 A

870-408



Item no.: 870-409
Push-in type jumper bar; insulated; 9-way; Nominal current 18 A

870-409

Item no.: 870-409/011-000
Ready-made push-in type jumper bar; insulated; 3-way (1-3-5); Nominal current 18 A

/011-000

870-409

	Item no.: 870-410 Push-in type jumper bar; insulated; 10-way; Nominal current 18 A	870-410
	Item no.: 870-433 Push-in type jumper bar; insulated; from 1 to 3; Nominal current 18 A	870-433
	Item no.: 870-434 Push-in type jumper bar; insulated; from 1 to 4; Nominal current 18 A	870-434
	Item no.: 870-435 Push-in type jumper bar; insulated; from 1 to 5; Nominal current 18 A	870-435
	Item no.: 870-440 Push-in type jumper bar; insulated; from 1 to 10; Nominal current 18 A	870-440
tools		
	Item no.: 210-720 Operating tool with partially insulated shaft; Type 2, blade (3.5 x 0.5) mm	210-720

Downloads Documentation

Bid Text

870-131	doc 25.6 kB	Download
---------	----------------	----------

Additional Information

pdf 2.1 MB	Download
---------------	----------

CAD/CAE - Smart Data

CAD data

3D Download 870-131	URL	Download
---------------------	-----	----------

Product family

X-COM

[Learn more about the product family.](#)

[Show all products from the family](#)

Subject to changes.