


## Data sheet | Item number: 870-138

4-conductor/4-pin, double-deck carrier terminal block; 4-conductor/4-pin through terminal block; L; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®




870-138



RoHS  
Compliant

BOMcheck.net

Color: ■



### Item description

#### Safety information 1:

Max. insulation diameter: 4.4 mm

### Data

#### Electrical data

#### Ratings per IEC/EN 60664-1

|                                 |       |
|---------------------------------|-------|
| Rated voltage (III / 3)         | 500 V |
| Rated impulse voltage (III / 3) | 6 kV  |
| Rated current                   | 16 A  |

#### Connection data

|                                   |                                              |
|-----------------------------------|----------------------------------------------|
| Connection technology             | CAGE CLAMP®                                  |
| Actuation type                    | Open Tool Slot                               |
| Connectable conductor materials   | Copper                                       |
| Solid conductor                   | 0.08 ... 2.5 mm <sup>2</sup> / 28 ... 12 AWG |
| Fine-stranded conductor           | 0.08 ... 4 mm <sup>2</sup> / 28 ... 12 AWG   |
| Strip length                      | 6 ... 7 mm / 0.24 ... 0.28 inch              |
| Total number of connection points | 4                                            |
| Total number of potentials        | 1                                            |
| Number of levels                  | 2                                            |
| Type of wiring                    | Front-entry wiring                           |

## Geometrical Data

|                                       |                       |
|---------------------------------------|-----------------------|
| Width                                 | 5 mm / 0.197 inch     |
| Height from upper-edge of DIN-35 rail | 37.1 mm / 1.461 inch  |
| Depth                                 | 132.7 mm / 5.224 inch |

## Mechanical data

|                   |              |
|-------------------|--------------|
| Design            | horizontal   |
| Type of mounting  | DIN-35 rail  |
| Potential marking | L            |
| Marking level     | Side marking |

## Material Data

|           |          |
|-----------|----------|
| Color     | gray     |
| Fire load | 0.288 MJ |
| Weight    | 19.183 g |

## Commercial data

|                    |                                           |
|--------------------|-------------------------------------------|
| Product Group      | 16 (Rail Mounted Terminal Block with CCC) |
| Country of origin  | DE                                        |
| GTIN               | 4045454912826                             |
| Customs Tariff No. | 85369010000                               |

## Approvals / Certificates

### Country specific Approvals

| Logo                                                                               | Approval                        | Additional Approval Text | Certificate name |
|------------------------------------------------------------------------------------|---------------------------------|--------------------------|------------------|
|  | CCA<br>DEKRA Certification B.V. | EN 60947                 | 2189801.01       |
|  | CCA<br>DEKRA Certification B.V. | EN 60947                 | NTR NL<br>7468   |

### Ship Approvals

| Logo                                                                               | Approval                           | Additional Approval Text | Certificate name         |
|------------------------------------------------------------------------------------|------------------------------------|--------------------------|--------------------------|
|  | ABS<br>American Bureau of Shipping | -                        | 14-<br>HG1293677-<br>PDA |

## UL-Approvals

| Logo                                                                             | Approval                               | Additional Approval Text | Certificate name |
|----------------------------------------------------------------------------------|----------------------------------------|--------------------------|------------------|
|  | cURus<br>UL International Germany GmbH | UL 1059                  | 20160928-E45172  |

## Compatible products

## Female plug

|                                                                                   |                                                                                  |                     |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|---------------------|
|  | Item no.: 769-101<br>1-conductor female plug; 4 mm <sup>2</sup> ; 1-pole         | 769-101             |
|  | Item no.: 769-101/000-006<br>1-conductor female plug; 4 mm <sup>2</sup> ; 1-pole | 769-101<br>/000-006 |
|  | Item no.: 769-101/000-016<br>1-conductor female plug; 4 mm <sup>2</sup> ; 1-pole | 769-101<br>/000-016 |
|  | Item no.: 769-102<br>1-conductor female plug; 4 mm <sup>2</sup> ; 2-pole         | 769-102             |
|  | Item no.: 769-102/000-006<br>1-conductor female plug; 4 mm <sup>2</sup> ; 2-pole | 769-102<br>/000-006 |
|  | Item no.: 769-102/000-036<br>1-conductor female plug; 4 mm <sup>2</sup> ; 2-pole | 769-102<br>/000-036 |
|  | Item no.: 769-102/000-037<br>1-conductor female plug; 4 mm <sup>2</sup> ; 2-pole | 769-102<br>/000-037 |
|  | Item no.: 769-103<br>1-conductor female plug; 4 mm <sup>2</sup> ; 3-pole         | 769-103             |

**Item no.: 769-103/000-006**1-conductor female plug; 4 mm<sup>2</sup>; 3-pole

/000-006

769-103

**Item no.: 769-103/000-036**1-conductor female plug; 4 mm<sup>2</sup>; 3-pole

/000-036

769-103

**Item no.: 769-103/000-037**1-conductor female plug; 4 mm<sup>2</sup>; 3-pole

/000-037

769-103

**Item no.: 769-103/000-038**1-conductor female plug; 4 mm<sup>2</sup>; 3-pole

/000-038

769-103

**Item no.: 769-103/000-039**1-conductor female plug; 4 mm<sup>2</sup>; 3-pole

/000-039

769-103

**Item no.: 769-104**1-conductor female plug; 4 mm<sup>2</sup>; 4-pole

/000-000

769-104

**Item no.: 769-104/000-006**1-conductor female plug; 4 mm<sup>2</sup>; 4-pole

/000-006

769-104

**Item no.: 769-104/000-036**1-conductor female plug; 4 mm<sup>2</sup>; 4-pole

/000-036

769-104

**Item no.: 769-104/000-037**1-conductor female plug; 4 mm<sup>2</sup>; 4-pole

/000-037

769-104

**Item no.: 769-104/000-038**1-conductor female plug; 4 mm<sup>2</sup>; 4-pole

/000-038

769-104

**Item no.: 769-104/000-039**1-conductor female plug; 4 mm<sup>2</sup>; 4-pole

/000-039

769-104

**Item no.: 769-105**1-conductor female plug; 4 mm<sup>2</sup>; 5-pole

/000-000

769-105

**Item no.: 769-105/000-006**1-conductor female plug; 4 mm<sup>2</sup>; 5-pole

/000-006

769-105

**Item no.: 769-105/000-036**1-conductor female plug; 4 mm<sup>2</sup>; 5-pole

/000-036

769-105

**Item no.: 769-105/000-037**1-conductor female plug; 4 mm<sup>2</sup>; 5-pole

/000-037

769-105

|                                                                                    |                                                                            |                     |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------|---------------------|
|    | <b>Item no.: 769-105/000-038</b><br>1-conductor female plug; 4 mm²; 5-pole | 769-105<br>/000-038 |
|    | <b>Item no.: 769-105/000-039</b><br>1-conductor female plug; 4 mm²; 5-pole | 769-105<br>/000-039 |
|    | <b>Item no.: 769-106</b><br>1-conductor female plug; 4 mm²; 6-pole         | 769-106             |
|    | <b>Item no.: 769-106/000-006</b><br>1-conductor female plug; 4 mm²; 6-pole | 769-106<br>/000-006 |
|    | <b>Item no.: 769-106/000-036</b><br>1-conductor female plug; 4 mm²; 6-pole | 769-106<br>/000-036 |
|    | <b>Item no.: 769-106/000-037</b><br>1-conductor female plug; 4 mm²; 6-pole | 769-106<br>/000-037 |
|    | <b>Item no.: 769-106/000-038</b><br>1-conductor female plug; 4 mm²; 6-pole | 769-106<br>/000-038 |
|  | <b>Item no.: 769-106/000-039</b><br>1-conductor female plug; 4 mm²; 6-pole | 769-106<br>/000-039 |
|  | <b>Item no.: 769-107</b><br>1-conductor female plug; 4 mm²; 7-pole         | 769-107             |
|  | <b>Item no.: 769-107/000-006</b><br>1-conductor female plug; 4 mm²; 7-pole | 769-107<br>/000-006 |
|  | <b>Item no.: 769-107/000-036</b><br>1-conductor female plug; 4 mm²; 7-pole | 769-107<br>/000-036 |
|  | <b>Item no.: 769-107/000-037</b><br>1-conductor female plug; 4 mm²; 7-pole | 769-107<br>/000-037 |
|  | <b>Item no.: 769-107/000-038</b><br>1-conductor female plug; 4 mm²; 7-pole | 769-107<br>/000-038 |
|  | <b>Item no.: 769-107/000-039</b><br>1-conductor female plug; 4 mm²; 7-pole | 769-107<br>/000-039 |
|  | <b>Item no.: 769-108</b><br>1-conductor female plug; 4 mm²; 8-pole         | 769-108             |
|                                                                                    | <b>Item no.: 769-108/000-006</b><br>1-conductor female plug; 4 mm²; 8-pole | 769-108<br>/000-006 |

**Item no.: 769-108/000-036**1-conductor female plug; 4 mm<sup>2</sup>; 8-pole

/000-036

769-108

**Item no.: 769-108/000-037**1-conductor female plug; 4 mm<sup>2</sup>; 8-pole

/000-037

769-108

**Item no.: 769-108/000-038**1-conductor female plug; 4 mm<sup>2</sup>; 8-pole

/000-038

769-108

**Item no.: 769-108/000-039**1-conductor female plug; 4 mm<sup>2</sup>; 8-pole

/000-039

769-108

**Item no.: 769-109**1-conductor female plug; 4 mm<sup>2</sup>; 9-pole

769-109

**Item no.: 769-109/000-006**1-conductor female plug; 4 mm<sup>2</sup>; 9-pole

/000-006

769-109

**Item no.: 769-109/000-036**1-conductor female plug; 4 mm<sup>2</sup>; 9-pole

/000-036

769-109

**Item no.: 769-109/000-037**1-conductor female plug; 4 mm<sup>2</sup>; 9-pole

/000-037

769-109

**Item no.: 769-109/000-038**1-conductor female plug; 4 mm<sup>2</sup>; 9-pole

/000-038

769-109

**Item no.: 769-109/000-039**1-conductor female plug; 4 mm<sup>2</sup>; 9-pole

/000-039

769-109

**Item no.: 769-110**1-conductor female plug; 4 mm<sup>2</sup>; 10-pole

769-110

**Item no.: 769-110/000-006**1-conductor female plug; 4 mm<sup>2</sup>; 10-pole

/000-006

769-110

**Item no.: 769-110/000-036**1-conductor female plug; 4 mm<sup>2</sup>; 10-pole

/000-036

769-110

**Item no.: 769-110/000-037**1-conductor female plug; 4 mm<sup>2</sup>; 10-pole

/000-037

769-110

|                                                                                    |                                                                                          |                     |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|---------------------|
|    | <b>Item no.: 769-110/000-038</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 10-pole | 769-110<br>/000-038 |
|    | <b>Item no.: 769-110/000-039</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 10-pole | 769-110<br>/000-039 |
|    | <b>Item no.: 769-111</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 11-pole         | 769-111             |
|    | <b>Item no.: 769-111/000-006</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 11-pole | 769-111<br>/000-006 |
|    | <b>Item no.: 769-111/000-036</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 11-pole | 769-111<br>/000-036 |
|    | <b>Item no.: 769-111/000-037</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 11-pole | 769-111<br>/000-037 |
|    | <b>Item no.: 769-111/000-038</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 11-pole | 769-111<br>/000-038 |
|  | <b>Item no.: 769-111/000-039</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 11-pole | 769-111<br>/000-039 |
|  | <b>Item no.: 769-112</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 12-pole         | 769-112             |
|  | <b>Item no.: 769-112/000-006</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 12-pole | 769-112<br>/000-006 |
|  | <b>Item no.: 769-112/000-036</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 12-pole | 769-112<br>/000-036 |
|  | <b>Item no.: 769-112/000-037</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 12-pole | 769-112<br>/000-037 |
|  | <b>Item no.: 769-112/000-038</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 12-pole | 769-112<br>/000-038 |
|  | <b>Item no.: 769-112/000-039</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 12-pole | 769-112<br>/000-039 |
|  | <b>Item no.: 769-113</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 13-pole         | 769-113             |

**Item no.: 769-113/000-036**

1-conductor female plug; 4 mm²; 13-pole

/000-036

769-113

**Item no.: 769-113/000-037**

1-conductor female plug; 4 mm²; 13-pole

/000-037

769-113

**Item no.: 769-113/000-038**

1-conductor female plug; 4 mm²; 13-pole

/000-038

769-113

**Item no.: 769-113/000-039**

1-conductor female plug; 4 mm²; 13-pole

/000-039

769-113

**Item no.: 769-114**

1-conductor female plug; 4 mm²; 14-pole

/000-037

769-114

**Item no.: 769-114/000-006**

1-conductor female plug; 4 mm²; 14-pole

/000-006

769-114

**Item no.: 769-114/000-036**

1-conductor female plug; 4 mm²; 14-pole

/000-036

769-114

**Item no.: 769-114/000-037**

1-conductor female plug; 4 mm²; 14-pole

/000-037

769-114

**Item no.: 769-114/000-038**

1-conductor female plug; 4 mm²; 14-pole

/000-038

769-114

**Item no.: 769-114/000-039**

1-conductor female plug; 4 mm²; 14-pole

/000-039

769-114

**Item no.: 769-115**

1-conductor female plug; 4 mm²; 15-pole

/000-037

769-115

**Item no.: 769-115/000-036**

1-conductor female plug; 4 mm²; 15-pole

/000-036

769-115

**Item no.: 769-115/000-037**

1-conductor female plug; 4 mm²; 15-pole

/000-037

769-115

**Item no.: 769-115/000-038**

1-conductor female plug; 4 mm²; 15-pole

/000-038

769-115

**Item no.: 769-115/000-039**

1-conductor female plug; 4 mm²; 15-pole

/000-039

769-115

Jumper



**Item no.: 210-103**  
Wire commoning chain; insulated; 50 connections

210-103



**Item no.: 709-110**  
Wire commoning chain; insulated; 4 connections; 3 x 110 mm

709-110



**Item no.: 709-111**  
Wire commoning chain; insulated; 3 connections; 2 x 120 mm

709-111



**Item no.: 709-112**  
Wire commoning chain; insulated; 3 connections; 2 x 170 mm

709-112



**Item no.: 870-402**  
Push-in type jumper bar; insulated; 2-way; Nominal current 18 A

870-402



**Item no.: 870-403**  
Push-in type jumper bar; insulated; 3-way; Nominal current 18 A

870-403

**Item no.: 870-404**  
Push-in type jumper bar; insulated; 4-way; Nominal current 18 A

870-404



**Item no.: 870-405**  
Push-in type jumper bar; insulated; 5-way; Nominal current 18 A

870-405

**Item no.: 870-405/011-000**  
Ready-made push-in type jumper bar; insulated; 3-way (1-3-5); Nominal current 18 A

870-405

/011-000



**Item no.: 870-406**  
Push-in type jumper bar; insulated; 6-way; Nominal current 18 A

870-406



**Item no.: 870-407**  
Push-in type jumper bar; insulated; 7-way; Nominal current 18 A

870-407

**Item no.: 870-407/011-000**  
Ready-made push-in type jumper bar; insulated; 3-way (1-3-5); Nominal current 18 A

870-407

/011-000



**Item no.: 870-408**  
Push-in type jumper bar; insulated; 8-way; Nominal current 18 A

870-408



**Item no.: 870-409**  
Push-in type jumper bar; insulated; 9-way; Nominal current 18 A

870-409

**Item no.: 870-409/011-000**  
Ready-made push-in type jumper bar; insulated; 3-way (1-3-5); Nominal current 18 A

870-409

/011-000

**Item no.: 870-410**  
Push-in type jumper bar; insulated; 10-way; Nominal current 18 A

870-410



**Item no.: 870-433**  
Push-in type jumper bar; insulated; from 1 to 3; Nominal current 18 A

870-433



**Item no.: 870-434**  
Push-in type jumper bar; insulated; from 1 to 4; Nominal current 18 A

870-434



**Item no.: 870-435**  
Push-in type jumper bar; insulated; from 1 to 5; Nominal current 18 A

870-435

Item no.: 870-440

Push-in type jumper bar; insulated; from 1 to 10; Nominal current 18 A

870-440

## Protective Warning Marker



Item no.: 280-405

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks

280-405

## tools



Item no.: 210-720

Operating tool with partially insulated shaft; Type 2, blade (3.5 x 0.5) mm

210-720

## Coding



Item no.: 769-435

Coding pin; for coding of female plugs; for carrier terminal blocks / male connectors

769-435

## General accessories



Item no.: 769-438

Pin cover; with marker slot for miniature WSB

769-438



Item no.: 769-439

Pin cover; with marker slot for miniature WSB

769-439



Item no.: 769-501

Start module for 1-conductor female connector; with integrated end plate; 4 mm²; 1-pole

769-501



Item no.: 769-501/000-006

Start module for 1-conductor female connector; 4 mm²; 1-pole

769-501

/000-006



Item no.: 769-501/000-016

Start module for 1-conductor female connector; with integrated end plate; 4 mm²; 1-pole

769-501

/000-016



Item no.: 769-502

Center module for 1-conductor female connector; 4 mm²; 1-pole

769-502



Item no.: 769-502/000-006

Center module for 1-conductor female connector; 4 mm²; 1-pole

769-502

/000-006



Item no.: 769-502/000-016

Center module for 1-conductor female connector; 4 mm²; 1-pole

769-502

/000-016



Item no.: 769-503

End module for 1-conductor female connector; 4 mm²; 1-pole

769-503



Item no.: 769-503/000-006

End module for 1-conductor female connector; 4 mm²; 1-pole

769-503

/000-006



Item no.: 769-503/000-016

End module for 1-conductor female connector; 4 mm²; 1-pole

769-503

/000-016



Item no.: 870-182

Adaptor


870-182

|                                                                                    |                                                                                                                                                                  |         |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    | <b>Item no.: 870-183</b><br>Adaptor                                                                                                                              | 870-183 |
|    | <b>Item no.: 870-184</b><br>Adaptor                                                                                                                              | 870-184 |
|    | <b>Item no.: 870-425</b><br>Tap-off module; with anti-rotation protection; modular; suitable for 870 Series terminal blocks with jumper slots in the current bar | 870-425 |
|    | <b>Item no.: 870-426</b><br>Tap-off module; modular; suitable for 870 Series terminal blocks with jumper slots in the current bar                                | 870-426 |
|    | <b>Item no.: 870-427</b><br>Spacer module; modular; bridging commoned terminal blocks                                                                            | 870-427 |
| <b>assembling</b>                                                                  |                                                                                                                                                                  |         |
|    | <b>Item no.: 209-106</b><br>Mounting carrier; for isolated mounting on DIN 35 rails                                                                              | 209-106 |
| <b>Insulation stop</b>                                                             |                                                                                                                                                                  |         |
|    | <b>Item no.: 280-470</b><br>Insulation stop; 0.08 - 0.2 mm <sup>2</sup> "s" (0.14 mm <sup>2</sup> "f-st"); 5 pieces/strip                                        | 280-470 |
|    | <b>Item no.: 280-471</b><br>Insulation stop; 0.25 - 0.5 mm <sup>2</sup> ; 5 pieces/strip                                                                         | 280-471 |
|  | <b>Item no.: 280-472</b><br>Insulation stop; 0.75 - 1 mm <sup>2</sup> ; 5 pieces/strip                                                                           | 280-472 |
| <b>Carrier rail</b>                                                                |                                                                                                                                                                  |         |
|  | <b>Item no.: 210-112</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm                             | 210-112 |
|  | <b>Item no.: 210-113</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715                                              | 210-113 |
|  | <b>Item no.: 210-114</b><br>Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715                                               | 210-114 |
|  | <b>Item no.: 210-115</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm                             | 210-115 |
|  | <b>Item no.: 210-118</b><br>Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715                                             | 210-118 |
|  | <b>Item no.: 210-196</b><br>Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715                                           | 210-196 |
|  | <b>Item no.: 210-197</b><br>Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715                                                 | 210-197 |
|  | <b>Item no.: 210-198</b><br>Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715                                            | 210-198 |
|  | <b>Item no.: 210-504</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; galvanized; according to EN 60715                                    | 210-504 |

**Item no.: 210-505**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; galvanized; according to EN 60715

210-505

**Item no.: 210-506**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; galvanized; similar to EN 60715

210-506

**Item no.: 210-508**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; galvanized; similar to EN 60715

210-508

**Marking accessories****Item no.: 2009-115**

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

2009-115

**Item no.: 2009-115/000-002**

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-002

2009-115

**Item no.: 2009-115/000-006**

WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-006

2009-115

**Item no.: 2009-115/000-007**

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-007

2009-115

**Item no.: 2009-115/000-012**

WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-012

2009-115

**Item no.: 2009-115/000-017**

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-017

2009-115

**Item no.: 2009-115/000-023**

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-023

2009-115

**Item no.: 2009-115/000-024**

WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-024

2009-115

**Item no.: 2009-145**

Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

2009-145

**Item no.: 2009-145/000-002**

Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-002

2009-145

**Item no.: 2009-145/000-005**

Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-005

2009-145

**Item no.: 2009-145/000-006**

Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-006

2009-145

**Item no.: 2009-145/000-007**

Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

/000-007

2009-145

|                                                                                    |                                                                                                                               |          |          |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------|----------|
|    | <b>Item no.: 2009-145/000-012</b><br>Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | /000-012 | 2009-145 |
|    | <b>Item no.: 2009-145/000-023</b><br>Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type  | /000-023 | 2009-145 |
|    | <b>Item no.: 2009-145/000-024</b><br>Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type | /000-024 | 2009-145 |
|    | <b>Item no.: 2009-198</b><br>Adaptor                                                                                          |          | 2009-198 |
|    | <b>Item no.: 248-501</b><br>Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card  |          | 248-501  |
|    | <b>Item no.: 248-501/000-002</b><br>Mini-WSB marking card; as card; not stretchable; plain; snap-on type                      | /000-002 | 248-501  |
|    | <b>Item no.: 248-501/000-005</b><br>Mini-WSB marking card; as card; not stretchable; plain; snap-on type                      | /000-005 | 248-501  |
|  | <b>Item no.: 248-501/000-006</b><br>Mini-WSB marking card; as card; not stretchable; plain; snap-on type                      | /000-006 | 248-501  |
|  | <b>Item no.: 248-501/000-007</b><br>Mini-WSB marking card; as card; not stretchable; plain; snap-on type                      | /000-007 | 248-501  |
|  | <b>Item no.: 248-501/000-012</b><br>Mini-WSB marking card; as card; not stretchable; plain; snap-on type                      | /000-012 | 248-501  |
|  | <b>Item no.: 248-501/000-017</b><br>Mini-WSB marking card; as card; not stretchable; plain; snap-on type                      | /000-017 | 248-501  |
|  | <b>Item no.: 248-501/000-023</b><br>Mini-WSB marking card; as card; not stretchable; plain; snap-on type                      | /000-023 | 248-501  |
|  | <b>Item no.: 248-501/000-024</b><br>Mini-WSB marking card; as card; not stretchable; plain; snap-on type                      | /000-024 | 248-501  |
|  | <b>Item no.: 793-501</b><br>WMB marking card; as card; not stretchable; plain; snap-on type                                   |          | 793-501  |
|  | <b>Item no.: 793-501/000-002</b><br>WMB marking card; as card; not stretchable; plain; snap-on type                           | /000-002 | 793-501  |



**Item no.: 793-501/000-005**  
WMB marking card; as card; not stretchable; plain; snap-on type

/000-005

793-501



**Item no.: 793-501/000-006**  
WMB marking card; as card; not stretchable; plain; snap-on type

/000-006

793-501



**Item no.: 793-501/000-007**  
WMB marking card; as card; not stretchable; plain; snap-on type

/000-007

793-501



**Item no.: 793-501/000-012**  
WMB marking card; as card; not stretchable; plain; snap-on type

/000-012

793-501



**Item no.: 793-501/000-017**  
WMB marking card; as card; not stretchable; plain; snap-on type

/000-017

793-501



**Item no.: 793-501/000-023**  
WMB marking card; as card; not stretchable; plain; snap-on type

/000-023

793-501



**Item no.: 793-501/000-024**  
WMB marking card; as card; not stretchable; plain; snap-on type

/000-024

793-501



**Item no.: 793-5501**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

793-5501



**Item no.: 793-5501/000-002**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

/000-002

793-5501



**Item no.: 793-5501/000-005**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-005

793-5501



**Item no.: 793-5501/000-006**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-006

793-5501



**Item no.: 793-5501/000-007**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-007

793-5501



**Item no.: 793-5501/000-012**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-012

793-5501



**Item no.: 793-5501/000-017**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-017

793-5501



**Item no.: 793-5501/000-023**  
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-023

793-5501



Item no.: 793-5501/000-024

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

793-5501

/000-024

## ferrule

|                                                                                    |                                                                                                                |         |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|---------|
|    | <b>Item no.: 216-121</b><br>Ferrule; Sleeve for 0.5 mm <sup>2</sup> / AWG 22; uninsulated; electro-tin plated  | 216-121 |
|    | <b>Item no.: 216-122</b><br>Ferrule; Sleeve for 0.75 mm <sup>2</sup> / AWG 20; uninsulated; electro-tin plated | 216-122 |
|    | <b>Item no.: 216-123</b><br>Ferrule; Sleeve for 1 mm <sup>2</sup> / AWG 18; uninsulated; electro-tin plated    | 216-123 |
|    | <b>Item no.: 216-124</b><br>Ferrule; Sleeve for 1.5 mm <sup>2</sup> / AWG 16; uninsulated; electro-tin plated  | 216-124 |
|    | <b>Item no.: 216-131</b><br>Ferrule; Sleeve for 0.25 mm <sup>2</sup> / AWG 24; uninsulated; electro-tin plated | 216-131 |
|    | <b>Item no.: 216-132</b><br>Ferrule; Sleeve for 0.34 mm <sup>2</sup> / AWG 24; uninsulated; electro-tin plated | 216-132 |
|    | <b>Item no.: 216-221</b><br>Ferrule; Sleeve for 0.5 mm <sup>2</sup> / 20 AWG; insulated; electro-tin plated    | 216-221 |
|   | <b>Item no.: 216-222</b><br>Ferrule; Sleeve for 0.75 mm <sup>2</sup> / 18 AWG; insulated; electro-tin plated   | 216-222 |
|  | <b>Item no.: 216-223</b><br>Ferrule; Sleeve for 1 mm <sup>2</sup> / AWG 18; insulated; electro-tin plated      | 216-223 |
|  | <b>Item no.: 216-224</b><br>Ferrule; Sleeve for 1.5 mm <sup>2</sup> / AWG 16; insulated; electro-tin plated    | 216-224 |
|                                                                                    | <b>Item no.: 216-321</b><br>Ferrule; Sleeve for 0.25 mm <sup>2</sup> / AWG 24; insulated; electro-tin plated   | 216-321 |
|  | <b>Item no.: 216-322</b><br>Ferrule; Sleeve for 0.34 mm <sup>2</sup> / 22 AWG; insulated; electro-tin plated   | 216-322 |

## End plate

|                                                                                    |                                                                    |         |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------|---------|
|  | <b>Item no.: 870-148</b><br>End and intermediate plate; 1 mm thick | 870-148 |
|  | <b>Item no.: 870-149</b><br>End and intermediate plate; 1 mm thick | 870-149 |

## Downloads

## Documentation

## Bid Text

870-138

doc  
25.6 kB

Download

## Additional Information

## Product family

### X-COM

[Learn more about the product family.](#)

[Show all products from the family](#)



Subject to changes.