



Data sheet | Item number: 870-158

4-pin, double-deck carrier terminal block; 4-pin through terminal block; L; internal commoning; female plug conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5



870-158



RoHS Compliant

[BOMcheck.net](https://www.bomcheck.net)

Color:

Data

Electrical data

Ratings per IEC/EN 60664-1

Rated voltage (III / 3)	500 V
Rated impulse voltage (III / 3)	6 kV
Rated current	16 A

Connection data

Total number of potentials	1
Number of levels	2
Type of wiring	Front-entry wiring

Geometrical Data

Width	5 mm / 0.197 inch
Height from upper-edge of DIN-35 rail	37.1 mm / 1.461 inch
Depth	88.6 mm / 3.488 inch

Mechanical data

Design	horizontal
Type of mounting	DIN-35 rail

Potential marking	L
Marking level	Side marking

Material Data

Color	gray
Fire load	0.186 MJ
Weight	9.963 g

Commercial data

Product Group	16 (Rail Mounted Terminal Block with CCC)
Country of origin	DE
GTIN	4045454665722
Customs Tariff No.	85369010000

Approvals / Certificates

Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	EN 60947	2189801.01
	CCA DEKRA Certification B.V.	EN 60947	NTR NL 7468

Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	ABS American Bureau of Shipping	-	14- HG1293677- PDA

UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	cURus UL International Germany GmbH	UL 1059	20160928- E45172

Compatible products

General accessories

	Item no.: 769-438 Pin cover; with marker slot for miniature WSB	769-438
	Item no.: 769-439 Pin cover; with marker slot for miniature WSB	769-439
	Item no.: 769-501 Start module for 1-conductor female connector; with integrated end plate; 4 mm ² ; 1-pole	769-501
	Item no.: 769-501/000-006 Start module for 1-conductor female connector; 4 mm ² ; 1-pole	769-501 /000-006
	Item no.: 769-501/000-016 Start module for 1-conductor female connector; with integrated end plate; 4 mm ² ; 1-pole	769-501 /000-016
	Item no.: 769-502 Center module for 1-conductor female connector; 4 mm ² ; 1-pole	769-502
	Item no.: 769-502/000-006 Center module for 1-conductor female connector; 4 mm ² ; 1-pole	769-502 /000-006
	Item no.: 769-502/000-016 Center module for 1-conductor female connector; 4 mm ² ; 1-pole	769-502 /000-016
	Item no.: 769-503 End module for 1-conductor female connector; 4 mm ² ; 1-pole	769-503
	Item no.: 769-503/000-006 End module for 1-conductor female connector; 4 mm ² ; 1-pole	769-503 /000-006
	Item no.: 769-503/000-016 End module for 1-conductor female connector; 4 mm ² ; 1-pole	769-503 /000-016
	Item no.: 769-512 Start module for 1-conductor female connector; angled; 4 mm ² ; 1-pole	769-512
	Item no.: 769-512/000-006 Start module for 1-conductor female connector; angled; 4 mm ² ; 1-pole	769-512 /000-006

**Item no.: 769-512/000-016**Start module for 1-conductor female connector; angled; 4 mm²; 1-pole

/000-016

769-512

**Item no.: 769-513**Center module for 1-conductor female connector; angled; 4 mm²; 1-pole

769-513

**Item no.: 769-513/000-006**

1-conductor center module; angled; codable; 1-pole

/000-006

769-513

**Item no.: 769-513/000-016**

1-conductor center module; angled; codable; 1-pole

/000-016

769-513

**Item no.: 769-515**

1-conductor end module; angled; codable; 1-pole

769-515

**Item no.: 769-515/000-006**

1-conductor end module; angled; codable; 1-pole

/000-006

769-515

**Item no.: 769-515/000-016**

1-conductor end module; angled; codable; 1-pole

/000-016

769-515

**Item no.: 870-182**

Adaptor

870-182

**Item no.: 870-183**

Adaptor

870-183

**Item no.: 870-184**

Adaptor

870-184

**Item no.: 870-425**

Tap-off module; with anti-rotation protection; modular; suitable for 870 Series terminal blocks with jumper slots in the current bar

870-425

**Item no.: 870-426**

Tap-off module; modular; suitable for 870 Series terminal blocks with jumper slots in the current bar

870-426

**Item no.: 870-427**

Spacer module; modular; bridging commoned terminal blocks

870-427

tools**Item no.: 210-720**


Operating tool with partially insulated shaft; Type 2, blade (3.5 x 0.5) mm

210-720

Carrier rail**Item no.: 210-112**


Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm

210-112

**Item no.: 210-113**

Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715

210-113

**Item no.: 210-114**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715

210-114

Item no.: 210-115

	Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm	210-115
	Item no.: 210-118 Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715	210-118
	Item no.: 210-196 Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715	210-196
	Item no.: 210-197 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715	210-197
	Item no.: 210-198 Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715	210-198
	Item no.: 210-504 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; galvanized; according to EN 60715	210-504
	Item no.: 210-505 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; galvanized; according to EN 60715	210-505
	Item no.: 210-506 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; galvanized; similar to EN 60715	210-506
	Item no.: 210-508 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; galvanized; similar to EN 60715	210-508
End plate		
	Item no.: 870-168 End and intermediate plate; 1 mm thick	870-168
	Item no.: 870-169 End and intermediate plate; 1 mm thick	870-169
Female plug		
	Item no.: 769-101 1-conductor female plug; 4 mm ² ; 1-pole	769-101
	Item no.: 769-101/000-006 1-conductor female plug; 4 mm ² ; 1-pole	769-101 /000-006
	Item no.: 769-101/000-016 1-conductor female plug; 4 mm ² ; 1-pole	769-101 /000-016
	Item no.: 769-101/022-000 1-conductor female plug; angled; 4 mm ² ; 1-pole	769-101 /022-000
	Item no.: 769-101/022-016 1-conductor female plug; angled; 4 mm ² ; 1-pole	769-101 /022-016
	Item no.: 769-102 1-conductor female plug; 4 mm ² ; 2-pole	769-102

**Item no.: 769-102/000-006**1-conductor female plug; 4 mm²; 2-pole

/000-006

769-102

**Item no.: 769-102/000-036**1-conductor female plug; 4 mm²; 2-pole

/000-036

769-102

**Item no.: 769-102/000-037**1-conductor female plug; 4 mm²; 2-pole

/000-037

769-102

**Item no.: 769-102/022-000**1-conductor female plug; angled; 4 mm²; 2-pole

/022-000

769-102

**Item no.: 769-103**1-conductor female plug; 4 mm²; 3-pole

769-103

**Item no.: 769-103/000-006**1-conductor female plug; 4 mm²; 3-pole

/000-006

769-103

**Item no.: 769-103/000-036**1-conductor female plug; 4 mm²; 3-pole

/000-036

769-103

**Item no.: 769-103/000-037**1-conductor female plug; 4 mm²; 3-pole

/000-037

769-103

**Item no.: 769-103/000-038**1-conductor female plug; 4 mm²; 3-pole

/000-038

769-103

**Item no.: 769-103/000-039**1-conductor female plug; 4 mm²; 3-pole

/000-039

769-103

**Item no.: 769-103/022-000**1-conductor female plug; angled; 4 mm²; 3-pole

/022-000

769-103

**Item no.: 769-104**1-conductor female plug; 4 mm²; 4-pole

769-104

**Item no.: 769-104/000-006**1-conductor female plug; 4 mm²; 4-pole

/000-006

769-104

**Item no.: 769-104/000-036**1-conductor female plug; 4 mm²; 4-pole

/000-036

769-104

**Item no.: 769-104/000-037**1-conductor female plug; 4 mm²; 4-pole

/000-037

769-104

**Item no.: 769-104/000-038**1-conductor female plug; 4 mm²; 4-pole

/000-038

769-104

**Item no.: 769-104/000-039**1-conductor female plug; 4 mm²; 4-pole

/000-039

769-104

**Item no.: 769-104/022-000**1-conductor female plug; angled; 4 mm²; 4-pole

/022-000

769-104

**Item no.: 769-105**1-conductor female plug; 4 mm²; 5-pole

769-105

**Item no.: 769-105/000-006**1-conductor female plug; 4 mm²; 5-pole

/000-006

769-105

**Item no.: 769-105/000-036**1-conductor female plug; 4 mm²; 5-pole

/000-036

769-105

**Item no.: 769-105/000-037**1-conductor female plug; 4 mm²; 5-pole

/000-037

769-105

**Item no.: 769-105/000-038**1-conductor female plug; 4 mm²; 5-pole

/000-038

769-105

**Item no.: 769-105/000-039**1-conductor female plug; 4 mm²; 5-pole

/000-039

769-105

**Item no.: 769-105/022-000**1-conductor female plug; angled; 4 mm²; 5-pole

/022-000

769-105

**Item no.: 769-106**1-conductor female plug; 4 mm²; 6-pole

769-106

**Item no.: 769-106/000-006**1-conductor female plug; 4 mm²; 6-pole

/000-006

769-106

**Item no.: 769-106/000-036**1-conductor female plug; 4 mm²; 6-pole

/000-036

769-106

**Item no.: 769-106/000-037**1-conductor female plug; 4 mm²; 6-pole

/000-037

769-106

**Item no.: 769-106/000-038**1-conductor female plug; 4 mm²; 6-pole

/000-038

769-106

**Item no.: 769-106/000-039**

1-conductor female plug; 4 mm²; 6-pole

769-106

/000-039

**Item no.: 769-106/022-000**

1-conductor female plug; angled; 4 mm²; 6-pole

769-106

/022-000

**Item no.: 769-107**

1-conductor female plug; 4 mm²; 7-pole

769-107

**Item no.: 769-107/000-006**

1-conductor female plug; 4 mm²; 7-pole

769-107

/000-006

**Item no.: 769-107/000-036**

1-conductor female plug; 4 mm²; 7-pole

769-107

/000-036

**Item no.: 769-107/000-037**

1-conductor female plug; 4 mm²; 7-pole

769-107

/000-037

**Item no.: 769-107/000-038**

1-conductor female plug; 4 mm²; 7-pole

769-107

/000-038

**Item no.: 769-107/000-039**

1-conductor female plug; 4 mm²; 7-pole

769-107

/000-039

**Item no.: 769-107/022-000**

1-conductor female plug; angled; 4 mm²; 7-pole

769-107

/022-000

**Item no.: 769-108**

1-conductor female plug; 4 mm²; 8-pole

769-108

**Item no.: 769-108/000-006**

1-conductor female plug; 4 mm²; 8-pole

769-108

/000-006

**Item no.: 769-108/000-036**

1-conductor female plug; 4 mm²; 8-pole

769-108

/000-036

**Item no.: 769-108/000-037**

1-conductor female plug; 4 mm²; 8-pole

769-108

/000-037

**Item no.: 769-108/000-038**

1-conductor female plug; 4 mm²; 8-pole

769-108

/000-038

**Item no.: 769-108/000-039**

1-conductor female plug; 4 mm²; 8-pole

769-108

/000-039



Item no.: 769-108/022-000
1-conductor female plug; angled; 4 mm²; 8-pole

769-108
/022-000



Item no.: 769-109
1-conductor female plug; 4 mm²; 9-pole

769-109



Item no.: 769-109/000-006
1-conductor female plug; 4 mm²; 9-pole

769-109
/000-006



Item no.: 769-109/000-036
1-conductor female plug; 4 mm²; 9-pole

769-109
/000-036



Item no.: 769-109/000-037
1-conductor female plug; 4 mm²; 9-pole

769-109
/000-037



Item no.: 769-109/000-038
1-conductor female plug; 4 mm²; 9-pole

769-109
/000-038



Item no.: 769-109/000-039
1-conductor female plug; 4 mm²; 9-pole

769-109
/000-039



Item no.: 769-109/022-000
1-conductor female plug; angled; 4 mm²; 9-pole

769-109
/022-000



Item no.: 769-110
1-conductor female plug; 4 mm²; 10-pole

769-110



Item no.: 769-110/000-006
1-conductor female plug; 4 mm²; 10-pole

769-110
/000-006



Item no.: 769-110/000-036
1-conductor female plug; 4 mm²; 10-pole

769-110
/000-036



Item no.: 769-110/000-037
1-conductor female plug; 4 mm²; 10-pole

769-110
/000-037



Item no.: 769-110/000-038
1-conductor female plug; 4 mm²; 10-pole

769-110
/000-038



Item no.: 769-110/000-039
1-conductor female plug; 4 mm²; 10-pole

769-110
/000-039



Item no.: 769-110/022-000
1-conductor female plug; angled; 4 mm²; 10-pole

769-110
/022-000

Item no.: 769-111



1-conductor female plug; 4 mm²; 11-pole

769-111

**Item no.: 769-111/000-006**

1-conductor female plug; 4 mm²; 11-pole

/000-006

769-111

**Item no.: 769-111/000-036**

1-conductor female plug; 4 mm²; 11-pole

/000-036

769-111

**Item no.: 769-111/000-037**

1-conductor female plug; 4 mm²; 11-pole

/000-037

769-111

**Item no.: 769-111/000-038**

1-conductor female plug; 4 mm²; 11-pole

/000-038

769-111

**Item no.: 769-111/000-039**

1-conductor female plug; 4 mm²; 11-pole

/000-039

769-111

**Item no.: 769-111/022-000**

1-conductor female plug; angled; 4 mm²; 11-pole

/022-000

769-111

**Item no.: 769-112**

1-conductor female plug; 4 mm²; 12-pole

769-112

**Item no.: 769-112/000-006**

1-conductor female plug; 4 mm²; 12-pole

/000-006

769-112

**Item no.: 769-112/000-036**

1-conductor female plug; 4 mm²; 12-pole

/000-036

769-112

**Item no.: 769-112/000-037**

1-conductor female plug; 4 mm²; 12-pole

/000-037

769-112

**Item no.: 769-112/000-038**

1-conductor female plug; 4 mm²; 12-pole

/000-038

769-112

**Item no.: 769-112/000-039**

1-conductor female plug; 4 mm²; 12-pole

/000-039

769-112

**Item no.: 769-112/022-000**

1-conductor female plug; angled; 4 mm²; 12-pole

/022-000

769-112

**Item no.: 769-113**

1-conductor female plug; 4 mm²; 13-pole

769-113

	Item no.: 769-113/000-036 1-conductor female plug; 4 mm ² ; 13-pole	/000-036	769-113
	Item no.: 769-113/000-037 1-conductor female plug; 4 mm ² ; 13-pole	/000-037	769-113
	Item no.: 769-113/000-038 1-conductor female plug; 4 mm ² ; 13-pole	/000-038	769-113
	Item no.: 769-113/000-039 1-conductor female plug; 4 mm ² ; 13-pole	/000-039	769-113
	Item no.: 769-113/022-000 1-conductor female plug; angled; 4 mm ² ; 13-pole	/022-000	769-113
	Item no.: 769-114 1-conductor female plug; 4 mm ² ; 14-pole		769-114
	Item no.: 769-114/000-006 1-conductor female plug; 4 mm ² ; 14-pole	/000-006	769-114
	Item no.: 769-114/000-036 1-conductor female plug; 4 mm ² ; 14-pole	/000-036	769-114
	Item no.: 769-114/000-037 1-conductor female plug; 4 mm ² ; 14-pole	/000-037	769-114
	Item no.: 769-114/000-038 1-conductor female plug; 4 mm ² ; 14-pole	/000-038	769-114
	Item no.: 769-114/000-039 1-conductor female plug; 4 mm ² ; 14-pole	/000-039	769-114
	Item no.: 769-114/022-000 1-conductor female plug; angled; 4 mm ² ; 14-pole	/022-000	769-114
	Item no.: 769-115 1-conductor female plug; 4 mm ² ; 15-pole		769-115
	Item no.: 769-115/000-036 1-conductor female plug; 4 mm ² ; 15-pole	/000-036	769-115
	Item no.: 769-115/000-037 1-conductor female plug; 4 mm ² ; 15-pole	/000-037	769-115



Item no.: 769-115/000-038
1-conductor female plug; 4 mm²; 15-pole

/000-038

769-115



Item no.: 769-115/000-039
1-conductor female plug; 4 mm²; 15-pole

/000-039

769-115



Item no.: 769-115/022-000
1-conductor female plug; angled; 4 mm²; 15-pole

/022-000

769-115

Jumper



Item no.: 210-103
Wire commoning chain; insulated; 50 connections

210-103



Item no.: 709-110
Wire commoning chain; insulated; 4 connections; 3 x 110 mm

709-110



Item no.: 709-111
Wire commoning chain; insulated; 3 connections; 2 x 120 mm

709-111



Item no.: 709-112
Wire commoning chain; insulated; 3 connections; 2 x 170 mm

709-112



Item no.: 870-402
Push-in type jumper bar; insulated; 2-way; Nominal current 18 A

870-402



Item no.: 870-403
Push-in type jumper bar; insulated; 3-way; Nominal current 18 A

870-403

Item no.: 870-404
Push-in type jumper bar; insulated; 4-way; Nominal current 18 A

870-404



Item no.: 870-405
Push-in type jumper bar; insulated; 5-way; Nominal current 18 A

870-405

Item no.: 870-405/011-000
Ready-made push-in type jumper bar; insulated; 3-way (1-3-5); Nominal current 18 A

/011-000

870-405



Item no.: 870-406
Push-in type jumper bar; insulated; 6-way; Nominal current 18 A

870-406



Item no.: 870-407
Push-in type jumper bar; insulated; 7-way; Nominal current 18 A

870-407

Item no.: 870-407/011-000
Ready-made push-in type jumper bar; insulated; 3-way (1-3-5); Nominal current 18 A

/011-000

870-407



Item no.: 870-408
Push-in type jumper bar; insulated; 8-way; Nominal current 18 A

870-408



Item no.: 870-409
Push-in type jumper bar; insulated; 9-way; Nominal current 18 A

870-409

Item no.: 870-409/011-000
Ready-made push-in type jumper bar; insulated; 3-way (1-3-5); Nominal current 18 A

/011-000

870-409

	Item no.: 870-410 Push-in type jumper bar; insulated; 10-way; Nominal current 18 A	870-410
	Item no.: 870-433 Push-in type jumper bar; insulated; from 1 to 3; Nominal current 18 A	870-433
	Item no.: 870-434 Push-in type jumper bar; insulated; from 1 to 4; Nominal current 18 A	870-434
	Item no.: 870-435 Push-in type jumper bar; insulated; from 1 to 5; Nominal current 18 A	870-435
	Item no.: 870-440 Push-in type jumper bar; insulated; from 1 to 10; Nominal current 18 A	870-440
Marking accessories		
	Item no.: 2009-115 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115
	Item no.: 2009-115/000-002 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115 /000-002
	Item no.: 2009-115/000-006 WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115 /000-006
	Item no.: 2009-115/000-007 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115 /000-007
	Item no.: 2009-115/000-012 WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115 /000-012
	Item no.: 2009-115/000-017 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115 /000-017
	Item no.: 2009-115/000-023 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115 /000-023
	Item no.: 2009-115/000-024 WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115 /000-024
	Item no.: 2009-145 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-002 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145 /000-002
	Item no.: 2009-145/000-005 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145 /000-005

	Item no.: 2009-145/000-006 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	/000-006	2009-145
	Item no.: 2009-145/000-007 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	/000-007	2009-145
	Item no.: 2009-145/000-012 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	/000-012	2009-145
	Item no.: 2009-145/000-023 Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	/000-023	2009-145
	Item no.: 2009-145/000-024 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	/000-024	2009-145
	Item no.: 2009-198 Adaptor		2009-198
	Item no.: 248-501 Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card		248-501
	Item no.: 248-501/000-002 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	/000-002	248-501
	Item no.: 248-501/000-005 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	/000-005	248-501
	Item no.: 248-501/000-006 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	/000-006	248-501
	Item no.: 248-501/000-007 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	/000-007	248-501
	Item no.: 248-501/000-012 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	/000-012	248-501
	Item no.: 248-501/000-017 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	/000-017	248-501
	Item no.: 248-501/000-023 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	/000-023	248-501
	Item no.: 248-501/000-024 Mini-WSB marking card; as card; not stretchable; plain; snap-on type	/000-024	248-501
	Item no.: 793-501		



WMB marking card; as card; not stretchable; plain; snap-on type

793-501

**Item no.: 793-501/000-002**

793-501

WMB marking card; as card; not stretchable; plain; snap-on type

/000-002

**Item no.: 793-501/000-005**

793-501

WMB marking card; as card; not stretchable; plain; snap-on type

/000-005

**Item no.: 793-501/000-006**

793-501

WMB marking card; as card; not stretchable; plain; snap-on type

/000-006

**Item no.: 793-501/000-007**

793-501

WMB marking card; as card; not stretchable; plain; snap-on type

/000-007

**Item no.: 793-501/000-012**

793-501

WMB marking card; as card; not stretchable; plain; snap-on type

/000-012

**Item no.: 793-501/000-017**

793-501

WMB marking card; as card; not stretchable; plain; snap-on type

/000-017

**Item no.: 793-501/000-023**

793-501

WMB marking card; as card; not stretchable; plain; snap-on type

/000-023

**Item no.: 793-501/000-024**

793-501

WMB marking card; as card; not stretchable; plain; snap-on type

/000-024

**Item no.: 793-5501**

793-5501

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

**Item no.: 793-5501/000-002**

793-5501

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

/000-002

**Item no.: 793-5501/000-005**

793-5501

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-005

**Item no.: 793-5501/000-006**

793-5501

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-006

**Item no.: 793-5501/000-007**

793-5501

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-007

**Item no.: 793-5501/000-012**

793-5501

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-012



Item no.: 793-5501/000-017
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-017

793-5501



Item no.: 793-5501/000-023
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-023

793-5501



Item no.: 793-5501/000-024
WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

/000-024

793-5501

Coding



Item no.: 769-435
Coding pin; for coding of female plugs; for carrier terminal blocks / male connectors

769-435

assembling



Item no.: 209-106
Mounting carrier; for isolated mounting on DIN 35 rails

209-106

Downloads

Documentation

Bid Text

870-158

doc
25.6 kB

Download

Additional Information

pdf
2.1 MB

Download

CAD/CAE - Smart Data

CAD data

3D Download 870-158

URL

Download

Product family

X-COMLearn more about the product family.Show all products from the family



Subject to changes.
