

Data sheet | Item number: 887-923

Splicing Connector Set; L-BOXX® 102; Serie 221 - 4mm² & 6mm², 2773, 224, 243

www.wago.com/887-923



Item description

L-BOXX® 102 now with transparent cover

Contains:

COMPACT splicing connector; 0.2 ... 4 mm²; transparent

- 100 x 2-conductor 221 412
- 50 x 3-conductor 221 413
- 25 x 5-conductor 221 415

COMPACT splicing connector; 0.5 ... 6 mm²; transparent

- 30 x 3-conductor 221 613

2-conductor lighting connector; 1 ... 2.5 mm² "s"; white

- 100 x 224 112

MICRO PUSH WIRE® connector for junction boxes; Ø 0.6 ... 0.8 mm

- 100 x 4-conductor (dark gray) 243 204

—
Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at (262) 255-6222 or 1 800-DIN-RAIL.



- 50 x 8-conductor(dark gray) 243 208

COMPACT splicing connector; 0.75 ... 4 mm²

- 100 x 3-conductor (orange) 2773 403
- 60 x 5-conductor (yellow) 2773 405
- 40 x 8-conductor (light gray) 2773 408

Mounting carrier; for 2-, 3- and 5-wire splicing connectors (4 mm²); orange

- 1 x 221 500

Mounting carrier; for 2-, 3- and 5-wire splicing connectors (6 mm²); orange

- 1 x 221 510

Mounting carrier; for single- and double-row connectors; orange

- 1 x 2773 500

Data

Physical data

Width	442 mm / 17.402 inch
Height	117 mm / 4.606 inch
Depth	357 mm / 14.055 inch

Material data

Fire load	17.935 MJ
Weight	3802.8 g

Commercial data

Packaging type	BOX
Country of origin	QU
GTIN	4055144084245
Customs tariff number	80808080888

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at (262) 255-6222 or 1 800-DIN-RAIL.



Downloads
Environmental Product Compliance
Compliance Search

Environmental Product Compliance 887-923	URL	Download
Splicing Connector Set; L-BOXX® 102; Serie 221 - 4mm² & 6mm², 2773, 224, 243		

Installation Notes

Subject to changes. Please also observe the further product documentation!