

William Kuang Residence

Marvin Ultimate replacement Black exterior

Quote #: FHNRVGR

A Proposal for Window and Door Products prepared for:

Shipping Address:

J B SASH & DOOR CO INC-CIR
280 2ND ST
CHELSEA, MA 02150-1710



ANDREW CLARK
J B SASH & DOOR CO INC-CIR
280 2ND ST
CHELSEA, MA 02150-1710
Phone: (617) 828-7554

Email: andrewc@jbsash.com

This report was generated on 12/3/2025 12:06:35 PM using the Marvin Order Management System, version 0004.18.01 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

Project Description:

46 Mt. Vernon Street, Somerville, MA 02145


Featuring products from:



LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: 1st Floor Kitchen #1-3	Net Price:		1,588.47
Qty: 3		Ext. Net Price:	USD	4,765.41



As Viewed From The Exterior

FS 30 1/4" X 61 41/64"

IO 30 5/8" X 61"

Egress Information

Width: 26 9/16" Height: 25 49/64"

Net Clear Opening: 4.75 SqFt

Performance Information

U-Factor: 0.3

Solar Heat Gain Coefficient: 0.2

Visible Light Transmittance: 0.47

Condensation Resistance: 55

CPD Number: MAR-N-441-01487-00001

ENERGY STAR: S

Performance Grade

Licensee #1149

AAMA/WDMA/CSA/101/I.S.2/A440-11

LC-PG50 1153X2215 mm (45.38X87.19 in)

Water Resistance: 7.52 psf

LC-PG50 DP +50/-50

FL28134


Ebony Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Double Hung Insert G2
Inside Opening 30 5/8" X 61"
14° Degree Frame Bevel
Glass Add For All Sash/Panels
Top Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
Bottom Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
White Interior Weather Strip Package
Black Exterior Weather Strip Package
White Sash Lock
White Top Sash Strike Plate Assembly Color
Extruded Aluminum Half Screen
Ebony Surround
Bright View Mesh
3 1/4" Jambs

***Note: Unit Availability and Price is Subject to Change

Line #2	Mark Unit: 1st Floor Kitchen #4-6	Net Price:		1,492.31
Qty: 2		Ext. Net Price:	USD	2,984.62



Ebony Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Double Hung Insert G2
Inside Opening 30 5/8" X 49"
14° Degree Frame Bevel
Glass Add For All Sash/Panels
Top Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon



As Viewed From The Exterior

FS 30 1/4" X 49 41/64"

IO 30 5/8" X 49"

Egress Information

Width: 26 9/16" Height: 19 49/64"

Net Clear Opening: 3.65 SqFt

Performance Information

U-Factor: 0.3

Solar Heat Gain Coefficient: 0.2

Visible Light Transmittance: 0.47

Condensation Resistance: 55

CPD Number: MAR-N-441-01487-00001

ENERGY STAR: S

Performance Grade

Licensee #1149

AAMA/WDMA/CSA/101/I.S.2/A440-11

LC-PG50 1153X2215 mm (45.38X87.19 in)

Water Resistance: 7.52 psf

LC-PG50 DP +50/-50


FL28134

Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
Bottom Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
White Interior Weather Strip Package
Black Exterior Weather Strip Package
White Sash Lock
White Top Sash Strike Plate Assembly Color
Extruded Aluminum Half Screen
Ebony Surround
Bright View Mesh

3 1/4" Jambs

***Note: Unit Availability and Price is Subject to Change

Line #3	Mark Unit: 1st Floor Dinning room #1-3	Net Price:		1,632.69
Qty: 3		Ext. Net Price:	USD	4,898.07



As Viewed From The Exterior

FS 30 1/4" X 65 41/64"

IO 30 5/8" X 65"

Egress Information

Width: 26 9/16" Height: 27 49/64"

Net Clear Opening: 5.12 SqFt

Performance Information


Ebony Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Double Hung Insert G2
Inside Opening 30 5/8" X 65"
14° Degree Frame Bevel
Glass Add For All Sash/Panels
Top Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
Bottom Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
White Interior Weather Strip Package
Black Exterior Weather Strip Package
White Sash Lock
White Top Sash Strike Plate Assembly Color
Extruded Aluminum Half Screen

U-Factor: 0.3
Solar Heat Gain Coefficient: 0.2
Visible Light Transmittance: 0.47
Condensation Resistance: 55
CPD Number: MAR-N-441-01487-00001
ENERGY STAR: S
Performance Grade
Licensee #1149
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG50 1153X2215 mm (45.38X87.19 in)
Water Resistance: 7.52 psf
LC-PG50 DP +50/-50
FL28134

Ebony Surround
Bright View Mesh
3 1/4" Jambs
***Note: Unit Availability and Price is Subject to Change

Line #4	Mark Unit: 1st Floor Hall #1	Net Price:		1,861.54
Qty: 1		Ext. Net Price:	USD	1,861.54

MARVIN 



As Viewed From The Exterior


FS 39 1/4" X 65 41/64"
IO 39 5/8" X 65"
Egress Information
Width: 35 9/16" Height: 27 49/64"
Net Clear Opening: 6.86 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.2
Visible Light Transmittance: 0.47
Condensation Resistance: 55
CPD Number: MAR-N-441-01487-00001
ENERGY STAR: S
Performance Grade
Licensee #1149
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG50 1153X2215 mm (45.38X87.19 in)
Water Resistance: 7.52 psf
LC-PG50 DP +50/-50
FL28134

Ebony Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Double Hung Insert G2
Inside Opening 39 5/8" X 65"
14° Degree Frame Bevel
Glass Add For All Sash/Panels
Top Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
Bottom Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
White Interior Weather Strip Package
Black Exterior Weather Strip Package
White Sash Lock
White Top Sash Strike Plate Assembly Color
Extruded Aluminum Half Screen
Ebony Surround
Bright View Mesh
3 1/4" Jambs
***Note: Unit Availability and Price is Subject to Change

Line #5	Mark Unit: 1st Floor Livingroom #1	Net Price:		1,635.58
Qty: 1		Ext. Net Price:	USD	1,635.58

MARVIN 

Ebony Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Double Hung Insert G2



As Viewed From The Exterior

FS 32 5/8" X 65 41/64"

IO 33" X 65"

Egress Information

Width: 28 15/16" Height: 27 49/64"

Net Clear Opening: 5.58 SqFt

Performance Information

U-Factor: 0.3

Solar Heat Gain Coefficient: 0.2

Visible Light Transmittance: 0.47

Condensation Resistance: 55

CPD Number: MAR-N-441-01487-00001

ENERGY STAR: S

Performance Grade

Licensee #1149

AAMA/WDMA/CSA/101/I.S.2/A440-11

LC-PG50 1153X2215 mm (45.38X87.19 in)

Water Resistance: 7.52 psf

LC-PG50 DP +50/-50

FL28134

Inside Opening 33" X 65"

14° Degree Frame Bevel

Glass Add For All Sash/Panels

Top Sash

Ebony Clad Sash Exterior

Painted Interior Finish - White - Pine Sash Interior

IG - 1 Lite

Low E3 w/Argon

Black Stainless Steel Perimeter Bar

Ogee Interior Glazing Profile

Bottom Sash

Ebony Clad Sash Exterior

Painted Interior Finish - White - Pine Sash Interior

IG - 1 Lite

Low E3 w/Argon

Black Stainless Steel Perimeter Bar

Ogee Interior Glazing Profile

White Interior Weather Strip Package

Black Exterior Weather Strip Package

White Sash Lock

White Top Sash Strike Plate Assembly Color

Extruded Aluminum Half Screen


Ebony Surround

Bright View Mesh

3 1/4" Jambs

***Note: Unit Availability and Price is Subject to Change

Line #6	Mark Unit: 1st Floor Livingroom #2-3	Net Price:		1,587.51
Qty: 2		Ext. Net Price:	USD	3,175.02



As Viewed From The Exterior

FS 27 1/4" X 65 41/64"

IO 27 5/8" X 65"

Egress Information

Width: 23 9/16" Height: 27 49/64"

Net Clear Opening: 4.54 SqFt

Performance Information

Ebony Clad Exterior

Painted Interior Finish - White - Pine Interior

Ultimate Double Hung Insert G2

Inside Opening 27 5/8" X 65"

14° Degree Frame Bevel

Glass Add For All Sash/Panels

Top Sash

Ebony Clad Sash Exterior

Painted Interior Finish - White - Pine Sash Interior

IG - 1 Lite

Low E3 w/Argon

Black Stainless Steel Perimeter Bar

Ogee Interior Glazing Profile

Bottom Sash

Ebony Clad Sash Exterior

Painted Interior Finish - White - Pine Sash Interior

IG - 1 Lite

Low E3 w/Argon

Black Stainless Steel Perimeter Bar

Ogee Interior Glazing Profile

White Interior Weather Strip Package

Black Exterior Weather Strip Package

White Sash Lock


White Top Sash Strike Plate Assembly Color

Extruded Aluminum Half Screen

U-Factor: 0.3
Solar Heat Gain Coefficient: 0.2
Visible Light Transmittance: 0.47
Condensation Resistance: 55
CPD Number: MAR-N-441-01487-00001
ENERGY STAR: S
Performance Grade
Licensee #1149
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG50 1153X2215 mm (45.38X87.19 in)
Water Resistance: 7.52 psf
LC-PG50 DP +50/-50
FL28134

Ebony Surround
Bright View Mesh
3 1/4" Jambs
***Note: Unit Availability and Price is Subject to Change

Line #7	Mark Unit: 1st Floor Livingroom #4-5	Net Price:		1,630.77
Qty: 2		Ext. Net Price:	USD	3,261.54



As Viewed From The Exterior


FS 29 1/4" X 65 41/64"
IO 29 5/8" X 65"
Egress Information
Width: 25 9/16" Height: 27 49/64"
Net Clear Opening: 4.93 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.2
Visible Light Transmittance: 0.47
Condensation Resistance: 55
CPD Number: MAR-N-441-01487-00001
ENERGY STAR: S
Performance Grade
Licensee #1149
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG50 1153X2215 mm (45.38X87.19 in)
Water Resistance: 7.52 psf
LC-PG50 DP +50/-50
FL28134

Ebony Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Double Hung Insert G2
Inside Opening 29 5/8" X 65"
14° Degree Frame Bevel
Glass Add For All Sash/Panels
Top Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
Bottom Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
White Interior Weather Strip Package
Black Exterior Weather Strip Package
White Sash Lock
White Top Sash Strike Plate Assembly Color
Extruded Aluminum Half Screen
Ebony Surround
Bright View Mesh
3 1/4" Jambs
***Note: Unit Availability and Price is Subject to Change

Line #8	Mark Unit: 1st Floor Family #1-2	Net Price:		1,632.69
Qty: 2		Ext. Net Price:	USD	3,265.38



Ebony Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Double Hung Insert G2



As Viewed From The Exterior

FS 30 1/4" X 65 41/64"

IO 30 5/8" X 65"

Egress Information

Width: 26 9/16" Height: 27 49/64"

Net Clear Opening: 5.12 SqFt

Performance Information

U-Factor: 0.3

Solar Heat Gain Coefficient: 0.2

Visible Light Transmittance: 0.47

Condensation Resistance: 55

CPD Number: MAR-N-441-01487-00001

ENERGY STAR: S

Performance Grade

Licensee #1149

AAMA/WDMA/CSA/101/I.S.2/A440-11

LC-PG50 1153X2215 mm (45.38X87.19 in)

Water Resistance: 7.52 psf

LC-PG50 DP +50/-50

FL28134

Inside Opening 30 5/8" X 65"

14° Degree Frame Bevel

Glass Add For All Sash/Panels

Top Sash

Ebony Clad Sash Exterior

Painted Interior Finish - White - Pine Sash Interior

IG - 1 Lite

Low E3 w/Argon

Black Stainless Steel Perimeter Bar

Ogee Interior Glazing Profile

Bottom Sash

Ebony Clad Sash Exterior

Painted Interior Finish - White - Pine Sash Interior

IG - 1 Lite

Low E3 w/Argon

Black Stainless Steel Perimeter Bar

Ogee Interior Glazing Profile

White Interior Weather Strip Package

Black Exterior Weather Strip Package

White Sash Lock

White Top Sash Strike Plate Assembly Color

Extruded Aluminum Half Screen

Ebony Surround


Bright View Mesh

3 1/4" Jambs

***Note: Unit Availability and Price is Subject to Change

Line #9	Mark Unit: 1st Floor Family #3-4	Net Price:		1,515.39
Qty: 2		Ext. Net Price:	USD	3,030.78

MARVIN 



As Viewed From The Exterior

FS 23 1/4" X 65 41/64"

IO 23 5/8" X 65"

Egress Information

Width: 19 9/16" Height: 27 49/64"

Net Clear Opening: 3.77 SqFt

Performance Information

Ebony Clad Exterior

Painted Interior Finish - White - Pine Interior

Ultimate Double Hung Insert G2

Inside Opening 23 5/8" X 65"

14° Degree Frame Bevel

Glass Add For All Sash/Panels

Top Sash

Ebony Clad Sash Exterior

Painted Interior Finish - White - Pine Sash Interior

IG - 1 Lite

Low E3 w/Argon

Black Stainless Steel Perimeter Bar

Ogee Interior Glazing Profile

Bottom Sash

Ebony Clad Sash Exterior

Painted Interior Finish - White - Pine Sash Interior

IG - 1 Lite

Low E3 w/Argon

Black Stainless Steel Perimeter Bar

Ogee Interior Glazing Profile

White Interior Weather Strip Package

Black Exterior Weather Strip Package

White Sash Lock

White Top Sash Strike Plate Assembly Color


Extruded Aluminum Half Screen

U-Factor: 0.3
Solar Heat Gain Coefficient: 0.2
Visible Light Transmittance: 0.47
Condensation Resistance: 55
CPD Number: MAR-N-441-01487-00001
ENERGY STAR: S
Performance Grade
Licensee #1149
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG50 1153X2215 mm (45.38X87.19 in)
Water Resistance: 7.52 psf
LC-PG50 DP +50/-50
FL28134

Ebony Surround
Bright View Mesh
3 1/4" Jambs
*****Note: Unit Availability and Price is Subject to Change**

Line #10	Mark Unit: 1st Floor Family #5	Net Price:		1,636.54
Qty: 1		Ext. Net Price:	USD	1,636.54

MARVIN 



As Viewed From The Exterior


FS 33 1/4" X 65 41/64"
IO 33 5/8" X 65"
Egress Information
Width: 29 9/16" Height: 27 49/64"
Net Clear Opening: 5.70 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.2
Visible Light Transmittance: 0.47
Condensation Resistance: 55
CPD Number: MAR-N-441-01487-00001
ENERGY STAR: S
Performance Grade
Licensee #1149
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG50 1153X2215 mm (45.38X87.19 in)
Water Resistance: 7.52 psf
LC-PG50 DP +50/-50
FL28134

Ebony Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Double Hung Insert G2
Inside Opening 33 5/8" X 65"
14° Degree Frame Bevel
Glass Add For All Sash/Panels
Top Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
Bottom Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
White Interior Weather Strip Package
Black Exterior Weather Strip Package
White Sash Lock
White Top Sash Strike Plate Assembly Color
Extruded Aluminum Half Screen
Ebony Surround
Bright View Mesh
3 1/4" Jambs
*****Note: Unit Availability and Price is Subject to Change**

Line #11	Mark Unit: 2nd Closet #1	Net Price:		893.27
Qty: 1		Ext. Net Price:	USD	893.27

MARVIN 

Ebony Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Direct Glaze Narrow Frame Rectangle




As Viewed From The Exterior

FS 19" X 27"
RO 20" X 27 1/2"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.28
Solar Heat Gain Coefficient: 0.36
Visible Light Transmittance: 0.62
Condensation Resistance: 57
CPD Number: MAR-N-440-04727-00001
Performance Grade
Licensee #1117
AAMA/WDMA/CSA/101/ I.S.2/A440-08
CW-PG50 1930X3048 mm (76X120 in)
Water Resistance: 7.52 psf
Deflection at Certified Size and Performance: 1.27
CW-PG50 DP +50/-50
FL38016

Frame Size 19" X 27"
Rough Opening 20" X 27 1/2"
IG - 1 Lite
Low E2 w/Argon
Black Stainless Steel Perimeter Bar
Putty Exterior Glazing Profile
2 3/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Line #12	Mark Unit: 2nd Closet #2-3	Net Price:		1,632.69
Qty: 2		Ext. Net Price:	USD	3,265.38



As Viewed From The Exterior

FS 30 1/4" X 65 41/64"
IO 30 5/8" X 65"
Egress Information
Width: 26 9/16" Height: 27 49/64"
Net Clear Opening: 5.12 SqFt
Performance Information
U-Factor: 0.3

Ebony Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Double Hung Insert G2
Inside Opening 30 5/8" X 65"
14° Degree Frame Bevel
Glass Add For All Sash/Panels
Top Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
Bottom Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
White Interior Weather Strip Package
Black Exterior Weather Strip Package
White Sash Lock
White Top Sash Strike Plate Assembly Color
Extruded Aluminum Half Screen
Ebony Surround


Solar Heat Gain Coefficient: 0.2
Visible Light Transmittance: 0.47
Condensation Resistance: 55
CPD Number: MAR-N-441-01487-00001
ENERGY STAR: S

Performance Grade

Licensee #1149
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG50 1153X2215 mm (45.38X87.19 in)
Water Resistance: 7.52 psf
LC-PG50 DP +50/-50
FL28134

Bright View Mesh
3 1/4" Jamb
***Note: Unit Availability and Price is Subject to Change

Line #13	Mark Unit: 2nd Kitchen #1-2	Net Price:		1,403.85
Qty: 2		Ext. Net Price:	USD	2,807.70



As Viewed From The Exterior

FS 27 1/4" X 45 41/64"

IO 27 5/8" X 45"

Egress Information

Width: 23 9/16" Height: 17 49/64"

Net Clear Opening: 2.91 SqFt

Performance Information

U-Factor: 0.3
Solar Heat Gain Coefficient: 0.2
Visible Light Transmittance: 0.47
Condensation Resistance: 55
CPD Number: MAR-N-441-01487-00001
ENERGY STAR: S

Performance Grade

Licensee #1149
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG50 1153X2215 mm (45.38X87.19 in)
Water Resistance: 7.52 psf
LC-PG50 DP +50/-50
FL28134


Ebony Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Double Hung Insert G2
Inside Opening 27 5/8" X 45"
14° Degree Frame Bevel
Glass Add For All Sash/Panels
Top Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
Bottom Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
White Interior Weather Strip Package
Black Exterior Weather Strip Package
White Sash Lock
White Top Sash Strike Plate Assembly Color
Extruded Aluminum Half Screen
Ebony Surround
Bright View Mesh
3 1/4" Jamb

***Note: Unit Availability and Price is Subject to Change

Line #14	Mark Unit: 2nd Bed 1 #1-2	Net Price:		1,492.31
Qty: 2		Ext. Net Price:	USD	2,984.62



Ebony Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Double Hung Insert G2
Inside Opening 30 5/8" X 49"



As Viewed From The Exterior

FS 30 1/4" X 49 41/64"

IO 30 5/8" X 49"

Egress Information

Width: 26 9/16" Height: 19 49/64"

Net Clear Opening: 3.65 SqFt

Performance Information

U-Factor: 0.3

Solar Heat Gain Coefficient: 0.2

Visible Light Transmittance: 0.47

Condensation Resistance: 55

CPD Number: MAR-N-441-01487-00001

ENERGY STAR: S

Performance Grade

Licensee #1149

AAMA/WDMA/CSA/101/I.S.2/A440-11

LC-PG50 1153X2215 mm (45.38X87.19 in)

Water Resistance: 7.52 psf

LC-PG50 DP +50/-50


FL28134

14° Degree Frame Bevel
Glass Add For All Sash/Panels
Top Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
Bottom Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
White Interior Weather Strip Package
Black Exterior Weather Strip Package
White Sash Lock
White Top Sash Strike Plate Assembly Color
Extruded Aluminum Half Screen
Ebony Surround
Bright View Mesh
3 1/4" Jambs

***Note: Unit Availability and Price is Subject to Change

Line #15	Mark Unit: 2nd Bed 2 #1	Net Price:		1,405.77
Qty: 1		Ext. Net Price:	USD	1,405.77

MARVIN 



As Viewed From The Exterior

FS 30 1/4" X 45 41/64"

IO 30 5/8" X 45"

Egress Information

Width: 26 9/16" Height: 17 49/64"

Net Clear Opening: 3.28 SqFt

Performance Information


Ebony Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Double Hung Insert G2
Inside Opening 30 5/8" X 45"
14° Degree Frame Bevel
Glass Add For All Sash/Panels
Top Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
Bottom Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
White Interior Weather Strip Package
Black Exterior Weather Strip Package
White Sash Lock
White Top Sash Strike Plate Assembly Color
Extruded Aluminum Half Screen

U-Factor: 0.3
Solar Heat Gain Coefficient: 0.2
Visible Light Transmittance: 0.47
Condensation Resistance: 55
CPD Number: MAR-N-441-01487-00001
ENERGY STAR: S
Performance Grade
Licensee #1149
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG50 1153X2215 mm (45.38X87.19 in)
Water Resistance: 7.52 psf
LC-PG50 DP +50/-50
FL28134

Ebony Surround
Bright View Mesh
3 1/4" Jambs
*****Note: Unit Availability and Price is Subject to Change**

Line #16	Mark Unit: 2nd Bed 3 #1-2	Net Price:		1,492.31
Qty: 2		Ext. Net Price:	USD	2,984.62

MARVIN 



As Viewed From The Exterior

FS 30 1/4" X 49 41/64"
IO 30 5/8" X 49"
Egress Information
Width: 26 9/16" Height: 19 49/64"
Net Clear Opening: 3.65 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.2
Visible Light Transmittance: 0.47
Condensation Resistance: 55
CPD Number: MAR-N-441-01487-00001
ENERGY STAR: S
Performance Grade
Licensee #1149
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG50 1153X2215 mm (45.38X87.19 in)
Water Resistance: 7.52 psf
LC-PG50 DP +50/-50
FL28134

Ebony Clad Exterior
Painted Interior Finish - White - Pine Interior
Ultimate Double Hung Insert G2
Inside Opening 30 5/8" X 49"
14° Degree Frame Bevel
Glass Add For All Sash/Panels
Top Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
Bottom Sash
Ebony Clad Sash Exterior
Painted Interior Finish - White - Pine Sash Interior
IG - 1 Lite
Low E3 w/Argon
Black Stainless Steel Perimeter Bar
Ogee Interior Glazing Profile
White Interior Weather Strip Package
Black Exterior Weather Strip Package
White Sash Lock
White Top Sash Strike Plate Assembly Color
Extruded Aluminum Half Screen
Ebony Surround
Bright View Mesh
3 1/4" Jambs
*****Note: Unit Availability and Price is Subject to Change**

Line #17	Mark Unit: Installation	Net Price:		16,500.00
Qty: 1		Ext. Net Price:	USD	16,500.00

Removal and disposal of existing windows. Removal of weight and pullies. Insulate weight pockets. install 29 replacement windows into existing frames. cleaning up of all debris from jobsite, all permits needed

Project Subtotal Net Price: USD	44,855.84
Non-Taxable Labor: USD	16,500.00
6.250% Sales Tax: USD	2,803.49
Project Total Net Price: USD	64,159.33

TERMS AND CONDITIONS

PRODUCT AND PERFORMANCE INFORMATION

NFRC Ratings:


NFRC energy ratings may vary depending on the exact configuration of glass thickness used on the unit. NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements. NFRC values and ratings are finalized on the date of manufacture.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform rating system for the energy performance of fenestration products, including windows, doors and skylights. For additional information regarding this rating system, see www.nfrc.org.

Code (residential, building or energy) Compliance:

Determining the suitability and compliance with state, provincial, local, or other applicable building codes or standards, including energy codes, is the responsibility of the buyer, user, architect, contractor, installer, and/or other construction professional.

2021 IECC Climate Zone Map:



ENERGY STAR Version 7 Climate Zone Map:

