Remove and replace the rotted and deteriorated wood on the existing back porch of the residential property.
The work includes removal of damaged wood, installation of new exterior-grade replacement wood, and cleanup of debris from the work area.









- Premium Grade Southern Yellow Pine
- Above Ground
- Actual: 1-in x 5.5-in x 12-ft
- Treated for protection against fungal decay, rot and termites
- Treatment meets AWPA (American Wood Protection Association) standards
- Limited lifetime warranty that protects against rot, decay, and wood ingesting insects
- Ideal choice for decks, gazebos and other above ground exterior projects
- Can be primed and painted or stained
- Hot-dip galvanized fasteners are recommended

https://www.lowes.com/pd/Severe-Weather-Common-5-4-in-x-6-in-x-12-ft-Actual-1-in-x-5-5-in-x-12-ft-Premium-Treated-Treated-Deck-Board/4564794



Pressure treated pre-assembled pine handrail section. Ideal for decks, gazebos and above ground exterior projects.

- Southern yellow pine molded for a smooth feel and a finished look
- Severe Weather Above Ground pressure treated exterior wood
- When installing, position the rail section with the angle side of the balusters facing the inside of the deck and the screws facing the outside of the deck
- Lifetime limited warranty protects against damage by fungal decay and termite attack
- For optimal performance, allow treated wood to dry thoroughly before applying stain, paint or sealant coatings
- Use building code approved fasteners and hardware; hot-dipped galvanized or stainless-steel is recommended
- Treatment meets American Wood Protection Association (AWPA) standards and is building code compliant (IRC and IBC)

https://www.lowes.com/pd/Severe-Weather-Assembled-6-ft-x-2-69-ft-Pressure-Treated-Pressure-Treated-Pine-Deck-Rail-Kit-with-Balusters/50279767