115 SYCAMORE STREET – NEW SCHOOL BUILDING

VISION, SPACES & ORGANIZATIONAL DIAGRAM

Visioning Goals & Guiding Principals


1. Sm School Feel - separate grade grouping
2. Whole Child - wellness & sensory supports
3. DEI – varied, integrated/visible programs
4. Flexible/Adaptable & Foster Collaboration
5. A Community Hub inside and out
6. Environment to Foster Pride/Ownership

Space Summary (Highlights)

- Newcomer Academy Classrooms
- Purposeful Special Needs/Support Spaces
- Integrated Respite & Regulation Spaces
- After School Program Space
- SFLC (incl. food pantry + 2nd-hand clothes)

Planning (Highlights)

- Shared Commons & Community Use Zone
- Separate Elementary & Middle Grades
- Pattern of Learning Neighborhoods
- Integrated Collaboration & Small Group



What Does Neuro-Diverse Design Look Like?

- A shared/common experience for all abilities
- Smooth, calming transitions & movement (slow reveal)
- Warm, welcoming aesthetics & themes
- Calming forms, colors, materials & biophilic elements
- Eased intersections slow reveal along corridors
- Diversity of spaces & choice (but not too much)
- Scaled, flexible/adjustable spaces
- High-quality acoustics & visual intelligibility
- Support sensory regulation (light, acoustics, orientation)
- Predictable plan layout and stacking
- Noise mitigation (floors, lockers, rain, etc.)
- Simple, intuitive wayfinding, including dyslexia fonts
- Small group, sensory & respite areas
- Clear visibility to support safety & belonging
- Family & support center space

Steady, Predictable Environments
Intuitive, universal design, warm and biophilic, steady and non-overstimulating.

Ease Transitions and Movement
gentle movement, soft forms/edges and clear circulation patterns

Diversity of Spaces and Choice
variety with balance, small group, sensory, and respite areas

Support Sensory Regulation
acoustics, light, solar orientation, noise mitigation, tactile cues

Tactile Surfaces and Orientation
Touch-mapping and visual connections help Dyspraxia understanding place/time

menti.com
5431 0981

115 SYCAMORE STREET – NEW SCHOOL BUILDING



115 SYCAMORE STREET SITE





115 Sycamore Street New School Building


Brown Community Meeting February 24, 2026

PERKINS EASTMAN
Human by Design


AGENDA

- Project Update
- Small School Feel
- Sensory & Universal Design
- Community Space
- Traffic and Transportation

MODULE 3 AND 4 SCHEDULE MILESTONES



PDP WORKPLAN



COMMUNITY ENGAGEMENT

Brown Community Coffee Hour with the Mayor	1/23/2026 at 9:00am
WHCIS Coffee Hour with the Mayor	2/3/2026 at 8:30am
WHCIS Community Virtual Meeting	2/5/2026 at 6:30pm
Brown Community Virtual Meeting	2/24/2026 at 6:30pm
Community Group meeting & walk and talk	2/28/2026 - at 10:00
Community Group meeting & walk and talk	3/7/2026 - at 10:00
Community Forum 1	3/3/2026 - 6:00pm
Community Workshop #1 Sustainability	4/13/2026 - 5:30-7:30pm
Community Workshop #2 Community Programs	5/11/2026 - 5:30-7:30pm
Brown Community Coffee Hour with the Mayor	June -TBD
WHCIS Coffee Hour with the Mayor	June -TBD
Community Forum 2	September-TBD

SMALL SCHOOL FEEL

SENSORY & UNIVERSAL DESIGN

COMMUNITY SPACE

PERKINS EASTMAN
Human by Design

VISIONING, SPACES & ORGANIZATIONAL DIAGRAM

Visioning Goals & Guiding Principals


1. **Sm School Feel** - separate grade grouping
2. **Whole Child** - wellness & sensory supports
3. **DEI** – varied, integrated/visible programs
4. **Flexible/Adaptable** & Foster Collaboration
5. **A Community Hub** inside and out
6. Environment to **Foster Pride/Ownership**


Space Summary (Highlights)


- Newcomer Academy Classrooms
- Purposeful Special Needs/Support Spaces
- Integrated Respite & Regulation Spaces
- After School Program Space
- SFLC (incl. food pantry + 2nd-hand clothes)


Planning (Highlights)


- Shared Commons & Community Use Zone
- Separate Elementary & Middle Grades
- Pattern of Learning Neighborhoods
- Integrated Collaboration & Small Group













SEPARATE GRADE GROUPS EXAMPLE

SMALL SCHOOL FEEL



LEARNING NEIGHBORHOOD EXAMPLE



Scale Matters

small learning communities so every child feels at home



SMALL SCHOOL FEEL

Developmental Differences









Transition Years (K-1, 5-6 yrs)	Middle Years (2-3, 7-9 yrs)	Pre-Adolescent (4-6, 10-12 yrs)	Early Teens (7-8, 13-14 yrs)

Learning Spaces










SENSORY & UNIVERSAL DESIGN

PERKINS EASTMAN
Human by Design

What Does Neuro-Diverse Design Look Like?

- A shared/common experience for all abilities
- Smooth, calming transitions & movement (slow reveal)
- Warm, welcoming aesthetics & themes
- Calming forms, colors, materials & biophilic elements
- Eased intersections slow reveal along corridors
- Diversity of spaces & choice (but not too much)
- Scaled, flexible/adjustable spaces
- High-quality acoustics & visual intelligibility
- Support sensory regulation (light, acoustics, orientation)
- Predictable plan layout and stacking
- Noise mitigation (floors, lockers, rain, etc.)
- Simple, intuitive wayfinding, including dyslexia fonts
- Small group, sensory & respite areas
- Clear visibility to support safety & belonging
- Family & support center space



Steady, Predictable Environments
Intuitive, universal design, warm and biophilic, steady and non-overstimulating,

Ease Transitions and Movement
gentle movement, soft forms/edges and clear circulation patterns

Diversity of Spaces and Choice
variety with balance, small group, sensory, and respite areas

Support Sensory Regulation
acoustics, light, solar orientation, noise mitigation, tactile cues

Tactile Surfaces and Orientation
Touch-mapping and visual connections help Dyspraxia understanding place/time

Inclusive, Equitable & Accommodating


~~Main Stair~~
Main Ramp

Biophilic Qualities

High Quality Lighting
& Acoustical Treatment

Respite Window

Small Cafeteria &
Teaching Kitchen



A Universal Design Approach

Respite Window



Tactile Finishes & Smooth Transitions



Break-out Zones



Dyslexia Font

SENSORY SPACES





COMMUNITY SPACE

PERKINS EASTMAN
Human by Design


COMMUNITY SPACE



COMMUNITY SPACE




COMMUNITY SPACE



OUTDOOR LEARNING













TRAFFIC AND TRANSPORTATION


PERKINS EASTMAN
Human by Design

ROADWAY TRAFFIC CONDITIONS - SYCAMORE STREET SITE




AADT
- <2,000
- 2,000-4,000
- 4,000-6,000
- 6,000-8,000
- 8,000-10,000
- 10,000-20,000
- >20,000
- Community Path
- Railway



Somerville Public Schools
BRN - Benjamin G Brown School
Property Locations
Distance to Enrolled School
Within 0.125 Miles (~5 min walk)
0.125 - 0.25 Miles (~10 min walk)
0.25 - 0.375 Miles (~15 min walk)
0.375 - 0.5 Miles (~20 min walk)
More than 0.5 Miles (>20 min walk)
Distance to Enrolled School*
Number of Students
80
39
40
42
18
80
Distance to Enrolled School
Within 0.125 Miles (~5 min walk)
0.125 - 0.25 Miles (~10 min walk)
0.25 - 0.375 Miles (~15 min walk)
0.375 - 0.5 Miles (~20 min walk)
More than 0.5 Miles (>20 min walk)
* Only including mailing addresses inside Somerville. Mailing addresses may not necessarily be where the student resides.
Student Enrollment*
BRN 6.9% (221.0)
ESCS 23.0% (738.0)
WHCS 12.2% (391.0)
WSNS 12.3% (394.0)
AFAS 17.0% (547.0)
KDY 13.7% (441.0)
HEA 15.0% (481.0)
* Includes Mailing Addresses Outside Somerville
Benjamin G Brown School
Somerville
Medford
PROSPECT HILL
133 ft
City of Cambridge, TomTom, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA, USFWS


Somerville Public Schools
WHCS - Winter Hill Community Innovation School
Property Locations
Distance to Enrolled School
Within 0.125 Miles (~5 min walk)
0.125 - 0.25 Miles (~10 min walk)
0.25 - 0.375 Miles (~15 min walk)
0.375 - 0.5 Miles (~20 min walk)
More than 0.5 Miles (>20 min walk)
Distance to Enrolled School*
Number of Students
0
40
80
120
160
17
41
77
87
163
Distance to Enrolled School
Within 0.125 Miles (~5 min walk)
0.125 - 0.25 Miles (~10 min walk)
0.25 - 0.375 Miles (~15 min walk)
0.375 - 0.5 Miles (~20 min walk)
More than 0.5 Miles (>20 min walk)
* Only including mailing addresses inside Somerville. Mailing addresses may not necessarily be where the student resides.
Medford
Winter Hill Community Innovation School
Somerville
PROSPECT HILL
Student Enrollment*
BRN 6.9% (221.0)
ESCS 23.0% (738.0)
WHCS 12.2% (391.0)
WSNS 12.3% (394.0)
AFAS 17.0% (547.0)
KDY 13.7% (441.0)
HEA 15.0% (481.0)
* Includes Mailing Addresses Outside Somerville
City of Cambridge, Esri, TomTom, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA, USFWS

15-MINUTE WALKSHED ANALYSIS



- Approximately 20% of Winter Hill School students live outside of the 15-minute walkshed of their school currently



- Approximately 28% of Brown School students live outside of the 15-minute walkshed of their school currently

SYCAMORE STREET SITE



- Drop-off and pick-up along Sycamore Street
- Drop-off and pick-up potential along Thurston St is limited
- School traffic operations may result in congestion along adjacent streets
- Clockwise circulation around Sycamore Street-Evergreen Ave-Thurston Street for vehicle operations
- Sycamore Street is one-way NB and Thurston Street is one-way SB
- On-street parking impacts during drop-off/pick-up periods

NEXT STEPS RELATED TO TRANSPORTATION PLANNING


- Collaborate with stakeholders throughout the process to guide the development of solutions
- Gather feedback from the community in our upcoming community engagement events (include this meeting)
- Initiate more detailed study of the selected site
- Identify existing constraints and opportunities for improvement
- Inform site design through findings of the study
- Implement transportation improvements in time for the opening of the new school




















Thank you!

15-MINUTE WALKSHED – WEST SCHOOL



V. Construction Advisory Group (CAG) Report

City of Somerville

Somerville Public Schools
K-8 Capacity Study

VOLUME I - FINAL REPORT

DECEMBER 19, 2023

BEYER
BLINDER
BELLE

City of Somerville

Somerville Public Schools
K-8 Capacity Study

VOLUME I - FINAL REPORT

DECEMBER 19, 2023

BEYER
BLINDER
BELLE

CITY OF SOMERVILLE LEADERSHIP:

Katjana Ballantyne*, Mayor*

CITY OF SOMERVILLE WORKING GROUP:

Rich Raiche, *Director, Infrastructure & Asset Management*
Melissa Woods, *Director, Capital Projects & Planning*
Elizabeth Galloway, *Senior Project Manager, Capital Projects & Planning*
Rubén Carmona, *Superintendent of Schools*
Jeff Curley, *Interim Superintendent of Schools*
Chad Mazza, *Assistant Superintendent of Schools*
Paulina Mitropoulos, *Director of Multilingual Learner Education*
Susana Hernandez-Morgan, *Chief of Staff and Strategy*
Will Verbits, *Interim Director of Special Education*

CONSULTANT TEAM:

FloAnalytics, *Enrollment Study*
PMA Consulting, *Owner's Project Manager*
Beyer Blinder Belle Architects & Planners, *Planning, Architecture, and Historic Preservation*
Turkowski2 Architecture, Inc., *Collaborating Architect, Programming*
MLP Integrated Design, *Educational Planning Consultant*
Dharam, *Cost Estimating*
Silman Engineers, *Structural*
Simpson Gumpertz & Heger Inc., *Advanced Analysis of Building Interiors and Facade*
Nitsch Engineering, *Civil*
BR+A Consulting Engineers, *Mechanical, Electrical, Plumbing, Fire Protection, Fire Alarm, & Technology*
Haley & Aldrich, *Geo-technical & Hazardous Materials*
Jensen Hughes Associates, *Code*

CONTENTS

Volume I - Final Report

Executive Summary 6

K-8 Capacity Study

Educational Program Analysis 9

Scenario Options 21

Single Building Scenarios 22

Two-Building Scenarios 32

Summary of Scenario Options 45

Costs and Logistical Considerations 49

Next Steps 55

Appendix: Additional Studies 57

Volume II - Additional Appendices (under separate cover)

1. Existing Conditions Reports & Appendices
2. Programming Minutes & Presentations
3. Cost Estimate Summary Detail
4. Summary of Summer Efforts & Activities by CoS

EXECUTIVE SUMMARY

K-8 STUDY GOALS

Locally, regionally, and nationally, the Somerville Public School district (SPS) is a multicultural school community recognized for its progressive education and supportive specialty programs. In the face of increasing pressures on aging City-owned building assets, a study was undertaken to evaluate how its school buildings are functioning today, identify general deficiencies across individual buildings and the broader SPS district, consider projected enrollment trends, and identify potential approaches to improve the overall district landscape moving forward. The consultant team was contracted for a two part capacity study.

PROCESS

Part 1 of the study included review and analysis of the FloAnalytics 2023 Enrollment Study which projected an overall slight decrease in enrollment over ten years. The City sought to understand if there were existing schools with future capacity given the trend, that might allow for a re-balancing of the overall district capacity needs.

Part 2 of the study, armed with the understanding of how the current buildings might accommodate future SPS populations, was focused on conceptual level site studies for a range of potential scenarios. Knowing that the Benjamin G. Brown (Brown) and Winter Hill Community Innovation School (Winter Hill) must be addressed in order to continue to serve their populations, the study focus narrowed to the exploration of solutions for these two specific challenges. The work included evaluating viable sites across the city to keep Brown and Winter Hill as separate and individual schools, as well as identifying potential site opportunities for a new consolidated K-8 location that could serve both schools.

ADDITIONAL PROGRAMMING

While high level enrollment study analysis suggested the potential for some available classroom capacity in existing buildings over the ten year projections, the working group cautioned that this was not providing the full picture of the SPS model and district priorities. SPS has a long standing history of providing smaller than Massachusetts School Board Authority (MSBA) standard general education classroom sizes (18 vs 23 average) and offers robust programs in support of specialized needs (Special Education, MLE, SLICE, etc.). These specialized services continue to be sought after by parents around the region for their distinct offerings. These key program pieces impact the educational space needs across the district and require more in depth engagement in order to better understand the full picture.

At the request of the stakeholder group, BBB engaged in additional programming conversations with School Principals, Special Education, Multilingual Learner Education, and SPS data specialists in order to arrive at a clearer picture of the data, how programs are functioning today, what is deficient both school and district wide, and how to best serve these program needs.

KEY CHALLENGES AT BROWN AND WINTER HILL

The Brown School was assessed as part of the 2021 Building Renovation and Department Relocation Master Plan (BMP). As the oldest school building still in use, with program deficiencies and aging conditions, it is understood that this building is in need of improvements in order to continue to serve its students.

During the spring of 2023, a small piece of concrete fell in a stairway at Winter Hill prompting a quick investigation into its cause. In order to ensure students had a place to gather in person in the Fall, improvements were done at the Edgerly building to accommodate the Winter Hill student population while the investigatory work continued. Students remain at Edgerly today, and the fact that Winter Hill students will stay at Edgerly, and are not in the Winter Hill building affects potential logistics in the scenario options included in this report.

BUILDING SCENARIO OPTIONS

While the K-8 Study included district-wide assessment, given the needs at Brown and Winter Hill, this report focuses on feasible near-term building projects for these two schools. These include: Brown and Winter Hill each remain separate and distinct schools, Winter Hill remains separate and distinct and Brown moves to an integrated K-8 model as an addition to an existing school, and Brown and Winter Hill are consolidated into a new single K-8 school.

COSTS AND LOGISTICAL CONSIDERATIONS

A list of considerations is included for each of the scenario options and is intended as a high-level overview of the potential pros and cons, as costs, logistics and timing remain unclear at this stage. Conceptual costs were also developed for each scenario option. Depending on each scenario, the scopes of work estimated included renovation and rehabilitation and/or ground-up construction. Once a scenario opportunity is selected, detailed cost estimating must be undertaken in order to fully inform the associated costs, swing space needs, and construction logistics.

Additional scenario options explored but determined infeasible are included in the Appendix (for reference) to provide an overall picture of the full extent of the study.

K-8 DISTRICT AND SCHOOLS MAP

The map below illustrates the existing K-8 district schools geographic boundaries. Somerville is a "School Choice District" which allows residents to rank their top 5 preferences for school placement.



West Somerville Neighborhood School (PK-8)



Benjamin D. Brown School (K-5)



Arthur D. Healey School (PK-8)



Winter Hill Community Innovation (PK-8)

John F. Kennedy School (PK-8)




East Somerville Community School (PK-8)

Argenziano School (PK-8)



Capuano Early Childhood Center (PK-K)



Educational Program Analysis

ENROLLMENT STUDY - 2023

FLO Analytics

MEMORANDUM

To: Somerville Public Schools
9 Bonair Street
Somerville, MA 02145

Date: March 24, 2023

Project No.: F2321.01.001

From: Benjamin Maloney
Senior Demographer/Data Analyst

Re: 2022-23 to 2032-33 Enrollment Forecasts Report–Somerville Public Schools

At the request of Somerville Public Schools (SPS/District), FLO Analytics (FLO) prepared forecasts of future student enrollment for grades pre-kindergarten (PK) through 12 for school years 2023-24 to 2032-33. The study was completed through three main tasks: (1) demographic and residential development analysis, (2) student enrollment assessment, and (3) student enrollment forecasting. Results of the forecasts are reported for the District overall and for individual grades and schools. District-wide enrollment forecasts represent the total number of students living within and outside the district boundary and attending district schools and programs. These forecasts are provided as a district wide total and per grade group. FLO also prepared more granular forecasts of the number of students enrolled at each of the District's elementary, middle, and high schools and special programs. Additionally, by-school forecasts were disaggregated to the Level of Need based on recent shares of by-school enrollment.

Enrollment Forecasts: Summary

- Between the 2022-23 and 2032-33 school years, District-wide K-12 enrollment (October headcount) is forecasted to decrease by 260 students, from 4,920 to 4,660, or by 5.3 percent. Figure 17 shows the annual district-wide low, middle (preferred), and high forecast scenarios. Figures 18 through Figure 22 focus on the middle scenario, as it represents the most likely enrollment outcomes based on currently available data and the FLO analysis. The low and high scenarios are presented in Figures 24 and 25 as district-wide enrollment by individual grade.
- Figure 18 disaggregates the annual district-wide forecasts by grade group.
  - K-5 enrollment from 2,297 to 1,974 (10.6 percent decrease)
  - 6-8 enrollment from 1,033 to 904 (12.5 percent decrease)
  - 9-12 enrollment from 1,382 to 1,506 (9.0 percent increase)
- Figure 19 provides annual district-wide enrollment by individual grade. Figure 20 provides annual forecasts of students enrolled in each of the District's schools and programs. District-wide enrollment is expected to decline (260 fewer students) through 2032-33 in response to an expected decline in PK and K enrollment as a result of the sustained decline in births occurring within the District and forecast GPRs that are generally below 1.00. While residential construction will act to moderate the decline, it will likely not be enough to completely offset the expected contraction.

FLO Analytics | 1-888-837-0280 | www.flo-analytics.com

R:\F2321.01 City of Somerville\Document\01_2023.03.24 Forecast Memo\Somerville Enrollment Forecast Memo 2023_2033.docx




Figure 2

Figure 8: Historical and Current Enrollment per Grade

District-wide Totals

Grade	2012-13	2013-14	2014-15	2015-16	2016-17	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	2012-13 to 2022-23	
PK	287	328	330	328	339	344	343	324	245	285	289		2
K	480	452	467	447	420	430	424	436	396	353	367		-113
1	442	455	419	422	429	397	419	416	400	362	397		-45
2	363	425	427	407	424	411	380	380	385	391	385		22
3	379	345	405	423	371	405	404	367	345	363	399		20
4	369	377	332	377	402	350	381	385	356	365	362		-7
5	375	351	346	318	373	379	346	372	363	325	297		-78
6	356	356	333	332	299	335	360	341	350	336	335		21
7	376	337	345	303	336	300	347	353	322	345	337		31
8	339	260	338	346	297	327	287	346	350	321	341		2
9	379	378	322	378	383	332	342	353	350	399	360		-19
10	340	340	367	308	366	349	324	337	309	345	401		61
11	315	318	313	327	283	337	334	306	342	292	327		12
12	326	316	325	298	316	281	322	331	290	335	294		32
SP	5	9	5	16	15	15	21	21	21	19	9		4
District Total	5,031	5,050	5,077	5,022	5,054	5,005	5,032	5,048	4,788	4,795	4,920		-111

Somerville Public School October 2012-13 to 2022-23 enrollment (headcount) by grade. Enrollment values exclude students attending GenEd OTP and Incarcerated programs. The lowest and highest enrollment values per grade are highlighted blue and orange, respectively. Scatterlines are colored blue, gray, or orange to illustrate 10 year decline, stasis (a change of fewer than 10 students), or growth. Minor changes in enrollment are likely due to deliberate student placement or attendance boundary changes.

Excerpts from FloAnalytics Report March 24,2023

EXISTING SCHOOL CLASSROOM CAPACITY ANALYSIS

	Argenziano (PK-8)	Brown (K-5)	Capuano (PK-K)	East Som (PK-8)	Healey (PK-8)	Kennedy (PK-8)	West Som (PK-8)	Winter Hill (PK-8)	District Total Capacity
# Pre-K Classrooms *(15 st./ classroom)*	1 *(15)*		7 *(105)*	1 *(15)*	2 *(30)*	2 *(30)*	1 *(15)*	1 *(15)*	15 *(225)*
ECIP *(15 st./ classroom - Capuano)*			5 *(75)*						5 *(75)*
# Kindergarten Classrooms *(18 st./ classroom)*	4 *(72)*	2 *(36)*	2 *(36)*	3 *(54)*	3 *(54)*	2 *(36)*	2 *(36)*	2 *(36)*	20 *(360)*
# 1-8 Grade Classrooms *(18 st./ classroom)*	**27** *(486)*	**12** *(216)*		**32** *(576)*	**25** *(450)*	**19** *(342)*	**17** *(306)*	**20** *(360)*	152 *(2,736)*
Spec. Ed *(6 st./ classroom - AIM, SKIP, SEEK) SLIFE sim (not Spec Ed)*			9 *(54)*			7 *(42)*		10 *(60)*	26 *(156)*
TOTAL # CLASSROOMS	**32**	**14**	**23**	**36**	**30**	**30**	**20**	**33**	218
TOTAL CAPACITY (STUDENTS)	***573***	***252***	***270***	***645***	***534***	***450***	***357***	***471***	**3,552**


Notes:
1. School current use and classroom capacities were provided by SPS through review of floor plans and space summaries (Spring 2023).
2. MSBA standard classroom size is 23; SPS typical classroom size averages 18.
3. Self-contained Special Education and other specialized programs (highlighted in red) have been analyzed separately because of their substantially different classroom capacity (6 per classroom).
4. SEI and Newcomer classrooms are included as part of General Education because their populations align similarly to the 18 students per classroom capacity.
5. SLIFE has been grouped into the Special Ed line based on classroom size only.

Utilizing the SPS provided FloAnalytics enrollment study (facing page), the consultant team provided a high-level analysis of school classroom capacity for the existing K-8 schools in the portfolio. This analysis was based on SPS class sizes which are typically smaller (as noted above) than MSBA standard regulations. SPS has held general education class sizes well below the MSBA standard in order to provide the level of service students and constituents expect from the school system.

Additionally, SPS has a number of specialized programs with distinctly smaller class sizes (Special Ed, SLIFE). These programs are primarily focused in 3 schools, and were analyzed separately as part of the overall existing classroom capacity.

CURRENT CLASSROOM CAPACITY

Self-contained special education programs have been analyzed separately because of their substantially different classroom capacity.



Taking the existing classroom capacity analysis by school in the chart on the previous page, the design team overlaid the 2022-2023 FloAnalytics enrollment numbers to understand the degree to which classrooms at each of the SPS schools are at full capacity or may potentially have room to accommodate additional students. The majority of SPS schools today are at or near capacity.


CURRENT CLASSROOM CAPACITY



The map at right illustrates the geographic locations of the current classroom capacities by School within the existing SPS district boundaries.

PROJECTED CLASSROOM CAPACITY NEED - 5 YEAR HORIZON


Self-contained special education programs have been analyzed separately because of their substantially different classroom capacity.




Utilizing the long term projected enrollment data in the FloAnalytics study, the consultant team illustrated the projected classroom capacity need on a five year horizon (this page) and then the need on a ten year horizon (facing page) to understand the overall trajectory of enrollment relative to the physical classroom capacity of the existing schools. Overall the FloAnalytics report projects a slight decline in SPS enrollment over ten years.

PROJECTED CLASSROOM CAPACITY NEED - 10 YEAR HORIZON

Self-contained special education programs have been analyzed separately because of their substantially different classroom capacity.



PROJECTED NEW SCHOOL CAPACITY - 5 YEAR HORIZON



Notes:


1. Brown 6-8 students are currently accounted for in buildings outside Brown. The potential adjustments indicated here reflect the potential for re-balancing of students across all schools when a new building comes online.

 # Capuano overall enrollment projection was provided by FloAnalytics based on October data ('28-195). SPS provided June Special Education enrollment adjustment but June general education enrollment projections beyond the current year are unknown. As a PK-K school, Capuano does not have the ability to support in the re-balancing of the broader K-8 district population therefore it is not included in the diagram on the facing page.

The working group instructed that the five year horizon was the data point that should be utilized to illustrate the potential capacity to re-balance the student population across the K-8 landscape. The analysis appeared to show some limited available classroom capacity, but the group agreed that additional programming conversations were needed.

The general consensus is that schools today feel overcrowded, and many were not purpose built for the uses of today's programs. So while the classroom capacity study indicated some available capacity, the working group determined not to "take credit" for this as the real time observations suggest a different story. Programming conversations in the next spread reflect the space constraints and challenges in greater detail.

PROJECTED NEW SCHOOL CAPACITY - 5 YEAR HORIZON



This diagram attempts to create an overall graphic picture of the district on a five year horizon by showing potential available classroom capacities (even though these are not being assumed as a relief valve) and by including Brown (-178) and Winter Hill (-400) Schools as overall deficiencies due to concerns around their aging infrastructure and the need for comprehensive building renovations. A clear picture begins to emerge that the largest school capacity needs are on the central and west sides of the City.

The scenario options in this report focus on the exploration of approaches to address challenges at Brown and Winter, understanding that solving for this need may allow for an overall re-balancing of students.

PROGRAMMING - WHAT WE HEARD

During the conversations around the enrollment study and classroom capacity analysis, it became clear that additional inputs were needed in order to formulate a better understanding of specialized SPS programs and of existing building challenges and space constraints.

Programming interviews were conducted with three key groups: **Somerville Special Education Programs, Somerville Multilingual Learner Education Programs,** and the **Somerville K-8 Principals**.

These high-level interviews resulted in qualitative descriptions of challenges and priorities, the highlights of which are included at right. A number of **commonalities** across the input were evident from these conversations and include the following:

- Participants generally feel the schools are reaching their space limitations, despite some capacity numbers indicating the potential for more students.
- The demand for specialized programs continues to grow. In particular the autism focused Adapt, Include Motivate (AIM) and MLE programs continue to see high demand.
- More space is needed to accommodate specialized programming. These programs often require additional support spaces.
- Additional conversations and programming efforts are needed to confirm the district wide approach to the location of specialized programming, as well as individual school needs. A potential for re-balancing across the district geographically may be desired, but the feasibility of this approach is not yet understood.
- Most schools have specific program deficiencies that cannot be solved by a re-balancing of classroom populations.
- Many program support needs of today were not envisioned when the schools were originally built.
- Schools could use more dedicated After School Programs space to accommodate growing demand for out-of-time enrichment.
- Additional deep dive programming efforts are needed with each of the SPS schools to fully understand the quantitative programmatic requirements moving forward. A new building may be able to satisfy some of the shared district needs, but will not accommodate all additional program spaces needed, nor can a new building address concerns and space pressures at an existing individual building level.

Full minutes of these programming meetings can be found in the Volume II Appendix.



After School Programs



Multilingual Learner Education Programs



Special Education Programs

Scenario Options

TWO-BUILDING SCENARIOS

The potential scenarios in this section of the report illustrate design options organized around a two-building approach for Brown and Winter Hill. In this approach, solving challenges for these schools would require two separate building projects.


This section explores a scenario where Winter Hill and Brown each remain separate and distinct schools allowing the existing school locations to serve their targeted districts in a way similar to today. The section also explores a scenario where Winter Hill remains separate and distinct and Brown moves to an integrated K-8 model as an addition to another existing school.

The scenarios in this section include:

- **Winter Hill - New Build**
- **Brown - Renovation and Addition**
- **Brown - Addition at Kennedy**

Additional two-building scenario options explored as part of this study but determined to be infeasible can be found in the Volume II Appendix.


SITES OPPORTUNITIES MAP - KEY PLAN



PROJECTED SPACE NEEDS

PROJECTED NEW SCHOOL - WINTER HILL ONLY

Note: The projected new Winter Hill includes the district kitchen and food service offices (approximately 3,000 GSF).



PROGRAM PERCENTAGE


Proposed	
# Students	400
Building GSF	135,000

Based on program conversations and utilizing the MSBA space regulations alongside SPS program inputs, the consultant team generated high-level space needs programs for use in site analysis for the two-building scenarios - illustrated both in Gross Square Footage (GSF) numbers and percentages. The first scenario (shown this page) illustrates a new stand-alone Winter Hill School. Given the specialized programming needs, a new building to serve Winter Hill would be larger than the existing. The second scenario (facing page) illustrates the GSF needed to bring Brown students into another existing K-8 school. This GSF assumes an existing school could support shared needs. The full space needs programs are included in the Volume II Appendix.

PROJECTED ADDITION - BROWN (AS ADDITION TO EXISTING KENNEDY)

Note: The projected Brown GSF is estimated; a full programming effort is needed. This number assumes larger shared program pieces such as cafeteria, gym, etc.

Proposed	
# Students	178
Building GSF	30,000




PROGRAM PERCENTAGE

PROGRAM CHARTS LEGEND:

- CORE ACADEMIC
- ART & MUSIC
- HEALTH & PHYSICAL EDUCATION
- DINING & FOOD SERVICE
- ADMINISTRATIVE & GUIDANCE
- OTHER (INCLUDES AFTER SCHOOL)
- SPECIAL EDUCATION
- LAB & TECHNOLOGY
- MEDIA CENTER
- MEDICAL
- CUSTODIAL & MAINTENANCE

WINTER HILL - NEW BUILD
TWO-BUILDING SCENARIO



This scenario explores a new Winter Hill sized and programmed for its specific needs on the existing Sycamore site. An expanded footprint would be required to accommodate the increased space needs and programs of today, particularly related to the unique specialized programs provided by the school.

With the necessary relocation of Winter Hill to Edgerly in 2023, this provides an opportunity to continue to house students there until construction would be complete, limiting the need for swing space.

Potential downsides include the increased lot coverage and reduction of overall playspace. There is a potential future opportunity to create a new play yard across Thurston at the current Annex building site, and provide connectivity between the two sites.




SCALE: 1" = 155'

Building Statistics	Existing Building to Remain	Addition	TOTAL
Building Footprint	-	33,750	33,750
Gross Square Footage	-	135,000	135,000


Landscape Statistics	TOTAL
Lot Coverage (Buildings Only)	39%

- **Considerations**
  - One of two projects
  - 4-story new build; expanded footprint
  - No swing required; students stay at Edgerly near term
  - Significantly reduces playspace
  - Below ground educational spaces; requires significant areaways to navigate site conditions and provide daylit spaces
  - Potential for future play yard at Annex (across Thurston)




BROWN - RENOVATION AND ADDITION

TWO-BUILDING SCENARIO



This scenario was originally explored as part of the 2021 Building Renovation and Department Relocation Master Plan. As the oldest of Somerville's schools still in use the building suffers from several deficits, including the lack of a dedicated cafeteria or gymnasium, and antiquated envelope and building mechanical, electrical and plumbing systems.

This scenario option proposes full rehabilitation to bring the building into modern code compliance relative to life safety, egress, and accessibility. An addition would also provide a purpose-built cafeteria and gymnasium with required support spaces. Potential downsides include increased lot coverage and reduction of overall site yard space, and the need for swing/temp space for students during construction.




SCALE: 1" = 60'

Building Statistics	Existing Building to Remain	Addition	TOTAL
Building Footprint	8,180	5,900	14,080
Gross Square Footage	28,630	20,650	49,280

Landscape Statistics	TOTAL
Lot Coverage (Buildings Only)	53%

- **Considerations**
  - One of two projects
  - Requires swing for Brown students
  - Significantly reduces playspace
  - Brown remains a K-5 model (no Pre-K, or 6-8)
  - Addresses key existing building deficiencies such as lack of cafeteria, gymnasium, and accessibility



BROWN - ADDITION AT KENNEDY

TWO-BUILDING SCENARIO



This scenario explores the opportunity to re-purpose the parking lot adjacent to the Kennedy School to create an addition allowing for the relocation of Brown students. This option would allow students at Brown to remain during the construction. Potential downsides include the increased lot coverage and reduction of overall site playspace. Careful consideration of construction logistics would be required as it is unknown if Kennedy could remain in full operation during construction. The cost estimating portion of this report assumes limited work in Kennedy and phased swing space of programs during construction.

This scenario would require a deeper programming and coordination effort to fully understand the Brown space needs and integration relative to existing Kennedy.



SCALE: 1" = 120'

Building Statistics	Existing Building to Remain	Addition	TOTAL
Building Footprint	42,400	10,000	52,400
Gross Square Footage	121,000	30,000	151,000

Landscape Statistics	TOTAL
Lot Coverage (Buildings Only)	44%

- **Considerations**
  - One of two projects
  - No swing required; students stay at Brown near term
  - Brings Brown into a K-8 model; combines with Kennedy
  - Requires classroom realignment (+/- 75% of 6-8 students from Brown go to Kennedy)
  - Requires coordination with existing building

SINGLE BUILDING SCENARIOS

The potential scenarios in this section of the report illustrate design options organized around a single building solution for a consolidated Brown and Winter Hill school.


This would allow for the opportunity to build a new school, and would likely require a potential reorganization and re-balancing of schools and students across the district. These scenarios explore potential opportunities on both existing and new sites within Somerville.

The scenarios in this section include:

- **Winter Hill - New Build**
- **Winter Hill - Renovation and Build North**
- **Trum Field - New Build**

Additional single building scenario options explored as part of this study but determined to be infeasible can be found in the Volume II Appendix.


SITES OPPORTUNITIES MAP - KEY PLAN



PROJECTED SPACE NEEDS

PROJECTED NEW SCHOOL - CONSOLIDATED BROWN AND WINTER HILL

Note: The projected consolidated Brown + Winter Hill includes the district kitchen and food service offices (approximately 3,000 GSF).



PROGRAM PERCENTAGE

Proposed	
# Students	578
Building GSF	153,000

Based on the program conversations and utilizing the MSBA space regulations alongside SPS program inputs, the consultant team generated a high-level space needs program in support of site analysis for single building scenarios - illustrated both in Gross Square Footage (GSF) numbers and percentages.

The scenario illustrated here outlines the GSF need for a single consolidated school building sized to combine both the Brown and Winter Hill student populations and programs. The full space needs program is included in the Volume II Appendix.






PROGRAM CHARTS LEGEND:

- CORE ACADEMIC
- ART & MUSIC
- HEALTH & PHYSICAL EDUCATION
- DINING & FOOD SERVICE
- ADMINISTRATIVE & GUIDANCE
- OTHER (INCLUDES AFTER SCHOOL)
- SPECIAL EDUCATION
- LAB & TECHNOLOGY
- MEDIA CENTER
- MEDICAL
- CUSTODIAL & MAINTENANCE

SITE MAP - OVERVIEW




Based upon the program need for the projected overall size of a new consolidated school, the City of Somerville provided the above map illustrating city-owned properties larger than three acres that might be able to accommodate a large school footprint. Of the sites of this scale, there are limited realistic options as a home for a consolidated new school program.


The diagrams on the facing page provide an overview of the existing K-8 schools as a comparison point to the overall consolidated Gross Square Footage (GSF) space need for a combined Brown and Winter Hill.

EXISTING K-8 SITES & LOT SIZE ANALYSIS


Note: Brown numbers are based on BBB floor plan dimensional review; all others are based on CoS provided overall building GSF's and GIS footprints and have not been validated through full building plan analysis.




ARGENZIANO
Lot: 101,200 GSF
Bldg Footprint: 42,500 GSF
Bldg Overall (3 Fl): 110,000 GSF
#Students 2023: 545
Approx. Lot Coverage: 42%




BROWN
Lot: 26,700 GSF
Bldg Footprint: 8,800 GSF
Bldg Overall (3.5 Fl): 31,500 GSF
#Students 2023: 213
Approx. Lot Coverage: 33%




CAPUANO
Lot: 86,000 GSF
Bldg Footprint: 45,300 GSF
Bldg Overall (2 Fl): 85,000 GSF
#Students 2023: 216
Approx. Lot Coverage: 53%




EAST SOMERVILLE
Lot: 204,900 GSF
Bldg Footprint: 94,200 GSF
Bldg Overall (2 Fl): 110,000 GSF
#Students 2023: 729
Approx. Lot Coverage: 46%



HEALEY
Lot: 143,500 GSF
Bldg Footprint: 38,900 GSF
Bldg Overall (3 Fl): 89,000 GSF
#Students 2023: 510
Approx. Lot Coverage: 27%



KENNEDY
Lot: 118,000 GSF
Bldg Footprint: 42,400 GSF
Bldg Overall (3 Fl): 121,000 GSF
#Students 2023: 442
Approx. Lot Coverage: 36%




WEST SOMERVILLE
Lot: 58,000 GSF
Bldg Footprint: 20,500 GSF
Bldg Overall (3 Fl): 69,000 GSF
#Students 2023: 370
Approx. Lot Coverage: 35%



WINTER HILL
Lot: 85,700 GSF
Bldg Footprint: 29,000 GSF
Bldg Overall (4 Fl): 95,000 GSF
#Students 2023: 429
Approx. Lot Coverage: 34%

WINTER HILL - NEW BUILD
SINGLE BUILDING SCENARIO



Similar to the scenario presented in the two-building options, this scenario imagines a new consolidated Winter Hill and Brown, sized and programmed for the specific needs of the school and on the existing Sycamore site. The footprint would expand in order to accommodate the increased space needs and programs of today, Winter Hill students could remain at Edgerly and Brown students could remain at Brown until construction of the building is complete.

Similar downsides include the increased lot coverage, providing daylight to below ground spaces, and constrained site logistics. The potential future opportunity to create new play yard across Thurston at the current Annex building site remains.




SCALE: 1" = 155'

Building Statistics	Existing Building to Remain	Addition	TOTAL
Building Footprint	-	38,250	38,250
Gross Square Footage	-	153,000	153,000


Landscape Statistics	TOTAL
Lot Coverage (Buildings Only)	45%

- **Considerations**
  - One project
  - 4-story; expanded footprint
  - No swing required; students stay at Edgerly near term
  - Significantly reduces playspace
  - Below ground educational spaces; requires significant areaways to navigate site conditions and provide daylit spaces
  - Potential for future play yard at Annex (across Thurston)



WINTER HILL - RENOVATION AND BUILD NORTH

SINGLE BUILDING SCENARIO



This scenario option provides an opportunity to explore a full building renovation of the existing Winter Hill and an expansion to accommodate the consolidated program of the two schools. As in the previous option Winter Hill students could remain at Edgerly and Brown students could remain at Brown until the renovation and addition is complete.

The downsides to this option include the greatly increased lot coverage and reduction of overall site playspace, challenge of providing daylight to below ground spaces, and increasingly constrained site construction logistics. The potential future opportunity to create new play yard across Thurston at the current Annex building site remains.




SCALE: 1" = 155'

Building Statistics	Existing Building to Remain	Addition	TOTAL
Building Footprint	29,000	14,500	43,500
Gross Square Footage	95,000	58,000	153,000

Landscape Statistics	TOTAL
Lot Coverage (Buildings Only)	51%

- **Considerations**
  - One project
  - Existing building renovation + 4-story addition
  - No swing required; students stay at Edgerly near term
  - Significantly reduces playspace
  - Below ground educational spaces; requires significant areaways to navigate site conditions and provide daylit spaces
  - Potential for future play yard at Annex (across Thurston)



TRUM FIELD - NEW BUILD
SINGLE BUILDING SCENARIO



As noted in the Existing Sites analysis section, Somerville has limited lots that are large enough to accommodate a consolidated Winter Hill and Brown program. Besides the existing Sycamore site, Trum Friel is the only other feasible lot of this scale.

This option explores the opportunity for a new build at Trum Field opposite the DPW yard. Similar to previous options, Winter Hill students could remain at Edgerly and Brown students could remain at Brown until the building construction is complete. Unlike other sites, this location has the potential to provide spacing to accommodate lay down and logistics of construction needs. There is also still potential for a full field adjacent to the new school.



SCALE: 1" = 165'

Building Statistics	Existing Building to Remain	Addition	TOTAL
Building Footprint	-	38,250	38,250
Gross Square Footage	-	153,000	153,000

Landscape Statistics	TOTAL
Lot Coverage (Buildings Only)	40%

- **Considerations**
  - One project
  - 4-story building
  - No swing required; students stay at Brown & Edgerly near term
  - Ample playspace, similar to Argenziano
  - Retains one field; Need to dedicate open space elsewhere

Summary of Scenario Options

TWO-BUILDING SCENARIOS SUMMARY

01

WINTER HILL - NEW BUILD




- One of two projects
- 4-story new build; expanded footprint
- No swing required; students stay at Edgerly near term
- Significantly reduces playspace
- Below ground educational spaces; requires significant areaways to navigate site conditions and provide daylit spaces
- Potential for future play yard at Annex (across Thurston)

+

01A

BROWN - RENOVATION AND ADDITION




- One of two projects
- Requires swing for Brown students
- Significantly reduces playspace
- Brown remains a K-5 model (no Pre-K, or 6-8)
- Addresses key existing building deficiencies such as lack of cafeteria, gymnasium, and accessibility

OR

01B

BROWN - ADDITION AT KENNEDY



- One of two projects
- No swing required; students stay at Brown near term
- Brings Brown into a K-8 model; combines with Kennedy
- Requires classroom realignment (+/- 75% of 6-8 students from Brown go to Kennedy)
- Requires coordination with existing building

SINGLE BUILDING SCENARIOS SUMMARY

02

WINTER HILL - NEW BUILD



- One project
- 4-story; expanded footprint
- No swing required; students stay at Edgerly near term
- Significantly reduces playspace
- Below ground educational spaces; requires significant areaways to navigate site conditions and provide daylit spaces
- Potential for future play yard at Annex (across Thurston)

OR

03

WINTER HILL - RENOVATION AND BUILD NORTH




- One project
- Existing building renovation + 4-story addition; single building project
- No swing required; students stay at Edgerly near term
- Significantly reduces playspace
- Below ground educational spaces; requires significant areaways to navigate site conditions and provide daylit spaces
- Potential for future play yard at Annex (across Thurston)

OR

04

TRUM FIELD - NEW BUILD




- One project
- 4-story building
- No swing required; students stay at Brown & Edgerly near term
- Ample playspace, similar to Argenziano
- Retains one field; Article 97 open space offset needed

GRAPHIC SUMMARY OF SCENARIO OPTIONS FOR CONSIDERATION

01 + 01A


WINTER HILL - NEW BUILD



BROWN - RENOVATION + ADDITION


01 + 01B

WINTER HILL - NEW BUILD




BROWN - ADDITION AT KENNEDY

02




WINTER HILL - NEW BUILD

03



WINTER HILL - RENOVATION AND BUILD NORTH

04



TRUM FIELD - NEW BUILD

Costs and Logistical Considerations

PHASING CONSIDERATIONS

The single and two-building Scenario Options illustrated in this report vary greatly in their overall timelines and potential complexities. The diagrams on the facing page illustrate the approximate overall length of construction for the project(s), and the potential phasing of the project(s) where applicable. The timelines are indicated in a generic year format since the potential start of construction, gap of time between build-outs in the two-building scenarios, and overall completion of projects is unknown at this time. A number of **key considerations** relative to phasing are summarized as follows:

- Because Winter Hill is unoccupied today and students are currently in Edgerly, swing space is not required in any single or two-building scenario where renovation, addition or new build on the Sycamore site is required.
- The potential Brown renovation and addition to the existing building would require swing space for the students in Brown today.
- The potential Brown addition at Kennedy would not require swing space as students could stay in their existing building, but would require partial renovation of existing Kennedy building systems, infrastructure, envelope and connections. The goal of this scenario would be minimal intervention at Kennedy, which may not adequately address other needs or deficiencies in the existing building programs and spaces.
- A single building at Trum Field provides logistical simplicity in that both Winter Hill and Brown students could stay where they are today while a new consolidated building is constructed.
- All of the scenarios are dependent on a number of additional factors including MSBA review, project funding, and site construction logistics.

TWO-BUILDINGS SCENARIO



Year 1 2 3 4 5 6

01 WINTER HILL - NEW BUILD (4 STORY)

WINTER HILL STUDENTS

DESIGN | DEMO | CONSTRUCTION

1 2 3 4 5 6

01A BROWN - RENOVATION AND ADDITION

BROWN STUDENTS

live build. premiums

DESIGN | RENO + NEW ADDITION


OR


01B BROWN - ADDITION AT KENNEDY

BROWN STUDENTS

live build. premiums

DESIGN | RENO + NEW ADDITION





SINGLE BUILDING SCENARIO



02 WINTER HILL - NEW BUILD (4 STORY)

WINTER HILL + BROWN STUDENTS


DESIGN | DEMO | CONSTRUCTION



03 WINTER HILL - BUILD NORTH

WINTER HILL + BROWN STUDENTS

DESIGN | RENO + NEW ADDITION



04 TRUM FIELD - NEW BUILD

WINTER HILL + BROWN STUDENTS

DESIGN | CONSTRUCTION

INTRODUCTION TO COST ESTIMATES

The summary tables below illustrate high-level conceptual cost estimates that were developed at the end of this programming effort, with one estimate for each scenario option (not including the additional appendix options studies). Depending on the site, the scopes of work estimated included renovation and rehabilitation and/or ground-up construction. Once a scenario opportunity is selected, additional detailed cost estimating will be undertaken in order to fully inform the associated costs, swing space needs, and construction logistics.

TWO-BUILDING SCENARIOS

Executive Summary — **Somerville Schools**

ROM Benchmarking data & scenarios — **OPTION 01 01A & 01B**

The following is created from the Dharam Consulting data base. Baseline data sets are taken for new build and renovation schools/ municipal buildings . These data sets are then built upon to create rates and costs for the schemes highlighted below. The idea of this exercise is to build ROM costs for each scheme so that we can assess the order of merit between each .

SCOPE	AVERAGE BENCHMARK $ (see charts)	OPTION 01 - WINTER HILL AT SYCAMORE - NEW 4 STORY			OPTION 1A - BROWN RENOVATION			OPTION 01B - BROWN ADDITION AT KENNEDY		
		GSF	$/SF	CONSTRUCTION $	GSF	$/SF	CONSTRUCTION $	GSF	$/SF	CONSTRUCTION $
CORE & SHELL ,NEW	522	135,000	$522	$70,470,000	20,650	$522	$10,779,300	30,000	$522	$15,660,000
CORE & SHELL RENO	600	0	$600	$0	28,630	$600	$17,178,000	100,000	$150	$15,000,000
PROGAM FIT-OUT	252	135,000	$253	$34,107,750	49,280	$253	$12,450,592	130,000	$220	$28,600,000
SITE ALLOWANCE		30,800	$80	$2,464,000	13,050	$80	$1,044,000	21,300	$80	$1,704,000
BUILDING COST - TODAY'S DOLLARS BASELINE DATA ONLY	$803.00	135,000	$793	$107,041,750	49,280	$841	$41,451,892	130,000	$469	$60,964,000
COST ALIGNMENTS NOT IN BASELINES										
All electric on MECH / Elec systems		135,000	$85	$11,475,000	49,280	$85	$4,188,800	130,000	$85	$11,050,000
Basement premium		16,875	$200	$3,375,000	5,900	$200	$1,180,000	0	$200	$0
Efficiency on façade premium / structure		135,000	$30	$4,050,000	49,280		$0	130,000	$40	$5,200,000
Abatement premium for building		100,000	$25	$2,500,000	28,630	$40	$1,145,200	100,000	$25	$2,500,000
Abatement premium for site: assumes 8 feet removal on 25% of site		4,781	$160	$765,037	1,477	$160	$236,247	2,319	$160	$370,963
Demo allowance		100,000	$10	$1,000,000				100,000	$5	$500,000
CLT premium on new build or addition		135,000	$35	$4,725,000	20,650	$50	$1,032,500	30,000	$50	$1,500,000
Live building phasing premium 5%		135,000		$0	49,280		$0	100,000	$52	$5,169,769
Live building OT allowance, 10%		135,000		$0	49,280		$0	100,000	$109	$10,856,515
Swing space allowance		135,000		$0	28,630	$150	$4,294,500	30,000	$150	$4,500,000
TOTAL BUILDING & ALIGNMENT COSTS- TODAY'S DOLLARS		135,000	$999	$ 134,931,787	49,280	$1,086	$ 53,529,139	130,000	$789	$ 102,611,248
ESCALATION TO MID POINT, Q1 2026, 13.5%		135,000	$134.93	$18,215,791	49,280	$146.64	$7,226,434	130,000	$106.56	$13,852,518
TOTAL COSTS - ESCALATION TBD		135,000	$1,134	$153,147,578	49,280	$1,233	$60,755,573	130,000	$896	$116,463,766
COMBINED SCHEME COSTS 01 & 01A					184,280	1,161	$213,903,151 (01 & 01A)			
COMBINED SCHEME COSTS 01 & 01B								265,000	1,017	$269,611,344 (01 & 01B)
TOTAL PROJECT COST $ (+39% PER INFORMATION PROVIDED)		1	(+39%)	$212,875,134	1	(+39%)	$297,325,380	1	(+39%)	$374,759,769

General notes/ exclusions
All soft costs, fees, FFE and owners contingencies are included within advised +39% project cost multiplier
Scheme 2 excludes façade and Mep
Infrastructure within the existing building

SINGLE BUILDING SCENARIOS

Executive Summary — Somerville Schools

ROM Benchmarking data & scenarios — OPTION 2-4

The following is created from the Dharam Consulting data base. Baseline data sets are taken for new build and renovation schools/ municipal buildings . These data sets are then built upon to create rates and costs for the schemes highlighted below. The idea of this exercise is to build ROM costs for each scheme so that we can assess the order of merit between each .

SCOPE	AVERAGE BENCHMARK $ (see charts)	OPTION 02 - WINTER HILL NEW BUILD (4 STORY)			OPTION 03 - WINTER HILL - RENOVATION + BUILD NORTH (4 STORY)			OPTION 04 - TRUM FIELD - NEW BUILD		
		GSF	$/SF	CONSTRUCTION $	GSF	$/SF	CONSTRUCTION $	GSF	$/SF	CONSTRUCTION $
CORE & SHELL ,NEW	522	153,000	$522	$79,866,000	58,000	$522	$30,276,000	153,000	$522	$79,866,000
CORE & SHELL RENO	600	0	$600	$0	100,000	$600	$60,000,000	0	$600	$0
PROGAM FIT-OUT	252	153,000	$253	$38,655,450	158,000	$253	$39,918,700	153,000	$253	$38,655,450
SITE ALLOWANCE		26,800	$80	$2,144,000	41,500	$80	$3,320,000	60,250	$80	$4,820,000
BUILDING COST - TODAY'S DOLLARS BASELINE DATA ONLY	$803.00	153,000	$789	$120,665,450	158,000	$845	$133,514,700	153,000	$806	$123,341,450
COST ALIGNMENTS NOT IN BASELINES										
All electric on MECH / Elec systems		153,000	$85	$13,005,000	158,000	$85	$13,430,000	153,000	$85	$13,005,000
Basement premium		19,125	$200	$3,825,000	15,500	$200	$3,100,000	5,000	$200	$1,000,000
Efficiency on façade premium / structure		153,000	$30	$4,590,000	158,000	$50	$7,900,000	0	$30	$0
Abatement premium for building		100,000	$25	$2,500,000	100,000	$25	$2,500,000	0	$25	$0
Abatement premium for site: assumes 8 feet removal on 25% of site		4,819	$160	$770,963	4,148	$160	$663,704	7,296	$160	$1,167,407
Demo allowance		100,000	$10	$1,000,000	0	$10	$0	100,000	$10	$1,000,000
CLT premium on new build or addition		153,000	$35	$5,355,000	58,000	$35	$2,030,000	153,000	$35	$5,355,000
Live building phasing premium 5%		153,000		$0	158,000		$0	153,000		$0
Live building OT allowance, 10%		153,000		$0	158,000		$0	153,000		$0
Swing space allowance		153,000		$0	153,000		$0	153,000		$0
TOTAL BUILDING & ALIGNMENT COSTS- TODAY'S DOLLARS		153,000	$992	$ 151,711,413	158,000	$1,033	$ 163,138,404	153,000	$947	$ 144,868,857
ESCALATION TO MID POINT, Q1 2026, 13.5%		153,000	$133.86	$20,481,041	158,000	$139.39	$22,023,685	153,000	$127.83	$19,557,296
TOTAL COSTS - ESCALATION TBD		153,000	$1,125	$172,192,454	158,000	$1,172	$185,162,088	153,000	$1,075	$164,426,153
COMBINED SCHEME COSTS 01 & 01A										
COMBINED SCHEME COSTS 01 & 01B										
TOTAL PROJECT COST $ (+39% PER INFORMATION PROVIDED)		1	(+39%)	$239,347,511	1	(+39%)	$257,375,303	1	(+39%)	$228,552,353

General notes/ exclusions
All soft costs, fees, FFE and owners contingencies are included within advised +39% project cost multiplier
Scheme 2 excludes façade and Mep
Infrastructure within the existing building

Next Steps

CONCLUSIONS AND NEXT STEPS

With the programming discussions and the evaluation of potential sites for renovation and development resulting in options for consideration contained herein, the City can take the initial steps to move forward with full exploration of a preferred scenario(s). This will include additional detailed cost estimating efforts, coordination with the MSBA to understand timelines and potential funding, and solicitation of a design firm for complete programming for Brown and Winter Hill.

Each opportunity illustrated in the K-8 study has unique construction logistics and swing space implications. And while Somerville would undeniably benefit from the new and renovated spaces proposed, the working group and consultant team agree that **a holistic effort to support the needs of all the K-8 schools is essential to a successful long term Somerville Public School system.** This project is just one piece in addressing the near term pressing needs for Brown and Winter Hill schools as part of the larger district landscape.

Appendix
Additional Studies

Options selected for Estimating
Options NOT selected for Estimating

TWO-BUILDING SCENARIOS SUMMARY

WINTER HILL - RENOVATION AND BUILD UP



- One project
- Existing building renovation + additional stories
- ***Building up not structurally feasible***
- ***Does not accommodate program Square Footage need***
- No swing required; students stay at Edgerly near term
- Retains playspace
- Below ground educational spaces

WINTER HILL - NEW BUILD




- One of two projects
- 4-story new build; expanded footprint
- No swing required; students stay at Edgerly near term
- Significantly reduces playspace
- Below ground educational spaces
- Potential for future play yard at Annex (across Thurston)

WINTER HILL - NEW BUILD




- One project
- 3-story new build; expanded footprint
- No swing required; students stay at Edgerly near term
- Significantly reduces playspace
- Below ground educational spaces
- Potential for future play yard at Annex (across Thurston)

BROWN - RENOVATION AND ADDITION



- One of two projects
- Requires swing for Brown students
- Significantly reduces playspace
- Brown remains a K-5 model (no Pre-K, or 6-8)
- Addresses key existing building deficiencies such as lack of cafeteria, gymnasium, and accessibility

BROWN - ADDITION AT KENNEDY




- One of two projects
- No swing required; students stay at Brown near term
- Brings Brown into a K-8 model; combines with Kennedy
- Requires classroom realignment (+/- 75% of 6-8 students from Brown go to Kennedy)
- Requires coordination with existing building

BROWN - ADDITION AT WEST SOMERVILLE



- One of two projects
- No swing required; students stay at Brown near term
- Brings Brown into a K-8 model; combines with West
- Requires coordination with existing building

BROWN - ADDITION AT WEST SOMERVILLE



- One of two projects
- No swing required; students stay at Brown near term
- Brings Brown into a K-8 model; combines with West
- Requires coordination with existing building

Note: The scenario options outlined in green are included in the body of the report. The options outlined in red are additional studies explored as part of this study, but determined to be infeasible.

Options selected for Estimating
Options NOT selected for Estimating

SINGLE BUILDING SCENARIOS SUMMARY

WINTER HILL - RENOVATION AND BUILD UP



- One project
- Existing building renovation + additional stories
- ***Building up not structurally feasible***
- ***Does not accommodate program Square Footage need***
- No swing required; students stay at Edgerly near term
- Retains playspace
- Below ground educational spaces

WINTER HILL - NEW BUILD



- One project
- 4-story; expanded footprint
- No swing required; students stay at Edgerly near term
- Significantly reduces playspace
- Below ground educational spaces
- Potential for future play yard at Annex (across Thurston)

WINTER HILL- RENOVATION AND BUILD NORTH




- One project
- Existing building renovation + 4-story addition
- No swing required; students stay at Edgerly near term
- Significantly reduces playspace
- Below ground educational spaces; requires significant areaways to navigate site conditions and provide daylit spaces
- Potential for future play yard at Annex (across Thurston)

WINTER HILL - RENOVATION AND BUILD EAST




- One project
- Existing building renovation + 4-story addition
- ***Cost to aquire adjacent parcel is unknown***
- No swing required; students stay at Edgerly near term
- Retains playspace
- Increases overall lot size
- Below ground educational spaces
- Potential for future play yard at Annex (across Thurston)

HOMANS - NEW BUILD




- One project
- ***4-story building maximizes lot***
- ***Does not accommodate program Square Footage need***
- No playspace
- Close proximity to train tracks
- Lot coverage significantly higher than any existing school

TRUM FIELD - NEW BUILD




- One project
- 4-story building
- No swing required; students stay at Brown & Edgerly near term
- Ample playspace, similar to Argenziano
- Retains one field; Article 97 open space offset needed

TRUM FIELD - NEW BUILD




- One project
- Potential for 3- or 4-story building
- No swing required; students stay at Brown & Edgerly near term
- Limited playspace
- Retains one field; Article 97 open space offset needed

TRUM FIELD - NEW BUILD



- One project
- Potential for 3- or 4-story building
- No swing required; students stay at Brown & Edgerly near term
- Ample playspace
- Retains one field; Article 97 open space offset needed

WINTER HILL - NEW BUILD
TWO-BUILDING SCENARIOS



The Winter Hill site was also explored for the opportunity to build a large 3-story new structure for the Winter Hill student population in a two building scenario. The design team and working group determined this approach to be too large of an increase of lot coverage, and would remove too much exterior play space.



SCALE: 1" = 155'


Building Statistics	Existing Building to Remain	Addition	TOTAL
Building Footprint	-	45,000	45,000
Gross Square Footage	-	135,000	135,000

Landscape Statistics	TOTAL
Lot Coverage (Buildings Only)	53%

- **Considerations**
  - One project
  - 3-story new build; expanded footprint
  - No swing required; students stay at Edgerly near term
  - Significantly reduces playspace
  - Below ground educational spaces; requires significant areaways to navigate site conditions and provide daylit spaces
  - Potential for future play yard at Annex (across Thurston)

WINTER HILL - RENOVATION AND BUILD UP

TWO-BUILDING SCENARIOS



Winter Hill was evaluated for the potential to renovate the existing building and add additional floors above in the same footprint. Discussions with the structural engineers (included in the Appendix) indicated this approach to be structurally infeasible.



SCALE: 1" = 155'

Building Statistics	Existing Building to Remain	Addition	TOTAL
Building Footprint	29,000	within exist.	29,000
Gross Square Footage	95,000	36,900	131,900

Landscape Statistics	TOTAL
Lot Coverage (Buildings Only)	34%

- **Considerations**
  - One project
  - Existing building renovation + additional stories
  - ***Building up not structurally feasible***
  - ***Does not accommodate program Square Footage need***
  - No swing required; students stay at Edgerly near term
  - Retains playspace
  - Below ground educational spaces; requires significant areaways to navigate site conditions and provide daylit spaces

BROWN - ADDITION AT WEST SOMERVILLE

TWO-BUILDING SCENARIO



An addition for Brown into an existing K-8 model was also studied at West Somerville. As illustrated in the diagrams at right, the site constraints do not allow for the footprint needed to accommodate Brown classrooms and support spaces.



SCALE: 1" = 125'

Building Statistics	Existing Building to Remain	Addition	TOTAL
Building Footprint	20,500	9,600	30,100
Gross Square Footage	69,000	30,000	99,000

Landscape Statistics	TOTAL
Lot Coverage (Buildings Only)	52%

- **Considerations**
  - One of two projects
  - No swing required; students stay at Brown near term
  - Brings Brown into a K-8 model; combines with West
  - Requires coordination with existing building

BROWN - ADDITION AT WEST SOMERVILLE

TWO-BUILDING SCENARIO



An addition for Brown into an existing K-8 model was also studied at West Somerville. As illustrated in the diagrams at right, the site constraints do not allow for the footprint needed to accommodate Brown classrooms and support spaces



SCALE: 1" = 125'


Building Statistics	Existing Building to Remain	Addition	TOTAL
Building Footprint	20,500	11,000	31,500
Gross Square Footage	69,000	30,000	99,000

Landscape Statistics	TOTAL
Lot Coverage (Buildings Only)	54%

- **Considerations**
  - One of two projects
  - No swing required; students stay at Brown near term
  - Brings Brown into a K-8 model; combines with West
  - Requires coordination with existing building

WINTER HILL - RENOVATION AND BUILD UP

SINGLE BUILDING SCENARIO



Winter Hill was evaluated for the potential to renovate the existing building and add additional floors above in the same footprint in order to accommodate the student populations of both Brown and Winter Hill. Discussions with the structural engineers (included in the Appendix) indicated this approach to be structurally infeasible. The Gross Square Footage (GSF) possible in this footprint would still fall short of the overall program need.



SCALE: 1" = 155'


Building Statistics	Existing Building to Remain	Addition	TOTAL
Building Footprint	29,000	within exist.	29,000
Gross Square Footage	95,000	36,900	131,900

Landscape Statistics	TOTAL
Lot Coverage (Buildings Only)	34%

- **Considerations**
  - One project
  - Existing building renovation + additional stories
  - ***Building up not structurally feasible***
  - ***Does not accommodate program Square Footage need***
  - No swing required; students stay at Edgerly near term
  - Retains playspace
  - Below ground educational spaces; requires significant areaways to navigate site conditions and provide daylit spaces

WINTER HILL - RENOVATION AND BUILD EAST

SINGLE BUILDING SCENARIO



Winter Hill was evaluated for the potential to renovate the existing building and create an addition on the adjacent lot that currently houses a building owned by St. Anne's. This idea was determined by the working group to be infeasible due to the known cost and complexity of acquiring the site.



SCALE: 1" = 155'

Building Statistics	Existing Building to Remain	Addition	TOTAL
Building Footprint	29,000	20,300	49,300
Gross Square Footage	95,000	60,900	155,900

Landscape Statistics	TOTAL
Lot Coverage (Buildings Only)	45%

- **Considerations**
  - One project
  - Existing building renovation + 4-story addition
  - ***Cost to aquire adjacent parcel is unknown***
  - No swing required; students stay at Edgerly near term
  - Retains playspace
  - Increases overall lot size
  - Below ground educational spaces; requires significant areaways to navigate site conditions and provide daylit spaces
  - Potential for future play yard at Annex (across Thurston)

TRUM FIELD - NEW BUILD
SINGLE BUILDING SCENARIO



Trum Field was explored as a site for a new consolidated school for both Brown and Winter Hill. This scenario explored an alternate footprint to the one shown in the Scenario Options section of the report that included both 3-story and 4-story footprint options.

The increased site coverage was determined to be less desirable as it would increase lot coverage, remove more play space and constrain potential field space, and would provide less site lay down space during construction.



SCALE: 1" = 165'

Building Statistics	Existing Building to Remain	Addition	TOTAL
Building Footprint	-	51,000	51,000
Gross Square Footage	-	153,000	153,000

Landscape Statistics	TOTAL
Lot Coverage (Buildings Only)	25%

- **Considerations**
  - One project
  - Potential for 3- or 4-story building
  - No swing required; students stay at Brown & Edgerly near term
  - Limited playspace
  - Retains one field; Article 97 open space offset needed

TRUM FIELD - NEW BUILD
SINGLE BUILDING SCENARIO



This additional Trum scenario explored a second alternate footprint to the one shown in the Scenario Options section of the report that included both 3-story and 4-story footprint options. This alternate was determined to be less desirable than a potential location along Cedar Street and Broadway. The Cedar Street side of the lot was considered a more desirable location for a potential school building.



SCALE: 1" = 165'

Building Statistics	Existing Building to Remain	Addition	TOTAL
Building Footprint	-	51,000	51,000
Gross Square Footage	-	153,000	153,000

Landscape Statistics	TOTAL
Lot Coverage (Buildings Only)	25%

- **Considerations**
  - One project
  - Potential for 3- or 4-story building
  - No swing required; students stay at Brown & Edgerly near term
  - Ample playspace
  - Retains one field; Article 97 open space offset needed

HOMANS - NEW BUILD
SINGLE BUILDING SCENARIO



The Homans site was explored as a potential location for a consolidated school. The diagram and table at right illustrate that the site is too small and constrained to provide the scale of school required. A new build would require full site coverage, leave no play or yard space (unless considered at rooftop). This scenario ultimately would be very challenging for site lay down space during construction, and the complexities of the train tracks adjacent rendered this scenario to be considered infeasible.



SCALE: 1" = 145'

Building Statistics	Existing Building to Remain	Addition	TOTAL
Building Footprint	-	45,000	45,000
Gross Square Footage	-	135,000	135,000

Landscape Statistics	TOTAL
Lot Coverage (Buildings Only)	100%

- **Considerations**
  - One project
  - ***4-story building maximizes lot***
  - ***Does not accommodate program Square Footage need***
  - No playspace
  - Close proximity to train tracks
  - Lot coverage significantly higher than any existing school

City of Somerville

Somerville Public Schools
K-8 Capacity Study

FINAL REPORT VOLUME II - ADDITIONAL APPENDICES

JANUARY 4, 2024

BEYER
BLINDER
BELLE

City of Somerville

Somerville Public Schools
K-8 Capacity Study

FINAL REPORT VOLUME II - ADDITIONAL APPENDICES

JANUARY 4, 2024

BEYER
BLINDER
BELLE

CITY OF SOMERVILLE LEADERSHIP:

Katjana Ballantyne*, Mayor*

CITY OF SOMERVILLE WORKING GROUP:

Rich Raiche, *Director, Infrastructure & Asset Management*
Melissa Woods, *Director, Capital Projects & Planning*
Elizabeth Galloway, *Senior Project Manager, Capital Projects & Planning*
Rubén Carmona, *Superintendent of Schools*
Jeff Curley, *Interim Superintendent of Schools*
Chad Mazza, *Assistant Superintendent of Schools*
Paulina Mitropoulos, *Director of Multilingual Learner Education*
Susana Hernandez-Morgan, *Chief of Staff and Strategy*
Will Verbits, *Interim Director of Special Education*

CONSULTANT TEAM:

FloAnalytics, *Enrollment Study*
PMA Consulting, *Owner's Project Manager*
Beyer Blinder Belle Architects & Planners, *Planning, Architecture, and Historic Preservation*
Turkowski2 Architecture, Inc., *Collaborating Architect, Programming*
MLP Integrated Design, *Educational Planning Consultant*
Dharam, *Cost Estimating*
Silman Engineers, *Structural*
Simpson Gumpertz & Heger Inc., *Advanced Analysis of Building Interiors and Facade*
Nitsch Engineering, *Civil*
BR+A Consulting Engineers, *Mechanical, Electrical, Plumbing, Fire Protection, Fire Alarm, & Technology*
Haley & Aldrich, *Geo-technical & Hazardous Materials*
Jensen Hughes Associates, *Code*

CONTENTS

Volume I - Final Report

Executive Summary
K-8 Capacity Study
Summary of Scenario Options
Costs and Logistical Considerations
Next Steps
Appendix: Additional Studies

Volume II - Additional Appendices

1. Existing Conditions Reports & Appendices

1.1 WHCIS Preliminary Existing Conditions Assessment Report by BBB
1.2 WHCIS Environmental Desktop Study by H&A
1.3 WHCIS Asbestos Inspection by Axiom
1.4 Initial Structural Comments by Silman
1.5 WHCIS Inspections for Fall Hazards at Building Interior and Facade by SGH
1.6 WHCIS Code Summary by Jensen Hughes
1.7 WHCIS Site Utility Infrastructure by Nitsch Eng.
1.8 WHCIS MEP/FP Existing Conditions Assessment by BR+A

2. Programming Minutes & Presentations

2.1 SPS Special Education Data by CoS
2.2 Existing Space & Program Space Summaries by T2
2.3 K-8 Working Group Meeting Minutes by PMA
2.4 Programming Meeting Minutes by BBB
2.5 K-8 Meetings Presentations by BBB

3. Cost Estimate Summary Detail

4. Summary of Summer Efforts & Activities by CoS

1. Existing Conditions Reports & Appendices

City of Somerville

Building Renovation & Department Relocation Master Plan

WINTER HILL COMMUNITY INNOVATION SCHOOL EXISTING CONDITIONS ASSESSMENT

DECEMBER 19, 2023

BEYER
BLINDER
BELLE

City of Somerville

Winter Hill Community School

EXISTING CONDITIONS ASSESSMENT

DECEMBER 19, 2023

BEYER
BLINDER
BELLE

CITY OF SOMERVILLE LEADERSHIP

Katjana Ballantyne, *Mayor*

CITY OF SOMERVILLE INTERNAL WORKING GROUP

Rich Raiche, Director, Infrastructure & Asset Management
Melissa Woods, Director, Capital Projects & Planning
Elizabeth Galloway, Senior Project Manager, Capital Projects & Planning
Chad Mazza, Assistant Superintendent of Schools

OWNER'S REPRESENTATIVE

PMA Consultants

DESIGN TEAM

Beyer Blinder Belle Architects & Planners, *Planning & Architecture*

T2 Architecture, *Collaborating Architect, Programming & Planning Support*
Silman Engineers, *Structural*
Nitsch Engineering, *Civil*
BR+A Consulting Engineers, *Mechanical, Electrical, Plumbing, Fire Protection, Fire Alarm, & Technology*
Haley & Aldrich, *Geo-technical & Hazardous Materials*
Jensen Hughes Associates, *Code*
Dharam, *Cost Estimating*

CONTENTS

Preliminary Existing Conditions Assessment

Introduction & Next Steps 6

Conditions Assessment:

Background and Research 8

Existing Conditions Assessment 10

Appendix

Existing Building Plans 21

INTRODUCTION & NEXT STEPS

INTRODUCTION

This preliminary existing conditions assessment report is intended to provide a high-level summary of the current state of Winter Hill Community School, with more in-depth assessment and recommendations to follow.

The documentation and assessment of existing conditions falls into two categories of work: (1) confirming the physical location of a building's elements in two-dimensional and three-dimensional space, and (2) assessment of the material condition of these elements, their materials, and their assemblies relative to deterioration, longevity/lifecycle, and compatibility.

DOCUMENTING BUILDING ELEMENTS IN SPACE

Documenting physical conditions in space involves accurately locating finish surfaces and fixed elements which are visible in plain sight, as well as endeavoring to understand the nature of what lies behind walls, above ceilings, or below floors. Understanding what is behind the finishes is a different challenge. Archival research and review of record drawings from prior construction campaigns is a key part of this effort.

The Winter Hill Community School's original construction documents were used as a base for a visual survey of the building's existing conditions. Those notes are appended here, in the first section.

ASSESSING EXISTING CONDITIONS: RESEARCH AND NON-INVASIVE SURVEY

The second half of this report consists of preliminary assessments of the history of the Winter Hill Community School, the current condition of its systems and assemblies, and considerations for the impact of a future renovation. These are organized by system or discipline. The order is as following: Building Background & Research; Code; Structure; Facade & Envelope (including Roofing); Civil/Site Infrastructure; Mechanical Systems; Electrical & Fire Alarm, Plumbing & Fire Protection; Technology, Communications, & Security; Geotechnical; and Hazardous Materials

It is important to note that the following techniques were used to complete this preliminary assessment effort:

- On-site observations from the ground outside or within spaces readily accessed with City staff
- Review of archival or record drawings (site civil, historic structural, etc.) Where available
- Review of satellite and aerial photography conducted over the life of the school building

DOCUMENTATION AND ASSESSMENT NEXT STEPS

Future steps to develop the building assessments to a finer grain of resolution may include:

- MatterPort and/or Laser scanning for detailed documentation of the existing building
- Completion of the BIM models in three dimensions to be fully developed in elevation and section
- Follow-up review of any reports that were provided too close to, or after, the publication of this report
- Probes behind finishes at exterior perimeter walls, above finished ceilings, or into floor/roof assemblies to verify concealed existing conditions, from a documentary and/or assessment standpoint
- Investigations in harder-to-reach areas, such as on roofs, outside facades, or in crawl spaces in order to more closely inspect areas of potential concern
- Test-pits to investigate footings or soil conditions
- Cleaning and camera inspection of utilities, such as drainage lines, grease traps, etc. To confirm size, location, arrangement, and material condition
- WUFI hygrothermic analysis: modeling the moisture conditions and dynamic effects of temperature and humidity within building assemblies over the course of the day/season/year



Conditions Assessment

BACKGROUND & RESEARCH

Although the Winter Hill Community School is a fairly modern 1970s building, relative to the broader history of Somerville public education, its place in both Winter Hill and Somerville history is not limited to the past half-century. The corner of the Winter Hill neighborhood, now occupied by the school that shares its name, has been dedicated to education since the surrounding neighborhood began to develop over a century and a half ago.

In 1867, just 25 years after separating from Charlestown, the Town of Somerville, with the help of Martin & Thayer, Architects, built the Forster School on the site of the present Winter Hill Community School -- a lot bounded by two established thoroughfares, Medford and Sycamore Streets. A brick landmark amongst a growing neighborhood of frame houses, Forster School briefly doubled as Somerville's Town Hall upon its dedication in March 1867.

By the end of the 19th century, the new city's growing population necessitated the expansion of Forster School, and a new, brick annex, was added to the Southeast of the old school building, between 1895 and 1900. At the same time, in 1897, a new, brick Roman Catholic church was being built across the block, on the corner of Medford and Thurston Streets. In the following decades the church would expand its holdings to occupy most of the Thurston Street half of the block, and, with the development of Winter Hill School, the City of Somerville would eventually expand to occupy the rest.

As Somerville's population expansion continued into the 20th century, Forster School continued to innovate to serve the changing Somerville population, and the city's first Junior High school, a innovative national trend in education at the time, was created from the historic school's 7th and 8th grade ranks in 1914. Forster School would just exceed the 100th anniversary of its construction before plans were made to expand the school by replacing the historic building (and its annex). The current Winter Hill School, which was designed by Rich, Lang, and Cote Architects, Inc., briefly coexisted with the historic Forster School campus while the new building was constructed. However, upon completion of the larger modern concrete building, Forster was demolished to make way for Winter Hill School's basketball courts and schoolyard.

The memory of Forster School remains today on the signs for nearby Forster Street, which bears the last vestige of the Forster name in the neighborhood, but also, most prominently, in the form of Forster School's successor, Winter Hill Community School. The new school building has occupied the site for nearly half a century, and it is no longer the Forster School replacement but a community landmark in its own right.

Over its five decade history, Winter Hill Community School has upheld the tradition of educational innovation in Winter Hill, becoming Somerville's first and only innovation school in 2012. In 2017 Somerville again invested in the former Forster School site, improving the sport and play facilities around Winter Hill Community School to include a new synthetic turf field, new play structures, and an outdoor classroom.



Top to Bottom: 1852 Draper Map of Somerville- Future Site of Forster School; 1874 Hopkins Map, Plate G; 1895 Bromley Map, Plate 2

Research sources include State Archives, Somerville Planning Department's "Brief History of Somerville, 1600-1942", historic map atlases such as Hopkins, Bromley, and Sanborn, and historic images available in the public domain.








Top to Bottom: 1900 Sanborn Fire Insurance Map - Forster School Annex added; 1969 Aerial Photograph (USGS); 2021 Aerial Photograph (MassGIS)





L: Southwest corner of the Forster School, Somerville Board of Trade, "Somerville, Mass.,: The Beautiful City of Seven Hills"
R: Southwest corner of Forster School, early 20th c. Postcard Image -- the new annex can be seen on the right.



Site Plan for the Winter Hill Community School Construction, 1973. The Forster School and most of the block's remaining residences are demolished to make way for the new school. (The Site plan is oriented with North to the left).

EXISTING CONDITIONS ASSESSMENT

ASSESSMENT AND EXPLORATORY WORK

The Design Team completed multi-disciplinary assessment of the material condition of envelope, structure, systems, finishes, and equipment relative to performance, service life, and compatibility with the City's objectives for building assets in its portfolio. This preliminary, non-invasive round of visual reviews took place on April 18, 2023 with an additional Facade Survey the following day, April 19, 2023.

During the summer of 2023, additional exploratory work was conducted by Simpson Gumpertz & Heger Inc. in order to gain a deeper understanding of building conditions and areas of immediate attention following a concrete spall, May 2023.

CODE

Construction Type
The Winter Hill Community School building was designed and constructed in a single phase, and, therefore, has relative uniformity of construction and construction type. (The project's second phase dealt primarily with landscape and athletic fields). Much of the interior of the structure is covered by finishes, so site observations have been supplemented by review of the school building's Construction Documents to better understand the structural system.

A gridded framework of reinforced concrete columns and beams provide the primary structural system. These support precast concrete wall and floor panels and slabs, the latter, typically covered in a 2-inch screed of concrete topping. However the floors at ground level were, instead, specified to be cast in place slabs on grade. Unlike the upper floors, the preponderance of exterior walls at the ground level are also cast-in-place concrete -- extended stem walls, which support the assemblage of precast parts on floors above. The majority of the roof is, like the floors, supported on a slab system of precast concrete planks. A lightweight fill is used to impart a slope over which a built-up tar and gravel roof was originally installed. More recently, however, the roof was replaced with a TPO membrane.

The construction type varies most in the attached gymnasium and cafeteria wing, where the need for longer spans required a slight variation from the rest of the school building. The overall structural system is substantially similar, consisting of a framework of reinforced concrete columns and beams, clad in precast concrete panels and, in places, infilled with concrete block. However, the roof system is comprised of pre-cast concrete 'Tee' sections, joined by steel panels, which are welded together along the long edge of each 'tee'.

Winter Hill School's concrete construction and hollow-core plank floor and roof mark it as 'Type IB' (or potentially 'Type IIA'), wherein the structure of the building is non-combustible protected construction. The distinction depends on the fire-resistance rating of the floor and loadbearing wall assemblies. If the structure will provide a minimum 2 hour rating, the building is likely of 'Type IB' construction. The interior, non load-bearing building elements can be of any material permitted by 780 CMR.

Existing Occupancy Type
Group E

Planned Occupancy Type
Group E

Change of Use
None



First Floor, Visible Concrete structural frame with CMU infill



Third Floor, Panel system designed for flexible division of space extends only from finish floor to drop ceiling and offers poor acoustic separation

Number of Exits
The building is provided with multiple egress stairways and exits to grade.

There are four (4) stairways: two (2) enclosed exit stairs that serve all floors (first through fourth) of the building and that discharge to the exterior from the second floor level; one (1) enclosed exit stair that serves all floors but the first floor and that discharges to the exterior from the third floor level; and one (1) enclosed exit stair that serves only the gymnasium on the second floor and that discharges to the exterior from the first floor level. The gymnasium is served by two exit stairs in total.

In addition to the noted exit stairs, various floor levels are also served by the main entry/exits. The third floor is provided with an exit having access to both Sycamore Street and Thurston Street and the first floor is provided with an exit having access to Medford Street.

Preliminary Means of Egress Considerations for Renovation

- The first-floor exit leading to Medford Street is required to have unobstructed access to the public way. A locked gate is provided along the exit discharge to Medford Street to provide security for the adjacent playground area. It is unclear if this gate is readily openable from the egress side without the use of a key or special knowledge or effort. It should be confirmed that this arrangement is acceptable to the City of Somerville, especially during school hours.

- Some exit stairs were observed to have storage or other combustible materials at the landings within the enclosure(s). Exit stairs must not be used for any purpose other than circulation.

- Guards and handrails throughout do not satisfy the current requirements for new construction per 780 CMR. In general, such conditions are permitted to be maintained provided they are in compliance with the code at the time of original construction and not considered to be in danger of collapse. Although permitted to be maintained, as a safety improvement to the existing building, improvements to the guards and handrails are recommended.

- Any alterations must be done in a manner that maintain the level of protection provided for the means of egress. Newly reconfigured space must be provided with adequate number of exits and exit capacity as required per 780 CMR Chapter 34.

- A Level 2 or Level 3 alteration may trigger required upgrades to the existing means of egress. Further assessment would be required based on scope of work and occupancies/ spaces to be upgraded.

Sprinkler System
The building is not sprinklered but is provided with what appears to be a Class III standpipe system with hose connections located in stairways. All associated hoses for the standpipe system have been removed from the connection / hose cabinets. Should a renovation work area exceed 50% of the floor area, the entire work area or floor level where the renovation is occurring must be provided with automatic sprinkler protection. Furthermore, under M.G.L. c. 148, s. 26, when existing buildings greater than 7,500 square feet in gross area undergo "major alteration", a system of automatic sprinklers is required to be installed throughout the building. A conventional fire alarm system with very limited notification coverage is installed in the building. The fire alarm system appears to be comprised of manual pull station initiating devices and combination audible/visual notification appliances located sporadically through out the building. As part of any renovations, the existing fire alarm system should be modified/ extended to provide adequate coverage for any new or reconfigured spaces. Given the lack of


Stair hand and guard rails have gaps larger than 4" dia. and no longer meet code.


Typical site guardrails do not have the necessary height to meet code. They also do not have the required grab bar at the site ramps.


Gaps between site stair knee wall and chain-link fence do not adequately guard access to the high-voltage electrical equipment behind.

existing coverage and apparent age of existing fire alarm components, a full replacement is recommended with a fire alarm system that will also initiate the occupant notification signal utilizing an emergency voice/ alarm communication system. Portable fire extinguishers, emergency lighting, and illuminated exit signage were also observed in/near exists and exit access throughout the building.

Other Renovation Considerations – 521 CMR

If the construction cost of the proposed renovation work or the cost of an addition to the existing building is expected to cost more than 30% of the full and fair cash value of the existing building, the entire building is required to comply fully with the new construction accessibility requirements of 521 CMR (521 CMR §3.3.2). This would trigger extensive upgrades to stairs, doors, and accessible elements. The building is provided with an elevator, which may not meet current accessible cab size requirements. However, in existing buildings, where existing shaft configuration prohibits strict compliance with the building code, the code allows for a cab to be the maximum size allowable to fit within the existing shaft, provided the inside car area is no smaller than 48 inches by 48 inches, wall-to-wall and wall-to-door. Further analysis would need to be conducted based on the extent of proposed renovations. Some level of accessibility upgrades will likely be required, even with limited renovation work that does not exceed the 30% threshold.

STRUCTURE

The set of original drawings are well-detailed, with concrete footing sizes, member sizes and reinforcement all clearly noted. The structure is composed of 10" precast concrete planks with a 2" topping slab, supported by precast concrete beams and precast concrete columns. The typically 18" to 20" square columns bear on spread footings ranging from 6' to 10' square. The façade and stairs are also composed of precast concrete panels. Precast concrete T's span the gymnasium, and an ornate precast concrete skylight frame supports the library roof. The bulkhead, like the rest of the structure is composed entirely of precast concrete columns, precast concrete wall panels and precast concrete roof planks. There were no major signs of distress observed at the facade or at structural concrete elements.

At the time of the assessment, the Winter Hill Community Innovation School was a fully occupied building with ceiling, floor, and wall finishes present in most spaces; thus, interior observations of the structure described by the construction drawings were limited to areas such as the Gymnasium, where elements of the precast concrete roof structure are visible, or sections of classrooms and service spaces where the reinforced concrete structure is visible below dropped ceilings. Overall, based on a preliminary review, the structure appears to be in fair condition with limited signs of deterioration. Small areas of spalling concrete on precast cladding panels as well as peeling paint and minor water damage in defined areas of the interior indicate water intrusion into the exterior walls-- particularly at the stair towers. This staining typically is found proximate to joints between the precast cladding panels. The effect of dampness within the wall assembly, particularly on the deterioration of metal hangers and connections, is unknown. Observation and assessment of conditions inside the wall assembly may warrant future, selective-demolition.



Brittle and discolored vertical sealant joint, typical of many joints across the facade



Two previous patches to precast cladding panels, East Facade



Spalling and minor rust staining on face of pre-cast panel



Broken panel with oxidized steel hanger exposed



Shear cracking of CMU infill at beam along South Facade -- potential sign of differential settlement along Gymnasium wing's south side





Gap between B.O. cladding panel and T.O. foundation along entire South Facade

A spalled piece of concrete, which detached and fell from the precast roof panel in stairway #1 (May 2023) may be an indication of further deterioration of the concrete structure behind the finishes. Please refer to Initial Structural Comments MEMO by Silman and Inspections for Fall Hazards at Building Interior and Facade by SGH for further information. Both documents are included in K-8 Report, Vol II Appendices.



Raw edge of loading dock, where cantilevered edge is broken away

Renovation Considerations

Though concrete construction can sometimes be inflexible, Winter Hill Community School's plan organization was designed to use light-weight, movable partitions for plan flexibility. This system extends that flexibility to potential renovation or adaptive reuse. However, the current, movable partitions' acoustical permeability is a concern for sound intrusion among classrooms, and, indeed, intrusive noise appears to be a problem based on signage imploring students to be quiet in several locations throughout the school. New partition systems and revised HVAC systems may be able to provide improved acoustical isolation.

FACADE & ENVELOPE

Facades and Windows

As a whole Winter Hill Community School's facades appear to be in good condition. As previously mentioned, there were no major signs of distress observed at the facade. However, many of the mastic sealant joints between cladding panels require attention to prevent water intrusion. Limited areas of staining and spalling on precast cladding panels suggest the joint sealant has already begun to fail in places. Minor patches and repairs to several precast cladding panels on the East elevation may indicate that spalling has been a continued maintenance issue.


100% of the joints on the shorter North and South facades require recaulking, Whereas, on the longer East and West facades, the vertical joints are in greatest need. The horizontal joints may have been touched up during window replacement ca. 2018 and only 25-30% require attention. Above the entry door on the North Facade, there are no cast concrete panels, only a sliver of exposed concrete block infill. Further exploration is needed to determine if this CMU infill is the only barrier between interior and exterior in this location.

Chronic spalling and vertical cracking along the bottom panels of the Gymnasium and Cafeteria wing suggest a potential settlement of the foundation along the wing's South side. Movement has caused the lowest joint, between the foundation and the bottom panel, to open in several places on the South and East sides of the Cafeteria, exposing the panel hangers in a few locations. It appears the gap may have previously opened and been parged with cement. However the gap has reopened and the parging broken. These cracks bear monitoring to better understand how the building is moving and if the foundation is continuing to settle.

As previously mentioned, the Winter Hill School's windows were replaced ca.2018. These replacement windows remain in good, operable condition. However, in a couple of cases, broken hardware now prevents the windows' operation. On the East facade rust stains are common below several window openings, but these appear to be remnants from the previous, replaced



A new TPO roof was installed ca. 2018



Remedial painting is required on exposed metal pipes and ducts







Peeling paint, spalling concrete, and water stains near panel joints in the stair towers

windows.

Exterior Doors and Stoops

At the main entrances, off of Sycamore Street, entry to the school is through fire stairs #2 and #3. In both instances the door leaves and frame are in good, functioning order. However, the forecourt paving at Stair #3 is not pitched sufficiently away from the door threshold, which is leading to water intrusion under the door. The other primary entrances on the North and South elevations are also in good order with the exception of some accessibility concerns. Two ramps allow access to the entrance on the North side. The ramp from Sycamore Street on the Northwest corner has a slope of approximately 1:8.5, and the ramp to the basketball courts on the Northeast corner is approximately 1:11. Both ramps exceed the maximum 1:12 slope required by the Americans with Disabilities Act (ADA §405.2) and as such they present a current accessibility barrier. Additionally, a concrete curb in this location has also been heavily patched with asphalt, and replacement is recommended. The only accessible path to the playground requires the user to exit the building from the mid-block main entrance a floor lower and then come up the block to enter the playground from the street entrance to avoid the steep ramps. While technically legal, in practice it is not appropriate since the slope of Sycamore sidewalk climbing up the hill is even steeper than the ramps. Future renovations should address the grading problems and in the interim the School should provide assistance to any wheelchair students/teachers to help navigate the ramps as need be.

The loading dock at the service entrances on the East facade also needs repair or replacement. The finish concrete topping is heavily cracking. This is likely aggravated by the cantilevered front edge having been, previously, broken off, exposing some of the reinforcing bars.

Roofing

The Winter Hill Community School roof was replaced in ca.2018. Originally designed to be ballasted tar and gravel, the roof is now clad in a TPO membrane, which appears to have no significant damage or distress. There are only minor areas of ponding, and textured walking paths have been provided around equipment located on the roof. The majority of the flashing and caulking appears to have been replaced during the reroofing process, especially at the mechanical bulkhead. Both flashing and joint sealant appear to be in good shape. However, panel joints on the stair bulkheads and skylight may not have received attention during the reroof, and both require remedial recaulking.

A couple of localized areas of damage were also noted. The new counter flashing at the Stair #1 bulkhead is pulling out of its joint on the bulkhead's South side. Additionally, on the North side of the skylight, a portion of backer rod is pulling out of one of the panel joints. Finally, the door to the roof from the Stair #3 bulkhead is missing half of its gasket, and it doesn't have a weather-tight seal.

Some roof upgrades could be beneficial from the vantage point of life safety. The current roof has no perimeter guard rail. A non-penetrating guard rail system of 42" in height could be beneficial, and may be required if work on the roof is either frequent or a permanent, recurring task. The addition of a personal fall protection device to the ladder between the main roof and the gymnasium roof may also be beneficial. However, as the ladder is less than 24 feet tall, the retrofit may not be required by OSHA.

Metal pipes and ducts, which penetrate and run along the roof in different locations, require remedial painting to slow the progression of rust. Similarly, brackets that hold recently installed ducts on the exterior of the West facade are in need of paint.



Gymnasium roof, 'tee' sections. Joint between two sections shown filled



There is currently no guard rail at or near the roof's edge.





Remedial painting of exposed roof piping and West facade duct brackets is required to protect against further rusting.

CIVIL/SITE INFRASTRUCTURE

Due to its urban location, parking on site at Winter Hill Community School is limited to parallel street parking. The school's single driveway is reserved for deliveries and trash pick-up services.

Site Drainage

The site is served with drainage inlets and services around the perimeter. No ponding issues were noted by City maintenance staff. City of Somerville Sewer and Stormwater Systems records from 2022 indicate that drain lines connect to 8" vitrified clay combined sewer main in Sycamore Street and 24" brick combined sewer main in Medford Street.

Based on the review of the 1973 architectural plans the building drainage connects to 20" combined sewer main in Sycamore Street at the western corner of the site via a 12" cast iron storm drain. The 1973 plans also indicate that drainage at the eastern side of the site is collected by eight catch basins and travels in an eastern direction to a storm main of unknown size in Thurston Street.

2018 upgrades to the site's schoolyard consisted of replacement of the basketball court at the eastern corner of the site with a turf field. Underdrain systems below the turf field provide enhanced stormwater drainage, with drain lines on the eastern, western, and southern edges of the field tying into an existing drainage manhole at the southeastern corner of the field.

The Winter Hill School site is not located in a planned sewer separation project area. The site is in the S2 sewershed as noted in the Citywide Flood Mitigation and Water Quality Improvements Plan.

Sanitary Sewer

The 1973 architectural plans indicate that the school building has an 8" sewer service off the west corner of the building that ties into a 20" combined sewer main in Sycamore Street at a sanitary manhole at the corner of Sycamore and Medford Streets. Per utility information from the 2022 City of Somerville Sewer and Stormwater Systems records, the 8" sewer line running along the western side of the building is vitrified clay, and sewer lines are presumed to connect to combined sewer main in Medford Street (24" brick). No concerns were noted by City staff for the sewer service.

Water Systems

High pressure water lines are located in Sycamore Street. Domestic water and fire protection lines tap into the water main in Sycamore Street. A standpipe and call box are located on Sycamore Street as well.

Floor plans from the 1973 architectural drawings indicate water service to the building connects at the northern corner of the site to the water main (8") in Sycamore Street. Per the 1973 architectural plans, a hydrant is located in front of the playground area and is presumed to connect to the 8" water main in Evergreen Street. No concerns were noted by City staff for the water service.

Other Utilities

The 1973 architectural plans indicate existing gas service exits west from the building and travels to the 4" gas main in Sycamore Street. A gas meter is located on the west side of the building.

Per the 1973 architectural plans, electric services feed the Winter Hill Community School building from a 3" underground conduit in Sycamore Street. The plan notes the future extension of a 4"conduit at the eastern edge of the building terminating at Medford Street, to be performed by Boston Edison Co. Construction documents from 2016 schoolyard improvements show enhanced lighting, with underground electric lines running around the northern, eastern, and western edges of the schoolyard connecting to a new electrical



Meter and regulator, Natural gas service entrance on Sycamore St.



Inside the Mechanical penthouse - lack of insulation likely effects system efficiency.

equipment cabinet at the northeast corner of the asphalt playground.

Correspondence with the City of Somerville's Capital Projects and Information Technology (IT) departments yielded the following information: existing copper phone lines at the site are with Verizon and there is an existing dark fiber via contract between the City and Astound/ RCA.

Preliminary Site Opportunities and Constraints

- *Evaluate and replace utility services where needed*
- *Perform review of accessible routes and entrances to identify needs*
- *Consider areas where hardscape can be reduced or made permeable and route roof and hardscape runoff to bioretention areas*
- *Opportunity to evaluate main circulation routes and entrances to increase visible sustainable design/ stormwater management, and highlight Somerville's commitment to sustainability*

MECHANICAL SYSTEMS

HVAC- Existing Condition

Much of the major HVAC infrastructure within the building has been in place since the original building construction. Various repairs have been made over the years, and more recently modifications have been implemented for air quality due to COVID.

The majority of the building is served by two custom AHUs in the penthouse with chilled water coils, hot water coils, and single belt-driven fans with VFDs. A smaller AHU serves the cafeteria and a dedicated make-up air unit serves the kitchen. There are two (2) gas-fired heating-only rooftop units serving the gym; these are not original to the building, but the exact age is not available. A smaller AHU serves miscellaneous spaces on the first floor but was not observed during the site visit.

Electric steam humidification and UV filtration were recently added to all AHUs and RTUs due to COVID. Additional freestanding filtration units are located in many classrooms. Air is distributed to classrooms via linear diffusers in modular ceiling grids with plenum return. VAV boxes have electric reheat coils. Rust was observed on ceiling grilles and ductwork appears to be dirty; significant leakage is likely.

Chilled water for the AHUs is generated by a water-cooled chiller and cooling tower located in the penthouse/roof. The chiller was installed in 2008 or 2009 and significant rebuild/repairs were made last year; it is in fair condition. The cooling tower is in poor condition and is slated for major maintenance this year; its expected remaining service life is less than five years. Chiller and cooling tower pumps are of similar vintage and condition; they each have one (1) pump and share a common standby.

The building was originally designed with electric heating coils, but AHUs were retrofitted with hot water coils and a boiler added on the roof. The boiler appears to be in poor condition; it provides hot water to the AHUs only; heating hot water is not distributed throughout the building. The building controls are a mixture of pneumatic and digital; the systems are reported to be in poor condition.

HVAC- Maintenance and Repair


With the exception of the chiller, all major HVAC equipment is nearing the end of useful service life and is expected to require major repairs within the next 5 years. The AHUs should be replaced and significant modifications to ductwork and distribution would likely be needed to meet mechanical and energy codes. The original design documents indicate that the AHUs were not designed with adequate outside air to comply with current code and support healthy and productive learning environments. Energy recovery would be required for new AHUs. The boiler is in need



Natural gas fired boiler (front) and cooling tower (rear) are both in poor condition and are reaching the end of their service life.



UV Filtration and Electric steam humidification were added to AHUs during the Covid-19 pandemic.




Conditioned air is distributed through a system of modular, perforated ceiling panels. Replacement panels are difficult to procure.



Existing fire alarm panel





Left: Existing free-standing Fire Dept. Connection at the middle of the West facade.
Right: Existing fire hose valve cabinet with two connections (but no hose)

of replacement; however, the combustion equipment and electric reheat coils would not meet the City of Somerville requirements for decarbonization and electrification.

Renovation or rehabilitation of the building would require significant infrastructure and distribution replacement, including new AHUs, cooling towers, heating equipment, pumps, ductwork, and VAV boxes. Modern HVAC design for similar K-12 schools favors systems with dedicated outside air (DOAS) with energy recovery, and terminal level heating and cooling for thermal comfort and efficiency.

FIRE PROTECTION

Existing Conditions

A six-inch combined water and fire service enters the building. The service splits into a four-inch fire protection system and a two-inch domestic water service. A single check valve is connected to the system. No double check valve was observed on site. No main alarm check valve was observed on site. A four-inch fire main serves the building. Current code requires a double check valve and main alarm check valve on the fire protection service entering the building. The building did not have any sprinkler coverage.

Fire Protection - Maintenance and Repair

New double check valve on fire protection main serving the building should be provided as well as sprinkler coverage for the building.

PLUMBING

Existing Conditions

A six-inch combined water and fire service enters the building. The service splits into a four-inch fire protection system and a two-inch domestic water service. No backflow preventer was observed on-site for the domestic water connection. No connection to an irrigation system was observed on site. A two-inch water meter measures the water flow for the building.

A gas fired boiler and storage tank generate hot water for the building. The boiler was replaced in 2013 and is still operating within its expected lifespan. The storage tank was replaced in 2016 and is nearing its life expectancy. Glass lined storage tanks have an average lifespan of 7-10 years.

Rainwater drains from the roof through a primary and overflow piping. The primary rainwater piping exits the building below grade through a twelve-inch pipe. The overflow rainwater piping discharges above grade on the exterior of the building.

Sanitary drainage discharges from the building in an eight-inch sanitary pipe. The kitchen grease waste discharges to the sanitary drainage and the three-pot sink first drains through a grease separator. No central grease separator was observed on site to process the kitchen waste discharge.

Plumbing - Maintenance and Repair

New reduced pressure backflow preventer on the domestic water service to the building should be provided. It is recommended to inspect all rainwater piping and performing destructive testing on a random selection of fittings. It is also recommended to inspect all sanitary piping and performing destructive testing on a random selection of fittings. There is no exterior grease separator and extensive work on the kitchen will require a new grease separator for the entire kitchen. This would be approximately 2,000 gallons and installed exterior to the kitchen below grade.

ELECTRICAL

Existing Conditions

The major electrical distribution systems within the building have been in place since the original building

construction. With an average service life of 25-35 years for most electrical cabling and equipment, the installed systems are approaching the end of their expected service life.

The electrical service consists of a utility company pad mounted transformer located on grade, which serves a 2500A, 277/480 main switchboard located in the basement main electrical room. The main switchboard distributes power to sub-distribution panels located throughout the building. Much of the distribution equipment is manufactured by Zinsco/Sylvania. Zinsco/Sylvania no longer manufactures electrical equipment and replacement parts and support is not readily available for this equipment.

Emergency power for the building is fed from a 75KW/94KVA natural gas generator. The generator serves a single automatic transfer switch, which in turn feeds an emergency distribution panel which distributes power to sub-distribution panels located throughout the building. The current emergency distribution does not meet the requirements for segregation between emergency loads, legally required loads, and optional standby loads.

Electrical - Maintenance and Repair

1. All of the breakers in the building should be inspected, tested, and serviced every 1-3 years. This shall include operating of all breakers.

2. All of the switchboards and panelboards in the building should be inspected, infrared scanned, cleaned, tested, and serviced every 1-3 years.

3. The existing generator should be tested and maintained in accordance with manufacturer's requirements.

4. Although equipment is beyond useful life and becoming difficult to maintain, there is no immediate need for upgrades provided all equipment is serviced and continues to operate. However, if there were any renovation to the building, all existing infrastructure would likely need to be replaced.

GEOTECHNICAL

Foundations – General Note

Renovations to existing structures that increase column/wall loads by more than 5 to 10 percent will require evaluation by the geotechnical engineer to assess potential impacts to the foundations. Where additions are planned that expand existing building or structures footprints, geotechnical evaluation will be necessary to evaluate soil conditions, impacts to existing structures and for foundation design. New structures will need a geotechnical assessment and report for foundation design to meet building code requirements.

Disturbed Soils – General Note

Soil disturbed during excavation will require environmental screening and characterization for on-site reuse or off-site disposal. If contaminants are detected that exceed Reportable Concentrations (per the Massachusetts Contingency Plan) there will be an obligation to report these results to the Massachusetts Department of Environmental Protection (MassDEP). Subsequent regulatory compliance activities would include environmental characterization work and possibly remediation, under the direction of a Licensed Site Professional (LSP), to ensure that residual contaminants do not pose a threat to human health, public welfare, safety and the environment.

HAZARDOUS MATERIALS

Environmental Record Review

Haley & Aldrich obtained and reviewed common environmental databases within the Association for Testing and Materials (ASTM)-specified search radii as part of an Environmental Data Resources, Inc. electronic



Existing gas powered generator, Kohler 70R81



Utility company's existing switch gear and transformer, located in its own enclosure on the East side of the school building

database report (EDR Database Report) for the subject property address, dated 8 May 2023.

The Winter Hill Community School (115 Sycamore Street) is listed in the Massachusetts Asbestos database twice in connection with the removal of window caulking and glazing from the subject building during interior and roof renovations in 2018 and 2021, respectively. Materials from the 2018 abatement process were transported off-site by Transwaste of Wallingford, Connecticut. The 2021 abatement was performed by Unified Abatement Services LLC of Woburn, Massachusetts, and materials were transported off-site by East Coast Engineering of Cotuit, Massachusetts, and Greenwood Industries, Inc. of Worcester, Massachusetts.

The following adjoining properties were identified in the environmental database report:

- Di Tucci, Lorraine, 415 Medford Street

This commercial address is located west and cross-gradient of the subject property (the Winter Hill Community School). It is listed in the EDR Historic Cleaner database for the year 1975. No additional information is provided.

- No Location Aid, 148 Sycamore Street

This residential address is located north and upgradient of the subject property (the Winter Hill Community School). It is listed in the leaking aboveground storage tank (LAST) and Release databases. This address was reported to MassDEP on 1 May 2003 under Release Tracking Number (RTN)-3-22827 and relates to the release of approximately 60 gallons of No. 2 fuel oil from a leaking aboveground storage tank (AST). Laboratory results from groundwater testing indicated that no detectable concentrations of any extractable petroleum hydrocarbon (EPH)-related compound above applicable GW-2 or GW-3 clean-up standards. A Method 1 Risk Characterization was conducted and supports a condition of No Significant Risk. This release case gained regulatory closure with a Response Action Outcome in July 2003 and achieved a Permanent Solution with No Conditions.

Site Reconnaissance

A site visit was conducted by Kristen Ingraham of Haley & Aldrich on 18 April 2023, consisting of the observation of the exterior site conditions (including building perimeters, paved parking and driveway areas, and landscaped areas), property boundaries, and adjoining property conditions from the subject property boundaries and/or public thoroughfares. No conditions regarding accessibility limited our ability to observe interior and exterior portions of the subject property during our visits. Haley & Aldrich walked the subject property accompanied by Andy Rieder (Preventative Maintenance Manager, Department of Public Works [DPW] Buildings and Grounds) and Melissa Woods (Director of Capital Projects) of the City of Somerville, the key site managers.

The storage of petroleum products or hazardous materials was observed during the visit and are described below. Additionally, the following bulk storage tank was observed or reported as associated with the subject property during the site visit:

Tank #1: UST 5,000-gallon fuel oil, Unknown location. It was used to hold fuel oil for heating. The tank was installed on 23 October 1952 and removed on 30 April 1974.

Other petroleum/hazardous materials observed at the subject property included:

- Synthetic centrifugal oil and Oil absorbent clay. Observed in multiple 1 to 5-gallon metal containers and one 55-gallon plastic drum; One open 33-pound bag. Synthetic centrifugal oil and oil absorbent clay were observed in the pump room located on the roof of the subject building. One floor drain was observed in the general vicinity; however, no evidence of staining or a release was observed.
- General maintenance materials (paints, acrylic coating, adhesive remover, industrial cleaner/degreaser, concrete ready-mix) Observed in multiple containers of varying sizes. General maintenance materials were observed in the custodial closet and office on the ground floor. The cleaner/degreaser is nonpolychlorinated biphenyl (PCB) containing according to its Safety Data Sheet. One floor drain associated with a custodial slop sink was observed in the general vicinity; however, no evidence of staining or a release was observed.
- General cleaning supplies (all-purpose cleaners, sanitizers, roach spray); Observed in multiple containers of varying sizes. General cleaning supplies were observed in the custodial closets on each floor of the subject building, and in various classrooms.


Minor water staining on floor/wall/ceiling/tiles and minor chipping of paint on walls were noted throughout the subject property building. No environmental concerns were identified based strictly on Haley & Aldrich's exterior observations of the subject property.

Conclusions


Based on a review of information in the aforementioned environmental database report as well as a review of historical site information, Haley & Aldrich has not identified any RECs at the subject property. Please refer to H&A Environmental Desktop Study, K-8 Report, Vol II. Appendices.

Appendix
Existing Building Plans


BEYER BLINDER BELLE'S NOTES FROM ASSESSMENTS IN THE FIELD




WINTER HILL COMMUNITY SCHOOL - SITE PLAN




WINTER HILL COMMUNITY SCHOOL - FIRST FLOOR PLAN




WINTER HILL COMMUNITY SCHOOL - SECOND FLOOR PLAN




WINTER HILL COMMUNITY SCHOOL - THIRD FLOOR PLAN



WINTER HILL COMMUNITY SCHOOL - FOURTH FLOOR PLAN



WINTER HILL COMMUNITY SCHOOL - ROOF PLAN



WINTER HILL COMMUNITY SCHOOL - EXTERIOR ELEVATIONS

HALEY ALDRICH


www.haleyaldrich.com

ENVIRONMENTAL DESKTOP STUDY
SOMERVILLE BUILDING RENOVATION AND DEPARTMENT RELOCATION MASTER PLAN
115 SYCAMORE STREET – WINTER HILL COMMUNITY SCHOOL
SOMERVILLE, MASSACHUSETTS

by
Haley & Aldrich, Inc.
Boston, Massachusetts

for
Beyer Blinder Belle Architects & Planners LLP
New York, New York

File No. 0200460-004
May 2023



HALEY ALDRICH

[redacted]

Revised 1 November 2023
26 May 2023
File No. 0200460-004

Beyer Blinder Belle Architects & Planners LLP
120 Broadway, 20th Floor
New York, New York 10271

Attention: Aaron Lamport
Principal

Subject: Environmental Desktop Study
Somerville Building Renovation and Department Relocation Master Plan
115 Sycamore Street – Winter Hill Community School
Somerville, Massachusetts

Ladies and Gentlemen:

Haley & Aldrich, Inc. (Haley & Aldrich) is pleased to submit this Environmental Desktop Study report in connection with the subject property (the "site") located at 115 Sycamore Street in Somerville, Massachusetts. Our work was conducted in accordance with our proposals dated 10 March and 12 April 2023.

The purpose of this report is to document the findings of our exterior site visit, review of readily available regulatory records, and information on subject property history to assess the potential that recognized environmental conditions ("RECs") exist at the subject property. REC means the presence or likely presence of hazardous substances or petroleum products on a property under conditions that indicate an existing release, past release, or material threat of a release of any hazardous substances or petroleum products, as defined in Association for Testing and Materials (ASTM) E127-21 Sections 3.2.29 and 3.2.39, into structures on the property or into the ground, groundwater, or surface water of the property.

Note that this Environmental Desktop Study was not conducted in conformance with the scope and limitations of the ASTM E 1527-21 Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process as referenced in 40 Code of Federal Regulations (CFR) Part 312 (the All Appropriate Inquiries [AAI] Rule).

Thank you for the opportunity to perform these services for you. Please do not hesitate to contact us if you have any questions or comments.

Sincerely yours,
HALEY & ALDRICH, INC.

Kristen M. Ingraham
Staff Geologist

Cole E. Worthy III, LSP
Senior Associate

Enclosures

\\haleyaldrich.com\share\CF\Projects\0200460\6. Desktop Reviews\2023 Desktop Reviews\115 Sycamore - Winter Hill Community School\2023_1101_HAI-115 Sycamore Somerville Portfolio Environmental Review_Revised_F.docx

HALEY & ALDRICH, INC.
465 Medford St.
Suite 2200
Boston, MA 02129
617.886.7400

SIGNATURE PAGE FOR

ENVIRONMENTAL DESKTOP STUDY
SOMERVILLE BUILDING RENOVATION AND
DEPARTMENT RELOCATION MASTER PLAN
115 SYCAMORE STREET – WINTER HILL COMMUNITY SCHOOL
SOMERVILLE, MASSACHUSETTS

PREPARED FOR
BEYER BLINDER BELLE ARCHITECTS & PLANNERS LLP
NEW YORK, NEW YORK

PREPARED BY:

Kristen M. Ingraham
Staff Geologist
Haley & Aldrich, Inc.

REVIEWED AND APPROVED BY:

Cole E. Worthy III, LSP
Senior Associate
Haley & Aldrich, Inc.

Executive Summary

As part of the Environmental Desktop study conducted for the subject property, Haley & Aldrich, Inc. (Haley & Aldrich) reviewed: current electronic environmental database reports containing Federal, State, and local records; readily available historic information for the subject property; and environmental records readily available online and/or provided via state environmental agencies. In addition, we visited the site and made observations of accessible interior and exterior portions of the property. Our review specifically does not comply with all of the requirements of a Standard Phase I Environmental Site Assessment per Association for Testing and Materials (ASTM) E 1527-21.

SUBJECT PROPERTY DESCRIPTION

Our understanding of the Somerville Building Renovation and Department Relocation Master Plan project was based on email correspondences dated 17 February 2023 from Beyer Blinder Belle Architects & Planners LLP and a 18 April 2023 site visit conducted by Haley & Aldrich and Beyer Blinder Belle Architects & Planners LLP. The subject property is currently developed with a four-story 89,400 square foot (sq ft) public school that is owned and occupied by the City of Somerville. The areas of the subject property not occupied by buildings include landscaped areas, recreational areas, and paved areas used for parking.

SIGNIFICANT DATA GAPS

Our ability to identify and evaluate recognized environmental conditions (RECs) at the subject property is conditioned upon significant data gaps identified as part of this desktop study. The ASTM E1527-21 Standard defines a significant data gap as a data gap that affects the ability of the Environmental Professional to identify a REC.

No significant data gaps were identified during the performance of this desktop study. Thus, it is our opinion that sufficient information was obtained to identify subject property conditions indicative of releases or threatened releases of hazardous substances and petroleum hydrocarbons. Our opinion is limited by the conditions prevailing at the time our work is performed and the applicable regulatory requirements in effect.

SUMMARY AND RECOMMENDATIONS

The ASTM E1527-21 Standard defines a REC as: (1) the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment.

Based on a review of information presented in subsequent sections of this report as well as a review of historical site information, Haley & Aldrich has not identified any RECs at the subject property.

Table of Contents

		Page
Executive Summary		**i**
List of Figures		**iii**
List of Appendices		**iii**
1.	**Site Description and Site History**	**1**
1.1	ABUTTING PROPERTIES	1
1.2	SITE HISTORY	1
2.	**Environmental Records Review**	**2**
2.1	SUBJECT PROPERTY	2
2.2	ADJOINING SITES	3
3.	**Site Reconnaissance**	**4**
4.	**Conclusions**	**6**
5.	**Glossary and Other Descriptions**	**7**
5.1	GLOSSARY	7
5.2	DESCRIPTIONS OF DATABASES SEARCHED	8

List of Figures

Figure No.	Title
1	Project Locus
2	Site Plan – Winter Hill Community School

List of Appendices

Appendix	Title
A	EDR Database Report
B	EDR Aerial Photo Decade Package
C	EDR Sanborn Map Report
D	Hazardous Building Materials Survey Report

1. Site Description and Site History

The subject property is located in a mixed-use area of Somerville, Massachusetts, composed of the following parcel as identified by the Somerville Assessors Database:

Parcel ID 14849, "115 Sycamore Street, 02145."

The general subject property location is shown on Figure 1: Project Locus. Refer to Figure 2 for the location of the subject property and the surrounding area included in this review.

The subject property is currently developed with a four-story public elementary school known as Winter Hill Community School owned and occupied by the City of Somerville. The areas of the subject property not occupied by buildings include landscaped areas, recreational areas, and paved areas used for parking.

1.1 ABUTTING PROPERTIES

The subject property is bounded to the north by Evergreen Avenue followed by multiple residences, to the east by Saint Ann's Parish followed by Thurston Street, to the south by Medford Street followed by multiple residences, and to the west by Sycamore Street followed by an ice cream shop, a hair salon, a produce shop, and multiple residences.

1.2 SITE HISTORY

Haley & Aldrich, Inc. (Haley & Aldrich) assessed past usage of the subject property and adjoining properties through a review of:

- Sanborn Fire Insurance Maps dated 1900, 1933, 1934, 1950, 1989, and 1991;
- Aerial Photographs dated 1938, 1946, 1952, 1955, 1962, 1969, 1970, 1978, 1980, 1985, 1995, 2010, 2014, and 2018; and
- Municipal records.

The southern and eastern portions of the subject property were occupied by residential dwellings and the northern portion was occupied by the Forster Grammar School as early as 1900. By 1933, four storefronts are depicted along Medford Street at the southern portion of the property. According to the 1950 Sanborn map, only one residential dwelling is depicted along Sycamore Street just north of the Medford Street storefronts. Municipal records indicate that a former subject building occupied by the Forster Grammar School was demolished by February 1986, while other records indicate that the Winter Hill Community School was built in 1974. The Forster Grammar School is last visible in the 1970 aerial photograph but does not appear in the 1980 aerial photograph. The subject building was occupied by the St. Ann's Parochial School until 2004, affiliated with the abutting St Ann's Parish to the east of the subject property.

Copies of reviewed information obtained from historical references are included in the attached appendices.

2. Environmental Records Review

2.1 SUBJECT PROPERTY

Haley & Aldrich obtained and reviewed an Environmental Data Resources, Inc. electronic database report (EDR Database Report) dated 8 May 2023. A copy is enclosed with this report. To supplement the environmental record search, we accessed the Massachusetts Department of Environmental Protection (MassDEP) Data Portal (https://eeaonline.eea.state.ma.us/portal#!/search/wastesite), contacted the City of Somerville Board of Health, the Somerville Bureau of Fire Prevention, the Somerville Department of Inspectional Services, and searched the City of Somerville Assessors online database and applicable state/municipal online databases.

Responses have been received from municipal offices, and files have been reviewed online and in person. Pertinent information provided from the municipal departments is incorporated into the appropriate sections of this report.

The environmental review included a review of information from common environmental databases within the Association for Testing and Materials (ASTM)-specified search radii. The common database search limits used in the industry, including the EDR Database Report, vary from the subject property only to within 1 mile from the site depending on the environmental database searched. The databases include: National Priorities List (NPL); Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS); CERCLIS No Further Remedial Action Planned (NFRAP); Emergency Response Notification System (ERNS); Resource Conservation and Recovery Act (RCRA) Generators and Corrective Action Sites (CORRACTS); State Hazardous Waste Site Inventory; State Landfills and Solid Waste Disposal Sites; Registered Underground Storage Tanks (USTs) and Leaking USTs; and a number of other databases which are listed in the EDR reports.

A full list of referenced databases and search radii can be found in the EDR report enclosed with this report. Our review of the referenced 8 May 2023 EDR Database Report identified the following subject property listings on the above-named databases:

- The Winter Hill Community School (115 Sycamore Street) is listed in the Massachusetts Asbestos database twice in connection with the removal of window caulking and glazing from the subject building during interior and roof renovations in 2018 and 2021, respectively. Materials from the 2018 abatement process were transported off-site by Transwaste of Wallingford, Connecticut. The 2021 abatement was performed by Unified Abatement Services LLC of Woburn, Massachusetts, and materials were transported off-site by East Coast Engineering of Cotuit, Massachusetts, and Greenwood Industries, Inc. of Worcester, Massachusetts (Map IDs A1 & A2).

2.2 ADJOINING SITES

The following adjoining properties were identified in the environmental database report:

Di Tucci Lorraine, 415 Medford Street (Map ID 3)

> This commercial address is located west and cross-gradient of the subject property (the Winter Hill Community School). It is listed in the EDR Historic Cleaner database for the year 1975. No additional information is provided.

No Location Aid, 148 Sycamore Street (Map ID 5)

> This residential address is located north and upgradient of the subject property (the Winter Hill Community School). It is listed in the leaking aboveground storage tank (LAST) and Release databases. This address was reported to MassDEP on 1 May 2003 under Release Tracking Number (RTN)-3-22827 and relates to the release of approximately 60 gallons of No. 2 fuel oil from a leaking aboveground storage tank (AST). Laboratory results from groundwater testing indicated that no detectable concentrations of any extractable petroleum hydrocarbon (EPH)-related compound above applicable GW-2 or GW-3 clean-up standards. A Method 1 Risk Characterization was conducted and supports a condition of No Significant Risk. This release case gained regulatory closure with a Response Action Outcome in July 2003 and achieved a Permanent Solution with No Conditions.

3. Site Reconnaissance

A site visit was conducted by Kristen Ingraham of Haley & Aldrich on 18 April 2023, consisting of the observation of the exterior site conditions (including building perimeters, paved parking and driveway areas, and landscaped areas), property boundaries, and adjoining property conditions from the subject property boundaries and/or public thoroughfares. No conditions regarding accessibility limited our ability to observe interior and exterior portions of the subject property during our visits.

Haley & Aldrich walked the subject property accompanied by Andy Rieder (Preventative Maintenance Manager, Department of Public Works [DPW] Buildings and Grounds) and Melissa Woods (Director of Capital Projects) of the City of Somerville, the key site managers.

The storage of petroleum products or hazardous materials was observed during the visit and are described below. Additionally, the following bulk storage tank was observed or reported as associated with the subject property during the site visit:

Tank #	AST/ UST	Contents/ Capacity	Location[1]	Use	Closure Status
1	UST	5,000-gallon fuel oil	Unknown	Fuel oil for heating	Tank was installed on 23 October 1952 and removed on 30 April 1974.

***Notes**:*

1. *Approximate tank locations (if known) are shown on Figure 2.*

Other petroleum/hazardous materials observed at the subject property included:

Oil and Hazardous Material/Sumps/Containers	Quantity	Notes
Synthetic centrifugal oil; Oil absorbent clay	Multiple 1 to 5-gallon metal containers and one 55-gallon plastic drum; One open 33-pound bag	Synthetic centrifugal oil and oil absorbent clay were observed in the pump room located on the roof of the subject building. One floor drain was observed in the general vicinity; however, no evidence of staining or a release was observed.
General maintenance materials (paints, acrylic coating, adhesive remover, industrial cleaner/degreaser, concrete ready-mix)	Multiple containers of varying sizes	General maintenance materials were observed in the custodial closet and office on the ground floor. The cleaner/degreaser is non-polychlorinated biphenyl (PCB) containing according to its Safety Data Sheet. One floor drain associated with a custodial slop sink was observed in the general vicinity; however, no evidence of staining or a release was observed.
General cleaning supplies (all-purpose cleaners, sanitizers, roach spray)	Multiple containers of varying sizes	General cleaning supplies were observed in the custodial closets on each floor of the subject building, and in various classrooms.

Minor water staining on floor/wall/ceiling/tiles and minor chipping of paint on walls were noted throughout the subject property building. No environmental concerns were identified based strictly on Haley & Aldrich's exterior observations of the subject property.

4. Conclusions

Based on a review of information in the aforementioned environmental database report as well as a review of historical site information, Haley & Aldrich has not identified any RECs at the subject property.

We appreciate the opportunity to conduct this environmental review for Beyer Blinder Belle Architects & Planners LLP. Please do not hesitate to contact us if you wish to discuss the contents of this report.

Note: After the completion of this Environmental Desktop Study, a Hazardous Building Materials Survey was conducted by Axiom Partners. Refer to Appendix D to review this report.

5. Glossary and Other Descriptions

5.1 GLOSSARY

Data Gap — a lack of or inability to obtain information required by this practice despite good faith efforts by the environmental professional to gather such information. Data gaps may result from incompleteness in any of the activities required by this practice, including, but not limited to site reconnaissance (for example, an inability to conduct the site visit), and interviews (for example, an inability to interview the key site manager, regulatory officials, etc.).

De Minimis Conditions — conditions which do not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be *de minimis* conditions are not recognized environmental conditions nor controlled recognized environmental conditions.

Environmental Professional — a person meeting the education, training, and experience requirements as set forth in 40 CFR §312.10(b).

Historical Recognized Environmental Condition (HREC) — a past release of any hazardous substances or petroleum products that has occurred in connection with the property and has been addressed to the satisfaction of the applicable regulatory authority, without subjecting the property to any required controls (for example, property use restrictions, activity and use limitations, institutional controls, or engineering controls).

Key Site Manager — the person identified by the owner or operator of a property as having good knowledge of the uses and physical characteristics of the property.

Material Threat —a physically observable or obvious threat which is reasonably likely to lead to a release that, in the opinion of the environmental professional, is threatening and might result in impact to public health or the environment. An example might include an AST system that contains a hazardous substance and which shows evidence of damage. The damage would represent a material threat if it is deemed serious enough that it may cause or contribute to tank integrity failure with a release of contents to the environment.

Orphan Site — (not ASTM E 1527-21 definition) — sites that could not be mapped due to poor or inadequate address information.

Recognized Environmental Condition (REC) — the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: (1) due to release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment. *De minimis* conditions are not recognized environmental conditions.

5.2 DESCRIPTIONS OF DATABASES SEARCHED

Numerous regulatory databases were searched during this desktop study. Each database reviewed is described in the database report presented in Appendix A. Those databases required by the ASTM E 1527-21 Standard are identified below.

1. **NPL Sites:** The NPL is a list of contaminated sites that are considered the highest priority for cleanup by the U.S. Environmental Protection Agency (USEPA).
2. **Delisted NPL Sites:** The Delisted NPL is a list of formal NPL sites formerly considered the highest priority for cleanup by the USEPA that met the criteria of the National Oil and Hazardous Substances Pollution Contingency Plan (NCP) for deletion from the NPL because a no further response was appropriate.
3. **CERCLIS Sites:** The CERCLIS list identifies sites which are suspected to have contamination and require additional investigation to assess whether they should be considered for inclusion on the NPL.
4. **CERCLIS-NFRAP Sites:** CERCLIS-NFRAP status indicates that a site was once on the CERCLIS List but has NFRAP. Sites on the CERCLIS-NFRAP List were removed from the CERCLIS List in February 1995 because, after an initial investigation was performed, no contamination was found, contamination was removed quickly, or the contamination was not significant enough to warrant NPL status.
5. **Federal ERNS:** The Federal ERNS list tracks information on reported releases of oil and hazardous materials.
6. **RCRA non-CORRACTS TSD facilities:** The RCRA non-CORRACTS TSD Facilities List tracks facilities which treat, store, or dispose of hazardous waste and are not associated with corrective action activity.
7. **RCRA CORRACTS TSD facilities:** The RCRA CORRACTS TSD Facilities list catalogues facilities that treat, store, or dispose of hazardous waste and have been associated with corrective action activity.
8. **RCRA Generators:** The RCRA Generator list is maintained by the USEPA to track facilities that generate hazardous waste.
9. **Federal Institutional Controls/Engineering Controls:** The Federal Institutional Control list and Engineering Control list are maintained by the USEPA. Some Institutional Control and Engineering Control information may not be made publicly available and therefore will not be included on this registry.
10. **State and Tribal Equivalent NPL/CERCLIS Sites:** The ASTM E 1527-21 Standard requires searching "State and Tribal Equivalent NPL Sites." In Massachusetts, the equivalent NPL is Tier I Disposal Sites identified by a MassDEP RTN.
11. **State and Tribal Equivalent CERCLIS Sites:** The ASTM E 1527-21 Standard requires searching "State and Tribal Equivalent CERCLIS Sites." In Massachusetts, the equivalent CERCLIS is Tier II Disposal Sites identified by a MassDEP RTN.
12. **State and Tribal Registered Storage Tanks:** The Massachusetts Department of Public Safety maintains a list of USTs registered with the Office of the Fire Marshall.

13. **State and Tribal Landfills and Solid Waste Disposal Sites:** The MassDEP maintains a list of regulated solid waste disposal sites.

14. **State and Tribal Leaking Storage Tanks:** In Massachusetts, the State Hazardous Waste Sites list (identified above as State Equivalent NPL and CERCLIS sites) typically includes locations of Leaking Underground Storage Tanks. Refer to discussion of State Equivalent NPL and CERCLIS sites above for site impacted by Leaking Underground Storage Tanks. Additionally, the USEPA Region 1 maintains a list of Tribal Leaking Storage Tanks (LUST/LAST) for the State of Massachusetts. The LUST/LAST lists are a listing of release sites that have an Underground or Aboveground Storage Tank listed as the source.


15. **State and Tribal Emergency Release Report:** In Massachusetts, the Release Site database typically includes locations of releases that have been reported to the MassDEP.

16. **State and Tribal Institutional Controls/Engineering Controls:** The MassDEP maintains a list of sites with institutional controls or engineering controls in place. In Massachusetts, institutional and engineering controls are identified as Activity & Use Limitations (AUL) and Grants of Environmental Restriction.

17. **State and Tribal Voluntary Cleanup Sites:** In Massachusetts, the State Hazardous Waste Sites list (identified above as State Release / Disposal Sites) typically includes locations in which voluntary clean-up is being conducted by public and private entities. Refer to discussion of State Release / Disposal Sites above for sites affected by Leaking Underground Storage Tanks.

18. **State and Tribal Brownfield Sites:** The MassDEP does not maintain a list of specific state or tribal sites where a redevelopment or re-use may be compromised by the presence or presumed presence of hazardous materials or petroleum.

FIGURES



HALEY ALDRICH

SOMERVILLE DESKTOP REVIEW
SOMERVILLE, MASSACHUSETTS

PROJECT LOCUS

MAP SOURCE: ESRI
SITE COORDINATES: 42°23'26"N, 71°06'01"W

APPROXIMATE SCALE: 1 IN = 2000 FT
MAY 2023

FIGURE 1

G:\$: \\haley&aldrich.com\shares\CF Projects\02\0046\04_GIS\200460_000_0001_PROJECT_LOCUS.aprx - dwinch2 - 5/9/2023 11:25 AM

Saved by: DTE Printed: 5/10/2023 9:25 AM Sheet: A013
J:\GRAPHICS\200460\200460-003-A013.DWG



NOTE

1. IMAGE, DATED 30 MARCH 2023, TAKEN ELECTRONICALLY FROM NEARMAP.

0 50 100
APPROXIMATE SCALE IN FEET

HALEY ALDRICH

WINTER HILL COMMUNITY SCHOOL
115 SYCAMORE STREET
SOMERVILLE, MASSACHUSETTS

SITE PLAN

SCALE: AS SHOWN
MAY 2023

FIGURE 2

APPENDIX A
EDR Database Report

Winter Hill Community School
115 Sycamore Street
Somerville, MA 02145

Inquiry Number: 07330730.2r
May 08, 2023

The EDR Radius Map™ Report with GeoCheck®

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	2140
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-7
Physical Setting Source Map Findings	A-8
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

115 SYCAMORE STREET
SOMERVILLE, MA 02145

COORDINATES

Latitude (North):	42.3918160 - 42° 23' 30.53''
Longitude (West):	71.0984610 - 71° 5' 54.45''
Universal Tranverse Mercator:	Zone 19
UTM X (Meters):	327272.2
UTM Y (Meters):	4695199.5
Elevation:	75 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	11762159 BOSTON NORTH, MA
Version Date:	2018

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20140712
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
115 SYCAMORE STREET
SOMERVILLE, MA 02145

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	WINTER HILL COMMMUNI	115 SYCAMORE ST	MA ASBESTOS		TP
A2	WINTER HILL COMMUNIT	115 SYCAMORE STREET	MA ASBESTOS		TP
3	DI TUCCI LORRAINE	415 MEDFORD STREET	EDR Hist Cleaner	Lower	264, 0.050, WSW
4	E Q C	43 THURSTON ST 2	EDR Hist Cleaner	Lower	305, 0.058, SE
5	NO LOCATION AID	148 SYCAMORE ST	MA LUST, MA RELEASE	Higher	629, 0.119, North
6	ROADWAY	241 SCHOOL STREET AD	MA SHWS, MA RELEASE	Lower	958, 0.181, East
7	NO LOCATION AID	33 ROBINSON ST	MA SHWS, MA RELEASE	Higher	996, 0.189, WNW
8	RESIDENCE	8 MINER ST	MA LUST, MA RELEASE	Lower	1003, 0.190, West
9	NO LOCATION AID	188 CENTRAL ST	MA LUST, MA RELEASE, MA ASBESTOS	Higher	1042, 0.197, NNW
B10	ROGERS FOAM CORPORAT	20 VERNON ST	MA AIRS, MA HW GEN, MA TIER 2	Lower	1074, 0.203, West
B11	ROGERS FOAM CORP	20 VERNON ST	MA SHWS, MA RELEASE, MA AIRS	Lower	1074, 0.203, West
B12	ROGERS FOAM COMPANY	20 VERNON STREET	RCRA-VSQG, ICIS, US AIRS, FINDS, ECHO, NY MANIFEST	Lower	1074, 0.203, West
C13	BRADLEY OLDSMOBILE I	345 BROADWAY	RCRA-VSQG, FINDS, ECHO	Lower	1163, 0.220, ENE
C14	BRADLEY OLDSMOBILE I	345 BROADWAY	MA HW GEN	Lower	1163, 0.220, ENE
D15	SOMERVILLE XTRA FUEL	360 MEDFORD ST	MA SHWS, MA LUST, MA UST, MA INST CONTROL, MA...	Lower	1163, 0.220, SSE
D16	STOP N SAVE FOOD & G	360 MEDFORD ST	MA AST	Lower	1163, 0.220, SSE
C17	WALGREENS 2760	343 BROADWAY	MA HW GEN	Lower	1177, 0.223, ENE
C18	WALGREENS 2760	343 BROADWAY	RCRA-SQG	Lower	1177, 0.223, ENE
D19	PARKING LOT	358 MEDFORD ST	MA SHWS, MA RELEASE	Lower	1181, 0.224, SSE
20	NO LOCATION AID	338 BROADWAY	MA LUST, MA RELEASE	Lower	1193, 0.226, ENE
E21	VERIZON MASSACHUSETT	111 CENTRAL ST	MA LUST, MA UST, MA RELEASE, MA ASBESTOS	Lower	1212, 0.230, WSW
E22	NYNEX	111 CENTRAL ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	1212, 0.230, WSW
E23	COMMUNITY DEVELOPMEN	112A CENTRAL ST	MA SHWS, MA INST CONTROL, MA RELEASE	Lower	1245, 0.236, WSW
E24	SOMERVILLE COMMUNITY	112A CENTRAL STREET	US BROWNFIELDS, FINDS	Lower	1245, 0.236, WSW
F25	GOOD GAS	345 MEDFORD ST	MA LUST, MA UST, MA AST, MA RELEASE, MA HW GEN	Lower	1272, 0.241, SSE
F26	PCJ AUTO SERVICE INC	345 MEDFORD ST	RCRA NonGen / NLR	Lower	1272, 0.241, SSE
27	NO LOCATION AID	324 BROADWAY	MA SHWS, MA RELEASE	Lower	1285, 0.243, ENE
F28	NO LOCATION AID	343 MEDFORD ST	MA SHWS, MA RELEASE, MA ASBESTOS	Lower	1294, 0.245, SSE
29	NO LOCATION AID	28-30 MARSHALL ST	MA LUST, MA RELEASE	Lower	1371, 0.260, East
G30	MAD AUTO GROUP INC D	91 MARSHALL ST	MA SHWS, MA LUST, MA RELEASE, MA HW GEN	Lower	1392, 0.264, SSE
G31	91 MARSHALL STREET	91 MARSHALL STREET	US BROWNFIELDS, FINDS	Lower	1392, 0.264, SSE
G32	255 PEARL STREET	255 PEARL STREET	US BROWNFIELDS, FINDS	Lower	1437, 0.272, SSE
G33	255 PEARL STREET	255 PEARL STREET	MA SHWS, MA RELEASE	Lower	1437, 0.272, SSE
34	TRIPLE DECKER CONDOM	29 MAIN ST	MA LAST, MA RELEASE	Higher	1466, 0.278, North
35	NO LOCATION AID	38 GLENWOOD RD	MA SHWS, MA LAST, MA RELEASE	Lower	1470, 0.278, WNW
36	AT MARSHALL ST	296 TO 308 BROADWAY	MA SHWS, MA RELEASE	Lower	1530, 0.290, East
37	NO LOCATION AID	18 TEMPLE STREET	MA LUST, MA RELEASE	Lower	1540, 0.292, ENE
38	RESIDENTIAL	120 BARTLETT ST	MA SHWS, MA LAST, MA RELEASE, MA SPILLS	Higher	1567, 0.297, NNW
39	NO LOCATION AID	38 FENWICK ST	MA SHWS, MA LUST, MA RELEASE, MA ENF	Lower	1636, 0.310, NE

MAPPED SITES SUMMARY

Target Property Address:
115 SYCAMORE STREET
SOMERVILLE, MA 02145

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
40	NO LOCATION AID	101 HIGHLAND AVE	MA SHWS, MA RELEASE	Higher	1726, 0.327, South
41	TEXACO SERVICE	112 HIGHLAND AVE	MA LUST, MA UST, MA RELEASE	Higher	1757, 0.333, SSW
42	APARTMENT BUILDING	240 PEARL STREET	MA SHWS, MA RELEASE	Lower	1765, 0.334, SE
H43	282 BROADWAY	282 BROADWAY	MA SHWS, MA RELEASE	Lower	1766, 0.334, East
H44	ACTIVE COMMERCIAL FA	282 BROADWAY	MA SHWS, MA RELEASE	Lower	1766, 0.334, East
H45	UTILITY POLE #305/1	2 SARGENT AVENUE	MA SHWS, MA RELEASE	Lower	1774, 0.336, East
46	NO LOCATION AID	92-94 VERNON ST	MA LUST, MA RELEASE	Lower	1894, 0.359, WNW
47	NO LOCATION AID	301 LOWELL ST	MA LUST, MA RELEASE	Lower	1948, 0.369, WNW
I48	VERNON STREET	84 HIGHLAND AVE	US BROWNFIELDS, FINDS	Higher	2000, 0.379, South
I49	BOYNTON YARDS	84 HIGHLAND AVE	US BROWNFIELDS, FINDS	Higher	2000, 0.379, South
I50	CONWELL SCHOOL	84 HIGHLAND AVE	US BROWNFIELDS, FINDS	Higher	2000, 0.379, South
I51	KEMP NUTS	84 HIGHLAND AVE	US BROWNFIELDS, FINDS	Higher	2000, 0.379, South
I52	BAY STATE	84 HIGHLAND AVE	US BROWNFIELDS, FINDS	Higher	2000, 0.379, South
53	NO LOCATION AID	504 MEDFORD ST	MA LUST, MA INST CONTROL, MA RELEASE	Higher	2077, 0.393, NW
J54	MATTRESS FACTORY	259 LOWELL STREET	US BROWNFIELDS, FINDS	Lower	2138, 0.405, West
J55	NO LOCATION AID	259 LOWELL ST	MA SHWS, MA LUST, MA INST CONTROL, MA RELEASE, MA...	Lower	2138, 0.405, West
56	INTERSECTION WITH JA	65 TEMPLE ST	MA SHWS, MA RELEASE, MA ASBESTOS	Lower	2149, 0.407, ENE
57	ARTHUR D. HEALEY SCH	5 MEACHAM STREET	MA SHWS, MA RELEASE	Lower	2163, 0.410, NNE
K58	SOMERVILLE HIGH SCHO	81 HIGHLAND AVE	MA SHWS, MA LUST, MA LAST, MA RELEASE, MA SPILLS,...	Higher	2163, 0.410, SSE
K59	SOMERVILLE PUBLIC LI	79 HIGHLAND AVE	MA SHWS, MA RELEASE, MA ASBESTOS	Higher	2166, 0.410, SSE
60	WALNUT ST	258 BROADWAY	MA SHWS, MA LUST, MA RELEASE, MA HW GEN	Lower	2181, 0.413, ESE
61	NO LOCATION	9 MONTGOMERY AVE	MA LAST, MA RELEASE, MA ASBESTOS	Lower	2187, 0.414, ESE
62	NO LOCATION AID	37 FREMONT ST	MA SHWS, MA RELEASE	Lower	2193, 0.415, North
L63	REDEVELOPMENT SITE	231 LOWELL STREET	MA SHWS, MA LUST, MA RELEASE	Lower	2226, 0.422, West
L64	DIMENSIONAL SER ASSO	229 LOWELL ST	MA LUST, MA UST, MA RELEASE, MA HW GEN	Lower	2231, 0.423, West
65	HOMEOWNER	56 DERBY ST	MA LAST, MA RELEASE	Lower	2256, 0.427, ENE
L66	NO LOCATION AID	226 LOWELL ST	MA LUST, MA INST CONTROL, MA RELEASE	Lower	2284, 0.433, West
K67	ROADWAY SPILL ON VIN	VINAL AVE	MA SHWS, MA RELEASE	Higher	2285, 0.433, SSE
68	INDUSTRIAL PROPERTY	100 WALNUT ST	MA SHWS, MA RELEASE	Lower	2288, 0.433, SE
69	RESIDENTIAL	19 CAMBRIA ST	MA LUST, MA RELEASE	Higher	2291, 0.434, SW
70	MYSTIC VIEW APARTMEN	5-15-25 RIVER RD	MA SHWS, MA RELEASE	Lower	2294, 0.434, NE
71	57 CENTRAL STREET	57 CENTRAL STREET	US BROWNFIELDS, FINDS	Lower	2342, 0.444, SW
72	SOMERVILLE, CITY OF	42 PRESCOTT ST	MA LUST, MA RELEASE, MA ASBESTOS, MA ENF	Lower	2348, 0.445, South
73	NO LOCATION AID	594-596 MAIN STREET	MA SHWS, MA LAST, MA RELEASE	Lower	2350, 0.445, NNW
M74	LATTA BROTHERS MEMOR	251 BROADWAY	MA LUST, MA RELEASE	Lower	2360, 0.447, East
75	FMR SAINT POLYCARP V	16 & 16R BUTLER DR	MA SHWS, MA INST CONTROL, MA RELEASE, MA ENF	Lower	2376, 0.450, NE
M76	DCR LATTA WADING POO	249 BROADWAY	MA SHWS, MA RELEASE	Lower	2380, 0.451, East
M77	DCR LATTA DIVE POOL	249 BROADWAY	MA SHWS, MA RELEASE	Lower	2380, 0.451, East
78	NO LOCATION AID	529-535 MEDFORD ST	MA LUST, MA RELEASE	Higher	2395, 0.454, NW

MAPPED SITES SUMMARY

Target Property Address:
115 SYCAMORE STREET
SOMERVILLE, MA 02145

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
N79	CORNER OF MEDFORD AN	299 TO 303 MEDFORD S	MA SHWS, MA RELEASE	Lower	2397, 0.454, SSE
N80	303 MEDFORD STREET	303 MEDFORD STREET	US BROWNFIELDS, FINDS	Lower	2397, 0.454, SSE
N81	VACANT LOT	299-303 MEDFORD ST	MA SHWS, MA INST CONTROL, MA RELEASE	Lower	2430, 0.460, SSE
82	NO LOCATION AID	103 GILMAN ST	MA LAST, MA RELEASE	Lower	2432, 0.461, SE
83	RAO	84 HINCKLEY STREET	MA SHWS, MA RELEASE	Lower	2482, 0.470, WNW
84	297 MEDFORD ST	297 MEDFORD STREET	US BROWNFIELDS, FINDS	Lower	2590, 0.491, SSE
85	MCGRATH AUTO BODY SH	42 DANA ST	MA LUST, MA RELEASE	Lower	2601, 0.493, ESE
O86	FORMER ST. POLYCARP	100 TEMPLE STREET	US BROWNFIELDS, FINDS	Lower	2613, 0.495, ENE
O87	FORMER ST. POLYCARP	100 TEMPLE ST	MA SHWS, MA LUST, MA RELEASE, MA ASBESTOS	Lower	2613, 0.495, ENE
88	SAMAY INC	73 SUMMER ST	MA SHWS, MA RELEASE, MA SPILLS, MA ASBESTOS, MA HW	Lower	2682, 0.508, SSW
89	CEDARS PETROLEUM	180 PEARL ST	MA SHWS, MA UST, MA RELEASE, MA HW GEN	Lower	2760, 0.523, SE
P90	ELHIDE CO INC, THE	56 CLYDE ST	MA SHWS, MA UST, MA RELEASE	Lower	2778, 0.526, WNW
P91	42 CLYDE STREET	42 CLYDE ST	MA SHWS, MA RELEASE	Lower	2780, 0.527, WNW
P92	NO LOCATION AID	61 CLYDE ST	MA SHWS, MA RELEASE, MA ENF	Lower	2787, 0.528, WNW
93	RESIDENCE	27 PUTNAM ST	MA SHWS, MA RELEASE	Lower	2831, 0.536, South
Q94	PROPERTY	511-519 BROADWAY	MA SHWS, MA LUST, MA RELEASE	Lower	2832, 0.536, NW
Q95	WOBURN AUTO PARTS	511 BROADWAY	MA SHWS, MA RELEASE	Lower	2832, 0.536, NW
96	TRUM FIELD	14 CHARLES RYAN RD	MA SHWS, MA RELEASE	Lower	2835, 0.537, NW
97	AT TEMPLE STREET	422 MYSTIC AVE	MA SHWS, MA RELEASE	Lower	2863, 0.542, ENE
98	MYSTIC AVENUE	530 MYSTIC AVENUE	MA SHWS, MA RELEASE	Lower	2871, 0.544, NNE
99	640 MYSTIC AVENUE	640 MYSTIC AVENUE	MA SHWS, MA RELEASE, MA ASBESTOS	Lower	2896, 0.548, NNE
100	COMMERCIAL PROPERTY	654 MYSTIC AVENUE	MA SHWS, MA LUST, MA RELEASE, MA ASBESTOS	Lower	2913, 0.552, NNE
R101	PMG #8659	212 BROADWAY	MA SHWS, MA LUST, MA UST, MA AST, MA RELEASE	Lower	2916, 0.552, ESE
R102	MWRA DRAIN	RTE 28 BROADWAY	MA SHWS, MA RELEASE	Lower	2927, 0.554, ESE
Q103	NO LOCATION AID	525 BROADWAY	MA SHWS, MA RELEASE, MA ENF	Lower	2934, 0.556, NW
104	ST. CATHERINE'S CHUR	79 BELMONT STREET	MA SHWS, MA RELEASE	Higher	2937, 0.556, WSW
105	NO LOCATION AID	31 VINAL AVE	MA SHWS, MA RELEASE, MA ASBESTOS	Higher	2952, 0.559, South
106	DPW YARD	1 FRANEY RD	MA SHWS, MA LUST, MA INST CONTROL, MA RELEASE, MA	Lower	3039, 0.576, NW
107	LOCANN GLASS	693 MCGRATH AKA OBRI	MA SHWS, MA RELEASE	Lower	3056, 0.579, ESE
108	WHEATLAND ST	MYSTIC AVE	MA SHWS, MA RELEASE	Lower	3079, 0.583, ENE
109	BETWEEN FREMONT AND	682 THRU 708 MYSTIC	MA SHWS, MA RELEASE	Lower	3112, 0.589, North
S110	NO LOCATION AID	541 BROADWAY	MA SHWS, MA RELEASE, MA SPILLS, MA HW GEN	Lower	3151, 0.597, NW
S111	SUNOCO GASOLINE STAT	541 BROADWAY	MA SHWS, MA RELEASE	Lower	3151, 0.597, NW
112	NO LOCATION AID	14 MURDOCK STREET	MA SHWS, MA LUST, MA RELEASE	Lower	3161, 0.599, WNW
T113	HESS STATION 21521	709 MCGRATH HIGHWAY	MA SHWS, MA LUST, MA RELEASE, MA HW GEN	Lower	3177, 0.602, East
T114	HESS STATION 21521 F	709 MCGRATH HWY	MA SHWS, MA LUST, MA RELEASE, MA ENF	Lower	3177, 0.602, East
U115	NO LOCATION AID	25-27 OSGOOD ST	MA SHWS, MA RELEASE	Lower	3178, 0.602, SSW
U116	BLAISDALE SLATE CO	27 OSGOOD ST	MA SHWS, MA LUST, MA RELEASE, MA SPILLS	Lower	3179, 0.602, SSW
117	NEAR MYSTIC AVE INTE	779 MCGRATH HWY	MA SHWS, MA LUST, MA INST CONTROL, MA RELEASE	Lower	3180, 0.602, East

MAPPED SITES SUMMARY

Target Property Address:
115 SYCAMORE STREET
SOMERVILLE, MA 02145

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
118	TRUM FIELDHOUSE	546 BROADWAY	MA SHWS, MA RELEASE	Lower	3206, 0.607, NW
119	SOMERVILLE BOAT CLUB	32 SHORE DR	MA SHWS, MA RELEASE, MA HW GEN	Lower	3230, 0.612, NE
S120	NO LOCATION AID	545 BROADWAY	MA SHWS, MA LUST, MA RELEASE, MA ENF	Lower	3237, 0.613, NW
S121	NO LOCATION AID	545-547 BROADWAY	MA SHWS, MA RELEASE	Lower	3237, 0.613, NW
V122	13 WARWICK STREET	13 WARWICK STREET	MA SHWS, MA RELEASE, MA ENF	Lower	3319, 0.629, WNW
123	NO LOCATION AID	227-229 CEDAR STREET	MA SHWS, MA LUST, MA INST CONTROL, MA RELEASE	Lower	3346, 0.634, WNW
124	NO LOCATION AID	407 MYSTIC AVE	MA SHWS, MA LUST, MA INST CONTROL, MA SPILLS, MA...	Lower	3364, 0.637, North
125	CORNER OF BROADWAY A	561 BROADWAY	MA SHWS, MA RELEASE	Lower	3382, 0.641, NW
126	NUNZIATO FIELD	SUMMER ST	MA SHWS, MA RELEASE	Lower	3384, 0.641, South
V127	SOMERVILLE BIKE PATH	161 CEDER STREET	MA SHWS, MA RELEASE	Lower	3440, 0.652, WNW
W128	COMMERCIAL PROPERTY	2 ALPINE STREET	MA SHWS, MA LUST, MA INST CONTROL, MA RELEASE, MA...	Lower	3467, 0.657, WNW
X129	INTERSECTION	RTE 28 AND RTE 38 UN	MA SHWS, MA RELEASE	Lower	3469, 0.657, East
130	NO LOCATION AID	219 SUMMER ST	MA SHWS, MA RELEASE	Higher	3483, 0.660, WSW
131	NO LOCATION AID	393 MYSTIC AVE	MA SHWS, MA LUST, MA INST CONTROL, MA SPILLS, MA...	Lower	3488, 0.661, North
X132	AT RT 28 RAMP	RT 93 N	MA SHWS, MA RELEASE	Lower	3525, 0.668, East
Y133	A.L. PRIME #195	510 MAIN ST	MA SHWS, MA RELEASE, MA SPILLS, MA HW GEN	Lower	3545, 0.671, NNW
W134	NO LOCATION AID	154 CEDAR STREET	MA SHWS, MA RELEASE, MA ENF	Lower	3545, 0.671, WNW
135	NO LOCATION AID	1 SUMMER ST	MA SHWS, MA LAST, MA RELEASE	Lower	3583, 0.679, South
Y136	PUBLIC ROADWAY	2 BOW STREET	MA SHWS, MA RELEASE	Lower	3585, 0.679, NNW
Z137	NO LOCATION AID	580 BROADWAY	MA SHWS, MA RELEASE	Lower	3586, 0.679, NW
138	FRANK & ED SERVICE S	483 SOMERVILLE AVE	MA SHWS, MA UST, MA RELEASE	Lower	3587, 0.679, SSW
139	CHROME PLATING FACIL	46 CROSS ST	MA SHWS, MA RELEASE	Lower	3593, 0.680, ESE
Z140	7-ELEVEN #32473	582 BROADWAY	MA SHWS, MA LUST, MA RELEASE, MA ENF	Lower	3603, 0.682, NW
Z141	HILLSIDE AUTO REPAIR	583 BROADWAY	MA SHWS, MA UST, MA AST, MA RELEASE, MA ENF, MA...	Lower	3605, 0.683, NW
AA142	SOMERVILLE AUTO REPA	453 SOMERVILLE AVE	MA SHWS, MA RELEASE	Lower	3625, 0.687, SSW
AB143	SUBSTATION PNU 13	BOW STREET PL	MA SHWS, MA RELEASE	Lower	3641, 0.690, South
AB144	PROPERTY	55 BOW ST	MA SHWS, MA RELEASE	Lower	3679, 0.697, South
145	NO LOCATION AID	515 SOMERVILLE AVE	MA SHWS, MA LAST, MA LUST, MA INST CONTROL, MA...	Lower	3694, 0.700, SSW
146	SO OF EXIT 29	RTE 93N	MA SHWS, MA RELEASE	Lower	3709, 0.702, East
147	ABOVEGROUND STORAGE	38 CROSS STREET EAST	MA SHWS, MA LAST, MA RELEASE	Lower	3711, 0.703, East
AC148	SOMERVILLE LUMBER	260 MYSTIC AVE AKA 7	MA SHWS, MA INST CONTROL, MA RELEASE	Lower	3736, 0.708, East
AA149	NO LOCATION AID	460 SOMERVILLE AVE	MA SHWS, MA LUST, MA INST CONTROL, MA RELEASE, MA...	Lower	3738, 0.708, SSW
150	GUS SERVICE STATION	519 SOMERVILLE AVE	MA SHWS, MA RELEASE	Lower	3751, 0.710, SW
AD151	AUTOMOTIVE SHOP	444-460 SOMERVILLE A	MA SHWS, MA RELEASE	Lower	3753, 0.711, SSW
AD152	NO LOCATION AID	444 SOMERVILLE AVE	MA SHWS, MA INST CONTROL, MA RELEASE, MA ASBESTOS	Lower	3753, 0.711, SSW
153	LOADING DOCK AREA OF	400 SOMERVILLE AVENU	MA SHWS, MA RELEASE, MA HW GEN	Lower	3768, 0.714, SSW
AC154	SOMERVILLE LUMBER CR	250 MYSTIC AVE	MA SHWS, MA INST CONTROL, MA RELEASE	Lower	3778, 0.716, East
AE155	PARCELS 6 & 8 DOWNGR	504 SOMERVILLE AVE &	MA SHWS, MA RELEASE, MA ASBESTOS	Lower	3794, 0.719, SSW
AE156	NO LOCATION AID	508 SOMERVILLE AVE	MA SHWS, MA LUST, MA RELEASE	Lower	3821, 0.724, SSW

MAPPED SITES SUMMARY

Target Property Address:
115 SYCAMORE STREET
SOMERVILLE, MA 02145

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
157	NO LOCATION AID	60 CROSS ST E	MA SHWS, MA LUST, MA INST CONTROL, MA RELEASE, MA...	Lower	3847, 0.729, East
158	GASOLINE STATION FMR	290 HIGHLAND AVE	MA SHWS, MA LUST, MA RELEASE, MA SPILLS	Lower	3849, 0.729, West
AF159	NO LOCATION AID	844 TO 846 MCGRATH H	MA SHWS, MA INST CONTROL, MA RELEASE	Lower	3873, 0.734, East
160	NEAR 55 COLUMBUS AVE	COLUMBUS AVE	MA SHWS, MA RELEASE	Lower	3914, 0.741, SSE
161	AMES SAFETY ENVELOPE	12 PARK ST	MA SHWS, MA RELEASE	Lower	3934, 0.745, SSW
162	CONWAY PARK	550 SOMERVILLE AVENU	MA SHWS, MA RELEASE	Lower	3950, 0.748, SW
163	NO LOCATION AID	43 PITMAN ST	MA SHWS, MA RELEASE	Lower	3957, 0.749, SW
AF164	UNITED TRUCK LEASING	845 MCGRATH HWY	MA SHWS, MA LUST, MA RELEASE, MA SPILLS, MA ENF	Lower	3958, 0.750, East
AG165	NO LOCATION AID	620 BROADWAY	MA SHWS, MA LUST, MA RELEASE, MA SPILLS	Lower	3965, 0.751, NW
AG166	FORMER GAS STATION	620 BROADWAY	MA SHWS, MA LUST, MA RELEASE	Lower	3965, 0.751, NW
167	CITY OF SOMERVILLE	2-98 CHESTER AVENUE	MA SHWS, MA RELEASE	Lower	3974, 0.753, SSE
168	SUNOCO #0005-2175	434 MCGRATH HWY	MA SHWS, MA LUST, MA UST, MA RELEASE, MA HW GEN	Lower	3982, 0.754, SSE
AH169	REAR OF LEXINGTON AV	35 LEXINGTON AVE	MA SHWS, MA INST CONTROL, MA RELEASE	Lower	4006, 0.759, WNW
AH170	RESIDENTIAL PROPERTY	35R LEXINGTON AVENUE	MA SHWS, MA RELEASE, MA SPILLS	Lower	4006, 0.759, WNW
AH171	35R LEXINGTON AVENUE	35R LEXINGTON AVENUE	MA SHWS, MA RELEASE	Lower	4006, 0.759, WNW
172	@ CROSS ST	60 TUFTS ST	MA SHWS, MA RELEASE	Lower	4028, 0.763, SE
AI173	FOREIGN BODY WORKS	587-593 SOMERVILLE A	MA SHWS, MA RELEASE	Lower	4047, 0.766, SW
174	COMMERCIAL PROPERTY	346 SOMERVILLE AVENU	MA SHWS, MA RELEASE, MA ASBESTOS	Lower	4058, 0.769, South
175	NO LOCATION AID	130 BROADWAY	MA SHWS, MA LUST, MA INST CONTROL, MA RELEASE, MA...	Lower	4074, 0.772, ESE
176	120 MIDDLESEX AVENUE	120 MIDDLESEX AVENUE	MA SHWS, MA RELEASE, MA ASBESTOS	Lower	4079, 0.773, ENE
177	COMMERCIAL FACILITY	1 BOW STREET	MA SHWS, MA RELEASE, MA HW GEN	Lower	4101, 0.777, South
178	SOMERVILLE COURTHOUS	175 FELLSWAY	MA SHWS, MA RELEASE, MA ENF	Lower	4110, 0.778, ENE
AI179	NO LOCATION AID	592 SOMERVILLE AVE	MA SHWS, MA RELEASE	Lower	4111, 0.779, SW
AI180	NO LOCATION AID	15A BLEACHERY CT	MA SHWS, MA LUST, MA INST CONTROL, MA RELEASE	Lower	4120, 0.780, SW
AJ181	NO LOCATION AID	96-98 MIDDLESEX AVE	MA SHWS, MA INST CONTROL, MA RELEASE	Lower	4123, 0.781, ENE
182	PROPERTY	24 DANE ST	MA SHWS, MA RELEASE, MA UIC	Lower	4127, 0.782, SSW
183	74M PROPERTY OWNER L	74 MIDDLESEX AVE	MA SHWS, MA RELEASE, MA ASBESTOS, MA HW GEN	Lower	4127, 0.782, East
184	TUFTS UNIVERSITY	TILTON HALL	MA SHWS, MA RELEASE	Lower	4131, 0.782, SE
AI185	NO LOCATION AID	588-592 SOMERVILLE A	MA SHWS, MA INST CONTROL, MA RELEASE	Lower	4135, 0.783, SW
186	MATERIALS DEVELOPMEN	81 HICKS AVE	MA SHWS, MA LUST, MA RELEASE, MA TIER 2	Lower	4143, 0.785, NNW
187	50 MIDDLESEX AVE	50 MIDDLESEX AVE	MA SHWS, MA LUST, MA RELEASE	Lower	4159, 0.788, East
188	COLONIAL VW OF MEDFO	340 MYSTIC AVE	MA SHWS, MA LUST, MA INST CONTROL, MA RELEASE, MA...	Lower	4164, 0.789, North
189	BERMANS MOTOR EXPRES	337 MYSTIC AVE	MA SHWS, MA UST, MA RELEASE, MA HW GEN	Lower	4188, 0.793, North
AJ190	MWRA CSO ESMNT BTN A	137 MIDDLESEX AVE	MA SHWS, MA RELEASE	Lower	4191, 0.794, ENE
191	VETERANS MEMORIAL SK	570 SOMERVILLE AVENU	MA SHWS, MA RELEASE, MA ASBESTOS, MA HW GEN	Lower	4207, 0.797, SW
AJ192	ASSEMBLY SQUARE MALL	133 MIDDLESEX AVE	MA SHWS, MA LUST, MA LAST, MA INST CONTROL, MA...	Lower	4209, 0.797, ENE
AK193	MA HWY DEPT FACILITY	MYSTIC AVE (UNDER RT	MA SHWS, MA RELEASE	Lower	4219, 0.799, East
194	COMMERCIAL AND RESID	3 HAWKINS STREET	MA SHWS, MA RELEASE	Lower	4230, 0.801, South
195	CODDING AVENUE NO 64	15 CODDING AVE	MA SHWS, MA RELEASE	Lower	4245, 0.804, NNW

MAPPED SITES SUMMARY

Target Property Address:
115 SYCAMORE STREET
SOMERVILLE, MA 02145

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AL196	WINCHESTER ST	643 645 BROADWAY	MA SHWS, MA RELEASE	Lower	4247, 0.804, NW
AL197	WINCHESTER ST	643 TO 645 BROADWAY	MA SHWS, MA RELEASE	Lower	4247, 0.804, NW
198	MBTA STORM DRAIN	WASHINGTON ST	MA SHWS, MA RELEASE	Lower	4257, 0.806, SE
199	GE AUTO	631 SOMERVILLE AVE	MA SHWS, MA RELEASE, MA HW GEN	Lower	4283, 0.811, SW
200	NEAR HICKS AVE	327 MYSTIC AVE	MA SHWS, MA LUST, MA INST CONTROL, MA RELEASE	Lower	4293, 0.813, North
AK201	5 MIDDLESEX AVE	5 MIDDLESEX AVE	MA SHWS, MA RELEASE, MA ASBESTOS, MA HW GEN	Lower	4324, 0.819, East
AM202	COMMERCIAL PROPERTY	43 FOLEY ST	MA SHWS, MA LUST, MA RELEASE	Lower	4383, 0.830, East
AN203	JOHN DAVIS CO	50 TUFTS ST	MA SHWS, MA UST, MA INST CONTROL, MA RELEASE, MA...	Lower	4407, 0.835, SE
204	PROSPECT & STONE IN	SOMERVILLE AVE	MA SHWS, MA RELEASE	Lower	4410, 0.835, South
205		88 PEARL ST	MA SHWS, MA RELEASE, MA ASBESTOS	Lower	4415, 0.836, SE
206	PARKWAY MOTOR SERVIC	166 BOSTON AVE	MA SHWS, MA RELEASE, MA SPILLS, MA ENF	Lower	4420, 0.837, NW
AN207	CORNER OF TUFTS STRE	31 TUFTS STREET	MA SHWS, MA RELEASE	Lower	4434, 0.840, SE
208	SHOPPING MALL 624-63	624 - 630 SOMERVILLE	MA SHWS, MA RELEASE	Lower	4441, 0.841, SW
209	RESIDENCE	27 VILLAGE STREET	MA SHWS, MA LUST, MA RELEASE	Lower	4441, 0.841, SSW
AM210	HK PORTER	74 FOLEY ST	MA SHWS, MA LAST, MA LUST, MA INST CONTROL, MA...	Lower	4446, 0.842, East
211	NO LOCATION AID	448 MAIN ST	MA SHWS, MA RELEASE	Lower	4463, 0.845, NNW
212	ALBERTINE SERVICE ST	646 SOMERVILLE AVE	MA SHWS, MA LAST, MA UST, MA RELEASE	Lower	4465, 0.846, SW
213	NO LOCATION AID	105 BROADWAY	MA SHWS, MA RELEASE	Lower	4469, 0.846, ESE
214	FIRST NATL GASOLINE	MYSTIC AVE	MA SHWS, MA RELEASE	Lower	4474, 0.847, East
AM215	CAMBRIDGE MACHINED P	100 FOLEY ST	SEMS-ARCHIVE, MA SHWS, MA LUST, MA UST, MA INST...	Lower	4478, 0.848, East
AM216	CENTRAL STEEL	99 FOLEY ST	MA SHWS, MA LUST, MA RELEASE, MA ASBESTOS	Lower	4480, 0.848, East
AO217	WINTER HILL YACHT CL	130 FOLEY ST	MA SHWS, MA UST, MA INST CONTROL, MA RELEASE, MA...	Lower	4514, 0.855, East
218	L BORNSTEIN CO INC	321 WASHINGTON ST	MA SHWS, MA LUST, MA INST CONTROL, MA RELEASE, MA.	Lower	4518, 0.856, South
219	9 UNION SQUARE	9 UNION SQUARE	MA SHWS, MA INST CONTROL, MA RELEASE	Lower	4542, 0.860, South
220	PROPOSED LINCOLN PAR	290 WASHINGTON ST	MA SHWS, MA RELEASE, MA ASBESTOS	Lower	4563, 0.864, South
221	COMMERCIAL PLASTICS	352 MCGRATH HWY	MA SHWS, MA RELEASE	Lower	4606, 0.872, SSE
AO222	AMELIA EARHART DAM	200 FOLEY ST	MA SHWS, MA RELEASE	Lower	4609, 0.873, East
223	MBTA GREEN LINE EXTE	662 BOSTON AVENUE	MA SHWS, MA LUST, MA RELEASE	Lower	4620, 0.875, NW
224	NEAR 13 JOSEPHINE	JOSEPHINE ST	MA SHWS, MA RELEASE	Lower	4624, 0.876, WNW
225	NO LOCATION AID	17 KENT CT	MA SHWS, MA INST CONTROL, MA RELEASE	Lower	4626, 0.876, SW
226	NO LOCATION AID	32-38 KENT ST	MA SHWS, MA RELEASE	Lower	4626, 0.876, SW
AP227	PRIVATE PROPERTY	1 BONNER AVENUE	MA SHWS, MA RELEASE	Lower	4630, 0.877, SSE
AP228	@ WASHINGTON STREET	BONNER ST	MA SHWS, MA RELEASE	Lower	4641, 0.879, SSE
AQ229	NO LOCATION AID	307 MYSTIC AVE	MA SHWS, MA RELEASE	Lower	4653, 0.881, North
AP230	CITGO STATION FMR	236 WASHINGTON ST	MA SHWS, MA LUST, MA RELEASE	Lower	4691, 0.888, SSE
231	CUMBERLAND FARMS 246	701 SOMERVILLE AVE	MA SHWS, MA LUST, MA AST, MA RELEASE, MA HW GEN	Lower	4709, 0.892, WSW
AQ232	MASS HIGHWAY FACILIT	300 MYSTIC AVE	MA SHWS, MA RELEASE	Lower	4712, 0.892, North
AR233	NO LOCATION AID	223 WASHINGTON STREE	MA SHWS, MA RELEASE, MA HW GEN	Lower	4734, 0.897, SSE
234	MBTA GREEN LINE EXTE	644 BOSTON AVENUE	MA SHWS, MA LUST, MA RELEASE	Lower	4764, 0.902, NW

MAPPED SITES SUMMARY

Target Property Address:
115 SYCAMORE STREET
SOMERVILLE, MA 02145

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
235	NO LOCATION AID	32 EXCHANGE AVENUE	MA SHWS, MA RELEASE	Lower	4770, 0.903, NNW
AR236	NO LOCATION AID	220 WASHINGTON ST	MA SHWS, MA LUST, MA INST CONTROL, MA RELEASE, MA...	Lower	4791, 0.907, SSE
AS237	4693770N 327473E	298 SOMERVILLE AVE	MA SHWS, MA RELEASE	Lower	4798, 0.909, SSE
AS238	HYDRAULIC OIL RELEAS	298 SOMERVILLE AVE	MA SHWS, MA RELEASE, MA ENF	Lower	4798, 0.909, SSE
AS239	NO LOCATION AID	298 SOMERVILLE AVE	MA SHWS, MA INST CONTROL, MA RELEASE	Lower	4798, 0.909, SSE
AT240	NO LOCATION AID	179 WASHINGTON ST	MA SHWS, MA RELEASE, MA ENF	Lower	4814, 0.912, SSE
AT241	FORMER BOYS 7 GIRLS	181 WASHINGTON STREE	MA SHWS, MA LUST, MA RELEASE, MA ASBESTOS, MA ENF	Lower	4815, 0.912, SSE
242	NO LOCATION AID	100 PROPERZI WAY	MA SHWS, MA RELEASE, MA ASBESTOS, MA ENF	Lower	4836, 0.916, SSW
243	FRANKLIN ST	9 PALMER AVE	MA SHWS, MA RELEASE	Lower	4845, 0.918, SE
244	ASSEMBLY ROW - BLOCK	301 CANAL STREET	MA SHWS, MA RELEASE	Lower	4847, 0.918, East
AU245	CHRISTOS POUTAHIDIS	131 WILLOW AVE	MA SHWS, MA LUST, MA UST, MA BROWNFIELDS, MA...	Lower	4849, 0.918, WNW
246	DURRELL PARK FORMER	245 BEACON ST	MA SHWS, MA RELEASE	Lower	4853, 0.919, SW
247	PROSPECT ST	269 SOMERVILLE AVE	MA SHWS, MA RELEASE, MA SPILLS	Lower	4859, 0.920, SSE
AU248	CLARENDON AVE	115 WILLOW AVE	MA SHWS, MA INST CONTROL, MA RELEASE, MA ENF	Lower	4860, 0.920, WNW
249	CONSTRUCTION PROJECT	291 MYSTIC AVE	MA SHWS, MA INST CONTROL, MA RELEASE, MA SPILLS,...	Lower	4869, 0.922, North
250	ASSEMBLY ROW BLOCK 5	300-398 FOLEY STREET	MA SHWS, MA RELEASE	Lower	4870, 0.922, East
AV251	MBTA MYSTIC JUNCTION	WASHINGTON ST NEAR J	MA SHWS, MA INST CONTROL, MA RELEASE	Lower	4874, 0.923, SSE
AV252	WASHINGTON ST OVERPA	WASHINGTON ST RR TRA	MA SHWS, MA RELEASE	Lower	4874, 0.923, SSE
AS253	D2 PROPERTY	20-50 PROSPECT STREE	MA SHWS, MA RELEASE	Lower	4886, 0.925, SSE
AS254	FORMER KILEY BARREL	20-22 PROSPECT ST	MA SHWS, MA BROWNFIELDS, MA RELEASE, MA ENF	Lower	4886, 0.925, SSE
255	NO LOCATION AID	640 BOSTON AVENUE	MA SHWS, MA LUST, MA RELEASE, MA ASBESTOS	Lower	4897, 0.927, NW
256	WBT LIMOUSINE	182 WASHINGTON ST	MA SHWS, MA LUST, MA RELEASE, MA ENF, MA HW GEN	Lower	4906, 0.929, SSE
257	BOSTON & MAINE YD	132 WASHINGTON ST	MA SHWS, MA LUST, MA LAST, MA UST, MA RELEASE, MA...	Lower	4928, 0.933, SE
AW258	NO LOCATION AID	260-264 BEACON STREE	MA SHWS, MA RELEASE, MA ENF	Lower	4934, 0.934, SW
AW259	COMMERCIAL BUILDING	260-264 BEACON ST	MA SHWS, MA RELEASE, MA UIC	Lower	4934, 0.934, SW
AW260	PRIVATE PROPERTY	260 BEACON STREET	MA SHWS, MA RELEASE, MA ASBESTOS, MA ENF, MA HW...	Lower	4934, 0.934, SW
AW261	COMMERCIAL BUILDING	260-264 BEACON STREE	MA SHWS, MA RELEASE, MA ENF	Lower	4934, 0.934, SW
AX262	FMR KILEY BARREL	20 TO 22 PROSPECT ST	MA SHWS, MA RELEASE	Lower	4936, 0.935, SSE
263	AT FRANKLIN STREET	103 WASHINGTON STREE	MA SHWS, MA LUST, MA RELEASE, MA ASBESTOS, MA HW...	Lower	4954, 0.938, SE
264	NO LOCATION AID	258 BEACON ST & 3 BE	MA SHWS, MA RELEASE, MA ENF	Lower	4962, 0.940, SW
265	CORNER OF WASHINGTON	120 WASHINGTON ST	MA SHWS, MA RELEASE	Lower	4969, 0.941, SE
AY266	NO LOCATION AID	282 MYSTIC AVE	MA SHWS, MA RELEASE, MA SPILLS, MA ENF	Lower	4973, 0.942, North
267	RESIDENTIAL PROPERTY	4 MILK PLACE	MA SHWS, MA RELEASE, MA ASBESTOS	Lower	4981, 0.943, SSE
AW268	APARTMENT BLDG	278 BEACON ST	MA SHWS, MA RELEASE	Lower	4981, 0.943, SW
269	RESIDENTIAL APARTMEN	250 SOMERVILLE AVENU	MA SHWS, MA RELEASE, MA ENF	Lower	5000, 0.947, SSE
AX270	NO LOCATION AID	26-28 PROSPECT STREE	MA SHWS, MA RELEASE	Lower	5005, 0.948, SSE
AX271	MAP 82, LOTS 1 AND 2	26-30 PROSPECT STREE	MA SHWS, MA RELEASE	Lower	5005, 0.948, SSE
AZ272	DODAKINS AUTO SALES	81 PARK STREET	MA SHWS, MA LUST, MA INST CONTROL, MA RELEASE	Lower	5008, 0.948, SSW
273	THE HOME DEPOT STORE	75 MYSTIC AVE	MA SHWS, MA RELEASE, MA ASBESTOS, MA HW GEN, MA...	Lower	5018, 0.950, East

MAPPED SITES SUMMARY

Target Property Address:
115 SYCAMORE STREET
SOMERVILLE, MA 02145

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AY274	ALGONQUIN GAS	BEHIND 278282 MYSTIC	MA SHWS, MA RELEASE	Lower	5018, 0.950, North
AX275	OFF PROSPECT ST	BENNETT CT	MA SHWS, MA RELEASE	Lower	5026, 0.952, SSE
276	IN FRONT OF 86 ELM S	86 ELM STREET	MA SHWS, MA RELEASE, MA ASBESTOS	Lower	5036, 0.954, WSW
277	RESIDENTIAL APARTMEN	765 SOMERVILLE AVENU	MA SHWS, MA LUST, MA RELEASE	Lower	5041, 0.955, WSW
278	4-UNIT RESIDENTIAL A	55-57 MARION STREET	MA SHWS, MA LAST, MA RELEASE	Lower	5041, 0.955, NW
AZ279	DODAKINS AUTO SALES	191 BEACON STREET	MA SHWS, MA LUST, MA INST CONTROL, MA RELEASE	Lower	5052, 0.957, SSW
280	WARNER CABLE	278-282 MYSTIC AVE	MA SHWS, MA RELEASE	Lower	5126, 0.971, North
BA281	CJ AUTO MOTORS INC	308 MCGRATH HWY	MA SHWS, MA RELEASE, MA HW GEN	Lower	5128, 0.971, SSE
282	COBBLE HILL APPARTME	90 WASHINGTON ST	MA SHWS, MA RELEASE, MA ASBESTOS, MA ENF	Lower	5134, 0.972, SE
283	ELM CORPORATION	371 BEACON ST	MA SHWS, MA LUST, MA UST, MA RELEASE, MA ASBESTOS	Lower	5135, 0.973, WSW
BB284	BENNETT STREET	15 BENNETT STREET	MA SHWS, MA RELEASE	Lower	5156, 0.977, SSE
BA285	PATS AUTO BODY	306-308 MCGRATH HWY	MA SHWS, MA RELEASE	Lower	5168, 0.979, SSE
286	GENERAL ELECTRIC APP	3960 MYSTIC VALLEY P	SEMS-ARCHIVE, CORRACTS, RCRA-TSDF, RCRA-SQG, MA..	Lower	5177, 0.980, NNE
287	ENTRANCE TO WEGMAN'S	3850 MYSTIC VALLEY P	MA SHWS, MA RELEASE, MA ASBESTOS, MA HW GEN	Lower	5179, 0.981, NNE
288	NO LOCATION AID	24-30 JOY STREET	MA SHWS, MA RELEASE	Lower	5181, 0.981, SE
BB289	MAP 82, BLOCK I, LOT	27 BENNETT STREET	MA SHWS, MA RELEASE, MA ASBESTOS	Lower	5187, 0.982, SSE
BB290	NO LOCATION AID	26 BENNETT STREET	MA SHWS, MA INST CONTROL, MA RELEASE, MA ASBESTOS	Lower	5191, 0.983, SSE
291	PROPERTIES ABUTTING	9 11 13 17 ALLEN ST	MA SHWS, MA RELEASE	Lower	5199, 0.985, SSE
292	DRAW SEVEN PARK	FOLEY STREET EXT	MA SHWS, MA RELEASE	Lower	5203, 0.985, East
BC293	ALEXANDER AVE AT MYS	ALEXANDER AVENUE AT	MA SHWS, MA RELEASE	Lower	5210, 0.987, North
BC294	BOSTON EDISON	MYSTIC AVE ALEXANDER	MA SHWS, MA RELEASE	Lower	5211, 0.987, North
BB295	MAP 82, BLOCK D, LOT	40 BENNETT STREET	MA SHWS, MA RELEASE, MA ASBESTOS, MA ENF	Lower	5223, 0.989, SSE
296	NO LOCATION AID	SCOTT AND BRYAN STS	MA SHWS, MA RELEASE	Lower	5223, 0.989, SSW
297	SHAW'S MARKET (REAR)	49 WHITE ST	MA SHWS, MA RELEASE, MA HW GEN	Lower	5275, 0.999, West

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 8 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
WINTER HILL COMMMUNI 115 SYCAMORE ST SOMERVILLE, MA	MA ASBESTOS	N/A
WINTER HILL COMMUNIT 115 SYCAMORE STREET SOMERVILLE, MA	MA ASBESTOS	N/A

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL ---------- National Priority List
Proposed NPL ---------- Proposed National Priority List Sites
NPL LIENS ---------- Federal Superfund Liens

Lists of Federal Delisted NPL sites

Delisted NPL ---------- National Priority List Deletions

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY ---------- Federal Facility Site Information listing
SEMS ---------- Superfund Enterprise Management System

Lists of Federal RCRA generators

RCRA-LQG ---------- RCRA - Large Quantity Generators

Federal institutional controls / engineering controls registries

LUCIS ---------- Land Use Control Information System
US ENG CONTROLS ---------- Engineering Controls Sites List
US INST CONTROLS ---------- Institutional Controls Sites List

Federal ERNS list

ERNS ---------- Emergency Response Notification System

EXECUTIVE SUMMARY

Lists of state and tribal landfills and solid waste disposal facilities

MA SWF/LF ---- Solid Waste Facility Database/Transfer Stations

Lists of state and tribal leaking storage tanks

INDIAN LUST ---- Leaking Underground Storage Tanks on Indian Land

Lists of state and tribal registered storage tanks

FEMA UST ---- Underground Storage Tank Listing
INDIAN UST ---- Underground Storage Tanks on Indian Land

Lists of state and tribal voluntary cleanup sites

INDIAN VCP ---- Voluntary Cleanup Priority Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Landfill / Solid Waste Disposal Sites

INDIAN ODI ---- Report on the Status of Open Dumps on Indian Lands
DEBRIS REGION 9 ---- Torres Martinez Reservation Illegal Dump Site Locations
ODI ---- Open Dump Inventory
IHS OPEN DUMPS ---- Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL ---- Delisted National Clandestine Laboratory Register
US CDL ---- National Clandestine Laboratory Register

Local Land Records

MA LIENS ---- Liens Information Listing
LIENS 2 ---- CERCLA Lien Information

Records of Emergency Release Reports

HMIRS ---- Hazardous Materials Information Reporting System
MA SPILLS 90 ---- SPILLS 90 data from FirstSearch
MA SPILLS 80 ---- SPILLS 80 data from FirstSearch

Other Ascertainable Records

FUDS ---- Formerly Used Defense Sites
DOD ---- Department of Defense Sites
SCRD DRYCLEANERS ---- State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR ---- Financial Assurance Information
EPA WATCH LIST ---- EPA WATCH LIST
TSCA ---- Toxic Substances Control Act
TRIS ---- Toxic Chemical Release Inventory System
SSTS ---- Section 7 Tracking Systems
ROD ---- Records Of Decision

RMP - Risk Management Plans
RAATS - RCRA Administrative Action Tracking System
PRP - Potentially Responsible Parties
FTTS - FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS - Material Licensing Tracking System
COAL ASH DOE - Steam-Electric Plant Operation Data
COAL ASH EPA - Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER - PCB Transformer Registration Database
RADINFO - Radiation Information Database
HIST FTTS - FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS - Incident and Accident Data
CONSENT - Superfund (CERCLA) Consent Decrees
INDIAN RESERV - Indian Reservations
FUSRAP - Formerly Utilized Sites Remedial Action Program
UMTRA - Uranium Mill Tailings Sites
LEAD SMELTERS - Lead Smelter Sites
US MINES - Mines Master Index File
ABANDONED MINES - Abandoned Mines
DOCKET HWC - Hazardous Waste Compliance Docket Listing
UXO - Unexploded Ordnance Sites
FUELS PROGRAM - EPA Fuels Program Registered Listing
PFAS NPL - Superfund Sites with PFAS Detections Information
PFAS FEDERAL SITES - Federal Sites PFAS Information
PFAS TSCA - PFAS Manufacture and Imports Information
PFAS RCRA MANIFEST - PFAS Transfers Identified In the RCRA Database Listing
PFAS ATSDR - PFAS Contamination Site Location Listing
PFAS WQP - Ambient Environmental Sampling for PFAS
PFAS NPDES - Clean Water Act Discharge Monitoring Information
PFAS ECHO - Facilities in Industries that May Be Handling PFAS Listing
PFAS ECHO FIRE TRAINING - Facilities in Industries that May Be Handling PFAS Listing
PFAS PART 139 AIRPORT - All Certified Part 139 Airports PFAS Information Listing
AQUEOUS FOAM NRC - Aqueous Foam Related Incidents Listing
MA PFAS - PFAS Contaminated Sites Listing
MA DRYCLEANERS - Regulated Drycleaning Facilities
MA GWDP - Ground Water Discharge Permits
MA NPDES - NPDES Permit Listing
MA TSD - TSD Facility
PFAS TRIS - List of PFAS Added to the TRI
MINES MRDS - Mineral Resources Data System

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP - EDR Proprietary Manufactured Gas Plants
EDR Hist Auto - EDR Exclusive Historical Auto Stations

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

MA RGA HWS - Recovered Government Archive State Hazardous Waste Facilities List

EXECUTIVE SUMMARY

MA RGA LUST---------- Recovered Government Archive Leaking Underground Storage Tank

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 03/06/2023 has revealed that there is 1 CORRACTS site within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
GENERAL ELECTRIC APP EPA ID:: MAD060094760	***3960 MYSTIC VALLEY P***	***NNE 1/2 - 1 (0.980 mi.)***	***286***	***1985***

Lists of Federal RCRA generators

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 03/06/2023 has revealed that there is 1 RCRA-SQG site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
WALGREENS 2760 EPA ID:: MAC300096930	343 BROADWAY	ENE 1/8 - 1/4 (0.223 mi.)	C18	161

EXECUTIVE SUMMARY

RCRA-VSQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-VSQG list, as provided by EDR, and dated 03/06/2023 has revealed that there are 2 RCRA-VSQG sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
ROGERS FOAM COMPANY EPA ID:: MAD001025113	***20 VERNON STREET***	***W 1/8 - 1/4 (0.203 mi.)***	***B12***	***121***
BRADLEY OLDSMOBILE I EPA ID:: MAD019615160	***345 BROADWAY***	***ENE 1/8 - 1/4 (0.220 mi.)***	***C13***	***135***

Lists of state- and tribal hazardous waste facilities

MA SHWS: Contains information on releases of oil and hazardous materials that have been reported to DEP.

A review of the MA SHWS list, as provided by EDR, and dated 01/08/2023 has revealed that there are 248 MA SHWS sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NO LOCATION AID Release Tracking Number: 3-0025748 Current Status: RAO	***33 ROBINSON ST***	***WNW 1/8 - 1/4 (0.189 mi.)***	***7***	***17***
RESIDENTIAL Release Tracking Number: 3-0010419 Current Status: RAO	***120 BARTLETT ST***	***NNW 1/4 - 1/2 (0.297 mi.)***	***38***	***282***
NO LOCATION AID Release Tracking Number: 3-0019547 Current Status: RAO	***101 HIGHLAND AVE***	***S 1/4 - 1/2 (0.327 mi.)***	***40***	***294***
SOMERVILLE HIGH SCHO Release Tracking Number: 3-0017909 Current Status: RAO	***81 HIGHLAND AVE***	***SSE 1/4 - 1/2 (0.410 mi.)***	***K58***	***354***
SOMERVILLE PUBLIC LI Release Tracking Number: 3-0027659 Release Tracking Number: 3-0029996 Current Status: RAO Current Status: RAONR	***79 HIGHLAND AVE***	***SSE 1/4 - 1/2 (0.410 mi.)***	***K59***	***404***
ROADWAY SPILL ON VIN Release Tracking Number: 3-0027737 Current Status: RAO	***VINAL AVE***	***SSE 1/4 - 1/2 (0.433 mi.)***	***K67***	***458***
ST. CATHERINE'S CHUR Release Tracking Number: 3-0035194 Current Status: PSNC	***79 BELMONT STREET***	***WSW 1/2 - 1 (0.556 mi.)***	***104***	***605***
NO LOCATION AID	***31 VINAL AVE***	***S 1/2 - 1 (0.559 mi.)***	***105***	***606***

Release Tracking Number: 3-0022695
Current Status: RAO

NO LOCATION AID	***219 SUMMER ST***	***WSW 1/2 - 1 (0.660 mi.)***	***130***	***829***

Release Tracking Number: 3-0027260
Current Status: RAO

Lower Elevation	Address	Direction / Distance	Map ID	Page
ROADWAY	***241 SCHOOL STREET AD***	***E 1/8 - 1/4 (0.181 mi.)***	***6***	***15***

Release Tracking Number: 3-0035329
Current Status: PSNC

ROGERS FOAM CORP	***20 VERNON ST***	***W 1/8 - 1/4 (0.203 mi.)***	***B11***	***118***

Release Tracking Number: 3-0035488
Current Status: PSNC

SOMERVILLE XTRA FUEL	***360 MEDFORD ST***	***SSE 1/8 - 1/4 (0.220 mi.)***	***D15***	***139***

Release Tracking Number: 3-0016624
Current Status: RAO

PARKING LOT	***358 MEDFORD ST***	***SSE 1/8 - 1/4 (0.224 mi.)***	***D19***	***166***

Release Tracking Number: 3-0017076
Current Status: RAO

COMMUNITY DEVELOPMEN	***112A CENTRAL ST***	***WSW 1/8 - 1/4 (0.236 mi.)***	***E23***	***181***

Release Tracking Number: 3-0027194
Current Status: RAO

NO LOCATION AID	***324 BROADWAY***	***ENE 1/8 - 1/4 (0.243 mi.)***	***27***	***215***

Release Tracking Number: 3-0017887
Current Status: RAO

NO LOCATION AID	***343 MEDFORD ST***	***SSE 1/8 - 1/4 (0.245 mi.)***	***F28***	***217***

Release Tracking Number: 3-0010851
Current Status: DPS

MAD AUTO GROUP INC D	***91 MARSHALL ST***	***SSE 1/4 - 1/2 (0.264 mi.)***	***G30***	***227***

Release Tracking Number: 3-0034587
Current Status: TIERII

255 PEARL STREET	***255 PEARL STREET***	***SSE 1/4 - 1/2 (0.272 mi.)***	***G33***	***260***

Release Tracking Number: 3-0034611
Current Status: PSC

NO LOCATION AID	***38 GLENWOOD RD***	***WNW 1/4 - 1/2 (0.278 mi.)***	***35***	***266***

Release Tracking Number: 3-0025003
Current Status: RAO

AT MARSHALL ST	***296 TO 308 BROADWAY***	***E 1/4 - 1/2 (0.290 mi.)***	***36***	***278***

Release Tracking Number: 3-0018407
Current Status: DPS

NO LOCATION AID	***38 FENWICK ST***	***NE 1/4 - 1/2 (0.310 mi.)***	***39***	***286***

Release Tracking Number: 3-0021242
Current Status: RAO

APARTMENT BUILDING	***240 PEARL STREET***	***SE 1/4 - 1/2 (0.334 mi.)***	***42***	***301***

Release Tracking Number: 3-0031954
Current Status: RAO

282 BROADWAY	***282 BROADWAY***	***E 1/4 - 1/2 (0.334 mi.)***	***H43***	***302***

Release Tracking Number: 3-0036156
Current Status: RAONR

ACTIVE COMMERCIAL FA	***282 BROADWAY***	***E 1/4 - 1/2 (0.334 mi.)***	***H44***	***304***

Release Tracking Number: 3-0035920 Current Status: TIERI				
UTILITY POLE #305/1 Release Tracking Number: 3-0037597 Current Status: PSNC	***2 SARGENT AVENUE***	***E 1/4 - 1/2 (0.336 mi.)***	***H45***	***308***
NO LOCATION AID Release Tracking Number: 3-0017552 Release Tracking Number: 3-0017602 Current Status: RAO	***259 LOWELL ST***	***W 1/4 - 1/2 (0.405 mi.)***	***J55***	***340***
INTERSECTION WITH JA Release Tracking Number: 3-0025252 Current Status: RAO	***65 TEMPLE ST***	***ENE 1/4 - 1/2 (0.407 mi.)***	***56***	***348***
ARTHUR D. HEALEY SCH Release Tracking Number: 3-0037106 Current Status: TIERII	***5 MEACHAM STREET***	***NNE 1/4 - 1/2 (0.410 mi.)***	***57***	***351***
WALNUT ST Release Tracking Number: 3-0022432 Current Status: RAO	***258 BROADWAY***	***ESE 1/4 - 1/2 (0.413 mi.)***	***60***	***410***
NO LOCATION AID Release Tracking Number: 3-0020349 Current Status: RAO	***37 FREMONT ST***	***N 1/4 - 1/2 (0.415 mi.)***	***62***	***427***
REDEVELOPMENT SITE Release Tracking Number: 3-0034207 Current Status: PSC	***231 LOWELL STREET***	***W 1/4 - 1/2 (0.422 mi.)***	***L63***	***428***
INDUSTRIAL PROPERTY Release Tracking Number: 3-0004193 Current Status: RAO	***100 WALNUT ST***	***SE 1/4 - 1/2 (0.433 mi.)***	***68***	***460***
MYSTIC VIEW APARTMEN Release Tracking Number: 3-0003091 Current Status: RAO	***5-15-25 RIVER RD***	***NE 1/4 - 1/2 (0.434 mi.)***	***70***	***464***
NO LOCATION AID Release Tracking Number: 3-0033326 Current Status: PSNC	***594-596 MAIN STREET***	***NNW 1/4 - 1/2 (0.445 mi.)***	***73***	***489***
FMR SAINT POLYCARP V Release Tracking Number: 3-0029857 Current Status: RAO	***16 & 16R BUTLER DR***	***NE 1/4 - 1/2 (0.450 mi.)***	***75***	***496***
DCR LATTA WADING POO Release Tracking Number: 3-0034264 Current Status: PSNC	***249 BROADWAY***	***E 1/4 - 1/2 (0.451 mi.)***	***M76***	***499***
DCR LATTA DIVE POOL Release Tracking Number: 3-0034263 Current Status: PSNC	***249 BROADWAY***	***E 1/4 - 1/2 (0.451 mi.)***	***M77***	***501***
CORNER OF MEDFORD AN Release Tracking Number: 3-0021398 Current Status: RAO	***299 TO 303 MEDFORD S***	***SSE 1/4 - 1/2 (0.454 mi.)***	***N79***	***505***
VACANT LOT Release Tracking Number: 3-0004031 Current Status: RAO	***299-303 MEDFORD ST***	***SSE 1/4 - 1/2 (0.460 mi.)***	***N81***	***508***
RAO	***84 HINCKLEY STREET***	***WNW 1/4 - 1/2 (0.470 mi.)***	***83***	***514***

Release Tracking Number: 3-0032731 Current Status: PSNC				
FORMER ST. POLYCARP Release Tracking Number: 3-0025982 Current Status: RAO	***100 TEMPLE ST***	***ENE 1/4 - 1/2 (0.495 mi.)***	***O87***	***532***
SAMAY INC Release Tracking Number: 3-0019957 Current Status: RAO	***73 SUMMER ST***	***SSW 1/2 - 1 (0.508 mi.)***	***88***	***538***
CEDARS PETROLEUM Release Tracking Number: 3-0026091 Current Status: RAO	***180 PEARL ST***	***SE 1/2 - 1 (0.523 mi.)***	***89***	***546***
ELHIDE CO INC, THE Release Tracking Number: 3-0025542 Current Status: RAO	***56 CLYDE ST***	***WNW 1/2 - 1 (0.526 mi.)***	***P90***	***552***
42 CLYDE STREET Release Tracking Number: 3-0028375 Current Status: RAO	***42 CLYDE ST***	***WNW 1/2 - 1 (0.527 mi.)***	***P91***	***555***
NO LOCATION AID Release Tracking Number: 3-0018771 Release Tracking Number: 3-0024062 Current Status: RAO Current Status: RAONR	***61 CLYDE ST***	***WNW 1/2 - 1 (0.528 mi.)***	***P92***	***557***
RESIDENCE Release Tracking Number: 3-0016688 Current Status: RAO	***27 PUTNAM ST***	***S 1/2 - 1 (0.536 mi.)***	***93***	***564***
PROPERTY Release Tracking Number: 3-0035498 Current Status: PSNC	***511-519 BROADWAY***	***NW 1/2 - 1 (0.536 mi.)***	***Q94***	***566***
WOBURN AUTO PARTS Release Tracking Number: 3-0000554 Current Status: DEPNFA	***511 BROADWAY***	***NW 1/2 - 1 (0.536 mi.)***	***Q95***	***571***
TRUM FIELD Release Tracking Number: 3-0018566 Current Status: RAO	***14 CHARLES RYAN RD***	***NW 1/2 - 1 (0.537 mi.)***	***96***	***572***
AT TEMPLE STREET Release Tracking Number: 3-0014854 Current Status: RAO	***422 MYSTIC AVE***	***ENE 1/2 - 1 (0.542 mi.)***	***97***	***573***
MYSTIC AVENUE Release Tracking Number: 3-0037055 Current Status: URAM	***530 MYSTIC AVENUE***	***NNE 1/2 - 1 (0.544 mi.)***	***98***	***575***
640 MYSTIC AVENUE Release Tracking Number: 3-0034069 Current Status: PSNC	***640 MYSTIC AVENUE***	***NNE 1/2 - 1 (0.548 mi.)***	***99***	***576***
COMMERCIAL PROPERTY Release Tracking Number: 3-0036923 Release Tracking Number: 3-0035349 Current Status: PSNC Current Status: PSC	***654 MYSTIC AVENUE***	***NNE 1/2 - 1 (0.552 mi.)***	***100***	***579***
PMG #8659	***212 BROADWAY***	***ESE 1/2 - 1 (0.552 mi.)***	***R101***	***587***

Release Tracking Number: 3-0003722
Current Status: RAO

MWRA DRAIN	***RTE 28 BROADWAY***	***ESE 1/2 - 1 (0.554 mi.)***	***R102***	***600***

Release Tracking Number: 3-0010663
Current Status: RAO

NO LOCATION AID	***525 BROADWAY***	***NW 1/2 - 1 (0.556 mi.)***	***Q103***	***602***

Release Tracking Number: 3-0022263
Current Status: RAO

DPW YARD	***1 FRANEY RD***	***NW 1/2 - 1 (0.576 mi.)***	***106***	***610***

Release Tracking Number: 3-0026592
Release Tracking Number: 3-0023433
Current Status: RAO

LOCANN GLASS	***693 MCGRATH AKA OBRI***	***ESE 1/2 - 1 (0.579 mi.)***	***107***	***641***

Release Tracking Number: 3-0015825
Current Status: RAO

WHEATLAND ST	***MYSTIC AVE***	***ENE 1/2 - 1 (0.583 mi.)***	***108***	***642***

Release Tracking Number: 3-0020034
Current Status: RAO

BETWEEN FREMONT AND	***682 THRU 708 MYSTIC***	***N 1/2 - 1 (0.589 mi.)***	***109***	***644***

Release Tracking Number: 3-0019516
Current Status: RAO

NO LOCATION AID	***541 BROADWAY***	***NW 1/2 - 1 (0.597 mi.)***	***S110***	***645***

Release Tracking Number: 3-0027773
Release Tracking Number: 3-0022078
Release Tracking Number: 3-0022814
Release Tracking Number: 3-0021518
Current Status: RAONR
Current Status: PSC

SUNOCO GASOLINE STAT	***541 BROADWAY***	***NW 1/2 - 1 (0.597 mi.)***	***S111***	***660***

Release Tracking Number: 3-0034422
Current Status: RAONR

NO LOCATION AID	***14 MURDOCK STREET***	***WNW 1/2 - 1 (0.599 mi.)***	***112***	***663***

Release Tracking Number: 3-0031841
Current Status: RAO

HESS STATION 21521	***709 MCGRATH HIGHWAY***	***E 1/2 - 1 (0.602 mi.)***	***T113***	***666***

Release Tracking Number: 3-0031741
Current Status: RAONR

HESS STATION 21521 F	***709 MCGRATH HWY***	***E 1/2 - 1 (0.602 mi.)***	***T114***	***679***

Release Tracking Number: 3-0021399
Release Tracking Number: 3-0000856
Release Tracking Number: 3-0015862
Release Tracking Number: 3-0014215
Release Tracking Number: 3-0015170
**Additional key fields are available in the Map Findings section*
Current Status: RAO
Current Status: TMPS
Current Status: RAONR

NO LOCATION AID	***25-27 OSGOOD ST***	***SSW 1/2 - 1 (0.602 mi.)***	***U115***	***730***

Release Tracking Number: 3-0025805
Current Status: URAM

BLAISDALE SLATE CO	***27 OSGOOD ST***	***SSW 1/2 - 1 (0.602 mi.)***	***U116***	***731***

Release Tracking Number: 3-0024660 Current Status: RAO				
NEAR MYSTIC AVE INTE Release Tracking Number: 3-0016643 Current Status: RAONR	***779 MCGRATH HWY***	***E 1/2 - 1 (0.602 mi.)***	***117***	***735***
TRUM FIELDHOUSE Release Tracking Number: 3-0027124 Current Status: RAO	***546 BROADWAY***	***NW 1/2 - 1 (0.607 mi.)***	***118***	***752***
SOMERVILLE BOAT CLUB Release Tracking Number: 3-0016780 Current Status: RAO	***32 SHORE DR***	***NE 1/2 - 1 (0.612 mi.)***	***119***	***754***
NO LOCATION AID Release Tracking Number: 3-0027079 Current Status: RAONR	***545 BROADWAY***	***NW 1/2 - 1 (0.613 mi.)***	***S120***	***756***
NO LOCATION AID Release Tracking Number: 3-0023898 Current Status: DPS	***545-547 BROADWAY***	***NW 1/2 - 1 (0.613 mi.)***	***S121***	***763***
13 WARWICK STREET Release Tracking Number: 3-0033850 Current Status: PSNC	***13 WARWICK STREET***	***WNW 1/2 - 1 (0.629 mi.)***	***V122***	***764***
NO LOCATION AID Release Tracking Number: 3-0034356 Current Status: PSC	***227-229 CEDAR STREET***	***WNW 1/2 - 1 (0.634 mi.)***	***123***	***772***
NO LOCATION AID Release Tracking Number: 3-0032630 Release Tracking Number: 3-0000042 Release Tracking Number: 3-0018081 Release Tracking Number: 3-0025815 Release Tracking Number: 3-0033709 **Additional key fields are available in the Map Findings section* Current Status: PSNC Current Status: DEPNFA Current Status: RAO Current Status: RAONR Current Status: PSC	***407 MYSTIC AVE***	***N 1/2 - 1 (0.637 mi.)***	***124***	***783***
CORNER OF BROADWAY A Release Tracking Number: 3-0017895 Current Status: RAO	***561 BROADWAY***	***NW 1/2 - 1 (0.641 mi.)***	***125***	***809***
NUNZIATO FIELD Release Tracking Number: 3-0033963 Current Status: PSNC	***SUMMER ST***	***S 1/2 - 1 (0.641 mi.)***	***126***	***810***
SOMERVILLE BIKE PATH Release Tracking Number: 3-0031748 Current Status: PSNC	***161 CEDER STREET***	***WNW 1/2 - 1 (0.652 mi.)***	***V127***	***811***
COMMERCIAL PROPERTY Release Tracking Number: 3-0033022 Release Tracking Number: 3-0004043 Current Status: PSNC	***2 ALPINE STREET***	***WNW 1/2 - 1 (0.657 mi.)***	***W128***	***814***
INTERSECTION Release Tracking Number: 3-0027009	***RTE 28 AND RTE 38 UN***	***E 1/2 - 1 (0.657 mi.)***	***X129***	***827***

Current Status: RAO				
NO LOCATION AID	***393 MYSTIC AVE***	***N 1/2 - 1 (0.661 mi.)***	***131***	***833***
Release Tracking Number: 3-0018989 Release Tracking Number: 3-0018990 Current Status: RAONR				
AT RT 28 RAMP	***RT 93 N***	***E 1/2 - 1 (0.668 mi.)***	***X132***	***844***
Release Tracking Number: 3-0013985 Current Status: RAO				
A.L. PRIME #195	***510 MAIN ST***	***NNW 1/2 - 1 (0.671 mi.)***	***Y133***	***846***
Release Tracking Number: 3-0019562 Current Status: RAO				
NO LOCATION AID	***154 CEDAR STREET***	***WNW 1/2 - 1 (0.671 mi.)***	***W134***	***848***
Release Tracking Number: 3-0032571 Current Status: TIERII				
NO LOCATION AID	***1 SUMMER ST***	***S 1/2 - 1 (0.679 mi.)***	***135***	***851***
Release Tracking Number: 3-0022327 Release Tracking Number: 3-0021497 Current Status: RAONR Current Status: RAO				
PUBLIC ROADWAY	***2 BOW STREET***	***NNW 1/2 - 1 (0.679 mi.)***	***Y136***	***856***
Release Tracking Number: 3-0034221 Current Status: PSNC				
NO LOCATION AID	***580 BROADWAY***	***NW 1/2 - 1 (0.679 mi.)***	***Z137***	***857***
Release Tracking Number: 3-0029660 Current Status: URAM				
FRANK & ED SERVICE S	***483 SOMERVILLE AVE***	***SSW 1/2 - 1 (0.679 mi.)***	***138***	***859***
Release Tracking Number: 3-0033319 Current Status: PSNC				
CHROME PLATING FACIL	***46 CROSS ST***	***ESE 1/2 - 1 (0.680 mi.)***	***139***	***865***
Release Tracking Number: 3-0000673 Current Status: RAO				
7-ELEVEN #32473	***582 BROADWAY***	***NW 1/2 - 1 (0.682 mi.)***	***Z140***	***867***
Release Tracking Number: 3-0029903 Release Tracking Number: 3-0004441 Release Tracking Number: 3-0032247 Current Status: REMOPS Current Status: RAONR				
HILLSIDE AUTO REPAIR	***583 BROADWAY***	***NW 1/2 - 1 (0.683 mi.)***	***Z141***	***882***
Release Tracking Number: 3-0000620 Current Status: RAO				
SOMERVILLE AUTO REPA	***453 SOMERVILLE AVE***	***SSW 1/2 - 1 (0.687 mi.)***	***AA142***	***891***
Release Tracking Number: 3-0026058 Current Status: RAO				
SUBSTATION PNU 13	***BOW STREET PL***	***S 1/2 - 1 (0.690 mi.)***	***AB143***	***893***
Release Tracking Number: 3-0022347 Current Status: RAO				
PROPERTY	***55 BOW ST***	***S 1/2 - 1 (0.697 mi.)***	***AB144***	***894***
Release Tracking Number: 3-0003600 Current Status: RAO				
NO LOCATION AID	***515 SOMERVILLE AVE***	***SSW 1/2 - 1 (0.700 mi.)***	***145***	***895***

Release Tracking Number: 3-0023606 Release Tracking Number: 3-0036373 Release Tracking Number: 3-0036184 Current Status: RAO Current Status: RAONR Current Status: PSC				
SO OF EXIT 29 Release Tracking Number: 3-0014823 Current Status: RAO	***RTE 93N***	***E 1/2 - 1 (0.702 mi.)***	***146***	***972***
ABOVEGROUND STORAGE Release Tracking Number: 3-0037162 Current Status: PSNC	***38 CROSS STREET EAST***	***E 1/2 - 1 (0.703 mi.)***	***147***	***974***
SOMERVILLE LUMBER Release Tracking Number: 3-0000658 Current Status: RAO	***260 MYSTIC AVE AKA 7***	***E 1/2 - 1 (0.708 mi.)***	***AC148***	***977***
NO LOCATION AID Release Tracking Number: 3-0014880 Current Status: RAO	***460 SOMERVILLE AVE***	***SSW 1/2 - 1 (0.708 mi.)***	***AA149***	***981***
GUS SERVICE STATION Release Tracking Number: 3-0002582 Current Status: RAO	***519 SOMERVILLE AVE***	***SW 1/2 - 1 (0.710 mi.)***	***150***	***994***
AUTOMOTIVE SHOP Release Tracking Number: 3-0000772 Current Status: PENNFA	***444-460 SOMERVILLE A***	***SSW 1/2 - 1 (0.711 mi.)***	***AD151***	***996***
NO LOCATION AID Release Tracking Number: 3-0018136 Release Tracking Number: 3-0018349 Current Status: RAO	***444 SOMERVILLE AVE***	***SSW 1/2 - 1 (0.711 mi.)***	***AD152***	***997***
LOADING DOCK AREA OF Release Tracking Number: 3-0035808 Current Status: PSNC	***400 SOMERVILLE AVENU***	***SSW 1/2 - 1 (0.714 mi.)***	***153***	***1004***
SOMERVILLE LUMBER CR Release Tracking Number: 3-0023667 Release Tracking Number: 3-0010846 Current Status: RAONR Current Status: RAO	***250 MYSTIC AVE***	***E 1/2 - 1 (0.716 mi.)***	***AC154***	***1006***
PARCELS 6 & 8 DOWNGR Release Tracking Number: 3-0032529 Current Status: DPS	***504 SOMERVILLE AVE &***	***SSW 1/2 - 1 (0.719 mi.)***	***AE155***	***1013***
NO LOCATION AID Release Tracking Number: 3-0032186 Current Status: PSC	***508 SOMERVILLE AVE***	***SSW 1/2 - 1 (0.724 mi.)***	***AE156***	***1015***
NO LOCATION AID Release Tracking Number: 3-0018193 Release Tracking Number: 3-0034250 Current Status: RAO	***60 CROSS ST E***	***E 1/2 - 1 (0.729 mi.)***	***157***	***1044***
GASOLINE STATION FMR Release Tracking Number: 3-0033287 Release Tracking Number: 3-0032923 Current Status: PSNC	***290 HIGHLAND AVE***	***W 1/2 - 1 (0.729 mi.)***	***158***	***1056***
NO LOCATION AID	***844 TO 846 MCGRATH H***	***E 1/2 - 1 (0.734 mi.)***	***AF159***	***1079***

Release Tracking Number: 3-0017628 Current Status: RAO				
NEAR 55 COLUMBUS AVE Release Tracking Number: 3-0027074 Current Status: RAO	***COLUMBUS AVE***	***SSE 1/2 - 1 (0.741 mi.)***	***160***	***1083***
AMES SAFETY ENVELOPE Release Tracking Number: 3-0028611 Current Status: RAO	***12 PARK ST***	***SSW 1/2 - 1 (0.745 mi.)***	***161***	***1085***
CONWAY PARK Release Tracking Number: 3-0034868 Current Status: ADQREG	***550 SOMERVILLE AVENU***	***SW 1/2 - 1 (0.748 mi.)***	***162***	***1087***
NO LOCATION AID Release Tracking Number: 3-0024255 Current Status: RAO	***43 PITMAN ST***	***SW 1/2 - 1 (0.749 mi.)***	***163***	***1090***
UNITED TRUCK LEASING Release Tracking Number: 3-0002891 Current Status: PSNC	***845 MCGRATH HWY***	***E 1/2 - 1 (0.750 mi.)***	***AF164***	***1092***
NO LOCATION AID Release Tracking Number: 3-0001322 Release Tracking Number: 3-0013932 Release Tracking Number: 3-0017163 Current Status: PSC Current Status: RAONR	***620 BROADWAY***	***NW 1/2 - 1 (0.751 mi.)***	***AG165***	***1104***
FORMER GAS STATION Release Tracking Number: 3-0036047 Current Status: TIERII	***620 BROADWAY***	***NW 1/2 - 1 (0.751 mi.)***	***AG166***	***1124***
CITY OF SOMERVILLE Release Tracking Number: 3-0036851 Current Status: DPS	***2-98 CHESTER AVENUE***	***SSE 1/2 - 1 (0.753 mi.)***	***167***	***1128***
SUNOCO #0005-2175 Release Tracking Number: 3-0017921 Current Status: RAO	***434 MCGRATH HWY***	***SSE 1/2 - 1 (0.754 mi.)***	***168***	***1130***
REAR OF LEXINGTON AV Release Tracking Number: 3-0014276 Current Status: RAO	***35 LEXINGTON AVE***	***WNW 1/2 - 1 (0.759 mi.)***	***AH169***	***1138***
RESIDENTIAL PROPERTY Release Tracking Number: 3-0035639 Current Status: RAONR	***35R LEXINGTON AVENUE***	***WNW 1/2 - 1 (0.759 mi.)***	***AH170***	***1141***
35R LEXINGTON AVENUE Release Tracking Number: 3-0033292 Current Status: DPS	***35R LEXINGTON AVENUE***	***WNW 1/2 - 1 (0.759 mi.)***	***AH171***	***1145***
@ CROSS ST Release Tracking Number: 3-0014792 Current Status: RAO	***60 TUFTS ST***	***SE 1/2 - 1 (0.763 mi.)***	***172***	***1147***
FOREIGN BODY WORKS Release Tracking Number: 3-0031557 Current Status: PSNC	***587-593 SOMERVILLE A***	***SW 1/2 - 1 (0.766 mi.)***	***AI173***	***1149***
COMMERCIAL PROPERTY Release Tracking Number: 3-0036676	***346 SOMERVILLE AVENU***	***S 1/2 - 1 (0.769 mi.)***	***174***	***1151***

Current Status: PSNC				
NO LOCATION AID Release Tracking Number: 3-0029021 Release Tracking Number: 3-0028420 Release Tracking Number: 3-0028392 Current Status: RAO	***130 BROADWAY***	***ESE 1/2 - 1 (0.772 mi.)***	***175***	***1158***
120 MIDDLESEX AVENUE Release Tracking Number: 3-0037442 Current Status: UNCLSS	***120 MIDDLESEX AVENUE***	***ENE 1/2 - 1 (0.773 mi.)***	***176***	***1169***
COMMERCIAL FACILITY Release Tracking Number: 3-0029668 Release Tracking Number: 3-0029845 Current Status: RAO	***1 BOW STREET***	***S 1/2 - 1 (0.777 mi.)***	***177***	***1171***
SOMERVILLE COURTHOUS Release Tracking Number: 3-0013016 Current Status: RAO	***175 FELLSWAY***	***ENE 1/2 - 1 (0.778 mi.)***	***178***	***1176***
NO LOCATION AID Release Tracking Number: 3-0026907 Current Status: URAM	***592 SOMERVILLE AVE***	***SW 1/2 - 1 (0.779 mi.)***	***AI179***	***1179***
NO LOCATION AID Release Tracking Number: 3-0011753 Current Status: RAO	***15A BLEACHERY CT***	***SW 1/2 - 1 (0.780 mi.)***	***AI180***	***1181***
NO LOCATION AID Release Tracking Number: 3-0020403 Current Status: RAO	***96-98 MIDDLESEX AVE***	***ENE 1/2 - 1 (0.781 mi.)***	***AJ181***	***1191***
PROPERTY Release Tracking Number: 3-0003393 Current Status: RAO	***24 DANE ST***	***SSW 1/2 - 1 (0.782 mi.)***	***182***	***1195***
74M PROPERTY OWNER L Release Tracking Number: 3-0035323 Release Tracking Number: 3-0037128 Current Status: RAONR Current Status: URAM	***74 MIDDLESEX AVE***	***E 1/2 - 1 (0.782 mi.)***	***183***	***1200***
TUFTS UNIVERSITY Release Tracking Number: 3-0017019 Current Status: RAO	***TILTON HALL***	***SE 1/2 - 1 (0.782 mi.)***	***184***	***1207***
NO LOCATION AID Release Tracking Number: 3-0016884 Current Status: RAO	***588-592 SOMERVILLE A***	***SW 1/2 - 1 (0.783 mi.)***	***AI185***	***1209***
MATERIALS DEVELOPMEN Release Tracking Number: 3-0033582 Current Status: PSNC	***81 HICKS AVE***	***NNW 1/2 - 1 (0.785 mi.)***	***186***	***1211***
50 MIDDLESEX AVE Release Tracking Number: 3-0030445 Current Status: RAO	***50 MIDDLESEX AVE***	***E 1/2 - 1 (0.788 mi.)***	***187***	***1220***
COLONIAL VW OF MEDFO Release Tracking Number: 3-0028557 Current Status: RAO	***340 MYSTIC AVE***	***N 1/2 - 1 (0.789 mi.)***	***188***	***1226***
BERMANS MOTOR EXPRES	***337 MYSTIC AVE***	***N 1/2 - 1 (0.793 mi.)***	***189***	***1243***

Release Tracking Number: 3-0014154 Current Status: RAO				
MWRA CSO ESMNT BTN A Release Tracking Number: 3-0015525 Current Status: URAM	***137 MIDDLESEX AVE***	***ENE 1/2 - 1 (0.794 mi.)***	***AJ190***	***1246***
VETERANS MEMORIAL SK Release Tracking Number: 3-0035868 Current Status: TIERII	***570 SOMERVILLE AVENU***	***SW 1/2 - 1 (0.797 mi.)***	***191***	***1247***
ASSEMBLY SQUARE MALL Release Tracking Number: 3-0028904 Release Tracking Number: 3-0024952 Release Tracking Number: 3-0021217 Release Tracking Number: 3-0028753 Release Tracking Number: 3-0014763 **Additional key fields are available in the Map Findings section* Current Status: RAO	***133 MIDDLESEX AVE***	***ENE 1/2 - 1 (0.797 mi.)***	***AJ192***	***1251***
MA HWY DEPT FACILITY Release Tracking Number: 3-0013515 Current Status: RAO	***MYSTIC AVE (UNDER RT***	***E 1/2 - 1 (0.799 mi.)***	***AK193***	***1316***
COMMERCIAL AND RESID Release Tracking Number: 3-0036727 Current Status: PSNC	***3 HAWKINS STREET***	***S 1/2 - 1 (0.801 mi.)***	***194***	***1318***
CODDING AVENUE NO 64 Release Tracking Number: 3-0029957 Current Status: PSNC	***15 CODDING AVE***	***NNW 1/2 - 1 (0.804 mi.)***	***195***	***1319***
WINCHESTER ST Release Tracking Number: 3-0015683 Current Status: RAONR	***643 645 BROADWAY***	***NW 1/2 - 1 (0.804 mi.)***	***AL196***	***1327***
WINCHESTER ST Release Tracking Number: 3-0022808 Current Status: RAONR	***643 TO 645 BROADWAY***	***NW 1/2 - 1 (0.804 mi.)***	***AL197***	***1329***
MBTA STORM DRAIN Release Tracking Number: 3-0028231 Current Status: TIERII	***WASHINGTON ST***	***SE 1/2 - 1 (0.806 mi.)***	***198***	***1331***
GE AUTO Release Tracking Number: 3-0037391 Current Status: UNCLSS	***631 SOMERVILLE AVE***	***SW 1/2 - 1 (0.811 mi.)***	***199***	***1334***
NEAR HICKS AVE Release Tracking Number: 3-0021098 Current Status: RAO	***327 MYSTIC AVE***	***N 1/2 - 1 (0.813 mi.)***	***200***	***1336***
5 MIDDLESEX AVE Release Tracking Number: 3-0037231 Current Status: TIERII	***5 MIDDLESEX AVE***	***E 1/2 - 1 (0.819 mi.)***	***AK201***	***1345***
COMMERCIAL PROPERTY Release Tracking Number: 3-0003937 Release Tracking Number: 3-0025033 Current Status: LSPNFA Current Status: RAO	***43 FOLEY ST***	***E 1/2 - 1 (0.830 mi.)***	***AM202***	***1349***
JOHN DAVIS CO Release Tracking Number: 3-0026114	***50 TUFTS ST***	***SE 1/2 - 1 (0.835 mi.)***	***AN203***	***1356***

Release Tracking Number: 3-0023246
Release Tracking Number: 3-0024376
Release Tracking Number: 3-0035528
Release Tracking Number: 3-0024358
Current Status: RAONR
Current Status: REMOPS
Current Status: URAM

PROSPECT & STONE IN	***SOMERVILLE AVE***	***S 1/2 - 1 (0.835 mi.)***	***204***	***1398***
Release Tracking Number: 3-0018942 Current Status: RAO				
Not reported	***88 PEARL ST***	***SE 1/2 - 1 (0.836 mi.)***	***205***	***1400***
Release Tracking Number: 3-0029022 Current Status: RAO				
PARKWAY MOTOR SERVIC	***166 BOSTON AVE***	***NW 1/2 - 1 (0.837 mi.)***	***206***	***1404***
Release Tracking Number: 3-0002329 Current Status: RAO				
CORNER OF TUFTS STRE	***31 TUFTS STREET***	***SE 1/2 - 1 (0.840 mi.)***	***AN207***	***1406***
Release Tracking Number: 3-0037468 Current Status: UNCLSS				
SHOPPING MALL 624-63	***624 - 630 SOMERVILLE***	***SW 1/2 - 1 (0.841 mi.)***	***208***	***1408***
Release Tracking Number: 3-0034660 Current Status: PSNC				
RESIDENCE	***27 VILLAGE STREET***	***SSW 1/2 - 1 (0.841 mi.)***	***209***	***1409***
Release Tracking Number: 3-0031858 Release Tracking Number: 3-0023855 Current Status: RAO Current Status: TIER1D				
HK PORTER	***74 FOLEY ST***	***E 1/2 - 1 (0.842 mi.)***	***AM210***	***1415***
Release Tracking Number: 3-0000649 Current Status: RAO				
NO LOCATION AID	***448 MAIN ST***	***NNW 1/2 - 1 (0.845 mi.)***	***211***	***1494***
Release Tracking Number: 3-0027363 Current Status: RAO				
ALBERTINE SERVICE ST	***646 SOMERVILLE AVE***	***SW 1/2 - 1 (0.846 mi.)***	***212***	***1496***
Release Tracking Number: 3-0028236 Current Status: RAO				
NO LOCATION AID	***105 BROADWAY***	***ESE 1/2 - 1 (0.846 mi.)***	***213***	***1501***
Release Tracking Number: 3-0022857 Current Status: RAO				
FIRST NATL GASOLINE	***MYSTIC AVE***	***E 1/2 - 1 (0.847 mi.)***	***214***	***1502***
Release Tracking Number: 3-0002140 Current Status: WCSPRM				
CAMBRIDGE MACHINED P	***100 FOLEY ST***	***E 1/2 - 1 (0.848 mi.)***	***AM215***	***1503***
Release Tracking Number: 3-0000434 Current Status: RAO				
CENTRAL STEEL	***99 FOLEY ST***	***E 1/2 - 1 (0.848 mi.)***	***AM216***	***1539***
Release Tracking Number: 3-0018995 Current Status: RAO				
WINTER HILL YACHT CL	***130 FOLEY ST***	***E 1/2 - 1 (0.855 mi.)***	***AO217***	***1548***
Release Tracking Number: 3-0029665				

Current Status: RAO				
L BORNSTEIN CO INC Release Tracking Number: 3-0011561 Current Status: RAO	***321 WASHINGTON ST***	***S 1/2 - 1 (0.856 mi.)***	***218***	***1567***
9 UNION SQUARE Release Tracking Number: 3-0032294 Current Status: PSC	***9 UNION SQUARE***	***S 1/2 - 1 (0.860 mi.)***	***219***	***1590***
PROPOSED LINCOLN PAR Release Tracking Number: 3-0025668 Current Status: RAO	***290 WASHINGTON ST***	***S 1/2 - 1 (0.864 mi.)***	***220***	***1592***
COMMERCIAL PLASTICS Release Tracking Number: 3-0022511 Current Status: RAO	***352 MCGRATH HWY***	***SSE 1/2 - 1 (0.872 mi.)***	***221***	***1596***
AMELIA EARHART DAM Release Tracking Number: 3-0021605 Current Status: RAO	***200 FOLEY ST***	***E 1/2 - 1 (0.873 mi.)***	***AO222***	***1598***
MBTA GREEN LINE EXTE Release Tracking Number: 3-0035604 Release Tracking Number: 3-0030612 Current Status: TIER1D	***662 BOSTON AVENUE***	***NW 1/2 - 1 (0.875 mi.)***	***223***	***1600***
NEAR 13 JOSEPHINE Release Tracking Number: 3-0018526 Current Status: RAO	***JOSEPHINE ST***	***WNW 1/2 - 1 (0.876 mi.)***	***224***	***1607***
NO LOCATION AID Release Tracking Number: 3-0015916 Current Status: RAO	***17 KENT CT***	***SW 1/2 - 1 (0.876 mi.)***	***225***	***1608***
NO LOCATION AID Release Tracking Number: 3-0015839 Current Status: RAO	***32-38 KENT ST***	***SW 1/2 - 1 (0.876 mi.)***	***226***	***1611***
PRIVATE PROPERTY Release Tracking Number: 3-0036898 Current Status: PSNC	***1 BONNER AVENUE***	***SSE 1/2 - 1 (0.877 mi.)***	***AP227***	***1613***
@ WASHINGTON STREET Release Tracking Number: 3-0023353 Current Status: RAO	***BONNER ST***	***SSE 1/2 - 1 (0.879 mi.)***	***AP228***	***1614***
NO LOCATION AID Release Tracking Number: 3-0015005 Current Status: RAO	***307 MYSTIC AVE***	***N 1/2 - 1 (0.881 mi.)***	***AQ229***	***1616***
CITGO STATION FMR Release Tracking Number: 3-0000133 Current Status: RAO	***236 WASHINGTON ST***	***SSE 1/2 - 1 (0.888 mi.)***	***AP230***	***1618***
CUMBERLAND FARMS 246 Release Tracking Number: 3-0030395 Current Status: RAO	***701 SOMERVILLE AVE***	***WSW 1/2 - 1 (0.892 mi.)***	***231***	***1621***
MASS HIGHWAY FACILIT Release Tracking Number: 3-0015958 Current Status: RAO	***300 MYSTIC AVE***	***N 1/2 - 1 (0.892 mi.)***	***AQ232***	***1631***
NO LOCATION AID Release Tracking Number: 3-0034864	***223 WASHINGTON STREE***	***SSE 1/2 - 1 (0.897 mi.)***	***AR233***	***1634***

Current Status: TIERII

MBTA GREEN LINE EXTE	***644 BOSTON AVENUE***	***NW 1/2 - 1 (0.902 mi.)***	***234***	***1636***
Release Tracking Number: 3-0030614 Current Status: TIER1D				
NO LOCATION AID	***32 EXCHANGE AVENUE***	***NNW 1/2 - 1 (0.903 mi.)***	***235***	***1640***
Release Tracking Number: 3-0032647 Current Status: URAM				
NO LOCATION AID	***220 WASHINGTON ST***	***SSE 1/2 - 1 (0.907 mi.)***	***AR236***	***1642***
Release Tracking Number: 3-0021794 Release Tracking Number: 3-0021795 Release Tracking Number: 3-0021796 Release Tracking Number: 3-0018323 Release Tracking Number: 3-0018328 **Additional key fields are available in the Map Findings section* Current Status: RAONR Current Status: RAO				
4693770N 327473E	***298 SOMERVILLE AVE***	***SSE 1/2 - 1 (0.909 mi.)***	***AS237***	***1662***
Release Tracking Number: 3-0021046 Current Status: RAO				
HYDRAULIC OIL RELEAS	***298 SOMERVILLE AVE***	***SSE 1/2 - 1 (0.909 mi.)***	***AS238***	***1663***
Release Tracking Number: 3-0031308 Current Status: RAO				
NO LOCATION AID	***298 SOMERVILLE AVE***	***SSE 1/2 - 1 (0.909 mi.)***	***AS239***	***1665***
Release Tracking Number: 3-0031291 Current Status: PSC				
NO LOCATION AID	***179 WASHINGTON ST***	***SSE 1/2 - 1 (0.912 mi.)***	***AT240***	***1668***
Release Tracking Number: 3-0027087 Current Status: TIER1D				
FORMER BOYS 7 GIRLS	***181 WASHINGTON STREE***	***SSE 1/2 - 1 (0.912 mi.)***	***AT241***	***1677***
Release Tracking Number: 3-0027899 Current Status: PSNC				
NO LOCATION AID	***100 PROPERZI WAY***	***SSW 1/2 - 1 (0.916 mi.)***	***242***	***1697***
Release Tracking Number: 3-0027844 Current Status: PSC				
FRANKLIN ST	***9 PALMER AVE***	***SE 1/2 - 1 (0.918 mi.)***	***243***	***1703***
Release Tracking Number: 3-0018255 Current Status: RAO				
ASSEMBLY ROW - BLOCK	***301 CANAL STREET***	***E 1/2 - 1 (0.918 mi.)***	***244***	***1706***
Release Tracking Number: 3-0035311 Current Status: PSNC				
CHRISTOS POUTAHIDIS	***131 WILLOW AVE***	***WNW 1/2 - 1 (0.918 mi.)***	***AU245***	***1710***
Release Tracking Number: 3-0025507 Current Status: RAO				
DURRELL PARK FORMER	***245 BEACON ST***	***SW 1/2 - 1 (0.919 mi.)***	***246***	***1720***
Release Tracking Number: 3-0024114 Current Status: RAO				
PROSPECT ST	***269 SOMERVILLE AVE***	***SSE 1/2 - 1 (0.920 mi.)***	***247***	***1721***
Release Tracking Number: 3-0020453 Current Status: RAO				
CLARENDON AVE	***115 WILLOW AVE***	***WNW 1/2 - 1 (0.920 mi.)***	***AU248***	***1723***

Release Tracking Number: 3-0020351 Current Status: RAO				
CONSTRUCTION PROJECT Release Tracking Number: 3-0004037 Current Status: RAO	***291 MYSTIC AVE***	***N 1/2 - 1 (0.922 mi.)***	***249***	***1731***
ASSEMBLY ROW BLOCK 5 Release Tracking Number: 3-0033147 Current Status: PSNC	***300-398 FOLEY STREET***	***E 1/2 - 1 (0.922 mi.)***	***250***	***1738***
MBTA MYSTIC JUNCTION Release Tracking Number: 3-0018503 Current Status: RAO	***WASHINGTON ST NEAR J***	***SSE 1/2 - 1 (0.923 mi.)***	***AV251***	***1739***
WASHINGTON ST OVERPA Release Tracking Number: 3-0019190 Current Status: RAO	***WASHINGTON ST RR TRA***	***SSE 1/2 - 1 (0.923 mi.)***	***AV252***	***1744***
D2 PROPERTY Release Tracking Number: 3-0037783 Current Status: URAM	***20-50 PROSPECT STREE***	***SSE 1/2 - 1 (0.925 mi.)***	***AS253***	***1746***
FORMER KILEY BARREL Release Tracking Number: 3-0028464 Release Tracking Number: 3-0002849 Current Status: RAONR Current Status: REMOPS	***20-22 PROSPECT ST***	***SSE 1/2 - 1 (0.925 mi.)***	***AS254***	***1747***
NO LOCATION AID Release Tracking Number: 3-0033589 Current Status: PSNC	***640 BOSTON AVENUE***	***NW 1/2 - 1 (0.927 mi.)***	***255***	***1769***
WBT LIMOUSINE Release Tracking Number: 3-0002672 Current Status: DPS	***182 WASHINGTON ST***	***SSE 1/2 - 1 (0.929 mi.)***	***256***	***1773***
BOSTON & MAINE YD Release Tracking Number: 3-0036789 Release Tracking Number: 3-0035997 Release Tracking Number: 3-0036931 Release Tracking Number: 3-0034742 Current Status: RAONR Current Status: TIERI Current Status: TIERII Current Status: DPS	***132 WASHINGTON ST***	***SE 1/2 - 1 (0.933 mi.)***	***257***	***1776***
NO LOCATION AID Release Tracking Number: 3-0034995 Current Status: RAONR	***260-264 BEACON STREE***	***SW 1/2 - 1 (0.934 mi.)***	***AW258***	***1823***
COMMERCIAL BUILDING Release Tracking Number: 3-0031040 Current Status: REMOPS	***260-264 BEACON ST***	***SW 1/2 - 1 (0.934 mi.)***	***AW259***	***1827***
PRIVATE PROPERTY Release Tracking Number: 3-0036041 Current Status: RAONR	***260 BEACON STREET***	***SW 1/2 - 1 (0.934 mi.)***	***AW260***	***1834***
COMMERCIAL BUILDING Release Tracking Number: 3-0031228 Current Status: RAONR	***260-264 BEACON STREE***	***SW 1/2 - 1 (0.934 mi.)***	***AW261***	***1840***
FMR KILEY BARREL	***20 TO 22 PROSPECT ST***	***SSE 1/2 - 1 (0.935 mi.)***	***AX262***	***1847***

Release Tracking Number: 3-0018513 Current Status: RAONR				
AT FRANKLIN STREET Release Tracking Number: 3-0034310 Current Status: PSNC	***103 WASHINGTON STREE***	***SE 1/2 - 1 (0.938 mi.)***	***263***	***1850***
NO LOCATION AID Release Tracking Number: 3-0031302 Current Status: DPS	***258 BEACON ST & 3 BE***	***SW 1/2 - 1 (0.940 mi.)***	***264***	***1857***
CORNER OF WASHINGTON Release Tracking Number: 3-0019047 Current Status: RAO	***120 WASHINGTON ST***	***SE 1/2 - 1 (0.941 mi.)***	***265***	***1864***
NO LOCATION AID Release Tracking Number: 3-0027907 Release Tracking Number: 3-0028269 Release Tracking Number: 3-0029248 Current Status: URAM Current Status: TMPS	***282 MYSTIC AVE***	***N 1/2 - 1 (0.942 mi.)***	***AY266***	***1865***
RESIDENTIAL PROPERTY Release Tracking Number: 3-0031763 Release Tracking Number: 3-0032134 Current Status: TIERII Current Status: RAONR	***4 MILK PLACE***	***SSE 1/2 - 1 (0.943 mi.)***	***267***	***1873***
APARTMENT BLDG Release Tracking Number: 3-0013723 Current Status: RAO	***278 BEACON ST***	***SW 1/2 - 1 (0.943 mi.)***	***AW268***	***1880***
RESIDENTIAL APARTMEN Release Tracking Number: 3-0031752 Current Status: PSNC	***250 SOMERVILLE AVENU***	***SSE 1/2 - 1 (0.947 mi.)***	***269***	***1882***
NO LOCATION AID Release Tracking Number: 3-0031025 Current Status: RAONR	***26-28 PROSPECT STREE***	***SSE 1/2 - 1 (0.948 mi.)***	***AX270***	***1886***
MAP 82, LOTS 1 AND 2 Release Tracking Number: 3-0032133 Current Status: RAONR	***26-30 PROSPECT STREE***	***SSE 1/2 - 1 (0.948 mi.)***	***AX271***	***1889***
DODAKINS AUTO SALES Release Tracking Number: 3-0032135 Current Status: PSC	***81 PARK STREET***	***SSW 1/2 - 1 (0.948 mi.)***	***AZ272***	***1891***
THE HOME DEPOT STORE Release Tracking Number: 3-0031960 Current Status: RAO	***75 MYSTIC AVE***	***E 1/2 - 1 (0.950 mi.)***	***273***	***1898***
ALGONQUIN GAS Release Tracking Number: 3-0003784 Current Status: DEPNFA	***BEHIND 278282 MYSTIC***	***N 1/2 - 1 (0.950 mi.)***	***AY274***	***1909***
OFF PROSPECT ST Release Tracking Number: 3-0023401 Current Status: RAO	***BENNETT CT***	***SSE 1/2 - 1 (0.952 mi.)***	***AX275***	***1910***
IN FRONT OF 86 ELM S Release Tracking Number: 3-0037473 Current Status: PSNC	***86 ELM STREET***	***WSW 1/2 - 1 (0.954 mi.)***	***276***	***1911***
RESIDENTIAL APARTMEN	***765 SOMERVILLE AVENU***	***WSW 1/2 - 1 (0.955 mi.)***	***277***	***1913***

Release Tracking Number: 3-0035863 Current Status: PSNC				
4-UNIT RESIDENTIAL A Release Tracking Number: 3-0029737 Current Status: RAO	***55-57 MARION STREET***	***NW 1/2 - 1 (0.955 mi.)***	***278***	***1917***
DODAKINS AUTO SALES Release Tracking Number: 3-0031722 Current Status: PSC	***191 BEACON STREET***	***SSW 1/2 - 1 (0.957 mi.)***	***AZ279***	***1925***
WARNER CABLE Release Tracking Number: 3-0001219 Current Status: RAO	***278-282 MYSTIC AVE***	***N 1/2 - 1 (0.971 mi.)***	***280***	***1933***
CJ AUTO MOTORS INC Release Tracking Number: 3-0019828 Current Status: RAO	***308 MCGRATH HWY***	***SSE 1/2 - 1 (0.971 mi.)***	***BA281***	***1935***
COBBLE HILL APPARTME Release Tracking Number: 3-0031102 Current Status: TMPS	***90 WASHINGTON ST***	***SE 1/2 - 1 (0.972 mi.)***	***282***	***1936***
ELM CORPORATION Release Tracking Number: 3-0022315 Release Tracking Number: 3-0004432 Release Tracking Number: 3-0033234 Current Status: RAONR Current Status: PSNC	***371 BEACON ST***	***WSW 1/2 - 1 (0.973 mi.)***	***283***	***1942***
BENNETT STREET Release Tracking Number: 3-0030510 Current Status: TIERII	***15 BENNETT STREET***	***SSE 1/2 - 1 (0.977 mi.)***	***BB284***	***1979***
PATS AUTO BODY Release Tracking Number: 3-0002665 Current Status: DEPNFA	***306-308 MCGRATH HWY***	***SSE 1/2 - 1 (0.979 mi.)***	***BA285***	***1984***
GENERAL ELECTRIC APP Release Tracking Number: 3-0000371 Release Tracking Number: 3-0019409 Release Tracking Number: 3-0018992 Release Tracking Number: 3-0031890 Current Status: RAO Current Status: RAONR Current Status: URAM	***3960 MYSTIC VALLEY P***	***NNE 1/2 - 1 (0.980 mi.)***	***286***	***1985***
ENTRANCE TO WEGMAN'S Release Tracking Number: 3-0037030 Current Status: PSNC	***3850 MYSTIC VALLEY P***	***NNE 1/2 - 1 (0.981 mi.)***	***287***	***2098***
NO LOCATION AID Release Tracking Number: 3-0036974 Current Status: TIERII	***24-30 JOY STREET***	***SE 1/2 - 1 (0.981 mi.)***	***288***	***2108***
MAP 82, BLOCK I, LOT Release Tracking Number: 3-0031024 Release Tracking Number: 3-0032129 Current Status: RAONR	***27 BENNETT STREET***	***SSE 1/2 - 1 (0.982 mi.)***	***BB289***	***2110***
NO LOCATION AID Release Tracking Number: 3-0029452 Current Status: RAO	***26 BENNETT STREET***	***SSE 1/2 - 1 (0.983 mi.)***	***BB290***	***2115***
PROPERTIES ABUTTING	***9 11 13 17 ALLEN ST***	***SSE 1/2 - 1 (0.985 mi.)***	***291***	***2121***

Release Tracking Number: 3-0028512
Current Status: TIERII

DRAW SEVEN PARK	***FOLEY STREET EXT***	***E 1/2 - 1 (0.985 mi.)***	***292***	***2124***
Release Tracking Number: 3-0003908 Current Status: DPS				
ALEXANDER AVE AT MYS	***ALEXANDER AVENUE AT***	***N 1/2 - 1 (0.987 mi.)***	***BC293***	***2126***
Release Tracking Number: 3-0030315 Current Status: URAM				
BOSTON EDISON	***MYSTIC AVE ALEXANDER***	***N 1/2 - 1 (0.987 mi.)***	***BC294***	***2128***
Release Tracking Number: 3-0004529 Current Status: RAO				
MAP 82, BLOCK D, LOT	***40 BENNETT STREET***	***SSE 1/2 - 1 (0.989 mi.)***	***BB295***	***2130***
Release Tracking Number: 3-0032131 Release Tracking Number: 3-0030848 Current Status: RAONR				
NO LOCATION AID	***SCOTT AND BRYAN STS***	***SSW 1/2 - 1 (0.989 mi.)***	***296***	***2137***
Release Tracking Number: 3-0018371 Current Status: URAM				
SHAW'S MARKET (REAR)	***49 WHITE ST***	***W 1/2 - 1 (0.999 mi.)***	***297***	***2138***
Release Tracking Number: 3-0028132 Current Status: RAO				

Lists of state and tribal leaking storage tanks

MA LUST: Sites within the Releases Database that have a UST listed as its source.

A review of the MA LUST list, as provided by EDR, and dated 01/08/2023 has revealed that there are 27 MA LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NO LOCATION AID	***148 SYCAMORE ST***	***N 0 - 1/8 (0.119 mi.)***	***5***	***13***
Release Tracking Number / Current Status: 3-0022827 / RAO				
NO LOCATION AID	***188 CENTRAL ST***	***NNW 1/8 - 1/4 (0.197 mi.)***	***9***	***22***
Release Tracking Number / Current Status: 3-0020161 / RAO				
TEXACO SERVICE	***112 HIGHLAND AVE***	***SSW 1/4 - 1/2 (0.333 mi.)***	***41***	***295***
Release Tracking Number / Current Status: 3-0003944 / RAO				
NO LOCATION AID	***504 MEDFORD ST***	***NW 1/4 - 1/2 (0.393 mi.)***	***53***	***328***
Release Tracking Number / Current Status: 3-0024927 / RAO Release Tracking Number / Current Status: 3-0016767 / RAO				
SOMERVILLE HIGH SCHO	***81 HIGHLAND AVE***	***SSE 1/4 - 1/2 (0.410 mi.)***	***K58***	***354***
Release Tracking Number / Current Status: 3-0017909 / RAO				
RESIDENTIAL	***19 CAMBRIA ST***	***SW 1/4 - 1/2 (0.434 mi.)***	***69***	***461***
Release Tracking Number / Current Status: 3-0028555 / RAO				
NO LOCATION AID	***529-535 MEDFORD ST***	***NW 1/4 - 1/2 (0.454 mi.)***	***78***	***502***
Release Tracking Number / Current Status: 3-0022512 / RAO				

Lower Elevation	Address	Direction / Distance	Map ID	Page
RESIDENCE	***8 MINER ST***	***W 1/8 - 1/4 (0.190 mi.)***	***8***	***18***

Release Tracking Number / Current Status: 3-0025050 / RAO

SOMERVILLE XTRA FUEL	***360 MEDFORD ST***	***SSE 1/8 - 1/4 (0.220 mi.)***	***D15***	***139***
Release Tracking Number / Current Status: 3-0028903 / RAO				
Release Tracking Number / Current Status: 3-0015184 / RAO				
NO LOCATION AID	***338 BROADWAY***	***ENE 1/8 - 1/4 (0.226 mi.)***	***20***	***168***
Release Tracking Number / Current Status: 3-0014538 / RAO				
VERIZON MASSACHUSETT	***111 CENTRAL ST***	***WSW 1/8 - 1/4 (0.230 mi.)***	***E21***	***171***
Release Tracking Number / Current Status: 3-0004584 / RAO				
GOOD GAS	***345 MEDFORD ST***	***SSE 1/8 - 1/4 (0.241 mi.)***	***F25***	***203***
Release Tracking Number / Current Status: 3-0003191 / RAO				
NO LOCATION AID	***28-30 MARSHALL ST***	***E 1/4 - 1/2 (0.260 mi.)***	***29***	***219***
Release Tracking Number / Current Status: 3-0013764 / RAO				
MAD AUTO GROUP INC D	***91 MARSHALL ST***	***SSE 1/4 - 1/2 (0.264 mi.)***	***G30***	***227***
Release Tracking Number / Current Status: 3-0034587 / TIERII				
NO LOCATION AID	***18 TEMPLE STREET***	***ENE 1/4 - 1/2 (0.292 mi.)***	***37***	***280***
Release Tracking Number / Current Status: 3-0031100 / RAO				
NO LOCATION AID	***38 FENWICK ST***	***NE 1/4 - 1/2 (0.310 mi.)***	***39***	***286***
Release Tracking Number / Current Status: 3-0021242 / RAO				
NO LOCATION AID	***92-94 VERNON ST***	***WNW 1/4 - 1/2 (0.359 mi.)***	***46***	***309***
Release Tracking Number / Current Status: 3-0022179 / RAO				
NO LOCATION AID	***301 LOWELL ST***	***WNW 1/4 - 1/2 (0.369 mi.)***	***47***	***313***
Release Tracking Number / Current Status: 3-0028843 / RAO				
NO LOCATION AID	***259 LOWELL ST***	***W 1/4 - 1/2 (0.405 mi.)***	***J55***	***340***
Release Tracking Number / Current Status: 3-0014910 / RAO				
WALNUT ST	***258 BROADWAY***	***ESE 1/4 - 1/2 (0.413 mi.)***	***60***	***410***
Release Tracking Number / Current Status: 3-0012319 / RAO				
Release Tracking Number / Current Status: 3-0004820 / RAO				
REDEVELOPMENT SITE	***231 LOWELL STREET***	***W 1/4 - 1/2 (0.422 mi.)***	***L63***	***428***
Release Tracking Number / Current Status: 3-0034207 / PSC				
DIMENSIONAL SER ASSO	***229 LOWELL ST***	***W 1/4 - 1/2 (0.423 mi.)***	***L64***	***437***
Release Tracking Number / Current Status: 3-0021203 / RAO				
NO LOCATION AID	***226 LOWELL ST***	***W 1/4 - 1/2 (0.433 mi.)***	***L66***	***451***
Release Tracking Number / Current Status: 3-0017526 / RAO				
Release Tracking Number / Current Status: 3-0017533 / RAO				
SOMERVILLE, CITY OF	***42 PRESCOTT ST***	***S 1/4 - 1/2 (0.445 mi.)***	***72***	***473***
Release Tracking Number / Current Status: 3-0026494 / RAO				
LATTA BROTHERS MEMOR	***251 BROADWAY***	***E 1/4 - 1/2 (0.447 mi.)***	***M74***	***493***
Release Tracking Number / Current Status: 3-0015604 / RAO				
MCGRATH AUTO BODY SH	***42 DANA ST***	***ESE 1/4 - 1/2 (0.493 mi.)***	***85***	***519***
Release Tracking Number / Current Status: 3-0004542 / RAO				
FORMER ST. POLYCARP	***100 TEMPLE ST***	***ENE 1/4 - 1/2 (0.495 mi.)***	***O87***	***532***
Release Tracking Number / Current Status: 3-0027500 / RAONR				

EXECUTIVE SUMMARY

MA LAST: The Leaking Aboveground Storage Tanks database

A review of the MA LAST list, as provided by EDR, and dated 01/08/2023 has revealed that there are 8 MA LAST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
TRIPLE DECKER CONDOM	***29 MAIN ST***	***N 1/4 - 1/2 (0.278 mi.)***	***34***	***261***
Release Tracking Number / Current Status: 3-0024488 / RAO				
RESIDENTIAL	***120 BARTLETT ST***	***NNW 1/4 - 1/2 (0.297 mi.)***	***38***	***282***
Release Tracking Number / Current Status: 3-0010419 / RAO				
SOMERVILLE HIGH SCHO	***81 HIGHLAND AVE***	***SSE 1/4 - 1/2 (0.410 mi.)***	***K58***	***354***
Release Tracking Number / Current Status: 3-0023567 / RAO				
Release Tracking Number / Current Status: 3-0026487 / RAO				

Lower Elevation	Address	Direction / Distance	Map ID	Page
NO LOCATION AID	***38 GLENWOOD RD***	***WNW 1/4 - 1/2 (0.278 mi.)***	***35***	***266***
Release Tracking Number / Current Status: 3-0025003 / RAO				
NO LOCATION	***9 MONTGOMERY AVE***	***ESE 1/4 - 1/2 (0.414 mi.)***	***61***	***421***
Release Tracking Number / Current Status: 3-0026651 / RAO				
HOMEOWNER	***56 DERBY ST***	***ENE 1/4 - 1/2 (0.427 mi.)***	***65***	***445***
Release Tracking Number / Current Status: 3-0025510 / RAO				
NO LOCATION AID	***594-596 MAIN STREET***	***NNW 1/4 - 1/2 (0.445 mi.)***	***73***	***489***
Release Tracking Number / Current Status: 3-0033326 / PSNC				
NO LOCATION AID	***103 GILMAN ST***	***SE 1/4 - 1/2 (0.461 mi.)***	***82***	***512***
Release Tracking Number / Current Status: 3-0010466 / RAO				

Lists of state and tribal registered storage tanks

MA UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Protection's Summary Listing of all the Tanks Registered in the State of Massachusetts.

A review of the MA UST list, as provided by EDR, and dated 01/11/2023 has revealed that there are 3 MA UST sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
SOMERVILLE XTRA FUEL	***360 MEDFORD ST***	***SSE 1/8 - 1/4 (0.220 mi.)***	***D15***	***139***
Tank Status: Tank Removed				
Tank Status: In Use				
Facility Id: 10925				
VERIZON MASSACHUSETT	***111 CENTRAL ST***	***WSW 1/8 - 1/4 (0.230 mi.)***	***E21***	***171***
Tank Status: Tank Removed				
Tank Status: In Use				
Facility Id: 10884				
GOOD GAS	***345 MEDFORD ST***	***SSE 1/8 - 1/4 (0.241 mi.)***	***F25***	***203***
Tank Status: Tank Removed				
Tank Status: In Use				
Facility Id: 10910				

MA AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Protection's Summary Listing of all the Tanks Registered in the State of Massachusetts.

A review of the MA AST list, as provided by EDR, has revealed that there are 2 MA AST sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
STOP N SAVE FOOD & G Database: AST, Date of Government Version: 12/16/2022	360 MEDFORD ST	SSE 1/8 - 1/4 (0.220 mi.)	D16	160
GOOD GAS Database: AST, Date of Government Version: 12/16/2022	***345 MEDFORD ST***	***SSE 1/8 - 1/4 (0.241 mi.)***	***F25***	***203***

State and tribal institutional control / engineering control registries

MA INST CONTROL: Activity and Use Limitations establish limits and conditions on the future use of contaminated property, and therefore allow cleanups to be tailored to these uses.

A review of the MA INST CONTROL list, as provided by EDR, and dated 01/08/2023 has revealed that there are 7 MA INST CONTROL sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NO LOCATION AID Release Tracking Number: 3-0016767	***504 MEDFORD ST***	***NW 1/4 - 1/2 (0.393 mi.)***	***53***	***328***

Lower Elevation	Address	Direction / Distance	Map ID	Page
SOMERVILLE XTRA FUEL Release Tracking Number: 3-0015184	***360 MEDFORD ST***	***SSE 1/8 - 1/4 (0.220 mi.)***	***D15***	***139***
COMMUNITY DEVELOPMEN Release Tracking Number: 3-0027194	***112A CENTRAL ST***	***WSW 1/8 - 1/4 (0.236 mi.)***	***E23***	***181***
NO LOCATION AID Release Tracking Number: 3-0014910 Release Tracking Number: 3-0017552 Release Tracking Number: 3-0017602	***259 LOWELL ST***	***W 1/4 - 1/2 (0.405 mi.)***	***J55***	***340***
NO LOCATION AID Release Tracking Number: 3-0017526 Release Tracking Number: 3-0017533	***226 LOWELL ST***	***W 1/4 - 1/2 (0.433 mi.)***	***L66***	***451***
FMR SAINT POLYCARP V Release Tracking Number: 3-0029857	***16 & 16R BUTLER DR***	***NE 1/4 - 1/2 (0.450 mi.)***	***75***	***496***
VACANT LOT Release Tracking Number: 3-0004031	***299-303 MEDFORD ST***	***SSE 1/4 - 1/2 (0.460 mi.)***	***N81***	***508***

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: The EPA's listing of Brownfields properties from the Cleanups in My Community program, which provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

A review of the US BROWNFIELDS list, as provided by EDR, and dated 04/06/2023 has revealed that there are 13 US BROWNFIELDS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
VERNON STREET ACRES property ID: 12920 Cleanup Completion Date: 6/30/2002	***84 HIGHLAND AVE***	***S 1/4 - 1/2 (0.379 mi.)***	***I48***	***315***
BOYNTON YARDS ACRES property ID: 12917 Cleanup Completion Date: 6/30/2002	***84 HIGHLAND AVE***	***S 1/4 - 1/2 (0.379 mi.)***	***I49***	***318***
CONWELL SCHOOL ACRES property ID: 12922 ACRES property ID: 12923	***84 HIGHLAND AVE***	***S 1/4 - 1/2 (0.379 mi.)***	***I50***	***320***
KEMP NUTS ACRES property ID: 12919 Cleanup Completion Date: 6/30/2002	***84 HIGHLAND AVE***	***S 1/4 - 1/2 (0.379 mi.)***	***I51***	***323***
BAY STATE ACRES property ID: 12918 Cleanup Completion Date: 6/30/2002	***84 HIGHLAND AVE***	***S 1/4 - 1/2 (0.379 mi.)***	***I52***	***325***

Lower Elevation	Address	Direction / Distance	Map ID	Page
SOMERVILLE COMMUNITY ACRES property ID: 70015 Cleanup Completion Date: 6/1/2008	***112A CENTRAL STREET***	***WSW 1/8 - 1/4 (0.236 mi.)***	***E24***	***185***
91 MARSHALL STREET ACRES property ID: 227962	***91 MARSHALL STREET***	***SSE 1/4 - 1/2 (0.264 mi.)***	***G31***	***233***
255 PEARL STREET ACRES property ID: 227963	***255 PEARL STREET***	***SSE 1/4 - 1/2 (0.272 mi.)***	***G32***	***250***
MATTRESS FACTORY ACRES property ID: 12915 Cleanup Completion Date: 6/30/2000	***259 LOWELL STREET***	***W 1/4 - 1/2 (0.405 mi.)***	***J54***	***335***
57 CENTRAL STREET ACRES property ID: 250705	***57 CENTRAL STREET***	***SW 1/4 - 1/2 (0.444 mi.)***	***71***	***466***
303 MEDFORD STREET ACRES property ID: 12925 Cleanup Completion Date: 6/30/2002	***303 MEDFORD STREET***	***SSE 1/4 - 1/2 (0.454 mi.)***	***N80***	***506***
297 MEDFORD ST ACRES property ID: 236062	***297 MEDFORD STREET***	***SSE 1/4 - 1/2 (0.491 mi.)***	***84***	***516***
FORMER ST. POLYCARP ACRES property ID: 38762	***100 TEMPLE STREET***	***ENE 1/4 - 1/2 (0.495 mi.)***	***O86***	***521***

Cleanup Completion Date: 4/30/2008

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 03/06/2023 has revealed that there are 2 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
NYNEX EPA ID:: MAD000639286	***111 CENTRAL ST***	***WSW 1/8 - 1/4 (0.230 mi.)***	***E22***	***178***
PCJ AUTO SERVICE INC EPA ID:: MAD040180119	345 MEDFORD ST	SSE 1/8 - 1/4 (0.241 mi.)	F26	212

MA HW GEN: Permanent generator identification numbers for all Massachusetts generators of hazardous waste and waste oil that have registered with or notified MassDEP of their hazardous waste activities.

A review of the MA HW GEN list, as provided by EDR, and dated 11/18/2022 has revealed that there are 5 MA HW GEN sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
ROGERS FOAM CORPORAT State Generator Status: VQG-MA EPA Id: MAD001025113	***20 VERNON ST***	***W 1/8 - 1/4 (0.203 mi.)***	***B10***	***25***
BRADLEY OLDSMOBILE I EPA Id: MAD019615160	345 BROADWAY	ENE 1/8 - 1/4 (0.220 mi.)	C14	138
SOMERVILLE XTRA FUEL EPA Id: MV6176255555	***360 MEDFORD ST***	***SSE 1/8 - 1/4 (0.220 mi.)***	***D15***	***139***
WALGREENS 2760 EPA Id: MAC300096930	343 BROADWAY	ENE 1/8 - 1/4 (0.223 mi.)	C17	161
GOOD GAS State Generator Status: SQG-MA EPA Id: MAD040180119	***345 MEDFORD ST***	***SSE 1/8 - 1/4 (0.241 mi.)***	***F25***	***203***

NY MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the NY MANIFEST list, as provided by EDR, and dated 01/01/2019 has revealed that there is 1 NY MANIFEST site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
ROGERS FOAM COMPANY	***20 VERNON STREET***	***W 1/8 - 1/4 (0.203 mi.)***	***B12***	***121***

EXECUTIVE SUMMARY

EPA ID: MAD001025113

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR Hist Cleaner: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there are 2 EDR Hist Cleaner sites within approximately 0.125 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
DI TUCCI LORRAINE	415 MEDFORD STREET	WSW 0 - 1/8 (0.050 mi.)	3	12
E Q C	43 THURSTON ST 2	SE 0 - 1/8 (0.058 mi.)	4	12


EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 101 records.

Site Name	Database(s)
CONSTRUCTION SITE	MA SHWS, MA RELEASE, MA ASBESTOS
MBTA GREEN LINE EXTENSION - SOMERV	MA SHWS, MA RELEASE, MA HW GEN
CHARLES RIVER SOUTH OF RIVER ST BR	MA SHWS, MA RELEASE
STATION 830	MA SHWS, MA RELEASE
FRESH POND PARKING LOT	MA SHWS, MA RELEASE
CHILLED WATER LINE EXTN	MA SHWS, MA RELEASE, MA ENF
CONCORD LN & NEW ST SEWER & PUMP S	MA SHWS, MA RELEASE
CONSTRUCTION SITE	MA SHWS, MA RELEASE
KENNEDY SQUARE	MA SHWS, MA RELEASE
ROADWAY FROM BENNETT TO JFK STREET	MA SHWS, MA RELEASE
INTERSECTION OF EVERETT ST & MASS	MA SHWS, MA LUST, MA RELEASE
ROADWAY NEAR INTERSECTION	MA SHWS, MA RELEASE
HARRISON AVENUE AT WHITTEMORE	MA SHWS, MA RELEASE
CHILLED WATER EXTENSION PROJECT	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE
HURON A PROJECT	MA SHWS, MA RELEASE
ROADWAY	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE, MA SPILLS
EAST OUTFALL TO CHARLES RIVER	MA SHWS, MA RELEASE
MBTA GREEN LINE EXTENSION	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE
ROADWAY AND SIDEWALK	MA SHWS, MA RELEASE
DANEHY PARK	MA SHWS, MA RELEASE
UTILITY CORRIDOR	MA SHWS, MA RELEASE
HARVARD COLLEGE	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE
FRANCES AVE	MA SHWS, MA RELEASE
GROUND ROUND	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE
MBTA TRACKS	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA LUST, MA RELEASE
IN FRONT OF 43-51 CHARNWOOD ROAD	MA SHWS, MA RELEASE
ATHLETIC FIELD E	MA SHWS, MA RELEASE
CORPORATION WAY	MA SHWS, MA RELEASE
COMMUTER RAIL CROSSING	MA SHWS, MA RELEASE
IN FRONT OF 7 LOCUST STREET	MA SHWS, MA RELEASE
MEADOW GLEN MALL AREA	MA SHWS, MA RELEASE
ROUTE 16 WEST OFF-RAMP TO MAIN STR	MA SHWS, MA RELEASE
SOUTH OF TOWN LINE PLAZA	MA SHWS, MA RELEASE, MA ENF
BET RT 93 & SHIP AVE	MA SHWS, MA RELEASE
MYSTIC VALLEY PARKWAY AT WINTHROP	MA SHWS, MA RELEASE
MYSTIC RIVER STATE RESERVATION	MA SHWS, MA RELEASE
E SIDE OF ST E OF INT WITH BILLING	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA LUST, MA RELEASE
WEST WING WALL UPPER MYSTIC LAKE D	MA SHWS, MA RELEASE
SUNOCO	MA SHWS, MA RELEASE, MA SPILLS
I-93 SOUTH BETWEEN EXITS 22-21	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE
DOHERTY FUNERAL HOME	MA SHWS, MA RELEASE
POLE #215/2	MA SHWS, MA RELEASE
UTILITY EASEMENT OFF ALEWIFE BROOK	MA SHWS, MA RELEASE
ASSEMBLY ROW BLOCK 7A	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE
BOSTON EDISON CO	MA SHWS, MA RELEASE
SLOPE TO RAILROAD NEXT TO 620 BROA	MA SHWS, MA RELEASE
MBTA GREEN LINE EXTENSION-SOMERVIL	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE

FR STURTEVANT STREET LLC	MA SHWS, MA RELEASE, MA ENF
NO LOCATION AID	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE
SUBSTATION PNU33	MA SHWS, MA RELEASE
MBTA GREEN LINE EXTENSION - SOMERV	MA SHWS, MA RELEASE
MBTA GREEN LINE EXTENSION - SOMERV	MA SHWS, MA RELEASE
MBTA GREEN LINE EXTENSION - SOMERV	MA SHWS, MA RELEASE
INTERSECTION PEARL STREET & MCGRAT	MA SHWS, MA RELEASE
4 MCGRATH HIGHWAY INTO TWIN CITY P	MA SHWS, MA RELEASE
RTE 28 SOUTHBOUND ON RAMP	MA SHWS, MA RELEASE
INTERSECTION MIDDLESEX AVE & MYSTI	MA SHWS, MA RELEASE
MYSTIC RIVER OUTFALL @ SOME-98-A-1	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE
OFF ROUTE 93 NORTHBOUND ON RAMP	MA SHWS, MA RELEASE
MYSTIC RIVER	MA SHWS, MA RELEASE
MBTA ROW GLC-NB-3	MA SHWS, MA RELEASE
PEARL ST AT MCGRATH OBRIEN HWY	MA SHWS, MA RELEASE
NSTAR SUBSTATION 402	MA SHWS, MA RELEASE
RAILROAD RIGHT OF WAY B-S007-1	MA SHWS, MA RELEASE
RAILROAD RIGHT OF WAY B-S004-1	MA SHWS, MA RELEASE
RAILROAD RIGHT OF WAY B-S004-4	MA SHWS, MA RELEASE
RAILROAD RIGHT OF WAY	MA SHWS, MA RELEASE
RAILROAD RIGHT OF WAY B-S042-1	MA SHWS, MA RELEASE
RAILROAD RIGHT OF WAY B-S008-3	MA SHWS, MA RELEASE
RAILROAD RIGHT OF WAY B-S006-1	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE
MBTA GREEN LINE EXTENSION - SOMERV	MA SHWS, MA RELEASE
MBTA GREEN LINE EXTENSION-SOMERVIL	MA SHWS, MA RELEASE
MBTA GREEN LINE EXTENSION-SOMERVIL	MA SHWS, MA RELEASE
MBTA GREEN LINE EXTENSION - SOMERV	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE
PUBLIC RIGHT-OF-WAY	MA SHWS, MA RELEASE
PUBLIC ROADWAY	MA SHWS, MA RELEASE
NO LOCATION AID	MA SHWS, MA RELEASE
RAILROAD TRUSS	MA SHWS, MA RELEASE
WEBSTER AVENUE AND COLUMBIA STREET	MA SHWS, MA RELEASE
WEBSTER AVENUE WATER MAIN UPGRADE	MA SHWS, MA RELEASE
HARVARD UNIVERSITY SCIENCE CENTER	MA LAST, MA RELEASE
NO LOCATION AID	MA LUST, MA RELEASE
NO LOCATION AID	MA LUST, MA RELEASE

OVERVIEW MAP - 07330730.2R



0 1/4 1/2 1 Miles

- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- County Boundary
- Power transmission lines
- Pipelines
- Special Flood Hazard Area (1%)
- 0.2% Annual Chance Flood Hazard
- National Wetland Inventory
- State Wetlands
- Areas of Critical Environmental Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	Winter Hill Community School	CLIENT:	Haley & Aldrich, Inc.
ADDRESS:	115 Sycamore Street Somerville MA 02145	CONTACT:	Kristen Ingraham
LAT/LONG:	42.391816 / 71.098461	INQUIRY #:	07330730.2r
		DATE:	May 08, 2023 3:27 pm

Copyright © 2023 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 07330730.2R



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Power transmission lines
- Pipelines
- Special Flood Hazard Area (1%)
- 0.2% Annual Chance Flood Hazard
- Areas of Critical Environmental Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	Winter Hill Community School	CLIENT:	Haley & Aldrich, Inc.
ADDRESS:	115 Sycamore Street Somerville MA 02145	CONTACT:	Kristen Ingraham
LAT/LONG:	42.391816 / 71.098461	INQUIRY #:	07330730.2r
		DATE:	May 08, 2023 3:28 pm

Copyright © 2023 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Lists of Federal NPL (Superfund) sites								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
Lists of Federal Delisted NPL sites								
Delisted NPL	1.000		0	0	0	0	NR	0
Lists of Federal sites subject to CERCLA removals and CERCLA orders								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
Lists of Federal CERCLA sites with NFRAP								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
Lists of Federal RCRA facilities undergoing Corrective Action								
CORRACTS	1.000		0	0	0	1	NR	1
Lists of Federal RCRA TSD facilities								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Lists of Federal RCRA generators								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	1	NR	NR	NR	1
RCRA-VSQG	0.250		0	2	NR	NR	NR	2
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
Lists of state- and tribal hazardous waste facilities								
MA SHWS	1.000		0	8	30	210	NR	248
Lists of state and tribal landfills and solid waste disposal facilities								
MA SWF/LF	0.500		0	0	0	NR	NR	0
Lists of state and tribal leaking storage tanks								
MA LUST	0.500		1	6	20	NR	NR	27

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
MA LAST	0.500		0	0	8	NR	NR	8
INDIAN LUST	0.500		0	0	0	NR	NR	0
Lists of state and tribal registered storage tanks								
FEMA UST	0.250		0	0	NR	NR	NR	0
MA UST	0.250		0	3	NR	NR	NR	3
MA AST	0.250		0	2	NR	NR	NR	2
INDIAN UST	0.250		0	0	NR	NR	NR	0
State and tribal institutional control / engineering control registries								
MA INST CONTROL	0.500		0	2	5	NR	NR	7
Lists of state and tribal voluntary cleanup sites								
INDIAN VCP	0.500		0	0	0	NR	NR	0
Lists of state and tribal brownfield sites								
MA BROWNFIELDS	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	1	12	NR	NR	13
Local Lists of Landfill / Solid Waste Disposal Sites								
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
Local Land Records								
MA LIENS	TP		NR	NR	NR	NR	NR	0
LIENS 2	TP		NR	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
MA RELEASE	TP		NR	NR	NR	NR	NR	0
MA SPILLS	TP		NR	NR	NR	NR	NR	0
MA SPILLS 90	TP		NR	NR	NR	NR	NR	0
MA SPILLS 80	TP		NR	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		0	2	NR	NR	NR	2
FUDS	1.000		0	0	0	0	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
PFAS NPL	0.250		0	0	NR	NR	NR	0
PFAS FEDERAL SITES	0.250		0	0	NR	NR	NR	0
PFAS TSCA	0.250		0	0	NR	NR	NR	0
PFAS RCRA MANIFEST	0.250		0	0	NR	NR	NR	0
PFAS ATSDR	0.250		0	0	NR	NR	NR	0
PFAS WQP	0.250		0	0	NR	NR	NR	0
PFAS NPDES	0.250		0	0	NR	NR	NR	0
PFAS ECHO	0.250		0	0	NR	NR	NR	0
PFAS ECHO FIRE TRAINING	0.250		0	0	NR	NR	NR	0
PFAS PART 139 AIRPORT	0.250		0	0	NR	NR	NR	0
AQUEOUS FOAM NRC	0.250		0	0	NR	NR	NR	0
MA PFAS	0.250		0	0	NR	NR	NR	0
MA AIRS	TP		NR	NR	NR	NR	NR	0
MA ASBESTOS	TP	2	NR	NR	NR	NR	NR	2
MA DRYCLEANERS	0.250		0	0	NR	NR	NR	0
MA ENF	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
MA Financial Assurance	TP		NR	NR	NR	NR	NR	0
MA GWDP	TP		NR	NR	NR	NR	NR	0
MA HW GEN	0.250		0	5	NR	NR	NR	5
RI MANIFEST	0.250		0	0	NR	NR	NR	0
NY MANIFEST	0.250		0	1	NR	NR	NR	1
MA MERCURY	0.500		0	0	0	NR	NR	0
MA NPDES	TP		NR	NR	NR	NR	NR	0
MA TIER 2	TP		NR	NR	NR	NR	NR	0
MA TSD	0.500		0	0	0	NR	NR	0
MA UIC	TP		NR	NR	NR	NR	NR	0
PFAS TRIS	0.250		0	0	NR	NR	NR	0
MINES MRDS	0.250		0	0	NR	NR	NR	0
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		0	NR	NR	NR	NR	0
EDR Hist Cleaner	0.125		2	NR	NR	NR	NR	2
EDR RECOVERED GOVERNMENT ARCHIVES								
Exclusive Recovered Govt. Archives								
MA RGA HWS	TP		NR	NR	NR	NR	NR	0
MA RGA LUST	TP		NR	NR	NR	NR	NR	0
- Totals --		2	3	33	75	211	0	324

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

A1 **WINTER HILL COMMMUNITY INOVATION SCHOOL** **MA ASBESTOS** **S122955125**
Target **115 SYCAMORE ST** **N/A**
Property **SOMERVILLE, MA**

Site 1 of 2 in cluster A

Actual: **75 ft.**

ASBESTOS:

Name:	WINTER HILL COMMMUNITY INOVATION SCHOOL
Address:	115 SYCAMORE ST
City,State,Zip:	SOMERVILLE, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	06/23/2018
End Date:	12/01/2018
Date Entered:	Not reported
Entry Date:	06/07/2018
Quantity Materical Removed SF:	.00
Quantity Material Removed LF:	4000.00
Project Description:	OTHER WINDOW CAULKING GLAZING
AR Tracking ID:	295639
Super Lic Number:	AS001508
Monitor Lic Number:	AA000006
Lab Lic Number:	AA000006
Year:	2018
Sticker Number:	100288133
Form Type:	ANF-001
Fee Status:	EXEMPT
Facility Phone:	6176256600
Sub Town:	Not reported
Worksite:	WINTER HILL SCHOOL
Occupied:	-1
Contractor:	AC000947
Contract Type:	WRITTEN
Hours:	6AM-6PM
Project Type:	Renv,Oth:WINDOW DOOR RENOVATION
Abatement Process:	Glv,Fcontain, oth:VARIOUS METHODS WINDOW WORK
Location:	INOUTDOORS
Decon Process:	3 CHAMBER DECON
Disposal Methods:	ENCLOSED TRAILER
Facility Usage:	SCHOOL
Waiver Given:	Not reported
DEP Waiver Number:	Not reported
DLWD Waiver Number:	Not reported
Small Owner Occ:	0
Owner Name:	CITY OF SOMERVILLE
Owner Address:	93 HIGHLAND AVE
Owner City:	SOMERVILLE
Owner State:	MA
On Site Manager Name:	CHRIS RAIS
On Site Manager Phone:	6176256600
Ins Comp:	AREBELLA
Policy Number:	4220056834
EXP Date:	4/28/2019
Facility Size:	25000
Transporter Name:	TRANSWASTE
Transporter Address:	3 BARKER DRIVE
Transporter City:	WALLINGFORD
Transporter State:	CT

WINTER HILL COMMMUNITY INOVATION SCHOOL (Continued) **S122955125**

Final Site:	Not reported
Certified Name:	CRAIG
Cert Sign Date:	06/07/2018
Certified Company:	AD CONTRACTING
Certified Phone:	4013901775
Entered_by:	10CGLASS

A2 **WINTER HILL COMMUNITY INNOVATION SCHOOL** **MA ASBESTOS** **S122953699**
Target **115 SYCAMORE STREET** **N/A**
Property **SOMERVILLE, MA**

Site 2 of 2 in cluster A

Actual: **75 ft.**

ASBESTOS:

Name:	WINTER HILL COMMUNITY INNOVATION SCHOOL
Address:	115 SYCAMORE STREET
City,State,Zip:	SOMERVILLE, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	08/25/2021
End Date:	10/25/2021
Date Entered:	Not reported
Entry Date:	08/13/2021
Quantity Materical Removed SF:	0
Quantity Material Removed LF:	1000
Project Description:	OTHER CAULKING
AR Tracking ID:	370820
Super Lic Number:	AS901137
Monitor Lic Number:	Not reported
Lab Lic Number:	Not reported
Year:	2021
Sticker Number:	100351197
Form Type:	ANF-001
Fee Status:	EXEMPT
Facility Phone:	9787509062
Sub Town:	Not reported
Worksite:	PENTHOUSE, ROOF
Occupied:	0
Contractor:	AC000995
Contract Type:	WRITTEN
Hours:	6AM-3PM
Project Type:	Renv
Abatement Process:	oth:REGULATED AREA
Location:	OUTDOORS
Decon Process:	3 STAGE DECONTAMINATION FACILITY, REGULATED AREA
Disposal Methods:	(2) LAYERS OF 6-MIL POLY SHEETING, (2) 6-MIL ASBESTOS BAGS, FIBER DRUMS, GAYLORD BOXES, LABELS, LINED TRAILER.
Facility Usage:	SCHOOL
Waiver Given:	Not reported
DEP Waiver Number:	Not reported
DLWD Waiver Number:	Not reported
Small Owner Occ:	0
Owner Name:	CITY OF SOMERVILLE
Owner Address:	115 SYCAMORE STREET
Owner City:	SOMERVILLE
Owner State:	MA
On Site Manager Name:	DALE GIENAPP

WINTER HILL COMMUNITY INNOVATION SCHOOL (Continued) **S122953699**

On Site Manager Phone:	9787509062
Ins Comp:	N/A
Policy Number:	N/A
EXP Date:	10/15/2021
Facility Size:	113640
Transporter Name:	EAST COAST ENGINEERING
Transporter Address:	6 CEDAR ST
Transporter City:	COTUIT
Transporter State:	MA
Final Site:	Not reported
Certified Name:	JEN AALERUD
Cert Sign Date:	08/13/2021
Certified Company:	UNIFIED ABATEMENT SERVICES LLC
Certified Phone:	7813053173
Entered_by:	BSTOCKDALE20
Name:	WINTER HILL COMMUNITY INNOVATION SCHOOL
Address:	115 SYCAMORE STREET
City,State,Zip:	SOMERVILLE, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	08/25/2021
End Date:	11/25/2021
Date Entered:	Not reported
Entry Date:	09/10/2021
Quantity Materical Removed SF:	0
Quantity Material Removed LF:	1000
Project Description:	OTHER CAULKING
AR Tracking ID:	372585
Super Lic Number:	AS901137
Monitor Lic Number:	Not reported
Lab Lic Number:	Not reported
Year:	2021
Sticker Number:	100351197R1
Form Type:	ANF-001
Fee Status:	EXEMPT
Facility Phone:	9787509062
Sub Town:	Not reported
Worksite:	PENTHOUSE, ROOF
Occupied:	0
Contractor:	AC000995
Contract Type:	WRITTEN
Hours:	6AM-3PM, 4PM-1230AM
Project Type:	Renv
Abatement Process:	oth:REGULATED AREA
Location:	OUTDOORS
Decon Process:	3 STAGE DECONTAMINATION FACILITY, REGULATED AREA
Disposal Methods:	(2) LAYERS OF 6-MIL POLY SHEETING, (2) 6-MIL ASBESTOS BAGS, FIBER DRUMS, GAYLORD BOXES, LABELS, LINED TRAILER.
Facility Usage:	SCHOOL
Waiver Given:	Not reported
DEP Waiver Number:	Not reported
DLWD Waiver Number:	Not reported
Small Owner Occ:	0
Owner Name:	CITY OF SOMERVILLE
Owner Address:	115 SYCAMORE STREET

WINTER HILL COMMUNITY INNOVATION SCHOOL (Continued) **S122953699**

Owner City:	SOMERVILLE
Owner State:	MA
On Site Manager Name:	DALE GIENAPP
On Site Manager Phone:	9787509062
Ins Comp:	N/A
Policy Number:	N/A
EXP Date:	10/15/2021
Facility Size:	113640
Transporter Name:	EAST COAST ENGINEERING
Transporter Address:	6 CEDAR ST
Transporter City:	COTUIT
Transporter State:	MA
Final Site:	Not reported
Certified Name:	JEN AALERUD
Cert Sign Date:	09/10/2021
Certified Company:	UNIFIED ABATEMENT SERVICES LLC
Certified Phone:	7813053173
Entered_by:	BSTOCKDALE20
Name:	WINTER HILL COMMUNITY INNOVATION SCHOOL
Address:	115 SYCAMORE STREET
City,State,Zip:	SOMERVILLE, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	06/25/2018
End Date:	08/25/2018
Date Entered:	Not reported
Entry Date:	05/17/2018
Quantity Materical Removed SF:	400.00
Quantity Material Removed LF:	.00
Project Description:	OTHER FLASHING
AR Tracking ID:	294109
Super Lic Number:	AS000000
Monitor Lic Number:	AM0
Lab Lic Number:	AA000117
Year:	2018
Sticker Number:	100286777
Form Type:	ANF-001
Fee Status:	EXEMPT
Facility Phone:	6176256600
Sub Town:	Not reported
Worksite:	GYMNSIUM ROOF
Occupied:	-1
Contractor:	AC000000
Contract Type:	WRITTEN
Hours:	7AM-5PM
Project Type:	Oth:ROOF REPLACEMENT
Abatement Process:	Disp, oth:NON-FRIABLE ROOFING MATERIAL
Location:	OUTDOORS
Decon Process:	SPRAYED WITH WATER, REMOVE BY PUNCHING METHOD, SEALED INTO A DOUBLE LAYER OF POLYURETHANE "ASBESTOS" BAGS.
Disposal Methods:	WETTED AND SEALED INTO TWO (2)-6 MIL POLYURETHANE ASBESTOS BAGS AND SEALED WITH DUCT TAPE.
Facility Usage:	SCHOOL
Waiver Given:	Not reported
DEP Waiver Number:	Not reported

WINTER HILL COMMUNITY INNOVATION SCHOOL (Continued) **S122953699**

DLWD Waiver Number:	Not reported
Small Owner Occ:	0
Owner Name:	CITY OF SOMERVILLE
Owner Address:	93 HIGHLAND AVE
Owner City:	SOMERVILLE
Owner State:	MA
On Site Manager Name:	CHRIS RAIS
On Site Manager Phone:	6176256600
Ins Comp:	ACH INSURANCE COMPANY
Policy Number:	ZAWCI9402901
EXP Date:	1/1/2019
Facility Size:	7500
Transporter Name:	JOB ROLL OFF
Transporter Address:	PO BOX 609
Transporter City:	HAMPSTEAD
Transporter State:	NH
Final Site:	Not reported
Certified Name:	GLENN NARROW
Cert Sign Date:	05/17/2018
Certified Company:	GREENWOOD INDUSTRIES, INC.
Certified Phone:	5088654040
Entered_by:	GNARROW

3
WSW
< 1/8
0.050 mi.
264 ft.

DI TUCCI LORRAINE **EDR Hist Cleaner** **1019972399**
415 MEDFORD STREET **N/A**
SOMERVILLE, MA 02143

Relative:
Lower

Actual:
67 ft.

EDR Hist Cleaner

Year:	Name:	Type:
1975	DI TUCCI LORRAINE	Drycleaning Plants, Except Rugs

4
SE
< 1/8
0.058 mi.
305 ft.

E Q C **EDR Hist Cleaner** **1019978789**
43 THURSTON ST 2 **N/A**
SOMERVILLE, MA 02145

Relative:
Lower

Actual:
60 ft.

EDR Hist Cleaner

Year:	Name:	Type:
2000	E Q C	Drycleaning Plants, Except Rugs

5
North
< 1/8
0.119 mi.
629 ft.

NO LOCATION AID
148 SYCAMORE ST
SOMERVILLE, MA

MA LUST **S105914272**
MA RELEASE **N/A**

Relative:
Higher

Actual:
95 ft.

LUST:

Facility:

Name:	NO LOCATION AID
Address:	148 SYCAMORE ST
City,State,Zip:	SOMERVILLE, MA
Current Status:	**Response Action Outcome**
Release Tracking Number/Current Status:	3-0022827 / RAO
Status Date:	07/14/2003
Source Type:	UST
Release Town:	SOMERVILLE
Notification Date:	05/01/2003
Category:	72 HR
Associated ID:	Not reported
Phase:	Not reported
Response Action Outcome:	A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil Or Haz Material:	Oil
Location Type:	RESIDNTIAL
Source:	UST

Click here to access the MA DEP site for this facility:

Chemicals:

Chemical:	FUEL OIL #2
Quantity:	400 parts per million

Actions:

Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	5/1/2003
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	5/1/2003
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	6/2/2003
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	Response Action Outcome - RAO
Action Status:	RAO Statement Received
Action Date:	7/14/2003
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.

NO LOCATION AID (Continued) **S105914272**

Action Type:	Immediate Response Action
Action Status:	Completion Statement Received
Action Date:	7/14/2003
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.

Release:

Name:	NO LOCATION AID
Address:	148 SYCAMORE ST
City,State,Zip:	SOMERVILLE, MA
Release Tracking Number/Current Status:	3-0022827 / RAO
Primary ID:	Not reported
Official City:	SOMERVILLE
Notification:	05/01/2003
Category:	72 HR
Status Date:	07/14/2003
Phase:	Not reported
Response Action Outcome:	A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil / Haz Material Type:	Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	5/1/2003
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	5/1/2003
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	6/2/2003
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type:	Response Action Outcome - RAO
Action Status:	RAO Statement Received
Action Date:	7/14/2003
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type:	Immediate Response Action
Action Status:	Completion Statement Received
Action Date:	7/14/2003
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.

NO LOCATION AID (Continued) **S105914272**

Chemicals:
Chemical: FUEL OIL #2
Quantity: 400 parts per million
Location Type: RESIDNTIAL
Source: UST

6
East
1/8-1/4
0.181 mi.
958 ft.

ROADWAY **MA SHWS** **S123244421**
241 SCHOOL STREET ADJ **MA RELEASE** **N/A**
SOMERVILLE, MA 02145

Relative:
Lower

Actual:
45 ft.

SHWS:
Name: ROADWAY
Address: 241 SCHOOL STREET ADJ
City,State,Zip: SOMERVILLE, MA 021450000
Facility ID: 3-0035329
Source Type: HOSE
Release Town: SOMERVILLE
Notification Date: 11/30/2018
Category: TWO HR
Associated ID: Not reported
Current Status: PSNC
Status Date: 01/27/2019
Phase: Not reported
Response Action Outcome: PN
Oil Or Haz Material: Oil

Name: ROADWAY
Address: 241 SCHOOL STREET ADJ
City,State,Zip: SOMERVILLE, MA 021450000
Facility ID: 3-0035329
Source Type: LINE
Release Town: SOMERVILLE
Notification Date: 11/30/2018
Category: TWO HR
Associated ID: Not reported
Current Status: PSNC
Status Date: 01/27/2019
Phase: Not reported
Response Action Outcome: PN
Oil Or Haz Material: Oil

Name: ROADWAY
Address: 241 SCHOOL STREET ADJ
City,State,Zip: SOMERVILLE, MA 021450000
Facility ID: 3-0035329
Source Type: VEHICLE
Release Town: SOMERVILLE
Notification Date: 11/30/2018
Category: TWO HR
Associated ID: Not reported
Current Status: PSNC
Status Date: 01/27/2019
Phase: Not reported
Response Action Outcome: PN
Oil Or Haz Material: Oil

ROADWAY (Continued) **S123244421**

Release:

Name:	ROADWAY
Address:	241 SCHOOL STREET ADJ
City,State,Zip:	SOMERVILLE, MA 021450000
Release Tracking Number/Current Status:	3-0035329 / PSNC
Primary ID:	Not reported
Official City:	SOMERVILLE
Notification:	11/30/2018
Category:	TWO HR
Status Date:	01/27/2019
Phase:	Not reported
Response Action Outcome:	PN - PN
Oil / Haz Material Type:	Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	1/23/2019
Response Action Outcome:	PN
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	1/23/2019
Response Action Outcome:	PN
Action Type:	Response Action Outcome - RAO
Action Status:	PSNRCD
Action Date:	1/27/2019
Response Action Outcome:	PN
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	11/30/2018
Response Action Outcome:	PN
Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	11/30/2018
Response Action Outcome:	PN
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	12/20/2018
Response Action Outcome:	PN

Chemicals:

Chemical:	HYDRAULIC FLUID
Quantity:	10 gallons
Location Type:	MUNICIPAL
Location Type:	ROADWAY
Source:	VEHICLE
Source:	HOSE
Source:	LINE

7
WNW
1/8-1/4
0.189 mi.
996 ft.

NO LOCATION AID
33 ROBINSON ST
SOMERVILLE, MA 02145

MA SHWS **S107678258**
MA RELEASE **N/A**

Relative:
Higher

Actual:
77 ft.

SHWS:

Name:	NO LOCATION AID
Address:	33 ROBINSON ST
City,State,Zip:	SOMERVILLE, MA 021450000
Facility ID:	3-0025748
Source Type:	Not reported
Release Town:	SOMERVILLE
Notification Date:	03/21/2006
Category:	120 DY
Associated ID:	Not reported
Current Status:	RAO
Status Date:	03/16/2007
Phase:	Not reported
Response Action Outcome:	A1
Oil Or Haz Material:	Oil

Release:

Name:	NO LOCATION AID
Address:	33 ROBINSON ST
City,State,Zip:	SOMERVILLE, MA 021450000
Release Tracking Number/Current Status:	3-0025748 / RAO
Primary ID:	Not reported
Official City:	SOMERVILLE
Notification:	03/21/2006
Category:	120 DY
Status Date:	03/16/2007
Phase:	Not reported
Response Action Outcome:	A1 - A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Oil / Haz Material Type:	Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	ALSENT
Action Date:	2/12/2007
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Action Type:	Response Action Outcome - RAO
Action Status:	Fee Received - FMCRA Use Only
Action Date:	3/15/2007
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	3/16/2007
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

NO LOCATION AID (Continued) **S107678258**

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 3/16/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 3/21/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 3/21/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Release Abatement Measure
Action Status: Written Plan Received
Action Date: 3/21/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 3/30/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Chemicals:
Chemical: C9 THRU C18 ALIPHATIC HYDROCARBONS
Quantity: 4300 micrograms per liter

---

8 West 1/8-1/4 0.190 mi. 1003 ft.

RESIDENCE
8 MINER ST
SOMERVILLE, MA 02145

MA LUST S107405753
MA RELEASE N/A

Relative: Lower

Actual: 66 ft.

LUST:

Facility:
Name: RESIDENCE
Address: 8 MINER ST
City,State,Zip: SOMERVILLE, MA 021450000
Current Status: **Response Action Outcome**
Release Tracking Number/Current Status: 3-0025050 / RAO
Status Date: 07/21/2006
Source Type: UST
Release Town: SOMERVILLE
Notification Date: 07/20/2005
Category: 72 HR
Associated ID: Not reported
Phase: Not reported
Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil Or Haz Material: Oil

RESIDENCE (Continued) **S107405753**

Location Type: RESIDNTIAL
Source: UST

Click here to access the MA DEP site for this facility:

Chemicals:
Chemical: FUEL OIL
Quantity: 221 parts per million
Chemical: TOTAL VOCS
Quantity: 221 parts per million

Actions:
Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 12/2/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSENT
Action Date: 6/5/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 7/20/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 7/20/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 7/20/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 7/21/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: Fee Received - FMCRA Use Only
Action Date: 7/24/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)

RESIDENCE (Continued) **S107405753**

Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 8/1/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 9/23/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 9/23/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Release:
Name: RESIDENCE
Address: 8 MINER ST
City,State,Zip: SOMERVILLE, MA 021450000
Release Tracking Number/Current Status: 3-0025050 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 07/20/2005
Category: 72 HR
Status Date: 07/21/2006
Phase: Not reported
Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:
Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 12/2/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSENT
Action Date: 6/5/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 7/20/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E

RESIDENCE (Continued) **S107405753**

Action Date: 7/20/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 7/20/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 7/21/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: Fee Received - FMCRA Use Only
Action Date: 7/24/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 8/1/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 9/23/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 9/23/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Chemicals:
Chemical: FUEL OIL
Quantity: 221 parts per million
Chemical: TOTAL VOCS
Quantity: 221 parts per million
Location Type: RESIDNTIAL
Source: UST

9
NNW
1/8-1/4
0.197 mi.
1042 ft.

NO LOCATION AID
188 CENTRAL ST
SOMERVILLE, MA 02145

MA LUST **S104847522**
MA RELEASE **N/A**
MA ASBESTOS

Relative:
Higher

Actual:
129 ft.

LUST:

Facility:

Name:	NO LOCATION AID
Address:	188 CENTRAL ST
City,State,Zip:	SOMERVILLE, MA 021450000
Current Status:	**Response Action Outcome**
Release Tracking Number/Current Status:	3-0020161 / RAO
Status Date:	03/27/2001
Source Type:	UST
Release Town:	SOMERVILLE
Notification Date:	11/29/2000
Category:	72 HR
Associated ID:	Not reported
Phase:	Not reported
Response Action Outcome:	A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil Or Haz Material:	Oil
Location Type:	RESIDNTIAL
Source:	UST

Click here to access the MA DEP site for this facility:

Chemicals:

Chemical:	#2 FUEL OIL
Quantity:	100 parts per million
Chemical:	FUEL OIL #2
Quantity:	187 parts per million

Actions:

Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	1/2/2001
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	11/29/2000
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	11/29/2000
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	12/19/2000

NO LOCATION AID (Continued) **S104847522**

Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 3/27/2001
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 3/27/2001
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Release:
Name: NO LOCATION AID
Address: 188 CENTRAL ST
City,State,Zip: SOMERVILLE, MA 021450000
Release Tracking Number/Current Status: 3-0020161 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 11/29/2000
Category: 72 HR
Status Date: 03/27/2001
Phase: Not reported
Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:
Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 1/2/2001
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 11/29/2000
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 11/29/2000
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 12/19/2000
Response Action Outcome: A permanent solution has been achieved. Contamination has not been

NO LOCATION AID (Continued) **S104847522**

reduced to background.

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 3/27/2001
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 3/27/2001
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Chemicals:
Chemical: #2 FUEL OIL
Quantity: 100 parts per million
Chemical: FUEL OIL #2
Quantity: 187 parts per million
Location Type: RESIDNTIAL
Source: UST

ASBESTOS:
Name: JOYCE SAUNDERS
Address: 188 CENTRAL ST
City,State,Zip: SOMERVILLE, MA
Notification: Not reported
DEP Region: Not reported
Notifiers Name: Not reported
Start Date: 07/02/2008
End Date: 07/02/2008
Date Entered: Not reported
Entry Date: 06/19/2008
Quantity Materical Removed SF: .00
Quantity Material Removed LF: 95.00
Project Description: Spr
AR Tracking ID: 99844
Super Lic Number: AS050604
Monitor Lic Number: AA000122
Lab Lic Number: AM060336
Year: 2008
Sticker Number: 100073817
Form Type: ANF-001
Fee Status: Exempt
Facility Phone: 781 625 4835
Sub Town: Not reported
Worksite: 188 CENTRAL ST
Occupied: -1
Contractor: AC000447
Contract Type: WRITTEN
Hours: Week days: 8:30-3:30 Week end:
Project Type: Oth:ASBESTOSREMOVAL
Abatement Process: Glv
Location: Indoors
Decon Process: GLOVE BAG
Disposal Methods: WET ASBESTOS PACKED IN DOUBLE 6MIL POLYETHENE BAGS #9 LABELED '

NO LOCATION AID (Continued) **S104847522**

	DANGER’
Facility Usage:	RESIDENTIAL
Waiver Given:	Not reported
DEP Waiver Number:	Not reported
DLWD Waiver Number:	Not reported
Small Owner Occ:	4
Owner Name:	JOYCE SAUNDERS
Owner Address:	11 DARTMOUTH ST
Owner City:	SOMERVILLE
Owner State:	MA
On Site Manager Name:	Not reported
On Site Manager Phone:	Not reported
Ins Comp:	Not reported
Policy Number:	Not reported
EXP Date:	Not reported
Facility Size:	Not reported
Transporter Name:	NSE
Transporter Address:	Not reported
Transporter City:	Not reported
Transporter State:	Not reported
Final Site:	7
Certified Name:	RAYMOND KHAT
Cert Sign Date:	06/19/2008
Certified Company:	NSE
Certified Phone:	781 485 1621
Entered_by:	Not reported

B10 **ROGERS FOAM CORPORATION** **MA AIRS** **S112293101**
West **20 VERNON ST** **MA HW GEN** **N/A**
1/8-1/4 **SOMERVILLE, MA 02145** **MA TIER 2**
0.203 mi.
1074 ft. **Site 1 of 3 in cluster B**

Relative: **Lower**

Actual: **60 ft.**

AIRS:

AQID:	1191471
Name:	ROGERS FOAM COMPANY
Address:	20 VERNON ST
Address 2:	Not reported
City,State,Zip:	SOMERVILLE, MA 02144
Branch:	Not reported
Facility Status:	Not reported
Permit Code:	Not reported
Permit Name:	Not reported
Owner Name:	ROGERS FOAM CORPORATION
Region:	Not reported
Application Tracking Number:	Not reported
Facility Account:	Not reported
Date Closed:	Not reported
Applicant Name:	Not reported
Applicant Address:	Not reported
Applicant City:	Not reported
Applicant State:	Not reported
Applicant Zip:	Not reported
Applicant Telephone:	Not reported
Primary NAICS:	Y
NAICS Code:	326199
NAICS Description:	All Other Plastics Product Manufacturing
Latitude:	42.391198

ROGERS FOAM CORPORATION (Continued) **S112293101**

Longitude:	-71.102565
EMI:	
AQID:	1191471
Pollutant:	CARBON MONOXIDE
Actual Emission:	0.1012
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	ETHYLBENZENE
Actual Emission:	0.0091
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

AQID:	1191471
Pollutant:	ISOMERS OF XYLENE
Actual Emission:	0.0414
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

AQID:	1191471
Pollutant:	NITROGEN OXIDES (NOx)
Actual Emission:	0.4859
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

AQID:	1191471
Pollutant:	PM10, FILTERABLE
Actual Emission:	0.0202
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

AQID:	1191471
Pollutant:	PM2.5, FILTERABLE
Actual Emission:	0.0051
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

AQID:	1191471
Pollutant:	SULFUR DIOXIDE
Actual Emission:	0.8545
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

AQID:	1191471
Pollutant:	TOTAL HAZARDOUS AIR POLLUTANTS
Actual Emission:	0.055
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

AQID:	1191471
Pollutant:	AMMONIA
Actual Emission:	0.0167
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	CARBON MONOXIDE
Actual Emission:	0.1132
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

AQID:	1191471
Pollutant:	HALOGENATED ORGANIC COMPOUND
Actual Emission:	0
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	HYDROCARBON
Actual Emission:	0
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

AQID:	1191471
Pollutant:	ISOMERS OF XYLENE
Actual Emission:	0.0726
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

AQID:	1191471
Pollutant:	NITROGEN OXIDES (NOx)
Actual Emission:	0.5309
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

AQID:	1191471
Pollutant:	PM10, FILTERABLE
Actual Emission:	0.0223
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

AQID:	1191471
Pollutant:	PM2.5, FILTERABLE
Actual Emission:	0.0069
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471

ROGERS FOAM CORPORATION (Continued) **S112293101**

Pollutant:	SULFUR DIOXIDE
Actual Emission:	0.8758
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	TOTAL HAZARDOUS AIR POLLUTANTS
Actual Emission:	0.19
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	VOLATILE ORGANIC COMPOUNDS (VOC)
Actual Emission:	0.6653
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Actual Emission:	Not reported
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1191471
Pollutant:	VOLATILE ORGANIC COMPOUNDS (VOC)
Actual Emission:	0.242
Emission Year:	2020
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
S02 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

HW GEN:

Name:	ROGERS FOAM CORP
Address:	20 VERNON ST

ROGERS FOAM CORPORATION (Continued) **S112293101**

City,State,Zip: SOMERVILLE, MA 02145
EPA Id: MAD001025113
RCRA Generator Status: VSQG
State Generator Status: VQG-MA

TIER 2:
Name: ROGERS FOAM CORPORATION
Address: 20 VERNON ST
City,State,Zip: SOMERVILLE, MA 02145
Report Year: 2018
Facility Id: FATR2018000000040041
Facility Dept: Not reported
Latitude: 42.391307
Longitude: -71.102144
Mailing Address: 20 Vernon St
Mailing City/State/Zip: 02145
Mailing Country: Not reported
Notes: Not reported
All Chemicals Same As Last Yr: Not reported
Date Signed: 2019-02-20
Dike Or Other Safeguard: Not reported
Failed Validation: Not reported
Date Modified: 02/19/2019
Fees Total: Not reported
Num Of Employees: 250
Site Coord Abbreviated?: false
Site Map: Not reported
State Label Code: Not reported
Submitted By: Not reported
Validation Report: Not reported
Fire District: Not reported
Latlong Location Description: Not reported
Latlong Method: Not reported

Record Key: FDTR2018000000011753
Id: Not reported
Type: EIN
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000011754
Id: Not reported
Type: RMP
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000011755
Id: Not reported
Type: State ID
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000011756
Id: Not reported
Type: TRI
Description: Not reported
Last Modified: Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Record Key: FDTR2018000000011757
Id: Not reported
Type: DUN & BradStreet
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000011758
Id: Not reported
Type: T2M Facility ID
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000011759
Id: Not reported
Type: SIC
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000011760
Id: Not reported
Type: NAICS
Description: Not reported
Last Modified: Not reported

Contact:
Report Year: 2018
Contact Record Id: CTTR2018369880P40041
Title: Director
Contact Name: Case
Contact Email: ACase@rogersfoam.com
Contact Mail Address: Not reported
Contact Mail City: Not reported
Contact Mail State: Not reported
Contact Mail Zip: Not reported
Contact Mail Country: Not reported
Contact1 Type: Emergency Contact
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:
Report Year: 2018
Contact Record Id: CTTR2018148598P40041
Title: Not reported
Contact Name: Welding Supply Co
Contact Email: Not reported
Contact Mail Address: 1200 Eastern Ave
Contact Mail City: Malden
Contact Mail State: MA
Contact Mail Zip: 02148
Contact Mail Country: Not reported
Contact1 Type: Carrier Contact
Contact2 Type: Not reported
Contact3 Type: Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

Contact4 Type:	Not reported
Modification Date:	1900-01-01

Contact:

Report Year:	2018
Contact Record Id:	CTTR2018371447P40041
Title:	QA Engineer
Contact Name:	Arinello
Contact Email:	DArinello@rogersfoam.com
Contact Mail Address:	Not reported
Contact Mail City:	Not reported
Contact Mail State:	Not reported
Contact Mail Zip:	Not reported
Contact Mail Country:	Not reported
Contact1 Type:	Emergency Contact
Contact2 Type:	Not reported
Contact3 Type:	Not reported
Contact4 Type:	Not reported
Modification Date:	1900-01-01

Contact:

Report Year:	2018
Contact Record Id:	CTTR2018371465P40041
Title:	Not reported
Contact Name:	Not reported
Contact Email:	Not reported
Contact Mail Address:	Not reported
Contact Mail City:	Not reported
Contact Mail State:	Not reported
Contact Mail Zip:	Not reported
Contact Mail Country:	Not reported
Contact1 Type:	Billing
Contact2 Type:	Not reported
Contact3 Type:	Not reported
Contact4 Type:	Not reported
Modification Date:	1900-01-01

Contact:

Report Year:	2018
Contact Record Id:	CTTR2018369875P40041
Title:	Not reported
Contact Name:	Tee
Contact Email:	BTee@rogersfoam.com
Contact Mail Address:	20 Vernon St.
Contact Mail City:	Somerville
Contact Mail State:	MA
Contact Mail Zip:	02145
Contact Mail Country:	US
Contact1 Type:	Owner / Operator
Contact2 Type:	Not reported
Contact3 Type:	Not reported
Contact4 Type:	Not reported
Modification Date:	1900-01-01

ROGERS FOAM CORPORATION (Continued) **S112293101**

Contact:
Report Year: 2018
Contact Record Id: CTTR2018369874P40041
Title: Not reported
Contact Name: Not reported
Contact Email: Not reported
Contact Mail Address: Not reported
Contact Mail City: Not reported
Contact Mail State: MA
Contact Mail Zip: Not reported
Contact Mail Country: US
Contact1 Type: Parent Company
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:
Report Year: 2018
Contact Record Id: CTTR2018369878P40041
Title: Not reported
Contact Name: Not reported
Contact Email: Not reported
Contact Mail Address: 20 Vernon St
Contact Mail City: Somerville
Contact Mail State: MA
Contact Mail Zip: 02145
Contact Mail Country: US
Contact1 Type: Other
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:
Report Year: 2018
Contact Record Id: CTTR2018148599P40041
Title: Not reported
Contact Name: Energy
Contact Email: Not reported
Contact Mail Address: 177 Wells Ave PO Box 9120
Contact Mail City: Newton
Contact Mail State: MA
Contact Mail Zip: 02459
Contact Mail Country: Not reported
Contact1 Type: Carrier Contact
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:

ROGERS FOAM CORPORATION (Continued) **S112293101**

Report Year:	2018
Contact Record Id:	CTTR2018369879P40041
Title:	QA Engineer
Contact Name:	Arinello
Contact Email:	DArinello@rogersfoam.com
Contact Mail Address:	Not reported
Contact Mail City:	Not reported
Contact Mail State:	Not reported
Contact Mail Zip:	Not reported
Contact Mail Country:	Not reported
Contact1 Type:	Tier II Information Contact
Contact2 Type:	Not reported
Contact3 Type:	Not reported
Contact4 Type:	Not reported
Modification Date:	1900-01-01

Chemicals:

Acute:	Not reported
Ave Amount:	Not reported
Ave Amount Code:	Not reported
Chem Inv Record Id:	CVTR2018000000148598
Chem Same As Last Yr:	false
Chronic:	Not reported
CICAS:	74986
CI EHS Chemical:	false
CI Last Modified:	2019-02-20
Days On Site:	365
Entered Chemical Name:	PROPANE ODORIZED
Fire:	Not reported
Gas:	true
Liquid:	false
Max Amount:	3.500
Max Amount Code:	2
Max Amt Container:	100
Mixture:	true
Pressure:	Not reported
Pure:	false
Reactive:	Not reported
Solid:	false
State01 Checkbox:	Not reported
State01 Number:	Not reported
State01 Text:	Not reported
State02 Checkbox:	Not reported
State02 Number:	Not reported
State02 Text:	Not reported
State03 Checkbox:	Not reported
State03 Number:	Not reported
State03 Text:	Not reported
State04 Checkbox:	Not reported
State04 Number:	Not reported
State04 Text:	Not reported
State05 Checkbox:	Not reported
State05 Text:	Not reported
State06 Checkbox:	Not reported
State06 Text:	Not reported
State07 Checkbox:	Not reported

ROGERS FOAM CORPORATION (Continued) **S112293101**

State07 Text: Not reported
State1 Contact Field: Not reported
State Label Code: Not reported
Trade Secret: false

Location:
Record Key: CLTR201800000S407064
Chem Inv Record Id: CVTR2018000000148598
Type Code: Cylinder
Pressure Code: Greater than ambient pressure
Temperature Code: Ambient temperature
Location: 20 yards inside Driveway Dock
Amount: 400
Amount Unit: lbs
Last Modified: 2019-02-20

Chemical Mixture:
Record Key: CLTR201800000M157423
Chem Inv Rec Id: CVTR2018000000148598
Mx Chem: Ethane
Mx CAS: 74840
Percentage: Not reported
Wt Vol: weight
Mx EHS: false
Mx Last Modified: 2019-02-20

Record Key: CLTR201800000M157422
Chem Inv Rec Id: CVTR2018000000148598
Mx Chem: propane
Mx CAS: 74986
Percentage: Not reported
Wt Vol: weight
Mx EHS: false
Mx Last Modified: 2019-02-20

Record Key: CLTR201800000M157424
Chem Inv Rec Id: CVTR2018000000148598
Mx Chem: Isobutane
Mx CAS: 75285
Percentage: Not reported
Wt Vol: weight
Mx EHS: false
Mx Last Modified: 2019-02-20

Record Key: CLTR201800000M157425
Chem Inv Rec Id: CVTR2018000000148598
Mx Chem: Propylene
Mx CAS: 115071
Percentage: Not reported
Wt Vol: weight
Mx EHS: false
Mx Last Modified: 2019-02-20

Record Key: CLTR201800000M157426
Chem Inv Rec Id: CVTR2018000000148598
Mx Chem: Ethyl Mercaptan
Mx CAS: 75081

ROGERS FOAM CORPORATION (Continued) **S112293101**

Percentage:	Not reported
Wt Vol:	weight
Mx EHS:	false
Mx Last Modified:	2019-02-20

Acute:	Not reported
Ave Amount:	Not reported
Ave Amount Code:	Not reported
Chem Inv Record Id:	CVTR2018000000148599
Chem Same As Last Yr:	false
Chronic:	Not reported
CICAS:	68476302
CI EHS Chemical:	false
CI Last Modified:	2019-02-19
Days On Site:	365
Entered Chemical Name:	FUEL OIL, [NO. 2]
Fire:	Not reported
Gas:	false
Liquid:	true
Max Amount:	6.955
Max Amount Code:	8
Max Amt Container:	69555
Mixture:	true
Pressure:	Not reported
Pure:	false
Reactive:	Not reported
Solid:	false
State01 Checkbox:	Not reported
State01 Number:	Not reported
State01 Text:	Not reported
State02 Checkbox:	Not reported
State02 Number:	Not reported
State02 Text:	Not reported
State03 Checkbox:	Not reported
State03 Number:	Not reported
State03 Text:	Not reported
State04 Checkbox:	Not reported
State04 Number:	Not reported
State04 Text:	Not reported
State05 Checkbox:	Not reported
State05 Text:	Not reported
State06 Checkbox:	Not reported
State06 Text:	Not reported
State07 Checkbox:	Not reported
State07 Text:	Not reported
State1 Contact Field:	Not reported
State Label Code:	Not reported
Trade Secret:	false

Location:

Record Key:	CLTR201800000S407066
Chem Inv Record Id:	CVTR2018000000148599
Type Code:	Below ground tank
Pressure Code:	Ambient pressure
Temperature Code:	Ambient temperature
Location:	10 yards due west of boiler room
Amount:	10000

ROGERS FOAM CORPORATION (Continued) **S112293101**

Amount Unit: lbs
Last Modified: 2019-02-19

Chemical Mixture:
Record Key: CLTR201800000M156370
Chem Inv Rec Id: CVTR2018000000148599
Mx Chem: Methyl Esters
Mx CAS: Not reported
Percentage: Not reported
Wt Vol: weight
Mx EHS: false
Mx Last Modified: 2019-02-19

Record Key: CLTR201800000M156369
Chem Inv Rec Id: CVTR2018000000148599
Mx Chem: No. 2 Fuel Oil
Mx CAS: 68476302
Percentage: Not reported
Wt Vol: weight
Mx EHS: false
Mx Last Modified: 2019-02-19

B11 **ROGERS FOAM CORP** **MA SHWS S108034225**
West **20 VERNON ST** **MA RELEASE N/A**
1/8-1/4 **SOMERVILLE, MA 02145** **MA AIRS**
0.203 mi.
1074 ft. **Site 2 of 3 in cluster B**

Relative: **Lower**
Actual: **60 ft.**

SHWS:
Name: RAIL ROAD RIGHT OF WAY
Address: 20 VERNON STREET
City,State,Zip: SOMERVILLE, MA 021450000
Facility ID: 3-0035488
Source Type: HOSE
Release Town: SOMERVILLE
Notification Date: 03/14/2019
Category: TWO HR
Associated ID: Not reported
Current Status: PSNC
Status Date: 05/12/2019
Phase: Not reported
Response Action Outcome: PN
Oil Or Haz Material: Oil

Name: RAIL ROAD RIGHT OF WAY
Address: 20 VERNON STREET
City,State,Zip: SOMERVILLE, MA 021450000
Facility ID: 3-0035488
Source Type: LINE
Release Town: SOMERVILLE
Notification Date: 03/14/2019

ROGERS FOAM CORP (Continued) **S108034225**

Category:	TWO HR
Associated ID:	Not reported
Current Status:	PSNC
Status Date:	05/12/2019
Phase:	Not reported
Response Action Outcome:	PN
Oil Or Haz Material:	Oil

Name:	RAIL ROAD RIGHT OF WAY
Address:	20 VERNON STREET
City,State,Zip:	SOMERVILLE, MA 021450000
Facility ID:	3-0035488
Source Type:	VEHICLE
Release Town:	SOMERVILLE
Notification Date:	03/14/2019
Category:	TWO HR
Associated ID:	Not reported
Current Status:	PSNC
Status Date:	05/12/2019
Phase:	Not reported
Response Action Outcome:	PN
Oil Or Haz Material:	Oil

Release:

Name:	RAIL ROAD RIGHT OF WAY
Address:	20 VERNON STREET
City,State,Zip:	SOMERVILLE, MA 021450000
Release Tracking Number/Current Status:	3-0035488 / PSNC
Primary ID:	Not reported
Official City:	SOMERVILLE
Notification:	03/14/2019
Category:	TWO HR
Status Date:	05/12/2019
Phase:	Not reported
Response Action Outcome:	PN - PN
Oil / Haz Material Type:	Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	3/14/2019
Response Action Outcome:	PN

Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	3/14/2019
Response Action Outcome:	PN

Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	4/18/2019
Response Action Outcome:	PN

Action Type: RNF

ROGERS FOAM CORP (Continued) **S108034225**

Action Status: Reportable Release under MGL 21E
Action Date: 5/12/2019
Response Action Outcome: PN

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 5/12/2019
Response Action Outcome: PN

Action Type: Response Action Outcome - RAO
Action Status: PSNRCD
Action Date: 5/12/2019
Response Action Outcome: PN

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 5/8/2019
Response Action Outcome: PN

Chemicals:
Chemical: HYDRAULIC FLUID
Quantity: 60 gallons
Location Type: COMMERCIAL
Location Type: PRIVPROP
Location Type: RIGHTOFWAY
Source: LINE
Source: VEHICLE
Source: HOSE

AIRS:
AQID: Not reported
Name: ROGERS FOAM CORP
Address: 20 VERNON ST
Address 2: Not reported
City,State,Zip: SOMERVILLE, MA 02145
Branch: NE
Facility Status: APPROV
Permit Code: AQ01
Permit Name: Plan Approval Limited
Owner Name: Not reported
Region: NE
Application Tracking Number: W080295
Facility Account: 53058
Date Closed: 06/23/2006
Applicant Name: ROGERS FOAM CORP
Applicant Address: Not reported
Applicant City: Not reported
Applicant State: Not reported
Applicant Zip: Not reported
Applicant Telephone: 6176233010
Primary NAICS: Not reported
NAICS Code: Not reported
NAICS Description: Not reported
Latitude: Not reported
Longitude: Not reported

B12 **ROGERS FOAM COMPANY** **RCRA-VSQG** **1000217454**
West **20 VERNON STREET** **ICIS** **MAD001025113**
1/8-1/4 **SOMERVILLE, CITY OF, MA 02144** **US AIRS**
0.203 mi. **FINDS**
1074 ft. **Site 3 of 3 in cluster B** **ECHO**
NY MANIFEST

Relative:
Lower

Actual:
60 ft.

RCRA Listings:

Date Form Received by Agency:	19831228
Handler Name:	Rogers Foam Corp
Handler Address:	20 VERNON ST
Handler City,State,Zip:	SOMERVILLE, MA 02145
EPA ID:	MAD001025113
Contact Name:	RICHARD OTOOLE
Contact Address:	20 VERNON ST
Contact City,State,Zip:	SOMERVILLE, MA 02145
Contact Telephone:	617-623-3010
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	01
Land Type:	Private
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	MA
State District:	N
Mailing Address:	20 VERNON ST
Mailing City,State,Zip:	SOMERVILLE, MA 02145
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Rogers Foam Corp
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No

ROGERS FOAM COMPANY (Continued) **1000217454**

Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20171020
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	F001
Waste Description:	THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: ROGERS FOAM CORP	
Legal Status:	Private
Date Became Current:	19911208
Date Ended Current:	Not reported
Owner/Operator Address:	20 VERNON ST
Owner/Operator City,State,Zip:	SOMERVILLE, MA 02145
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19831228
Handler Name: ROGERS FOAM CORP	
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	MA
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

ROGERS FOAM COMPANY (Continued) **1000217454**

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Has the Facility Received Notices of Violations:
Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported

ROGERS FOAM COMPANY (Continued) **1000217454**

Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - Pre-transport
Date Violation was Determined:	20080509
Actual Return to Compliance Date:	20081120
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	20080621
Enforcement Identifier:	001
Date of Enforcement Action:	20080519
Enforcement Responsible Agency:	State
Enforcement Docket Number:	NON-NE-08-9026
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	KGSMA
Enforcement Responsible Sub-Organization:	NE
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported

ROGERS FOAM COMPANY (Continued) **1000217454**

Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: State Statute or Regulation
Date Violation was Determined: 20080509
Actual Return to Compliance Date: 20081120
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 20080621
Enforcement Identifier: 001
Date of Enforcement Action: 20080519
Enforcement Responsible Agency: State
Enforcement Docket Number: NON-NE-08-9026
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: KGSMA
Enforcement Responsible Sub-Organization: NE
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 20080509
Actual Return to Compliance Date: 20081120
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 20080621
Enforcement Identifier: 001
Date of Enforcement Action: 20080519
Enforcement Responsible Agency: State
Enforcement Docket Number: NON-NE-08-9026
Enforcement Attorney: Not reported
Corrective Action Component: No

ROGERS FOAM COMPANY (Continued) **1000217454**

Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	KGSMA
Enforcement Responsible Sub-Organization:	NE
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	State Statute or Regulation
Date Violation was Determined:	20080509
Actual Return to Compliance Date:	20081120
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	20080621
Enforcement Identifier:	001
Date of Enforcement Action:	20080519
Enforcement Responsible Agency:	State
Enforcement Docket Number:	NON-NE-08-9026
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	KGSMA
Enforcement Responsible Sub-Organization:	NE
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported

ROGERS FOAM COMPANY (Continued) **1000217454**

Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Universal Waste - Small Quantity Handlers
Date Violation was Determined: 20080509
Actual Return to Compliance Date: 20081120
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 20080621
Enforcement Identifier: 001
Date of Enforcement Action: 20080519
Enforcement Responsible Agency: State
Enforcement Docket Number: NON-NE-08-9026
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: KGSMA
Enforcement Responsible Sub-Organization: NE
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Evaluation Action Summary:
Evaluation Date: 19960801
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: R1JHK
Evaluation Responsible Sub-Organization: NE
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

ROGERS FOAM COMPANY (Continued) **1000217454**

Evaluation Date:	20081120
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE SCHEDULE EVALUATION
Evaluation Responsible Person Identifier:	KGSMA
Evaluation Responsible Sub-Organization:	NE
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20080509
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	KGSMA
Evaluation Responsible Sub-Organization:	NE
Actual Return to Compliance Date:	20081120
Scheduled Compliance Date:	20080621
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20080509
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	KGSMA
Evaluation Responsible Sub-Organization:	NE
Actual Return to Compliance Date:	20081120
Scheduled Compliance Date:	20080621
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20080509
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	KGSMA
Evaluation Responsible Sub-Organization:	NE
Actual Return to Compliance Date:	20081120
Scheduled Compliance Date:	20080621
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20080509
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	KGSMA

ROGERS FOAM COMPANY (Continued) **1000217454**

Evaluation Responsible Sub-Organization:	NE
Actual Return to Compliance Date:	20081120
Scheduled Compliance Date:	20080621
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20080509
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	KGSMA
Evaluation Responsible Sub-Organization:	NE
Actual Return to Compliance Date:	20081120
Scheduled Compliance Date:	20080621
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

ICIS:

Enforcement Action ID:	MA000A0000251190147100024
FRS ID:	110012467071
Action Name:	ROGERS FOAM COMPANY 251190147100024
Facility Name:	ROGERS FOAM COMPANY
Facility Address:	20 VERNON STREET SOMERVILLE, CITY OF, MA 021440000
Enforcement Action Type:	Notice of Violation
Facility County:	MIDDLESEX
Program System Acronym:	AIR
Enforcement Action Forum Desc:	Administrative - Informal
EA Type Code:	NOV
Facility SIC Code:	3079
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	42.39161
Longitude in Decimal Degrees:	-71.1025
Permit Type Desc:	Not reported
Program System Acronym:	MA0000002511901471
Facility NAICS Code:	326199
Tribal Land Code:	Not reported

US AIRS MINOR:

Envid:	1000217454
Region Code:	01
Programmatic ID:	AIR MA0000002511901471
Facility Registry ID:	110012467071
D and B Number:	Not reported
Primary SIC Code:	3079
NAICS Code:	326199
Default Air Classification Code:	MIN
Facility Type of Ownership Code:	POF
Air CMS Category Code:	Not reported
HPV Status:	Not reported

ROGERS FOAM COMPANY (Continued) **1000217454**

US AIRS MINOR:

Region Code:	01
Programmatic ID:	AIR MA0000002511901471
Facility Registry ID:	110012467071
Air Operating Status Code:	OPR
Default Air Classification Code:	MIN
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	2015-04-01 00:00:00
Activity Status Date:	2015-05-15 00:00:00
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Active

Region Code:	01
Programmatic ID:	AIR MA0000002511901471
Facility Registry ID:	110012467071
Air Operating Status Code:	OPR
Default Air Classification Code:	MIN
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1991-01-28 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported

Region Code:	01
Programmatic ID:	AIR MA0000002511901471
Facility Registry ID:	110012467071
Air Operating Status Code:	OPR
Default Air Classification Code:	MIN
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1996-08-01 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported

Region Code:	01
Programmatic ID:	AIR MA0000002511901471
Facility Registry ID:	110012467071
Air Operating Status Code:	OPR
Default Air Classification Code:	MIN
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1999-03-08 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported

Region Code:	01
Programmatic ID:	AIR MA0000002511901471
Facility Registry ID:	110012467071
Air Operating Status Code:	OPR
Default Air Classification Code:	MIN
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	2000-04-13 00:00:00
Activity Status Date:	Not reported

ROGERS FOAM COMPANY (Continued) **1000217454**

Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511901471
Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2001-03-05 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511901471
Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2004-03-30 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511901471
Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2005-04-15 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511901471
Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2006-03-20 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511901471
Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN

ROGERS FOAM COMPANY (Continued) **1000217454**

Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2007-02-07 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511901471
Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2008-02-08 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511901471
Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2008-05-09 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511901471
Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2009-01-22 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511901471
Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2009-07-13 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511901471

ROGERS FOAM COMPANY (Continued) **1000217454**

Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2010-03-01 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511901471
Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2011-02-10 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511901471
Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2012-01-26 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511901471
Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2012-07-13 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511901471
Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2013-02-07 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

ROGERS FOAM COMPANY (Continued) **1000217454**

Region Code: 01
Programmatic ID: AIR MA0000002511901471
Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2014-04-01 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511901471
Facility Registry ID: 110012467071
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2008-05-19 00:00:00
Activity Status Date: 2008-05-19 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Informal
Activity Status: Achieved

FINDS:
Registry ID: 110012467071

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.
US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.
OSHA ESTABLISHMENT
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
MA-EPICS - Massachussetts Environmental Protection Integrated Computer System
AIR MINOR

ROGERS FOAM COMPANY (Continued) **1000217454**

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000217454
Registry ID:	110012467071
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110012467071
Name:	ROGERS FOAM COMPANY
Address:	20 VERNON ST
City,State,Zip:	SOMERVILLE, MA 02145

NY MANIFEST:

Name:	ROGERS FOAM CORP
Address:	20 VERNON ST
City,State,Zip:	SOMERVILLE, MA 02145
Country:	USA
EPA ID:	MAD001025113
Facility Status:	Not reported
Location Address 1:	20 VERNON ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	SOMERVILLE
Location State:	MA
Location Zip:	02145
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	MAD001025113
Mailing Name:	ROGERS FOAM CORP
Mailing Contact:	TOM LYNCH
Mailing Address 1:	20 VERNON ST
Mailing Address 2:	Not reported
Mailing City:	SOMERVILLE
Mailing State:	MA
Mailing Zip:	02145
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	6176233010

C13 **BRADLEY OLDSMOBILE INC** **RCRA-VSQG** **1004715555**
ENE **345 BROADWAY** **FINDS** **MAD019615160**
1/8-1/4 **SOMERVILLE, MA 02145** **ECHO**
0.220 mi.
1163 ft. **Site 1 of 4 in cluster C**

Relative:
Lower

Actual:
71 ft.

RCRA Listings:

Date Form Received by Agency:	19850405
Handler Name:	Bradley Oldsmobile Inc
Handler Address:	345 BROADWAY
Handler City,State,Zip:	SOMERVILLE, MA 02145
EPA ID:	MAD019615160
Contact Name:	RICHARD RAHILLY
Contact Address:	345 BROADWAY
Contact City,State,Zip:	SOMERVILLE, MA 02145
Contact Telephone:	617-555-1212

BRADLEY OLDSMOBILE INC (Continued) **1004715555**

Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	01
Land Type:	Private
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	MA
State District:	N
Mailing Address:	345 BROADWAY
Mailing City,State,Zip:	SOMERVILLE, MA 02145
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Bradley Oldsmobile Inc
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20171020
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No

BRADLEY OLDSMOBILE INC (Continued) **1004715555**

Sub-Part P Indicator: No

Hazardous Waste Summary:

Waste Code: D001
Waste Description: IGNITABLE WASTE

Waste Code: F003
Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code: F005
Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Handler - Owner Operator:

Owner/Operator Indicator: Operator
Owner/Operator Name: BRADLEY OLDSMOBILE INC
Legal Status: Private
Date Became Current: 19911208
Date Ended Current: Not reported
Owner/Operator Address: 345 BROADWAY
Owner/Operator City,State,Zip: SOMERVILLE, MA 02145
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 19850405
Handler Name: BRADLEY OLDSMOBILE INC
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: MA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

BRADLEY OLDSMOBILE INC (Continued) **1004715555**

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110006814634

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
MA-EPICS - Massachussetts Environmental Protection Integrated Computer System

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1004715555
Registry ID:	110006814634
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110006814634
Name:	BRADLEY OLDSMOBILE INC
Address:	345 BROADWAY
City,State,Zip:	SOMERVILLE, MA 02145

C14 **BRADLEY OLDSMOBILE INC** **MA HW GEN** **S112551079**
ENE **345 BROADWAY** **N/A**
1/8-1/4 **SOMERVILLE, MA 02145**
0.220 mi.
1163 ft. **Site 2 of 4 in cluster C**

Relative: **Lower**
Actual: **71 ft.**

HW GEN:

Name:	BRADLEY OLDSMOBILE INC
Address:	345 BROADWAY
City,State,Zip:	SOMERVILLE, MA 02145
EPA Id:	MAD019615160
RCRA Generator Status:	VSQG
State Generator Status:	Not reported

D15 **SOMERVILLE XTRA FUELS** **MA SHWS** **U003655043**
SSE **360 MEDFORD ST** **MA LUST** **N/A**
1/8-1/4 **SOMERVILLE, MA 02145** **MA UST**
0.220 mi. **MA INST CONTROL**
1163 ft. **Site 1 of 3 in cluster D** **MA RELEASE**
MA HW GEN

Relative:
Lower

Actual:
31 ft.

SHWS:

Name:	NO LOCATION AID
Address:	360 MEDFORD ST
City,State,Zip:	SOMERVILLE, MA 021430000
Facility ID:	3-0016624
Source Type:	VEHICLE
Release Town:	SOMERVILLE
Notification Date:	03/24/1998
Category:	TWO HR
Associated ID:	Not reported
Current Status:	RAO
Status Date:	07/15/1998
Phase:	Not reported
Response Action Outcome:	A1
Oil Or Haz Material:	Oil

LUST:

Facility:

Name:	GASOLINE STATION
Address:	360 MEDFORD ST
City,State,Zip:	SOMERVILLE, MA 021453822
Current Status:	**Response Action Outcome**
Release Tracking Number/Current Status:	3-0028903 / RAO
Status Date:	04/20/2011
Source Type:	UST
Release Town:	SOMERVILLE
Notification Date:	11/20/2009
Category:	72 HR
Associated ID:	Not reported
Phase:	Not reported
Response Action Outcome:	A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil Or Haz Material:	Oil
Location Type:	COMMERCIAL
Source:	UST

Click here to access the MA DEP site for this facility:

Chemicals:

Chemical:	GASOLINE
Quantity:	1527 parts per million

Actions:

Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	1/19/2010
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 1/19/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 1/19/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 1/20/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 1/22/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 11/20/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 11/20/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: Level I - Technical Screen Audit
Action Date: 12/27/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 12/8/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Compliance and Enforcement Action
Action Status: Notice of Non-Compliance Issued
Action Date: 2/22/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 3/11/2010

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 3/25/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 4/20/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: Fee Received - FMCRA Use Only
Action Date: 4/25/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSENT
Action Date: 9/13/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Facility:
Name: TONYS GAS
Address: 360 MEDFORD ST
City,State,Zip: SOMERVILLE, MA 021450000
Current Status: **Response Action Outcome**
Release Tracking Number/Current Status: 3-0015184 / RAO
Status Date: 06/11/2012
Source Type: UST
Release Town: SOMERVILLE
Notification Date: 06/10/1997
Category: 72 HR
Associated ID: Not reported
Phase: PHASE II
Response Action Outcome: A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.
Oil Or Haz Material: Oil

Location Type: COMMERCIAL
Source: UST

Click here to access the MA DEP site for this facility:

Chemicals:
Chemical: GASOLINE
Quantity: 185 parts per million

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Chemical: GASOLINE
Quantity: 185 parts per million

Actions:

Action Type: Activity and Use Limitation
Action Status: Legal Notice Published
Action Date: 1/2/2018
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Activity and Use Limitation
Action Status: Legal Notice Published
Action Date: 10/11/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: Fee Not Required - Fee Credited-FMCRA Use Only
Action Date: 10/23/2002
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: An activity type that is related to an Audit
Action Status: Audit Follow-up Completion Statement Received
Action Date: 10/4/2017
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: An activity type that is related to an Audit
Action Status: NON-A
Action Date: 11/6/2017
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: An activity type that is related to an Audit
Action Status: Audit Follow-up Completion Statement Received
Action Date: 12/19/2017
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Activity and Use Limitation
Action Status: Amendment Received or Issued
Action Date: 12/19/2017
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Activity and Use Limitation
Action Status: Level I - Technical Screen Audit
Action Date: 12/5/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has

SOMERVILLE XTRA FUELS (Continued) **U003655043**

been implemented.

Action Type: Response Action Outcome - RAO
Action Status: Level I - Technical Screen Audit
Action Date: 12/5/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 2/3/2000
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: Fee Received - FMCRA Use Only
Action Date: 2/8/2000
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: Level I - Technical Screen Audit
Action Date: 3/2/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Activity and Use Limitation
Action Status: Level II - Audit Inspection
Action Date: 4/25/2017
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: RLFA
Action Status: FLDRUN
Action Date: 4/25/2017
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: Submittal Retracted
Action Date: 4/5/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Tier Classification
Action Status: Tier 2 Extension
Action Date: 4/5/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Action Type: RLFA
Action Status: FOLOFF
Action Date: 5/3/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 6/10/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 6/10/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 6/10/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 6/10/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 6/10/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 6/11/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Activity and Use Limitation
Action Status: Transmittal, Notice, or Notification Received
Action Date: 6/11/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	6/26/1997
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.
Action Type:	An activity type that is related to an Audit
Action Status:	Notice of Non-compliance related to an Audit
Action Date:	6/27/2017
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	7/15/1997
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.
Action Type:	Immediate Response Action
Action Status:	Oral Approval of a Modified Plan
Action Date:	7/27/1997
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.
Action Type:	Immediate Response Action
Action Status:	Written Plan Received
Action Date:	8/18/1997
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	8/18/1997
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.
Action Type:	Immediate Response Action
Action Status:	Imminent Hazard Evaluation Received
Action Date:	8/18/1997
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

UST:

Facility:

Name:	SOMERVILLE XTRA FUELS
Address:	360 MEDFORD ST
City,State,Zip:	SOMERVILLE, MA 02145
Facility ID:	10925
Owner Id:	20479

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Owner:	DRAKE PETROLEUM COMPANY INC #10105
Owner Address:	800 SOUTH STREET, SUITE 500
Owner City,St,Zip:	WALTHAM, MA 02454
Telephone:	6176255555
Description:	Retail Motor Vehicle Fuel
Facility address 2:	Not reported
Owner address 2:	PO BOX 549290
Latitude:	42.38873
Longitude:	-71.09718
Contact name:	Jason Frigon
Contact address1:	800 South Street, Suite 500
Contact address2:	P.O. Box 9161
Contact city:	Waltham
Contact state:	MA
Contact zip:	02454
Contact email:	jfrigon@globalp.com
Update:	2020-10-16 00:00:00
Update by:	Jason Frigon
Fac status:	OPEN

Tank ID:	1
Tank Status:	**Tank Removed**
Status Date:	06/10/1997
Date Installed:	07/24/1975
Capacity:	6280.00000
Contents:	Gasoline
Tank Usage:	Motor Vehi
Tank Leak Detection:	In-Tank Monitoring System
Pipe Leak Detection:	Annual Automatic Line Leak Detection Test
Latitude:	Not reported
Longitude:	Not reported
Tank construct:	Single-walled metal tank (cathodic protection required)
Pipe construct:	Single-walled metal (Corrosion protection required)
Ptype:	Not reported
Number of compartment:	Not reported
Pipe install date:	Not reported
Pipe leak install date:	Not reported
Submersible sump:	N
Submersible sump install date:	Not reported
Turbine sump:	N
Turbine sump sensor:	N
Intermediate sump:	N
Intermediate sump sensor:	N
Spill bucket installed date:	Not reported
Spill bucket sensor:	N
Overfill protect install:	Not reported
Overfill protect type:	Not reported
Automatic line leak detect:	Not reported
Tank corrosion type:	Not reported
Leak corrosion type:	Not reported

Tank ID:	2
Tank Status:	**Tank Removed**
Status Date:	06/10/1997
Date Installed:	07/24/1975

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Capacity: 6280.00000
Contents: Gasoline
Tank Usage: Motor Vehi
Tank Leak Detection: In-Tank Monitoring System
Pipe Leak Detection: Annual Automatic Line Leak Detection Test
Latitude: Not reported
Longitude: Not reported
Tank construct: Single-walled metal tank (cathodic protection required)
Pipe construct: Single-walled metal (Corrosion protection required)
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 3
Tank Status: Tank Removed
Status Date: 06/10/1997
Date Installed: 07/24/1975
Capacity: 6280.00000
Contents: Gasoline
Tank Usage: Motor Vehi
Tank Leak Detection: In-Tank Monitoring System
Pipe Leak Detection: Annual Automatic Line Leak Detection Test
Latitude: Not reported
Longitude: Not reported
Tank construct: Single-walled metal tank (cathodic protection required)
Pipe construct: Single-walled metal (Corrosion protection required)
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Leak corrosion type: Not reported

Tank ID: 4
Tank Status: Tank Removed
Status Date: 06/11/1997
Date Installed: 09/09/1982
Capacity: 10000.00000
Contents: Diesel
Tank Usage: Motor Vehi
Tank Leak Detection: In-Tank Monitoring System
Pipe Leak Detection: Quarterly visual inspection and annual product line tightness test
Latitude: Not reported
Longitude: Not reported
Tank construct: Single-walled metal tank (cathodic protection required)
Pipe construct: Not reported
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 5
Tank Status: Tank Removed
Status Date: 06/10/1997
Date Installed: 07/24/1975
Capacity: 6280.00000
Contents: Gasoline
Tank Usage: Motor Vehi
Tank Leak Detection: In-Tank Monitoring System
Pipe Leak Detection: Annual Automatic Line Leak Detection Test
Latitude: Not reported
Longitude: Not reported
Tank construct: Single-walled metal tank (cathodic protection required)
Pipe construct: Single-walled metal (Corrosion protection required)
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 6
Tank Status: Tank Removed
Status Date: 06/11/1997
Date Installed: 05/03/1975
Capacity: 550.00000
Contents: Waste Oil
Tank Usage: Not reported
Tank Leak Detection: Not reported
Pipe Leak Detection: Not reported
Latitude: Not reported
Longitude: Not reported
Tank construct: Not reported
Pipe construct: Not reported
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 7
Tank Status: Tank Removed
Status Date: 11/20/2009
Date Installed: 07/10/1997
Capacity: 12000.00000
Contents: Gasoline
Tank Usage: Motor Vehi
Tank Leak Detection: Continuous Interstitial Monitoring
Pipe Leak Detection: Continuous Interstitial Space Monitoring
Latitude: Not reported
Longitude: Not reported
Tank construct: Double-walled metal tank (cathodic protection required)
Pipe construct: Double-walled non-corrodible material (No corrosion protection required)
Ptype: Not reported
Number of compartment: Not reported

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 8
Tank Status: In Use
Status Date: Not reported
Date Installed: 07/10/1997
Capacity: 7000.00000
Contents: Gasoline
Tank Usage: Motor Vehi
Tank Leak Detection: Continuous Interstitial Monitoring
Pipe Leak Detection: Continuous Interstitial Space Monitoring
Latitude: 42.38873
Longitude: -71.09718
Tank construct: Double-walled non-corrodible (including "composite") material (cathodic protection not required)
Pipe construct: Double-walled non-corrodible material (No corrosion protection required)
Ptype: Pressurized piping system with mechanical automatic line leak detection
Number of compartment: 2
Pipe install date: 07/10/1997
Pipe leak install date: Not reported
Submersible sump: Y
Submersible sump install date: Not reported
Turbine sump: Y
Turbine sump sensor: Y
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Ball Float
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 8
Tank Status: In Use
Status Date: Not reported
Date Installed: 07/10/1997
Capacity: 5000.00000
Contents: Gasoline
Tank Usage: Motor Vehi
Tank Leak Detection: Continuous Interstitial Monitoring

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Pipe Leak Detection: Continuous Interstitial Space Monitoring
Latitude: 42.38873
Longitude: -71.09718
Tank construct: Double-walled non-corrodible (including "composite") material (cathodic protection not required)
Pipe construct: Double-walled non-corrodible material (No corrosion protection required)
Ptype: Pressurized piping system with mechanical automatic line leak detection
Number of compartment: 2
Pipe install date: 07/10/1997
Pipe leak install date: Not reported
Submersible sump: Y
Submersible sump install date: Not reported
Turbine sump: Y
Turbine sump sensor: Y
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Ball Float
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

INST CONTROL:
Name: TONYS GAS
Address: 360 MEDFORD ST
City,State,Zip: SOMERVILLE, MA 021450000
Release Tracking Number: 3-0015184
Action Type: AUL
Action Stat: AMEND
Action Date: 12/19/2017
Response Action Outcome: A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Name: TONYS GAS
Address: 360 MEDFORD ST
City,State,Zip: SOMERVILLE, MA 021450000
Release Tracking Number: 3-0015184
Action Type: AUL
Action Stat: LEGNOT
Action Date: 01/02/2018
Response Action Outcome: A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Name: TONYS GAS
Address: 360 MEDFORD ST
City,State,Zip: SOMERVILLE, MA 021450000
Release Tracking Number: 3-0015184
Action Type: AUL
Action Stat: LEGNOT
Action Date: 10/11/2012
Response Action Outcome: A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Name: TONYS GAS
Address: 360 MEDFORD ST
City,State,Zip: SOMERVILLE, MA 021450000
Release Tracking Number: 3-0015184
Action Type: AUL
Action Stat: RECPT
Action Date: 06/11/2012
Response Action Outcome: A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Name: TONYS GAS
Address: 360 MEDFORD ST
City,State,Zip: SOMERVILLE, MA 021450000
Release Tracking Number: 3-0015184
Action Type: AUL
Action Stat: SNAUDI
Action Date: 04/25/2017
Response Action Outcome: A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Name: TONYS GAS
Address: 360 MEDFORD ST
City,State,Zip: SOMERVILLE, MA 021450000
Release Tracking Number: 3-0015184
Action Type: AUL
Action Stat: TSAUD
Action Date: 12/05/2012
Response Action Outcome: A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Release:
Name: TONYS GAS
Address: 360 MEDFORD ST
City,State,Zip: SOMERVILLE, MA 021450000
Release Tracking Number/Current Status: 3-0015184 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 06/10/1997
Category: 72 HR
Status Date: 06/11/2012
Phase: Not reported
Response Action Outcome: A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:
Action Type: Activity and Use Limitation
Action Status: Legal Notice Published
Action Date: 1/2/2018
Response Action Outcome: A permanent solution has been achieved. Contamination has not been

SOMERVILLE XTRA FUELS (Continued) **U003655043**

reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Activity and Use Limitation
Action Status: Legal Notice Published
Action Date: 10/11/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: Fee Not Required - Fee Credited-FMCRA Use Only
Action Date: 10/23/2002
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: An activity type that is related to an Audit
Action Status: Audit Follow-up Completion Statement Received
Action Date: 10/4/2017
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: An activity type that is related to an Audit
Action Status: NON-A
Action Date: 11/6/2017
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: An activity type that is related to an Audit
Action Status: Audit Follow-up Completion Statement Received
Action Date: 12/19/2017
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Activity and Use Limitation
Action Status: Amendment Received or Issued
Action Date: 12/19/2017
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Activity and Use Limitation
Action Status: Level I - Technical Screen Audit
Action Date: 12/5/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: Level I - Technical Screen Audit
Action Date: 12/5/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has

SOMERVILLE XTRA FUELS (Continued) **U003655043**

been implemented.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 2/3/2000
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: Fee Received - FMCRA Use Only
Action Date: 2/8/2000
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: Level I - Technical Screen Audit
Action Date: 3/2/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Activity and Use Limitation
Action Status: Level II - Audit Inspection
Action Date: 4/25/2017
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: RLFA
Action Status: FLDRUN
Action Date: 4/25/2017
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: Submittal Retracted
Action Date: 4/5/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Tier Classification
Action Status: Tier 2 Extension
Action Date: 4/5/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 5/3/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 6/10/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 6/10/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 6/10/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 6/10/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 6/10/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 6/11/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Activity and Use Limitation
Action Status: Transmittal, Notice, or Notification Received
Action Date: 6/11/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 6/26/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: An activity type that is related to an Audit

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Action Status: Notice of Non-compliance related to an Audit
Action Date: 6/27/2017
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 7/15/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Immediate Response Action
Action Status: Oral Approval of a Modified Plan
Action Date: 7/27/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 8/18/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 8/18/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Immediate Response Action
Action Status: Imminent Hazard Evaluation Received
Action Date: 8/18/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Chemicals:
Chemical: GASOLINE
Quantity: 185 parts per million
Chemical: GASOLINE
Quantity: 185 parts per million
Location Type: COMMERCIAL
Source: UST

Name: NO LOCATION AID
Address: 360 MEDFORD ST
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0016624 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 03/24/1998
Category: TWO HR

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Status Date: 07/15/1998
Phase: Not reported
Response Action Outcome: A1 - A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 3/24/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 3/24/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 4/21/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 5/15/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 7/15/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Chemicals:

Chemical: GASOLINE
Quantity: 30 gallons
Chemical: DIESEL FUEL
Quantity: 30 gallons
Location Type: COMMERCIAL
Source: VEHICLE

Name: GASOLINE STATION
Address: 360 MEDFORD ST
City,State,Zip: SOMERVILLE, MA 021453822
Release Tracking Number/Current Status: 3-0028903 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 11/20/2009
Category: 72 HR
Status Date: 04/20/2011

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Phase: Not reported
Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 1/19/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 1/19/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 1/19/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 1/20/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 1/22/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 11/20/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 11/20/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: Level I - Technical Screen Audit
Action Date: 12/27/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)

SOMERVILLE XTRA FUELS (Continued) **U003655043**

Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 12/8/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Compliance and Enforcement Action
Action Status: Notice of Non-Compliance Issued
Action Date: 2/22/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 3/11/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 3/25/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 4/20/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: Fee Received - FMCRA Use Only
Action Date: 4/25/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSENT
Action Date: 9/13/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Chemicals:
Chemical: GASOLINE
Quantity: 1527 parts per million
Location Type: COMMERCIAL
Source: UST

HW GEN:
Name: DRAKE PETROLEUM COMPANY INC
Address: 360 MEDFORD ST
City,State,Zip: SOMERVILLE, MA 02145
EPA Id: MV6176255555
RCRA Generator Status: VSQG
State Generator Status: Not reported

D16 **STOP N SAVE FOOD & GAS 11002** **MA AST** **A100464681**
SSE **360 MEDFORD ST** **N/A**
1/8-1/4 **SOMERVILLE, MA 02145**
0.220 mi.
1163 ft. **Site 2 of 3 in cluster D**

Relative: **Lower**

Actual: **31 ft.**

AST:

Facility ID:	392412
Name:	STOP N SAVE FOOD & GAS 11002
Address:	360 MEDFORD ST
City,State,Zip:	SOMERVILLE, MA 02145-0000
Owner ID:	Not reported
Owner Address:	Not reported
Owner City:	Not reported
Owner State:	Not reported
Owner Zip:	Not reported
Owner Name:	DRAKE PETROLEUM CO INC
Tank Type:	UST
Class:	STG1
Stage I Type:	Dual-Point
CARB # or System Type:	Component EVR
Test Cycle:	InstallTest
Date Form Mailed:	Not reported
Test Date:	07/08/2022
Postmark Date:	07/11/2022
Due Date:	08/07/2022
Product Type:	Screw-on
Vapor Type:	Screw-on
Form:	FormA
Form Rcvd and Complete:	Complete
Description:	Not reported
Telephone:	Not reported
Fire Department:	Not reported
Date of Inspection:	Not reported
Inspector:	Not reported
Overfill Prevention:	Not reported
Tank ID:	Not reported
Serial Number:	Not reported
Spill Prevention:	Not reported
Tank Status:	Not reported
Capacity:	Not reported
Contents:	Not reported
Tank Use:	Not reported
Tank Material:	Not reported
Tank Construction:	Not reported
Tank Leak Detection:	Not reported
Pipe Material:	Not reported
Pipe Construction:	Not reported
Pipe Leak Detection:	Not reported
Aboveground:	Not reported

C17
ENE
1/8-1/4
0.223 mi.
1177 ft.

WALGREENS 2760
343 BROADWAY
SOMERVILLE, MA 02145

Site 3 of 4 in cluster C

MA HW GEN **S127826026**
N/A

Relative:
Lower

Actual:
70 ft.

HW GEN:

Name:	WALGREENS 2760
Address:	343 BROADWAY
City,State,Zip:	SOMERVILLE, MA 02145
EPA Id:	MAC300096930
RCRA Generator Status:	SQG
State Generator Status:	Not reported

C18
ENE
1/8-1/4
0.223 mi.
1177 ft.

WALGREENS 2760
343 BROADWAY
SOMERVILLE, MA 02145

Site 4 of 4 in cluster C

RCRA-SQG **1016957418**
MAC300096930

Relative:
Lower

Actual:
70 ft.

RCRA Listings:

Date Form Received by Agency:	20210714
Handler Name:	Walgreens 2760
Handler Address:	343 BROADWAY
Handler City,State,Zip:	SOMERVILLE, MA 02145
EPA ID:	MAC300096930
Contact Name:	AMBER DURKIN
Contact Address:	WILMOT RD
Contact City,State,Zip:	DEERFIELD, IL 60015
Contact Telephone:	847-964-8816
Contact Fax:	Not reported
Contact Email:	AMBER.DURKIN@WALGREENS.COM
Contact Title:	DIRECTOR, EH&S
EPA Region:	01
Land Type:	Private
Federal Waste Generator Description:	Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	MA
State District:	NE
Mailing Address:	WILMOT RD
Mailing City,State,Zip:	DEERFIELD, IL 60015
Owner Name:	Walgreen Co
Owner Type:	Private
Operator Name:	Walgreen Co
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No

WALGREENS 2760 (Continued) **1016957418**

Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20210715
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D002
Waste Description:	CORROSIVE WASTE
Waste Code:	D004
Waste Description:	ARSENIC
Waste Code:	D005
Waste Description:	BARIUM
Waste Code:	D007
Waste Description:	CHROMIUM
Waste Code:	D009
Waste Description:	MERCURY
Waste Code:	D010
Waste Description:	SELENIUM
Waste Code:	D011
Waste Description:	SILVER
Waste Code:	D016
Waste Description:	2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)

WALGREENS 2760 (Continued) **1016957418**

Waste Code:	D018
Waste Description:	BENZENE
Waste Code:	D026
Waste Description:	CRESOL
Waste Code:	D028
Waste Description:	1,2-DICHLOROETHANE
Waste Code:	D035
Waste Description:	METHYL ETHYL KETONE
Waste Code:	P001
Waste Description:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
Waste Code:	P075
Waste Description:	NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS
Waste Code:	U002
Waste Description:	2-PROPANONE (I) (OR) ACETONE (I)
Waste Code:	U010
Waste Description:	AZIRINO [2',3':3,4]PYRROLO[1,2-A]INDOLE-4,7-DIONE, 6-AMINO-8-[[(AMINOCARBONYL)OXY]METHYL]-1,1A,2,8,8A,8B-HEXAHYDRO-8A-METHOXY-5-METHYL-, [1AS-(1AALPHA, 8BETA, 8AALPHA, 8BALPHA)]- (OR) MITOMYCIN C
Waste Code:	U035
Waste Description:	BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL
Waste Code:	U044
Waste Description:	CHLOROFORM (OR) METHANE, TRICHLORO-
Waste Code:	U058
Waste Description:	2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE
Waste Code:	U059
Waste Description:	5,12-NAPHTHACENEDIONE, 8-ACETYL-10-[(3-AMINO-2,3,6-TRIDEOXY)-ALPHA-L-LYXO-HEXOPYRANOSYL)OXY]-7,8,9,10-TETRAHYDRO-6,8,11-TRIHYDROXY-1-METHOXY-, (8S-CIS)- (OR) DAUNOMYCIN
Waste Code:	U072
Waste Description:	BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE
Waste Code:	U085
Waste Description:	1,2:3,4-DIEPOXYBUTANE (I,T) (OR) 2,2'-BIOXIRANE
Waste Code:	U089
Waste Description:	DIETHYLSTILBESTEROL (OR) PHENOL, 4,4'-(1,2-DIETHYL-1,2-ETHENEDIYL)BIS, (E)-
Waste Code:	U129

WALGREENS 2760 (Continued) **1016957418**

Waste Description: CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE

Waste Code: U150
Waste Description: L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN

Waste Code: U154
Waste Description: METHANOL (I) (OR) METHYL ALCOHOL (I)

Waste Code: U188
Waste Description: PHENOL

Waste Code: U200
Waste Description: RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-

Waste Code: U201
Waste Description: 1,3-BENZENEDIOL (OR) RESORCINOL

Waste Code: U206
Waste Description: D-GLUCOSE, 2-DEOXY-2-[[(METHYLNITROSOAMINO)-CARBONYL]AMINO]- (OR) GLUCOPYRANOSE, 2-DEOXY-2-(3-METHYL-3-NITROSOUREIDO)-,D- (OR) STREPTOZOTOCIN

Waste Code: U237
Waste Description: 2,4-(1H,3H)-PYRIMIDINEDIONE, 5-[BIS(2-CHLOROETHYL)AMINO]- (OR) URACIL MUSTARD

Waste Code: U279
Waste Description: U279

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: KTL CORP
Legal Status: Private
Date Became Current: 19920814
Date Ended Current: Not reported
Owner/Operator Address: 104 WILMOT RD MS#1434
Owner/Operator City,State,Zip: DEERFILED, IL 60015-0000
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: WALGREENS EASTERN CO INC
Legal Status: Private
Date Became Current: 19210223
Date Ended Current: Not reported
Owner/Operator Address: 104 WILMOT RD MS#1434
Owner/Operator City,State,Zip: DEERFILED, IL 60015-0000
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

WALGREENS 2760 (Continued) **1016957418**

Owner/Operator Indicator: Owner
Owner/Operator Name: WALGREEN CO
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 200 WILMOT RD
Owner/Operator City,State,Zip: DEERFIELD, IL 60015
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: WALGREEN CO
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 200 WILMOT RD
Owner/Operator City,State,Zip: DEERFIELD, IL 60015
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: WALGREENS EASTERN CO INC
Legal Status: Private
Date Became Current: 19210223
Date Ended Current: Not reported
Owner/Operator Address: 104 WILMOT RD MS#1434
Owner/Operator City,State,Zip: DEERFILED, IL 60015-0000
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: KTL CORP
Legal Status: Private
Date Became Current: 19920814
Date Ended Current: Not reported
Owner/Operator Address: 104 WILMOT RD MS#1434
Owner/Operator City,State,Zip: DEERFILED, IL 60015-0000
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20140605
Handler Name: WALGREENS 02760
Federal Waste Generator Description: Small Quantity Generator
State District Owner: MA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No

WALGREENS 2760 (Continued) **1016957418**

Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20190419
Handler Name: WALGREENS 02760
Federal Waste Generator Description: Not a generator, verified
State District Owner: MA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20210714
Handler Name: WALGREENS 2760
Federal Waste Generator Description: Small Quantity Generator
State District Owner: MA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 44611
NAICS Description: PHARMACIES AND DRUG STORES

NAICS Code: 446110
NAICS Description: PHARMACIES AND DRUG STORES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

D19 **PARKING LOT** **MA SHWS** **S103383733**
SSE **358 MEDFORD ST** **MA RELEASE** **N/A**
1/8-1/4 **SOMERVILLE, MA 02143**
0.224 mi.
1181 ft. **Site 3 of 3 in cluster D**

Relative: **Lower**
Actual: **31 ft.**

SHWS:
Name: PARKING LOT
Address: 358 MEDFORD ST
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0017076

PARKING LOT (Continued) **S103383733**

Source Type:	VEHICLE
Release Town:	SOMERVILLE
Notification Date:	07/23/1998
Category:	TWO HR
Associated ID:	Not reported
Current Status:	RAO
Status Date:	09/28/1998
Phase:	Not reported
Response Action Outcome:	A2
Oil Or Haz Material:	Oil

Release:

Name:	PARKING LOT
Address:	358 MEDFORD ST
City,State,Zip:	SOMERVILLE, MA 021430000
Release Tracking Number/Current Status:	3-0017076 / RAO
Primary ID:	Not reported
Official City:	SOMERVILLE
Notification:	07/23/1998
Category:	TWO HR
Status Date:	09/28/1998
Phase:	Not reported
Response Action Outcome:	A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil / Haz Material Type:	Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	7/23/1998
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	FLDISS
Action Date:	7/23/1998
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	RLFA
Action Status:	FLDD1U
Action Date:	7/23/1998
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	7/23/1998
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	8/6/1998

PARKING LOT (Continued) **S103383733**

Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 9/21/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 9/28/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Chemicals:
Chemical: DIESEL FUEL
Quantity: 40 gallons
Chemical: DIESEL FUEL
Quantity: 60 gallons
Location Type: MUNICIPAL
Location Type: INDUSTRIAL
Location Type: RIGHTOFWAY
Location Type: ROADWAY
Location Type: COMMERCIAL
Source: VEHICLE

20
ENE
1/8-1/4
0.226 mi.
1193 ft.

NO LOCATION AID **MA LUST S102404013**
338 BROADWAY **MA RELEASE N/A**
SOMERVILLE, MA

Relative: Lower
Actual: 61 ft.

LUST:

Facility:
Name: NO LOCATION AID
Address: 338 BROADWAY
City,State,Zip: SOMERVILLE, MA
Current Status: **Response Action Outcome**
Release Tracking Number/Current Status: 3-0014538 / RAO
Status Date: 11/26/1997
Source Type: UST
Release Town: SOMERVILLE
Notification Date: 11/22/1996
Category: 72 HR
Associated ID: Not reported
Phase: Not reported
Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil Or Haz Material: Oil

Location Type: COMMERCIAL
Source: UST

Click here to access the MA DEP site for this facility:

NO LOCATION AID (Continued) **S102404013**

Chemicals:
Chemical: FUEL OIL #2
Quantity: 200 parts per million
Chemical: HEATING OIL
Quantity: 200 parts per million

Actions:
Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 1/22/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 1/22/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: IRA Assessment Only
Action Date: 11/22/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 11/22/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 11/26/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 11/26/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: Fee Received - FMCRA Use Only
Action Date: 12/1/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 12/10/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received

NO LOCATION AID (Continued) **S102404013**

Action Date: 4/14/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 6/26/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Release:
Name: NO LOCATION AID
Address: 338 BROADWAY
City,State,Zip: SOMERVILLE, MA
Release Tracking Number/Current Status: 3-0014538 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 11/22/1996
Category: 72 HR
Status Date: 11/26/1997
Phase: Not reported
Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:
Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 1/22/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 1/22/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: IRA Assessment Only
Action Date: 11/22/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 11/22/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 11/26/1997

NO LOCATION AID (Continued) **S102404013**

Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 11/26/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: Fee Received - FMCRA Use Only
Action Date: 12/1/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 12/10/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 4/14/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 6/26/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Chemicals:
Chemical: FUEL OIL #2
Quantity: 200 parts per million
Chemical: HEATING OIL
Quantity: 200 parts per million
Location Type: COMMERCIAL
Source: UST

E21 **VERIZON MASSACHUSETTS #623206** **MA LUST U002007584**
WSW **111 CENTRAL ST** **MA UST N/A**
1/8-1/4 **SOMERVILLE, MA 02143** **MA RELEASE**
0.230 mi. **MA ASBESTOS**
1212 ft. **Site 1 of 4 in cluster E**

Relative: Lower

Actual: 50 ft.

LUST:

Facility:
Name: NEW ENGLAND TELEPHONE
Address: 111 CENTRAL ST
City,State,Zip: SOMERVILLE, MA 02143
Current Status: **Response Action Outcome**
Release Tracking Number/Current Status: 3-0004584 / RAO
Status Date: 10/23/1995
Source Type: UST
Release Town: SOMERVILLE

VERIZON MASSACHUSETTS #623206 (Continued) **U002007584**

Notification Date:	10/01/1993
Category:	NONE
Associated ID:	Not reported
Phase:	Not reported
Response Action Outcome:	A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil Or Haz Material:	Oil
Location Type:	UTILITY
Source:	UST

Click here to access the MA DEP site for this facility:

Chemicals:

Chemical:	PETROLEUM
Quantity:	Not reported

Actions:

Action Type:	Release Disposition
Action Status:	Valid Transition Site
Action Date:	10/1/1993
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	Response Action Outcome - RAO
Action Status:	RAO Statement Received
Action Date:	10/23/1995
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.

UST:

Facility:

Name:	VERIZON MASSACHUSETTS #623206
Address:	111 CENTRAL ST
City,State,Zip:	SOMERVILLE, MA 02143
Facility ID:	10884
Owner Id:	6309
Owner:	VERIZON NEW ENGLAND INC
Owner Address:	2 HAMPSHIRE ST
Owner City,St,Zip:	LAWRENCE, MA 01840
Telephone:	9786883028
Description:	Utilities
Facility address 2:	Not reported
Owner address 2:	Not reported
Latitude:	42.38993
Longitude:	-71.10194
Contact name:	William Irwin
Contact address1:	2 Hampshire Street
Contact address2:	Not reported
Contact city:	Lawrence
Contact state:	MA
Contact zip:	01840
Contact email:	b.irwin@verizon.com

VERIZON MASSACHUSETTS #623206 (Continued) **U002007584**

Update: 2016-05-05 00:00:00
Update by: Not reported
Fac status: OPEN

Name: VERIZON MASSACHUSETTS #623206
Address: 111 CENTRAL ST
City,State,Zip: SOMERVILLE, MA 02143
Facility ID: 10884
Owner Id: 6309
Owner: VERIZON NEW ENGLAND INC
Owner Address: 2 HAMPSHIRE ST
Owner City,St,Zip: LAWRENCE, MA 01840
Telephone: 9786883028
Description: Utilities
Facility address 2: Not reported
Owner address 2: Not reported
Latitude: 42.38993
Longitude: -71.10194
Contact name: William Irwin
Contact address1: 2 Hampshire Street
Contact address2: Not reported
Contact city: Lawrence
Contact state: MA
Contact zip: 01840
Contact email: b.irwin@verizon.com
Update: 2016-05-05 00:00:00
Update by: Not reported
Fac status: OPEN

Tank ID: 1
Tank Status: Tank Removed
Status Date: 11/15/1992
Date Installed: 01/01/1966
Capacity: 1000.00000
Contents: Diesel
Tank Usage: Not reported
Tank Leak Detection: Not reported
Pipe Leak Detection: Not reported
Latitude: Not reported
Longitude: Not reported
Tank construct: Not reported
Pipe construct: Not reported
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported

VERIZON MASSACHUSETTS #623206 (Continued) **U002007584**

Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 2
Tank Status: In Use
Status Date: 12/11/1992
Date Installed: 12/11/1992
Capacity: 2500.00000
Contents: Diesel
Tank Usage: Emergency
Tank Leak Detection: Continuous Interstitial Monitoring
Pipe Leak Detection: Continuous Interstitial Space Monitoring
Latitude: Not reported
Longitude: Not reported
Tank construct: Double-walled non-corrodible (including "composite") material (cathodic protection not required)
Pipe construct: Double-walled non-corrodible material (No corrosion protection required)
Ptype: Non-European suction System
Number of compartment: Not reported
Pipe install date: 12/11/1992
Pipe leak install date: 12/11/1992
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: Y
Turbine sump sensor: Y
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: 12/11/1992
Spill bucket sensor: Y
Overfill protect install: 12/11/1992
Overfill protect type: High level alarm
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Release:
Name: NEW ENGLAND TELEPHONE
Address: 111 CENTRAL ST
City,State,Zip: SOMERVILLE, MA 02143
Release Tracking Number/Current Status: 3-0004584 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 10/01/1993
Category: NONE
Status Date: 10/23/1995
Phase: Not reported
Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:
Action Type: Release Disposition
Action Status: Valid Transition Site

VERIZON MASSACHUSETTS #623206 (Continued) **U002007584**

Action Date:	10/1/1993
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	Response Action Outcome - RAO
Action Status:	RAO Statement Received
Action Date:	10/23/1995
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.

Chemicals:

Chemical:	PETROLEUM
Quantity:	Not reported
Location Type:	UTILITY
Source:	UST

ASBESTOS:

Name:	VERIZON FACILITY
Address:	111 CENTRAL STREET
City,State,Zip:	SOMERVILLE, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	05/09/2013
End Date:	05/10/2013
Date Entered:	Not reported
Entry Date:	05/09/2013
Quantity Materical Removed SF:	25.00
Quantity Material Removed LF:	50.00
Project Description:	Trns,WND CALK/GLZ
AR Tracking ID:	172959
Super Lic Number:	AS061366
Monitor Lic Number:	AA000006
Lab Lic Number:	AA000145
Year:	2013
Sticker Number:	100177293
Form Type:	ANF-001
Fee Status:	Exempt
Facility Phone:	Not reported
Sub Town:	Not reported
Worksite:	GENERATOR ROOM
Occupied:	-1
Contractor:	AC000097
Contract Type:	WRITTEN
Hours:	Week days: 6PM-2:30AM Week end: N/A
Project Type:	Renv
Abatement Process:	Glv,Fcontain
Location:	Indoors
Decon Process:	THREE COMPARTMENT DECONTAMINATION FACILITY WITH SHOWER STATION.
Disposal Methods:	DOUBLE BAGGED AND/OR FIBER DRUM; CONSOLIDATED AT PRIMESES, FINAL DISPOSAL.
Facility Usage:	COMMERCIAL FACILITY
Waiver Given:	Not reported
DEP Waiver Number:	1305971
DLWD Waiver Number:	6414-2013
Small Owner Occ:	5

VERIZON MASSACHUSETTS #623206 (Continued) **U002007584**

Owner Name:	VERIZON C/O ESIS, INC.
Owner Address:	33 ARCH STREET
Owner City:	BOSTON, MA
Owner State:	MA
On Site Manager Name:	BILL MCBIRNEY
On Site Manager Phone:	617 737 8996
Ins Comp:	Not reported
Policy Number:	Not reported
EXP Date:	Not reported
Facility Size:	Not reported
Transporter Name:	LVI ENVIRONMENTAL SERVICES INC.
Transporter Address:	401 S SECOND STREET
Transporter City:	EVERETT, MA
Transporter State:	Not reported
Final Site:	7
Certified Name:	WENDY CARIAS
Cert Sign Date:	05/09/2013
Certified Company:	LVI
Certified Phone:	6173898880
Entered_by:	mercedes.mitchell
Name:	VERIZON
Address:	111 CENTRAL STREET
City,State,Zip:	SOMERVILLE, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	06/05/2009
End Date:	06/05/2009
Date Entered:	Not reported
Entry Date:	05/21/2009
Quantity Materical Removed SF:	400.00
Quantity Material Removed LF:	.00
Project Description:	Trns
AR Tracking ID:	112938
Super Lic Number:	AS000510
Monitor Lic Number:	AA000006
Lab Lic Number:	AA000145
Year:	2009
Sticker Number:	100088855
Form Type:	ANF-001
Fee Status:	Fifty
Facility Phone:	Not reported
Sub Town:	Not reported
Worksite:	STAIRWELL FOYER 1ST FL
Occupied:	-1
Contractor:	AC000097
Contract Type:	WRITTEN
Hours:	Week days: 6PM-2PM Week end: N/A
Project Type:	Renv
Abatement Process:	Fcontain
Location:	Indoors
Decon Process:	3-CHAMBERED DECONTAMINATION FACILITY WITH SHOWER STATION.
Disposal Methods:	ACM WILL BE WET (HAND TO BAG) ACM WILL BE LABELED, PACKAGED & TRANSPORTED.
Facility Usage:	OFFICE
Waiver Given:	Not reported

VERIZON MASSACHUSETTS #623206 (Continued) **U002007584**

DEP Waiver Number:	Not reported
DLWD Waiver Number:	Not reported
Small Owner Occ:	5
Owner Name:	VERIZON C/O HYGIENETICS
Owner Address:	33 ARCH STREET
Owner City:	BOSTON, MA
Owner State:	MA
On Site Manager Name:	BILL MCBIRNEY
On Site Manager Phone:	617 737 8996
Ins Comp:	Not reported
Policy Number:	Not reported
EXP Date:	Not reported
Facility Size:	Not reported
Transporter Name:	LVI ENVIRONMENTAL SERVICES INC.
Transporter Address:	401 S SECOND STREET
Transporter City:	EVERETT, MA
Transporter State:	Not reported
Final Site:	39
Certified Name:	WENDY CARIAS
Cert Sign Date:	05/21/2009
Certified Company:	LVI
Certified Phone:	6173898880
Entered_by:	Not reported

Name:	VERIZON FACILITY
Address:	111 CENTRAL STREET
City,State,Zip:	SOMERVILLE, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	09/26/2016
End Date:	09/27/2016
Date Entered:	Not reported
Entry Date:	09/09/2016
Quantity Materical Removed SF:	350.00
Quantity Material Removed LF:	56.00
Project Description:	PIPEINSUL OTHER BREECHING INS/VAT/MASTIC
AR Tracking ID:	247933
Super Lic Number:	AS040279
Monitor Lic Number:	AA000052
Lab Lic Number:	AA000145
Year:	2016
Sticker Number:	100250544
Form Type:	ANF-001
Fee Status:	HUNDRED
Facility Phone:	0000000000
Sub Town:	Not reported
Worksite:	BASEMENT AREA
Occupied:	-1
Contractor:	AC000392
Contract Type:	WRITTEN
Hours:	7AM-3PM
Project Type:	Renv
Abatement Process:	Fcontain
Location:	INDOORS
Decon Process:	3 STAGE DECON WITH SHOWER STATION.
Disposal Methods:	DOUBLE BAGGED AND/OR FIBER DRUM; CONSOLIDATED AT PREMISES, FINAL

VERIZON MASSACHUSETTS #623206 (Continued) **U002007584**

	DISPOSAL.
Facility Usage:	COMMERCIAL
Waiver Given:	Not reported
DEP Waiver Number:	Not reported
DLWD Waiver Number:	Not reported
Small Owner Occ:	0
Owner Name:	VERIZON C/O ESIS INC
Owner Address:	33 ARCH STREET
Owner City:	BOSTON
Owner State:	MA
On Site Manager Name:	TOM MOODY
On Site Manager Phone:	0000000000
Ins Comp:	CHARTIS
Policy Number:	WC34157306
EXP Date:	7/1/2017
Facility Size:	0
Transporter Name:	NORTHEAST REMIDATION
Transporter Address:	25 STOREY AVENUE # 256
Transporter City:	NEWBURYPORT
Transporter State:	MA
Final Site:	Not reported
Certified Name:	WENDY CARIAS
Cert Sign Date:	09/09/2016
Certified Company:	NER
Certified Phone:	6173899188
Entered_by:	NORTHEAST

E22 **NYNEX** **RCRA NonGen / NLR** **1000690463**
WSW **111 CENTRAL ST** **FINDS** **MAD000639286**
1/8-1/4 **SOMERVILLE, MA 02143** **ECHO**
0.230 mi.
1212 ft. **Site 2 of 4 in cluster E**

Relative: **Lower**

Actual: **50 ft.**

RCRA Listings:

Date Form Received by Agency:	19801006
Handler Name:	Nynex
Handler Address:	111 CENTRAL ST
Handler City,State,Zip:	SOMERVILLE, MA 02143
EPA ID:	MAD000639286
Contact Name:	ALEX MACARTHUR
Contact Address:	99 HIGH ST
Contact City,State,Zip:	BOSTON, MA 02110
Contact Telephone:	617-743-5904
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	01
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	MA
State District:	N
Mailing Address:	99 HIGH ST
Mailing City,State,Zip:	BOSTON, MA 02110
Owner Name:	Nynex

NYNEX (Continued) **1000690463**

Owner Type:	Private
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20171020
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: NYNEX	
Legal Status:	Private
Date Became Current:	20041016
Date Ended Current:	Not reported
Owner/Operator Address:	99 HIGH ST
Owner/Operator City,State,Zip:	BOSTON, MA 02110
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

NYNEX (Continued) **1000690463**

Historic Generators:
Receive Date: 19801006
Handler Name: NYNEX
Federal Waste Generator Description: Not a generator, verified
State District Owner: MA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110003414742

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
MA-EPICS - Massachussetts Environmental Protection Integrated Computer System
Registry ID: 110070164455

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
MA-EPICS - Massachussetts Environmental Protection Integrated Computer System

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000690463
Registry ID: 110003414742
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110003414742
Name: NYNEX
Address: 111 CENTRAL ST
City,State,Zip: SOMERVILLE, MA 02143

E23 **COMMUNITY DEVELOPMENT PARCEL** **MA SHWS** **S108858832**
WSW **112A CENTRAL ST** **MA INST CONTROL** **N/A**
1/8-1/4 **SOMERVILLE, MA 02143** **MA RELEASE**
0.236 mi.
1245 ft. **Site 3 of 4 in cluster E**

Relative:
Lower

Actual:
47 ft.

SHWS:

Name:	COMMUNITY DEVELOPMENT PARCEL
Address:	112A CENTRAL ST
City,State,Zip:	SOMERVILLE, MA 021430000
Facility ID:	3-0027194
Source Type:	Not reported
Release Town:	SOMERVILLE
Notification Date:	10/18/2007
Category:	120 DY
Associated ID:	Not reported
Current Status:	RAO
Status Date:	12/29/2009
Phase:	Not reported
Response Action Outcome:	A3
Oil Or Haz Material:	Oil

INST CONTROL:

Name:	COMMUNITY DEVELOPMENT PARCEL
Address:	112A CENTRAL ST
City,State,Zip:	SOMERVILLE, MA 021430000
Release Tracking Number:	3-0027194
Action Type:	AUL
Action Stat:	LEGNOT
Action Date:	01/07/2010
Response Action Outcome:	A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Name:	COMMUNITY DEVELOPMENT PARCEL
Address:	112A CENTRAL ST
City,State,Zip:	SOMERVILLE, MA 021430000
Release Tracking Number:	3-0027194
Action Type:	AUL
Action Stat:	RECPT
Action Date:	12/28/2009
Response Action Outcome:	A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Name:	COMMUNITY DEVELOPMENT PARCEL
Address:	112A CENTRAL ST
City,State,Zip:	SOMERVILLE, MA 021430000
Release Tracking Number:	3-0027194
Action Type:	AUL
Action Stat:	SNAUDI
Action Date:	05/08/2013
Response Action Outcome:	A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Name:	COMMUNITY DEVELOPMENT PARCEL
Address:	112A CENTRAL ST
City,State,Zip:	SOMERVILLE, MA 021430000

COMMUNITY DEVELOPMENT PARCEL (Continued) **S108858832**

Release Tracking Number: 3-0027194
Action Type: AUL
Action Stat: TSAUD
Action Date: 05/08/2013
Response Action Outcome: A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Release:
Name: COMMUNITY DEVELOPMENT PARCEL
Address: 112A CENTRAL ST
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0027194 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 10/18/2007
Category: 120 DY
Status Date: 12/29/2009
Phase: Not reported
Response Action Outcome: A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:
Action Type: Activity and Use Limitation
Action Status: Legal Notice Published
Action Date: 1/7/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 10/18/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 10/18/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 10/27/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Tier Classification

COMMUNITY DEVELOPMENT PARCEL (Continued) **S108858832**

Action Status: Tier 2 Classification
Action Date: 10/27/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 10/27/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Phase 2
Action Status: Scope of Work Received
Action Date: 10/27/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 10/8/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 11/14/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: Level I - Technical Screen Audit
Action Date: 12/14/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Activity and Use Limitation
Action Status: Transmittal, Notice, or Notification Received
Action Date: 12/28/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 12/29/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Abatement Measure
Action Status: Fee Received - FMCRA Use Only

COMMUNITY DEVELOPMENT PARCEL (Continued) **S108858832**

Action Date: 5/15/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: An activity type that is related to an Audit
Action Status: NAFNVD
Action Date: 5/15/2013
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Abatement Measure
Action Status: Written Plan Received
Action Date: 5/16/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Abatement Measure
Action Status: Level I - Technical Screen Audit
Action Date: 5/29/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: RLFA
Action Status: FLDRUN
Action Date: 5/8/2013
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Activity and Use Limitation
Action Status: Level II - Audit Inspection
Action Date: 5/8/2013
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Activity and Use Limitation
Action Status: Level I - Technical Screen Audit
Action Date: 5/8/2013
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 6/25/2021
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSENT
Action Date: 8/12/2008

COMMUNITY DEVELOPMENT PARCEL (Continued) **S108858832**

Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Chemicals:
Chemical: C11 THRU C22 AROMATIC HYDROCARBONS
Quantity: 751 milligrams per kilogram

E24 SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA **US BROWNFIELDS 1016350335**
WSW 112A CENTRAL STREET **FINDS N/A**
1/8-1/4 SOMERVILLE, MA 2143
0.236 mi.
1245 ft. Site 4 of 4 in cluster E

Relative: Lower
Actual: 47 ft.

US BROWNFIELDS:
Name: SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA
Address: 112A CENTRAL STREET
Recipient name: Somerville, City of
Grant type: Cleanup
Region: 1
Property Number: Not reported
Parcel size: 1.5
Latitude: 42.390247
Longitude: -71.102295
HCM Label: Address Matching-House Number
Map Scale: Not reported
Point of Reference: Entrance Point of a Facility or Station
Highlights: Former Use: The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Datum: World Geodetic System of 1984
Acres Property ID: 70015
IC Data Access: Not reported
Start Date: 5/12/2008
Redev Completition Date: Not reported
Completed Date: 6/1/2008
Acres Cleaned Up: 1.5
Cleanup Funding: 124000
Cleanup Funding Source: EPA
Assessment Funding: Not reported
Assessment Funding Source: Not reported
Redevelopment Funding: Not reported
Redev. Funding Source: Not reported
Redev. Funding Entity Name: Not reported
Redevelopment Start Date: Not reported
Assessment Funding Entity: Not reported
Cleanup Funding Entity: US EPA - Brownfields Cleanup Cooperative Agreement
Grant Type: Hazardous
Accomplishment Type: Not reported
Accomplishment Count: Not reported
Cooperative Agreement Number: 97186101
Start Date: Not reported

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

Ownership Entity:	Government
Completion Date:	Not reported
Current Owner:	City of Somerville
Did Owner Change:	Y
Cleanup Required:	Y
Video Available:	N
Photo Available:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Y
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	1/7/2010
IC in place:	Y
State/tribal program date:	10/18/2007
State/tribal program ID:	3-0027194
State/tribal NFA date:	12/14/2010
Contaminant Found:	Lead Other Metals PAHs Petroleum Products
Contaminant Cleanup:	Lead Other Metals PAHs Petroleum Products
Media Affected:	Soil
Media Cleanup:	Soil
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	1.5
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	1.5
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Y
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Below Poverty Number:	2318
Below Poverty Percent:	13.03
Meidan Income:	9336
Meidan Income Number:	4821
Meidan Income Percent:	27.1
Vacant Housing Number:	456
Vacant Housing Percent:	5.5
Unemployed Number:	920
Unemployed Percent:	5.17

Name:	SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA
Address:	112A CENTRAL STREET
Recipient name:	Somerville, City of
Grant type:	Cleanup
Region:	1
Property Number:	Not reported

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

Parcel size:	1.5
Latitude:	42.390247
Longitude:	-71.102295
HCM Label:	Address Matching-House Number
Map Scale:	Not reported
Point of Reference:	Entrance Point of a Facility or Station
Highlights:	Former Use: The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Datum:	World Geodetic System of 1984
Acres Property ID:	70015
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous
Accomplishment Type:	Not reported
Accomplishment Count:	Not reported
Cooperative Agreement Number:	97186101
Start Date:	Not reported
Ownership Entity:	Government
Completion Date:	Not reported
Current Owner:	City of Somerville
Did Owner Change:	Y
Cleanup Required:	Y
Video Available:	N
Photo Available:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Y
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	1/7/2010
IC in place:	Y
State/tribal program date:	10/18/2007
State/tribal program ID:	3-0027194
State/tribal NFA date:	12/14/2010
Contaminant Found:	Lead Other Metals PAHs Petroleum Products
Contaminant Cleanup:	Lead Other Metals PAHs Petroleum Products
Media Affected:	Soil
Media Cleanup:	Soil

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	1.5
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	1.5
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Y
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Below Poverty Number:	2318
Below Poverty Percent:	13.03
Meidan Income:	9336
Meidan Income Number:	4821
Meidan Income Percent:	27.1
Vacant Housing Number:	456
Vacant Housing Percent:	5.5
Unemployed Number:	920
Unemployed Percent:	5.17

Name:	SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA
Address:	112A CENTRAL STREET
Recipient name:	Somerville, City of
Grant type:	Cleanup
Region:	1
Property Number:	Not reported
Parcel size:	1.5
Latitude:	42.390247
Longitude:	-71.102295
HCM Label:	Address Matching-House Number
Map Scale:	Not reported
Point of Reference:	Entrance Point of a Facility or Station
Highlights:	Former Use: The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Datum:	World Geodetic System of 1984
Acres Property ID:	70015
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous
Accomplishment Type:	Not reported
Accomplishment Count:	Not reported
Cooperative Agreement Number:	97186101
Start Date:	Not reported
Ownership Entity:	Government
Completion Date:	Not reported
Current Owner:	City of Somerville
Did Owner Change:	Y
Cleanup Required:	Y
Video Available:	N
Photo Available:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Y
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	1/7/2010
IC in place:	Y
State/tribal program date:	10/18/2007
State/tribal program ID:	3-0027194
State/tribal NFA date:	12/14/2010
Contaminant Found:	Lead Other Metals PAHs Petroleum Products
Contaminant Cleanup:	Lead Other Metals PAHs Petroleum Products
Media Affected:	Soil
Media Cleanup:	Soil
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	1.5
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	1.5
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Y
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Below Poverty Number:	2318

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

Below Poverty Percent:	13.03
Meidan Income:	9336
Meidan Income Number:	4821
Meidan Income Percent:	27.1
Vacant Housing Number:	456
Vacant Housing Percent:	5.5
Unemployed Number:	920
Unemployed Percent:	5.17
Name:	SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA
Address:	112A CENTRAL STREET
Recipient name:	Somerville, City of
Grant type:	Cleanup
Region:	1
Property Number:	Not reported
Parcel size:	1.5
Latitude:	42.390247
Longitude:	-71.102295
HCM Label:	Address Matching-House Number
Map Scale:	Not reported
Point of Reference:	Entrance Point of a Facility or Station
Highlights:	Former Use: The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Datum:	World Geodetic System of 1984
Acres Property ID:	70015
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous
Accomplishment Type:	Not reported
Accomplishment Count:	Not reported
Cooperative Agreement Number:	97186101
Start Date:	Not reported
Ownership Entity:	Government
Completion Date:	Not reported
Current Owner:	City of Somerville
Did Owner Change:	Y
Cleanup Required:	Y
Video Available:	N

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

Photo Available:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Y
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	1/7/2010
IC in place:	Y
State/tribal program date:	10/18/2007
State/tribal program ID:	3-0027194
State/tribal NFA date:	12/14/2010
Contaminant Found:	Lead Other Metals PAHs Petroleum Products
Contaminant Cleanup:	Lead Other Metals PAHs Petroleum Products
Media Affected:	Soil
Media Cleanup:	Soil
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	1.5
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	1.5
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Y
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Below Poverty Number:	2318
Below Poverty Percent:	13.03
Meidan Income:	9336
Meidan Income Number:	4821
Meidan Income Percent:	27.1
Vacant Housing Number:	456
Vacant Housing Percent:	5.5
Unemployed Number:	920
Unemployed Percent:	5.17

Name:	SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA
Address:	112A CENTRAL STREET
Recipient name:	Somerville, City of
Grant type:	Cleanup
Region:	1
Property Number:	Not reported
Parcel size:	1.5
Latitude:	42.390247
Longitude:	-71.102295
HCM Label:	Address Matching-House Number
Map Scale:	Not reported
Point of Reference:	Entrance Point of a Facility or Station

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

Highlights:	Former Use: The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Datum:	World Geodetic System of 1984
Acres Property ID:	70015
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	9/30/2008
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	8000
Redev. Funding Source:	Groundwork Somerville
Redev. Funding Entity Name:	Private/Other Funding
Redevelopment Start Date:	5/12/2008
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous
Accomplishment Type:	Not reported
Accomplishment Count:	Not reported
Cooperative Agreement Number:	97186101
Start Date:	Not reported
Ownership Entity:	Government
Completion Date:	Not reported
Current Owner:	City of Somerville
Did Owner Change:	Y
Cleanup Required:	Y
Video Available:	N
Photo Available:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Y
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	1/7/2010
IC in place:	Y
State/tribal program date:	10/18/2007
State/tribal program ID:	3-0027194
State/tribal NFA date:	12/14/2010
Contaminant Found:	Lead Other Metals PAHs Petroleum Products
Contaminant Cleanup:	Lead Other Metals PAHs Petroleum Products
Media Affected:	Soil
Media Cleanup:	Soil
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	1.5
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	1.5

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Y
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Below Poverty Number:	2318
Below Poverty Percent:	13.03
Meidan Income:	9336
Meidan Income Number:	4821
Meidan Income Percent:	27.1
Vacant Housing Number:	456
Vacant Housing Percent:	5.5
Unemployed Number:	920
Unemployed Percent:	5.17

Name:	SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA
Address:	112A CENTRAL STREET
Recipient name:	Somerville, City of
Grant type:	Cleanup
Region:	1
Property Number:	Not reported
Parcel size:	1.5
Latitude:	42.390247
Longitude:	-71.102295
HCM Label:	Address Matching-House Number
Map Scale:	Not reported
Point of Reference:	Entrance Point of a Facility or Station
Highlights:	Former Use: The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Datum:	World Geodetic System of 1984
Acres Property ID:	70015
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	9/30/2008
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	113000
Redev. Funding Source:	CDBG

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

Redev. Funding Entity Name:	Other Federal Funding
Redevelopment Start Date:	5/12/2008
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous
Accomplishment Type:	Not reported
Accomplishment Count:	Not reported
Cooperative Agreement Number:	97186101
Start Date:	Not reported
Ownership Entity:	Government
Completion Date:	Not reported
Current Owner:	City of Somerville
Did Owner Change:	Y
Cleanup Required:	Y
Video Available:	N
Photo Available:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Y
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	1/7/2010
IC in place:	Y
State/tribal program date:	10/18/2007
State/tribal program ID:	3-0027194
State/tribal NFA date:	12/14/2010
Contaminant Found:	Lead Other Metals PAHs Petroleum Products
Contaminant Cleanup:	Lead Other Metals PAHs Petroleum Products
Media Affected:	Soil
Media Cleanup:	Soil
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	1.5
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	1.5
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Y
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Below Poverty Number:	2318
Below Poverty Percent:	13.03
Meidan Income:	9336
Meidan Income Number:	4821
Meidan Income Percent:	27.1
Vacant Housing Number:	456
Vacant Housing Percent:	5.5

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

Unemployed Number:	920
Unemployed Percent:	5.17
Name:	SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA
Address:	112A CENTRAL STREET
Recipient name:	Somerville, City of
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	1.5
Latitude:	42.390247
Longitude:	-71.102295
HCM Label:	Address Matching-House Number
Map Scale:	Not reported
Point of Reference:	Entrance Point of a Facility or Station
Highlights:	Former Use: The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Datum:	World Geodetic System of 1984
Acres Property ID:	70015
IC Data Access:	Not reported
Start Date:	5/15/2008
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	1.5
Cleanup Funding:	57000
Cleanup Funding Source:	EPA
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Other Federal Funding
Grant Type:	Hazardous
Accomplishment Type:	Not reported
Accomplishment Count:	Not reported
Cooperative Agreement Number:	97133401
Start Date:	Not reported
Ownership Entity:	Government
Completion Date:	Not reported
Current Owner:	City of Somerville
Did Owner Change:	Y
Cleanup Required:	Y
Video Available:	N
Photo Available:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Y
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

IC in place date:	1/7/2010
IC in place:	Y
State/tribal program date:	10/18/2007
State/tribal program ID:	3-0027194
State/tribal NFA date:	12/14/2010
Contaminant Found:	Lead Other Metals PAHs Petroleum Products
Contaminant Cleanup:	Lead Other Metals PAHs Petroleum Products
Media Affected:	Soil
Media Cleanup:	Soil
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	1.5
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	1.5
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Y
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Below Poverty Number:	2318
Below Poverty Percent:	13.03
Meidan Income:	9336
Meidan Income Number:	4821
Meidan Income Percent:	27.1
Vacant Housing Number:	456
Vacant Housing Percent:	5.5
Unemployed Number:	920
Unemployed Percent:	5.17

Name:	SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA
Address:	112A CENTRAL STREET
Recipient name:	Somerville, City of
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	1.5
Latitude:	42.390247
Longitude:	-71.102295
HCM Label:	Address Matching-House Number
Map Scale:	Not reported
Point of Reference:	Entrance Point of a Facility or Station
Highlights:	Former Use: The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

	purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Datum:	World Geodetic System of 1984
Acres Property ID:	70015
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous
Accomplishment Type:	Not reported
Accomplishment Count:	Not reported
Cooperative Agreement Number:	97133401
Start Date:	Not reported
Ownership Entity:	Government
Completion Date:	Not reported
Current Owner:	City of Somerville
Did Owner Change:	Y
Cleanup Required:	Y
Video Available:	N
Photo Available:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Y
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	1/7/2010
IC in place:	Y
State/tribal program date:	10/18/2007
State/tribal program ID:	3-0027194
State/tribal NFA date:	12/14/2010
Contaminant Found:	Lead Other Metals PAHs Petroleum Products
Contaminant Cleanup:	Lead Other Metals PAHs Petroleum Products
Media Affected:	Soil
Media Cleanup:	Soil
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	1.5
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	1.5
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Y
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

Property Description:	The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Below Poverty Number:	2318
Below Poverty Percent:	13.03
Meidan Income:	9336
Meidan Income Number:	4821
Meidan Income Percent:	27.1
Vacant Housing Number:	456
Vacant Housing Percent:	5.5
Unemployed Number:	920
Unemployed Percent:	5.17
Name:	SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA
Address:	112A CENTRAL STREET
Recipient name:	Somerville, City of
Grant type:	Cleanup
Region:	1
Property Number:	Not reported
Parcel size:	1.5
Latitude:	42.390247
Longitude:	-71.102295
HCM Label:	Address Matching-House Number
Map Scale:	Not reported
Point of Reference:	Entrance Point of a Facility or Station
Highlights:	Former Use: The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Datum:	World Geodetic System of 1984
Acres Property ID:	70015
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	9/30/2008
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	10000
Redev. Funding Source:	Robert Wood Johnson Foundation
Redev. Funding Entity Name:	Private/Other Funding
Redevelopment Start Date:	5/12/2008
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous
Accomplishment Type:	Not reported

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

Accomplishment Count:	Not reported
Cooperative Agreement Number:	97186101
Start Date:	Not reported
Ownership Entity:	Government
Completion Date:	Not reported
Current Owner:	City of Somerville
Did Owner Change:	Y
Cleanup Required:	Y
Video Available:	N
Photo Available:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Y
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	1/7/2010
IC in place:	Y
State/tribal program date:	10/18/2007
State/tribal program ID:	3-0027194
State/tribal NFA date:	12/14/2010
Contaminant Found:	Lead Other Metals PAHs Petroleum Products
Contaminant Cleanup:	Lead Other Metals PAHs Petroleum Products
Media Affected:	Soil
Media Cleanup:	Soil
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	1.5
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	1.5
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Y
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Below Poverty Number:	2318
Below Poverty Percent:	13.03
Meidan Income:	9336
Meidan Income Number:	4821
Meidan Income Percent:	27.1
Vacant Housing Number:	456
Vacant Housing Percent:	5.5
Unemployed Number:	920
Unemployed Percent:	5.17
Name:	SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA
Address:	112A CENTRAL STREET
Recipient name:	Somerville, City of

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

Grant type:	Cleanup
Region:	1
Property Number:	Not reported
Parcel size:	1.5
Latitude:	42.390247
Longitude:	-71.102295
HCM Label:	Address Matching-House Number
Map Scale:	Not reported
Point of Reference:	Entrance Point of a Facility or Station
Highlights:	Former Use: The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Datum:	World Geodetic System of 1984
Acres Property ID:	70015
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	9/30/2008
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	192000
Redev. Funding Source:	Urban Self Help Grant
Redev. Funding Entity Name:	State/Tribal Funding (non-section 128(a))
Redevelopment Start Date:	5/12/2008
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous
Accomplishment Type:	Not reported
Accomplishment Count:	Not reported
Cooperative Agreement Number:	97186101
Start Date:	Not reported
Ownership Entity:	Government
Completion Date:	Not reported
Current Owner:	City of Somerville
Did Owner Change:	Y
Cleanup Required:	Y
Video Available:	N
Photo Available:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Y
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	1/7/2010
IC in place:	Y
State/tribal program date:	10/18/2007
State/tribal program ID:	3-0027194
State/tribal NFA date:	12/14/2010
Contaminant Found:	Lead Other Metals PAHs Petroleum Products

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

Contaminant Cleanup:	Lead Other Metals PAHs Petroleum Products
Media Affected:	Soil
Media Cleanup:	Soil
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	1.5
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	1.5
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Y
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Below Poverty Number:	2318
Below Poverty Percent:	13.03
Meidan Income:	9336
Meidan Income Number:	4821
Meidan Income Percent:	27.1
Vacant Housing Number:	456
Vacant Housing Percent:	5.5
Unemployed Number:	920
Unemployed Percent:	5.17

Click this hyperlink while viewing on your computer to access
1 additional US BROWNFIELDS: record(s) in the EDR Site Report.

Name:	SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA
Address:	112A CENTRAL STREET
Recipient name:	Somerville, City of
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	1.5
Latitude:	42.390247
Longitude:	-71.102295
HCM Label:	Address Matching-House Number
Map Scale:	Not reported
Point of Reference:	Entrance Point of a Facility or Station
Highlights:	Former Use: The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.
Datum:	World Geodetic System of 1984

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

Acres Property ID:	70015
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	37640
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous
Accomplishment Type:	Phase II Environmental Assessment
Accomplishment Count:	N
Cooperative Agreement Number:	97133401
Start Date:	4/19/2007
Ownership Entity:	Government
Completion Date:	Not reported
Current Owner:	City of Somerville
Did Owner Change:	Y
Cleanup Required:	Y
Video Available:	N
Photo Available:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Y
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	1/7/2010
IC in place:	Y
State/tribal program date:	10/18/2007
State/tribal program ID:	3-0027194
State/tribal NFA date:	12/14/2010
Contaminant Found:	Lead Other Metals PAHs Petroleum Products
Contaminant Cleanup:	Lead Other Metals PAHs Petroleum Products
Media Affected:	Soil
Media Cleanup:	Soil
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	1.5
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	1.5
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Y
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The eastern half of the Site is paved and used as overflow parking by the Cambridge Health Alliance and Somerville Hospital. The western portion of the Site is undeveloped. A dirt walking path extends

SOMERVILLE COMMUNITY PATH PARK, PHASE I AREA (Continued) **1016350335**

through the area adjacent to the northern boundary. Several mounds of debris including concrete, asphalt, and wood are located in this western area. The City of Somerville purchased the Site on June 30, 2007 for the purpose of redeveloping it into a passive recreation park and paved bicycle trail.

Below Poverty Number:	2318
Below Poverty Percent:	13.03
Meidan Income:	9336
Meidan Income Number:	4821
Meidan Income Percent:	27.1
Vacant Housing Number:	456
Vacant Housing Percent:	5.5
Unemployed Number:	920
Unemployed Percent:	5.17

Click this hyperlink while viewing on your computer to access
1 additional US BROWNFIELDS: record(s) in the EDR Site Report.

FINDS:
Registry ID: 110039062796

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is an federal online database for Brownfields Grantees to electronically submit data directly to EPA.

Click this hyperlink while viewing on your computer to access
additional FINDS: detail in the EDR Site Report.

F25 **GOOD GAS** **MA LUST** **1000768767**
SSE **345 MEDFORD ST** **MA UST** **N/A**
1/8-1/4 **SOMERVILLE, MA 02145** **MA AST**
0.241 mi. **MA RELEASE**
1272 ft. **Site 1 of 3 in cluster F** **MA HW GEN**

Relative: Lower

Actual: 31 ft.

LUST:

Facility:

Name:	PROPERTY
Address:	345 MEDFORD ST
City,State,Zip:	SOMERVILLE, MA 021430000
Current Status:	**Response Action Outcome**
Release Tracking Number/Current Status:	3-0003191 / RAO
Status Date:	09/16/1998
Source Type:	UST
Release Town:	SOMERVILLE
Notification Date:	05/15/1990
Category:	NONE
Associated ID:	Not reported
Phase:	PHASE II
Response Action Outcome:	A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil Or Haz Material:	Oil
Location Type:	GASSTATION
Source:	UST

GOOD GAS (Continued) **1000768767**

Click here to access the MA DEP site for this facility:

Chemicals:
Chemical: VOCS
Quantity: Not reported

Actions:
Action Type: Release Abatement Measure
Action Status: Modified Revised or Updated Plan Received
Action Date: 12/17/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 5/15/1990
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Valid Transition Site
Action Date: 5/15/1990
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Written Plan Received
Action Date: 7/2/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: TREGS
Action Status: LSPFA
Action Date: 8/7/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 8/8/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 8/8/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 8/8/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

GOOD GAS (Continued) **1000768767**

Action Type:	Response Action Outcome - RAO
Action Status:	RAO Statement Received
Action Date:	9/16/1998
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.

UST:

Facility:

Name:	GOOD GAS
Address:	345 MEDFORD ST
City,State,Zip:	SOMERVILLE, MA 02143
Facility ID:	10910
Owner Id:	10225
Owner:	PCJ AUTO SERVICE INC
Owner Address:	345 MEDFORD ST
Owner City,St,Zip:	SOMERVILLE, MA 02143
Telephone:	6177760590
Description:	Retail Motor Vehicle Fuel
Facility address 2:	Not reported
Owner address 2:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Contact name:	rafael castillo
Contact address1:	345 medford st
Contact address2:	Not reported
Contact city:	somerville
Contact state:	MA
Contact zip:	02145
Contact email:	goodgassomerville@hotmail.com
Update:	2019-12-20 00:00:00
Update by:	Erin Swallow
Fac status:	OPEN

Tank ID:	1
Tank Status:	**Tank Removed**
Status Date:	09/09/1997
Date Installed:	05/02/1976
Capacity:	8000.00000
Contents:	Gasoline
Tank Usage:	Motor Vehi
Tank Leak Detection:	Manual Tank Gauging (1,000G or more capacity tank)
Pipe Leak Detection:	Continuous Interstitial Space Monitoring
Latitude:	Not reported
Longitude:	Not reported
Tank construct:	Single-walled metal tank (cathodic protection required)
Pipe construct:	Double-walled non-corrodible material (No corrosion protection required)
Ptype:	Not reported
Number of compartment:	Not reported
Pipe install date:	Not reported
Pipe leak install date:	Not reported
Submersible sump:	N
Submersible sump install date:	Not reported
Turbine sump:	N
Turbine sump sensor:	N

GOOD GAS (Continued) **1000768767**

Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 2
Tank Status: **Tank Removed**
Status Date: 09/09/1997
Date Installed: 05/02/1976
Capacity: 2000.00000
Contents: Gasoline
Tank Usage: Motor Vehi
Tank Leak Detection: Manual Tank Gauging (1,000G or more capacity tank)
Pipe Leak Detection: Continuous Interstitial Space Monitoring
Latitude: Not reported
Longitude: Not reported
Tank construct: Single-walled metal tank (cathodic protection required)
Pipe construct: Double-walled non-corrodible material (No corrosion protection required)
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 3
Tank Status: **Tank Removed**
Status Date: 09/09/1997
Date Installed: 05/02/1976
Capacity: 4000.00000
Contents: Gasoline
Tank Usage: Motor Vehi
Tank Leak Detection: Manual Tank Gauging (1,000G or more capacity tank)
Pipe Leak Detection: Continuous Interstitial Space Monitoring
Latitude: Not reported
Longitude: Not reported
Tank construct: Single-walled metal tank (cathodic protection required)
Pipe construct: Double-walled non-corrodible material (No corrosion protection required)
Ptype: Not reported

GOOD GAS (Continued) **1000768767**

Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 4
Tank Status: Tank Removed
Status Date: 08/03/1997
Date Installed: 05/02/1976
Capacity: 500.00000
Contents: Waste Oil
Tank Usage: Not reported
Tank Leak Detection: Manual Tank Gauging (1,000G or less capacity tank)
Pipe Leak Detection: Not reported
Latitude: Not reported
Longitude: Not reported
Tank construct: Single-walled metal tank (cathodic protection required)
Pipe construct: Single-walled metal (Corrosion protection required)
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 5
Tank Status: In Use
Status Date: Not reported
Date Installed: 09/01/1997
Capacity: 10000.00000
Contents: Gasoline
Tank Usage: Motor Vehi

GOOD GAS (Continued) **1000768767**

Tank Leak Detection: Continuous Interstitial Monitoring
Pipe Leak Detection: Continuous Interstitial Space Monitoring
Latitude: Not reported
Longitude: Not reported
Tank construct: Double-walled non-corrodible (including "composite") material (cathodic protection not required)
Pipe construct: Double-walled non-corrodible material (No corrosion protection required)
Ptype: Pressurized piping system with mechanical automatic line leak detection
Number of compartment: Not reported
Pipe install date: 09/01/1997
Pipe leak install date: Not reported
Submersible sump: Y
Submersible sump install date: Not reported
Turbine sump: Y
Turbine sump sensor: Y
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Ball Float
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 6
Tank Status: In Use
Status Date: Not reported
Date Installed: 09/01/1997
Capacity: 5000.00000
Contents: Gasoline
Tank Usage: Motor Vehi
Tank Leak Detection: Continuous Interstitial Monitoring
Pipe Leak Detection: Continuous Interstitial Space Monitoring
Latitude: Not reported
Longitude: Not reported
Tank construct: Double-walled non-corrodible (including "composite") material (cathodic protection not required)
Pipe construct: Double-walled non-corrodible material (No corrosion protection required)
Ptype: Pressurized piping system with mechanical automatic line leak detection
Number of compartment: Not reported
Pipe install date: 09/01/1997
Pipe leak install date: Not reported
Submersible sump: Y
Submersible sump install date: Not reported
Turbine sump: Y
Turbine sump sensor: Y
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Ball Float
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

GOOD GAS (Continued) **1000768767**

Tank ID: 7
Tank Status: **In Use**
Status Date: Not reported
Date Installed: 09/01/1997
Capacity: 5000.00000
Contents: Gasoline
Tank Usage: Motor Vehi
Tank Leak Detection: Continuous Interstitial Monitoring
Pipe Leak Detection: Continuous Interstitial Space Monitoring
Latitude: Not reported
Longitude: Not reported
Tank construct: Double-walled non-corrodible (including "composite") material (cathodic protection not required)
Pipe construct: Double-walled non-corrodible material (No corrosion protection required)
Ptype: Pressurized piping system with mechanical automatic line leak detection
Number of compartment: 2
Pipe install date: 09/01/1997
Pipe leak install date: Not reported
Submersible sump: Y
Submersible sump install date: Not reported
Turbine sump: Y
Turbine sump sensor: Y
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Ball Float
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 8
Tank Status: **Tank Removed**
Status Date: 01/01/2017
Date Installed: Not reported
Capacity: 250.00000
Contents: Waste Oil
Tank Usage: Not reported
Tank Leak Detection: Not reported
Pipe Leak Detection: Not reported
Latitude: Not reported
Longitude: Not reported
Tank construct: Single-walled metal tank (cathodic protection required)
Pipe construct: Single-walled metal (Corrosion protection required)
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N

GOOD GAS (Continued) **1000768767**

Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

AST:

Facility ID:	126712
Name:	GOOD GAS
Address:	345 MEDFORD ST
City,State,Zip:	SOMERVILLE, MA 02145-0000
Owner ID:	Not reported
Owner Address:	Not reported
Owner City:	Not reported
Owner State:	Not reported
Owner Zip:	Not reported
Owner Name:	PCJ AUTO SERVICE INC
Tank Type:	UST
Class:	STG1
Stage I Type:	Dual-Point
CARB # or System Type:	Pre-EVR/EVR
Test Cycle:	Annual
Date Form Mailed:	07/20/2022
Test Date:	10/10/2022
Postmark Date:	10/27/2022
Due Date:	11/16/2022
Product Type:	Slip-on
Vapor Type:	Slip-on
Form:	FormC
Form Rcvd and Complete:	Complete
Description:	Not reported
Telephone:	Not reported
Fire Department:	Not reported
Date of Inspection:	Not reported
Inspector:	Not reported
Overfill Prevention:	Not reported
Tank ID:	Not reported
Serial Number:	Not reported
Spill Prevention:	Not reported
Tank Status:	Not reported
Capacity:	Not reported
Contents:	Not reported
Tank Use:	Not reported
Tank Material:	Not reported
Tank Construction:	Not reported
Tank Leak Detection:	Not reported
Pipe Material:	Not reported
Pipe Construction:	Not reported
Pipe Leak Detection:	Not reported
Aboveground:	Not reported

Release:

Name:	PROPERTY
Address:	345 MEDFORD ST
City,State,Zip:	SOMERVILLE, MA 021430000
Release Tracking Number/Current Status:	3-0003191 / RAO

GOOD GAS (Continued) **1000768767**

Primary ID:	Not reported
Official City:	SOMERVILLE
Notification:	05/15/1990
Category:	NONE
Status Date:	09/16/1998
Phase:	Not reported
Response Action Outcome:	A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil / Haz Material Type:	Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type:	Release Abatement Measure
Action Status:	Modified Revised or Updated Plan Received
Action Date:	12/17/1997
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	5/15/1990
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	Release Disposition
Action Status:	Valid Transition Site
Action Date:	5/15/1990
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	7/2/1997
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	TREGS
Action Status:	LSPFA
Action Date:	8/7/1996
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	8/8/1996
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	8/8/1996
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received

GOOD GAS (Continued) **1000768767**

Action Date: 8/8/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 9/16/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Chemicals:
Chemical: VOCS
Quantity: Not reported
Location Type: GASSTATION
Source: UST

HW GEN:
Name: PCJ AUTO SERVICE INC
Address: 345 MEDFORD ST
City,State,Zip: SOMERVILLE, MA 02145
EPA Id: MAD040180119
RCRA Generator Status: Not reported
State Generator Status: SQG-MA

F26 **PCJ AUTO SERVICE INC** **RCRA NonGen / NLR** **1000881567**
SSE **345 MEDFORD ST** **MAD040180119**
1/8-1/4 **SOMERVILLE, MA 02145**
0.241 mi.
1272 ft. **Site 2 of 3 in cluster F**

Relative: **Lower**
Actual: **31 ft.**

RCRA Listings:
Date Form Received by Agency: 20091012
Handler Name: Pcj Auto Service Inc
Handler Address: 345 MEDFORD ST
Handler City,State,Zip: SOMERVILLE, MA 02145
EPA ID: MAD040180119
Contact Name: RAFAEL CASTILLO
Contact Address: 345 MEDFORD ST
Contact City,State,Zip: SOMERVILLE, MA 02145-0000
Contact Telephone: 617-776-0590
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 01
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: State-specific Activities
State District Owner: MA
State District: N
Mailing Address: 345 MEDFORD ST
Mailing City,State,Zip: SOMERVILLE, MA 02145-0000
Owner Name: Rafael Castillo
Owner Type: Private
Operator Name: Rafael Castillo

PCJ AUTO SERVICE INC (Continued) **1000881567**

Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	--Y
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20171020
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D008
Waste Description:	LEAD

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CLODOMIROFVICENTE
Legal Status:	Private
Date Became Current:	20041016
Date Ended Current:	Not reported

PCJ AUTO SERVICE INC (Continued) **1000881567**

Owner/Operator Address:	345 MEDFORD ST
Owner/Operator City,State,Zip:	SOMERVILLE, MA 02145
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: RAFAEL CASTILLO	
Legal Status:	Private
Date Became Current:	20080602
Date Ended Current:	Not reported
Owner/Operator Address:	345 MEDFORD ST
Owner/Operator City,State,Zip:	SOMERVILLE, MA 02145-0000
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: RAFAEL CASTILLO	
Legal Status:	Private
Date Became Current:	20080602
Date Ended Current:	Not reported
Owner/Operator Address:	345 MEDFORD ST
Owner/Operator City,State,Zip:	SOMERVILLE, MA 02145-0000
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: VINCENTE BROTHERS INC	
Legal Status:	Private
Date Became Current:	19911208
Date Ended Current:	Not reported
Owner/Operator Address:	345 MEDFORD ST
Owner/Operator City,State,Zip:	SOMERVILLE, MA 02145
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19861005
Handler Name: PCJ AUTO SERVICE INC	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	MA
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

PCJ AUTO SERVICE INC (Continued) **1000881567**

Receive Date: 20091012
Handler Name: PCJ AUTO SERVICE INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: MA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 44711
NAICS Description: GASOLINE STATIONS WITH CONVENIENCE STORES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

27
ENE
1/8-1/4
0.243 mi.
1285 ft.

NO LOCATION AID
324 BROADWAY
SOMERVILLE, MA

MA SHWS **S103811997**
MA RELEASE **N/A**

Relative:
Lower

Actual:
52 ft.

SHWS:
Name: NO LOCATION AID
Address: 324 BROADWAY
City,State,Zip: SOMERVILLE, MA
Facility ID: 3-0017887
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 01/22/1999
Category: TWO HR
Associated ID: Not reported
Current Status: RAO
Status Date: 05/24/1999
Phase: Not reported
Response Action Outcome: A1
Oil Or Haz Material: Oil

Release:
Name: NO LOCATION AID
Address: 324 BROADWAY
City,State,Zip: SOMERVILLE, MA
Release Tracking Number/Current Status: 3-0017887 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 01/22/1999
Category: TWO HR
Status Date: 05/24/1999

NO LOCATION AID (Continued) **S103811997**

Phase: Not reported
Response Action Outcome: A1 - A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 1/22/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: RLFA
Action Status: FLDD1A
Action Date: 1/22/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: FLDISS
Action Date: 1/22/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 1/22/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 2/3/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 3/17/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 3/18/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 3/26/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Response Action Outcome - RAO

NO LOCATION AID (Continued) **S103811997**

Action Status:	RAO Statement Received
Action Date:	5/24/1999
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Action Type:	Immediate Response Action
Action Status:	Completion Statement Received
Action Date:	5/24/1999
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Chemicals:

Chemical:	FUEL OIL #2
Quantity:	Not reported
Chemical:	HEATING OIL
Quantity:	Not reported
Location Type:	COMMERCIAL
Source:	UNKNOWN

F28 **NO LOCATION AID** **MA SHWS S102085449**
SSE **343 MEDFORD ST** **MA RELEASE N/A**
1/8-1/4 **SOMERVILLE, MA 02145** **MA ASBESTOS**
0.245 mi.
1294 ft. **Site 3 of 3 in cluster F**

Relative:
Lower

Actual:
31 ft.

SHWS:

Name:	NO LOCATION AID
Address:	343 MEDFORD ST
City,State,Zip:	SOMERVILLE, MA 021450000
Facility ID:	3-0010851
Source Type:	Not reported
Release Town:	SOMERVILLE
Notification Date:	03/02/1995
Category:	120 DY
Associated ID:	Not reported
Current Status:	DPS
Status Date:	10/01/1996
Phase:	Not reported
Response Action Outcome:	Not reported
Oil Or Haz Material:	Oil

Release:

Name:	NO LOCATION AID
Address:	343 MEDFORD ST
City,State,Zip:	SOMERVILLE, MA 021450000
Release Tracking Number/Current Status:	3-0010851 / DPS
Primary ID:	Not reported
Official City:	SOMERVILLE
Notification:	03/02/1995
Category:	120 DY
Status Date:	10/01/1996
Phase:	Not reported
Response Action Outcome:	-
Oil / Haz Material Type:	Oil

NO LOCATION AID (Continued) **S102085449**

Click here to access the MA DEP site for this facility:

Actions:

Action Type:	Downgradient Property Status
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	10/1/1996
Response Action Outcome:	Not reported

Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	3/10/1995
Response Action Outcome:	Not reported

Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	3/2/1995
Response Action Outcome:	Not reported

Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	3/2/1995
Response Action Outcome:	Not reported

Action Type:	Downgradient Property Status
Action Status:	Fee Received - FMCRA Use Only
Action Date:	9/30/1996
Response Action Outcome:	Not reported

Chemicals:

Chemical:	TPH
Quantity:	Not reported

ASBESTOS:

Name:	MALTA REALTY TRUST
Address:	343 MEDFORD ST
City,State,Zip:	SOMERVILLE, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	03/27/2008
End Date:	03/31/2008
Date Entered:	Not reported
Entry Date:	03/13/2008
Quantity Materical Removed SF:	80.00
Quantity Material Removed LF:	250.00
Project Description:	Blr,Spr
AR Tracking ID:	95578
Super Lic Number:	AS032660
Monitor Lic Number:	AM060297
Lab Lic Number:	AA000131
Year:	2008
Sticker Number:	100069154
Form Type:	ANF-001
Fee Status:	Fifty
Facility Phone:	7818905855
Sub Town:	Not reported

NO LOCATION AID (Continued) **S102085449**

Worksite:	BASEMENT
Occupied:	-1
Contractor:	AC000438
Contract Type:	VERBAL
Hours:	Week days: 8-5:PM Week end: 8-5:PM
Project Type:	Renv
Abatement Process:	Glv,Encl
Location:	Indoors
Decon Process:	THREE CHAMBERS
Disposal Methods:	WET AND DOUBLE BAGGED, SIX MIL, OSHA & GENERATOR LABELS CLOSED, CONTAINER
Facility Usage:	COMMERCIAL
Waiver Given:	Not reported
DEP Waiver Number:	Not reported
DLWD Waiver Number:	Not reported
Small Owner Occ:	5
Owner Name:	MALTA REALTY TRUST
Owner Address:	235 BEAR HILL RD
Owner City:	WALTHAM
Owner State:	MA
On Site Manager Name:	Not reported
On Site Manager Phone:	Not reported
Ins Comp:	Not reported
Policy Number:	Not reported
EXP Date:	Not reported
Facility Size:	6,000
Transporter Name:	IMPRESAIR ENVIRONMENTAL
Transporter Address:	23 ASH AVE # 2
Transporter City:	SOMERVILLE
Transporter State:	Not reported
Final Site:	47
Certified Name:	SILVIA DEOLIVEIRA
Cert Sign Date:	03/13/2008
Certified Company:	IMPRESAIR ENV.
Certified Phone:	6176257106
Entered_by:	Not reported

29
East
1/4-1/2
0.260 mi.
1371 ft.

NO LOCATION AID **MA LUST S102087561**
28-30 MARSHALL ST **MA RELEASE N/A**
SOMERVILLE, MA 02143

Relative:
Lower

Actual:
32 ft.

LUST:

Facility:

Name:	NO LOCATION AID
Address:	28-30 MARSHALL ST
City,State,Zip:	SOMERVILLE, MA 021430000
Current Status:	**Response Action Outcome**
Release Tracking Number/Current Status:	3-0013764 / RAO
Status Date:	07/07/2003
Source Type:	UST
Release Town:	SOMERVILLE
Notification Date:	05/16/1996
Category:	72 HR
Associated ID:	Not reported
Phase:	PHASE IV

NO LOCATION AID (Continued) **S102087561**

Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil Or Haz Material: Oil

Location Type: COMMERCIAL
Source: UST

Click here to access the MA DEP site for this facility:

Chemicals:
Chemical: GASOLINE
Quantity: Not reported

Actions:
Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 1/21/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 10/2/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 11/12/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLFLD
Action Date: 11/20/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 11/22/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDRAN
Action Date: 2/19/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 2/8/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

NO LOCATION AID (Continued) **S102087561**

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 2/9/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 3/12/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Written Plan Received
Action Date: 3/12/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Fee Received - FMCRA Use Only
Action Date: 3/13/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Phase 3
Action Status: Completion Statement Received
Action Date: 5/14/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Phase 2
Action Status: Completion Statement Received
Action Date: 5/14/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 5/14/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: Passive O&M and/or Monitoring
Action Date: 5/14/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Completion Statement Received
Action Date: 5/14/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 5/14/2004

NO LOCATION AID (Continued) **S102087561**

Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 5/15/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 5/15/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 5/15/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 5/16/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 5/16/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 5/30/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 7/15/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 7/15/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 7/23/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

NO LOCATION AID (Continued) **S102087561**

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 7/7/2003
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 8/1/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 8/15/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 8/5/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Approval of Plan
Action Date: 9/5/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Release:
Name: NO LOCATION AID
Address: 28-30 MARSHALL ST
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0013764 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 05/16/1996
Category: 72 HR
Status Date: 07/07/2003
Phase: Not reported
Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:
Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 1/21/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA

NO LOCATION AID (Continued) **S102087561**

Action Status: FOLOFF
Action Date: 10/2/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 11/12/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLFLD
Action Date: 11/20/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 11/22/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDRAN
Action Date: 2/19/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 2/8/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 2/9/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 3/12/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Written Plan Received
Action Date: 3/12/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Fee Received - FMCRA Use Only
Action Date: 3/13/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been

NO LOCATION AID (Continued) **S102087561**

reduced to background.

Action Type: Phase 3
Action Status: Completion Statement Received
Action Date: 5/14/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Phase 2
Action Status: Completion Statement Received
Action Date: 5/14/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 5/14/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: Passive O&M and/or Monitoring
Action Date: 5/14/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Completion Statement Received
Action Date: 5/14/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 5/14/2004
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 5/15/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 5/15/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 5/15/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition

NO LOCATION AID (Continued) **S102087561**

Action Status: Reportable Release under MGL 21E
Action Date: 5/16/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 5/16/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 5/30/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 7/15/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 7/15/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 7/23/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 7/7/2003
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 8/1/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 8/15/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 8/5/1998
Response Action Outcome: A permanent solution has been achieved. Contamination has not been

NO LOCATION AID (Continued) **S102087561**

reduced to background.

Action Type: Immediate Response Action
Action Status: Written Approval of Plan
Action Date: 9/5/1996
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Chemicals:
Chemical: GASOLINE
Quantity: Not reported
Location Type: COMMERCIAL
Source: UST

G30 **MAD AUTO GROUP INC DBA ABJ AUTO REPAIR** **MA SHWS S118161190**
SSE **91 MARSHALL ST** **MA LUST N/A**
1/4-1/2 **SOMERVILLE, MA 02145** **MA RELEASE**
0.264 mi. **MA HW GEN**
1392 ft. **Site 1 of 4 in cluster G**

Relative: Lower
Actual: 34 ft.

SHWS:
Name: NO LOCATION AID
Address: 91 MARSHALL STREET
City,State,Zip: SOMERVILLE, MA
Facility ID: 3-0034587
Source Type: TANK
Release Town: SOMERVILLE
Notification Date: 11/01/2017
Category: 72 HR
Associated ID: Not reported
Current Status: TIERII
Status Date: 11/01/2018
Phase: PHASE II
Response Action Outcome: Not reported
Oil Or Haz Material: Oil

LUST:

Facility:
Name: NO LOCATION AID
Address: 91 MARSHALL STREET
City,State,Zip: SOMERVILLE, MA
Current Status: **Site has been classified as Tier 2**
Release Tracking Number/Current Status: 3-0034587 / TIERII
Status Date: 11/01/2018
Source Type: USTOTHER
Release Town: SOMERVILLE
Notification Date: 11/01/2017
Category: 72 HR
Associated ID: Not reported
Phase: PHASE III
Response Action Outcome: -
Oil Or Haz Material: Oil

Location Type: COMMERCIAL
Location Type: RESIDNTIAL
Source: UST

MAD AUTO GROUP INC DBA ABJ AUTO REPAIR (Continued) **S118161190**

Source: TANK
Source: USTOTHER

Click here to access the MA DEP site for this facility:

Chemicals:
Chemical: #2 FUEL OIL
Quantity: 500 parts per million

Actions:
Action Type: Phase 2
Action Status: Completion Statement Received
Action Date: 1/28/2021
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 10/29/2018
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 11/1/2017
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 11/1/2017
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 11/1/2018
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 11/1/2018
Response Action Outcome: Not reported

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 11/1/2018
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 12/12/2017
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 3/14/2018
Response Action Outcome: Not reported

MAD AUTO GROUP INC DBA ABJ AUTO REPAIR (Continued) **S118161190**

Action Type:	Immediate Response Action
Action Status:	Level I - Technical Screen Audit
Action Date:	3/14/2018
Response Action Outcome:	Not reported

Action Type:	Immediate Response Action
Action Status:	Written Plan Received
Action Date:	3/29/2018
Response Action Outcome:	Not reported

Action Type:	Immediate Response Action
Action Status:	Level I - Technical Screen Audit
Action Date:	3/29/2018
Response Action Outcome:	Not reported

Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	ALSENT
Action Date:	9/5/2018
Response Action Outcome:	Not reported

Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	9/5/2019
Response Action Outcome:	Not reported

Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	9/6/2019
Response Action Outcome:	Not reported

Facility:

Name:	NO LOCATION AID
Address:	91 MARSHALL STREET
City,State,Zip:	SOMERVILLE, MA
Current Status:	**Site has been classified as Tier 2**
Release Tracking Number/Current Status:	3-0034587 / TIERII
Status Date:	11/01/2018
Source Type:	UST
Release Town:	SOMERVILLE
Notification Date:	11/01/2017
Category:	72 HR
Associated ID:	Not reported
Phase:	PHASE III
Response Action Outcome:	-
Oil Or Haz Material:	Oil

Location Type:	COMMERCIAL
Location Type:	RESIDNTIAL
Source:	UST
Source:	TANK
Source:	USTOTHER

Click here to access the MA DEP site for this facility:

MAD AUTO GROUP INC DBA ABJ AUTO REPAIR (Continued) **S118161190**

Chemicals:
Chemical: #2 FUEL OIL
Quantity: 500 parts per million

Actions:
Action Type: Phase 2
Action Status: Completion Statement Received
Action Date: 1/28/2021
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 10/29/2018
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 11/1/2017
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 11/1/2017
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 11/1/2018
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 11/1/2018
Response Action Outcome: Not reported

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 11/1/2018
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 12/12/2017
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 3/14/2018
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 3/14/2018
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Written Plan Received

MAD AUTO GROUP INC DBA ABJ AUTO REPAIR (Continued) **S118161190**

Action Date: 3/29/2018
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 3/29/2018
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSENT
Action Date: 9/5/2018
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Written Plan Received
Action Date: 9/5/2019
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Level I - Technical Screen Audit
Action Date: 9/6/2019
Response Action Outcome: Not reported

Release:
Name: NO LOCATION AID
Address: 91 MARSHALL STREET
City,State,Zip: SOMERVILLE, MA
Release Tracking Number/Current Status: 3-0034587 / TIERII
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 11/01/2017
Category: 72 HR
Status Date: 11/01/2018
Phase: PHASE II
Response Action Outcome: -
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:
Action Type: Phase 2
Action Status: Completion Statement Received
Action Date: 1/28/2021
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 10/29/2018
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 11/1/2017
Response Action Outcome: Not reported

MAD AUTO GROUP INC DBA ABJ AUTO REPAIR (Continued) **S118161190**

Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	11/1/2017
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	11/1/2018
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	11/1/2018
Response Action Outcome:	Not reported
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	11/1/2018
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	12/12/2017
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	3/14/2018
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Level I - Technical Screen Audit
Action Date:	3/14/2018
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Written Plan Received
Action Date:	3/29/2018
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Level I - Technical Screen Audit
Action Date:	3/29/2018
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	ALSENT
Action Date:	9/5/2018
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	9/5/2019
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit

MAD AUTO GROUP INC DBA ABJ AUTO REPAIR (Continued) **S118161190**

Action Date: 9/6/2019
Response Action Outcome: Not reported

Chemicals:
Chemical: #2 FUEL OIL
Quantity: 500 parts per million
Location Type: COMMERCIAL
Location Type: RESIDNTIAL
Source: UST
Source: TANK
Source: USTOTHER

HW GEN:
Name: MAD AUTO GROUP INC DBA ABJ AUTO REPAIR
Address: 91 MARSHALL ST
City,State,Zip: SOMERVILLE, MA 02145
EPA Id: MAC300100955
RCRA Generator Status: VSQG
State Generator Status: VQG-MA

G31 **91 MARSHALL STREET** **US BROWNFIELDS** **1023619008**
SSE **91 MARSHALL STREET** **FINDS** **N/A**
1/4-1/2 **SOMERVILLE, MA 2143**
0.264 mi.
1392 ft. **Site 2 of 4 in cluster G**

Relative: **Lower**
Actual: **34 ft.**

US BROWNFIELDS:
Name: 91 MARSHALL STREET
Address: 91 MARSHALL STREET
Recipient name: City of Somerville
Grant type: Assessment
Region: 1
Property Number: Not reported
Parcel size: 0.09
Latitude: 42.3885813
Longitude: -71.0957442
HCM Label: Not reported
Map Scale: Not reported
Point of Reference: Not reported
Highlights: Former Use: The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Datum: Not reported
Acres Property ID: 227962
IC Data Access: Not reported
Start Date: Not reported
Redev Completition Date: Not reported
Completed Date: Not reported
Acres Cleaned Up: Not reported
Cleanup Funding: Not reported
Cleanup Funding Source: Not reported
Assessment Funding: 14450
Assessment Funding Source: EPA
Redevelopment Funding: Not reported
Redev. Funding Source: Not reported
Redev. Funding Entity Name: Not reported

91 MARSHALL STREET (Continued) **1023619008**

Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous & Petroleum
Accomplishment Type:	Phase II Environmental Assessment
Accomplishment Count:	Y
Cooperative Agreement Number:	96190801
Start Date:	1/20/2017
Ownership Entity:	Not reported
Completion Date:	3/6/2017
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	Y
Video Available:	N
Photo Available:	N
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Petroleum Products
Contaminant Cleanup:	Not reported
Media Affected:	Soil
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.09
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Below Poverty Number:	2395
Below Poverty Percent:	13.7
Meidan Income:	8728
Meidan Income Number:	5803
Meidan Income Percent:	33.19
Vacant Housing Number:	400
Vacant Housing Percent:	5.1
Unemployed Number:	985
Unemployed Percent:	5.63
Name:	91 MARSHALL STREET
Address:	91 MARSHALL STREET

91 MARSHALL STREET (Continued) **1023619008**

Recipient name:	City of Somerville
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	0.09
Latitude:	42.3885813
Longitude:	-71.0957442
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Datum:	Not reported
Acres Property ID:	227962
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	7779
Assessment Funding Source:	EPA
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous & Petroleum
Accomplishment Type:	Cleanup Planning
Accomplishment Count:	N
Cooperative Agreement Number:	00A00171
Start Date:	10/1/2019
Ownership Entity:	Not reported
Completion Date:	Not reported
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	Y
Video Available:	N
Photo Available:	N
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Petroleum Products
Contaminant Cleanup:	Not reported
Media Affected:	Soil
Media Cleanup:	Not reported

91 MARSHALL STREET (Continued) **1023619008**

Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.09
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Below Poverty Number:	2395
Below Poverty Percent:	13.7
Meidan Income:	8728
Meidan Income Number:	5803
Meidan Income Percent:	33.19
Vacant Housing Number:	400
Vacant Housing Percent:	5.1
Unemployed Number:	985
Unemployed Percent:	5.63

Name:	91 MARSHALL STREET
Address:	91 MARSHALL STREET
Recipient name:	City of Somerville
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	0.09
Latitude:	42.3885813
Longitude:	-71.0957442
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Datum:	Not reported
Acres Property ID:	227962
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	7676
Assessment Funding Source:	EPA
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported

91 MARSHALL STREET (Continued) **1023619008**

Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous & Petroleum
Accomplishment Type:	Cleanup Planning
Accomplishment Count:	N
Cooperative Agreement Number:	00A00171
Start Date:	10/1/2018
Ownership Entity:	Not reported
Completion Date:	10/29/2018
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	Y
Video Available:	N
Photo Available:	N
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Petroleum Products
Contaminant Cleanup:	Not reported
Media Affected:	Soil
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.09
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Below Poverty Number:	2395
Below Poverty Percent:	13.7
Meidan Income:	8728
Meidan Income Number:	5803
Meidan Income Percent:	33.19
Vacant Housing Number:	400
Vacant Housing Percent:	5.1
Unemployed Number:	985
Unemployed Percent:	5.63
Name:	91 MARSHALL STREET
Address:	91 MARSHALL STREET
Recipient name:	City of Somerville

91 MARSHALL STREET (Continued) **1023619008**

Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	0.09
Latitude:	42.3885813
Longitude:	-71.0957442
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Datum:	Not reported
Acres Property ID:	227962
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	2851
Assessment Funding Source:	EPA
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous & Petroleum
Accomplishment Type:	Cleanup Planning
Accomplishment Count:	N
Cooperative Agreement Number:	00A00171
Start Date:	11/1/2018
Ownership Entity:	Not reported
Completion Date:	9/5/2019
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	Y
Video Available:	N
Photo Available:	N
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Petroleum Products
Contaminant Cleanup:	Not reported
Media Affected:	Soil
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported

91 MARSHALL STREET (Continued) **1023619008**

Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.09
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Below Poverty Number:	2395
Below Poverty Percent:	13.7
Meidan Income:	8728
Meidan Income Number:	5803
Meidan Income Percent:	33.19
Vacant Housing Number:	400
Vacant Housing Percent:	5.1
Unemployed Number:	985
Unemployed Percent:	5.63

Name:	91 MARSHALL STREET
Address:	91 MARSHALL STREET
Recipient name:	City of Somerville
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	0.09
Latitude:	42.3885813
Longitude:	-71.0957442
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Datum:	Not reported
Acres Property ID:	227962
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported

91 MARSHALL STREET (Continued) **1023619008**

Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous & Petroleum
Accomplishment Type:	Not reported
Accomplishment Count:	Not reported
Cooperative Agreement Number:	00A00171
Start Date:	Not reported
Ownership Entity:	Not reported
Completion Date:	Not reported
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	Y
Video Available:	N
Photo Available:	N
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Petroleum Products
Contaminant Cleanup:	Not reported
Media Affected:	Soil
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.09
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Below Poverty Number:	2395
Below Poverty Percent:	13.7
Meidan Income:	8728
Meidan Income Number:	5803
Meidan Income Percent:	33.19
Vacant Housing Number:	400
Vacant Housing Percent:	5.1
Unemployed Number:	985
Unemployed Percent:	5.63

Name:	91 MARSHALL STREET
Address:	91 MARSHALL STREET
Recipient name:	City of Somerville
Grant type:	Assessment

91 MARSHALL STREET (Continued) **1023619008**

Region:	1
Property Number:	Not reported
Parcel size:	0.09
Latitude:	42.3885813
Longitude:	-71.0957442
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Datum:	Not reported
Acres Property ID:	227962
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	7779
Assessment Funding Source:	EPA
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous & Petroleum
Accomplishment Type:	Cleanup Planning
Accomplishment Count:	N
Cooperative Agreement Number:	00A00171
Start Date:	10/1/2019
Ownership Entity:	Not reported
Completion Date:	Not reported
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	Y
Video Available:	N
Photo Available:	N
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Petroleum Products
Contaminant Cleanup:	Not reported
Media Affected:	Soil
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported

91 MARSHALL STREET (Continued) **1023619008**

Past use residential acreage:	Not reported
Past use commercial acreage:	0.09
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Below Poverty Number:	2395
Below Poverty Percent:	13.7
Meidan Income:	8728
Meidan Income Number:	5803
Meidan Income Percent:	33.19
Vacant Housing Number:	400
Vacant Housing Percent:	5.1
Unemployed Number:	985
Unemployed Percent:	5.63

Name:	91 MARSHALL STREET
Address:	91 MARSHALL STREET
Recipient name:	City of Somerville
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	0.09
Latitude:	42.3885813
Longitude:	-71.0957442
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Datum:	Not reported
Acres Property ID:	227962
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	77875
Assessment Funding Source:	EPA
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported

91 MARSHALL STREET (Continued) **1023619008**

Grant Type:	Hazardous & Petroleum
Accomplishment Type:	Supplemental Assessment
Accomplishment Count:	N
Cooperative Agreement Number:	96190801
Start Date:	10/1/2017
Ownership Entity:	Not reported
Completion Date:	Not reported
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	Y
Video Available:	N
Photo Available:	N
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Petroleum Products
Contaminant Cleanup:	Not reported
Media Affected:	Soil
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.09
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Below Poverty Number:	2395
Below Poverty Percent:	13.7
Meidan Income:	8728
Meidan Income Number:	5803
Meidan Income Percent:	33.19
Vacant Housing Number:	400
Vacant Housing Percent:	5.1
Unemployed Number:	985
Unemployed Percent:	5.63

Name:	91 MARSHALL STREET
Address:	91 MARSHALL STREET
Recipient name:	City of Somerville
Grant type:	Assessment
Region:	1

91 MARSHALL STREET (Continued) **1023619008**

Property Number:	Not reported
Parcel size:	0.09
Latitude:	42.3885813
Longitude:	-71.0957442
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Datum:	Not reported
Acres Property ID:	227962
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	2851
Assessment Funding Source:	EPA
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous & Petroleum
Accomplishment Type:	Cleanup Planning
Accomplishment Count:	N
Cooperative Agreement Number:	00A00171
Start Date:	11/1/2018
Ownership Entity:	Not reported
Completion Date:	9/5/2019
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	Y
Video Available:	N
Photo Available:	N
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Petroleum Products
Contaminant Cleanup:	Not reported
Media Affected:	Soil
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported

91 MARSHALL STREET (Continued) **1023619008**

Past use commercial acreage:	0.09
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Below Poverty Number:	2395
Below Poverty Percent:	13.7
Meidan Income:	8728
Meidan Income Number:	5803
Meidan Income Percent:	33.19
Vacant Housing Number:	400
Vacant Housing Percent:	5.1
Unemployed Number:	985
Unemployed Percent:	5.63

Name:	91 MARSHALL STREET
Address:	91 MARSHALL STREET
Recipient name:	City of Somerville
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	0.09
Latitude:	42.3885813
Longitude:	-71.0957442
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Datum:	Not reported
Acres Property ID:	227962
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	77875
Assessment Funding Source:	EPA
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous & Petroleum

91 MARSHALL STREET (Continued) **1023619008**

Accomplishment Type:	Supplemental Assessment
Accomplishment Count:	N
Cooperative Agreement Number:	96190801
Start Date:	10/1/2017
Ownership Entity:	Not reported
Completion Date:	Not reported
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	Y
Video Available:	N
Photo Available:	N
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Petroleum Products
Contaminant Cleanup:	Not reported
Media Affected:	Soil
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.09
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Below Poverty Number:	2395
Below Poverty Percent:	13.7
Meidan Income:	8728
Meidan Income Number:	5803
Meidan Income Percent:	33.19
Vacant Housing Number:	400
Vacant Housing Percent:	5.1
Unemployed Number:	985
Unemployed Percent:	5.63
Name:	91 MARSHALL STREET
Address:	91 MARSHALL STREET
Recipient name:	City of Somerville
Grant type:	Assessment
Region:	1
Property Number:	Not reported

91 MARSHALL STREET (Continued) **1023619008**

Parcel size:	0.09
Latitude:	42.3885813
Longitude:	-71.0957442
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Datum:	Not reported
Acres Property ID:	227962
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	7676
Assessment Funding Source:	EPA
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous & Petroleum
Accomplishment Type:	Cleanup Planning
Accomplishment Count:	N
Cooperative Agreement Number:	00A00171
Start Date:	10/1/2018
Ownership Entity:	Not reported
Completion Date:	10/29/2018
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	Y
Video Available:	N
Photo Available:	N
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Petroleum Products
Contaminant Cleanup:	Not reported
Media Affected:	Soil
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.09

91 MARSHALL STREET (Continued) **1023619008**

Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Below Poverty Number:	2395
Below Poverty Percent:	13.7
Meidan Income:	8728
Meidan Income Number:	5803
Meidan Income Percent:	33.19
Vacant Housing Number:	400
Vacant Housing Percent:	5.1
Unemployed Number:	985
Unemployed Percent:	5.63

Click this hyperlink while viewing on your computer to access
5 additional US BROWNFIELDS: record(s) in the EDR Site Report.

Name:	91 MARSHALL STREET
Address:	91 MARSHALL STREET
Recipient name:	City of Somerville
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	0.09
Latitude:	42.3885813
Longitude:	-71.0957442
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Datum:	Not reported
Acres Property ID:	227962
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	14450
Assessment Funding Source:	EPA
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement

91 MARSHALL STREET (Continued) **1023619008**

Cleanup Funding Entity:	Not reported
Grant Type:	Hazardous & Petroleum
Accomplishment Type:	Phase II Environmental Assessment
Accomplishment Count:	Y
Cooperative Agreement Number:	96190801
Start Date:	1/20/2017
Ownership Entity:	Not reported
Completion Date:	3/6/2017
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	Y
Video Available:	N
Photo Available:	N
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Petroleum Products
Contaminant Cleanup:	Not reported
Media Affected:	Soil
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.09
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	The property is owned by BG Properties, LLC and was until recently (until Fall 2017) leased by Mad Auto Group, which is owned by Edison Chae. The auto-repair business which operated on the property advertised itself as ABJ Auto Repair.
Below Poverty Number:	2395
Below Poverty Percent:	13.7
Meidan Income:	8728
Meidan Income Number:	5803
Meidan Income Percent:	33.19
Vacant Housing Number:	400
Vacant Housing Percent:	5.1
Unemployed Number:	985
Unemployed Percent:	5.63

Click this hyperlink while viewing on your computer to access
5 additional US BROWNFIELDS: record(s) in the EDR Site Report.

91 MARSHALL STREET (Continued) **1023619008**

FINDS:
Registry ID: 110070069110

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is an federal online database for Brownfields Grantees to electronically submit data directly to EPA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

G32 **255 PEARL STREET** **US BROWNFIELDS** **1023618708**
SSE **255 PEARL STREET** **FINDS** **N/A**
1/4-1/2 **SOMERVILLE, MA 2143**
0.272 mi.
1437 ft. **Site 3 of 4 in cluster G**

Relative: **Lower**

Actual: **34 ft.**

US BROWNFIELDS:

Name:	255 PEARL STREET
Address:	255 PEARL STREET
Recipient name:	City of Somerville
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	0.19
Latitude:	42.3881977
Longitude:	-71.0958489
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: he property is owned by BG Properties, LLC. In the recent history, the property has been a parking lot.
Datum:	Not reported
Acres Property ID:	227963
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	14450
Assessment Funding Source:	EPA
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported
Grant Type:	Petroleum
Accomplishment Type:	Phase II Environmental Assessment
Accomplishment Count:	Y
Cooperative Agreement Number:	96190801
Start Date:	1/20/2017
Ownership Entity:	Not reported
Completion Date:	3/6/2017
Current Owner:	Not reported

255 PEARL STREET (Continued) **1023618708**

Did Owner Change:	Not reported
Cleanup Required:	U
Video Available:	Not reported
Photo Available:	Not reported
Institutional Controls Required:	U
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Not reported
Contaminant Cleanup:	Not reported
Media Affected:	Not reported
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.19
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	he property is owned by BG Properties, LLC. In the recent history, the property has been a parking lot.
Below Poverty Number:	2412
Below Poverty Percent:	13.77
Meidan Income:	8423
Meidan Income Number:	5756
Meidan Income Percent:	32.86
Vacant Housing Number:	409
Vacant Housing Percent:	5.17
Unemployed Number:	996
Unemployed Percent:	5.69
Name:	255 PEARL STREET
Address:	255 PEARL STREET
Recipient name:	City of Somerville
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	0.19
Latitude:	42.3881977
Longitude:	-71.0958489
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: he property is owned by BG Properties, LLC. In the recent history, the property has been a parking lot.
Datum:	Not reported

255 PEARL STREET (Continued) **1023618708**

Acres Property ID:	227963
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	3670
Assessment Funding Source:	EPA
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported
Grant Type:	Petroleum
Accomplishment Type:	Supplemental Assessment
Accomplishment Count:	N
Cooperative Agreement Number:	96190801
Start Date:	10/1/2017
Ownership Entity:	Not reported
Completion Date:	Not reported
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	U
Video Available:	Not reported
Photo Available:	Not reported
Institutional Controls Required:	U
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Not reported
Contaminant Cleanup:	Not reported
Media Affected:	Not reported
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.19
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	he property is owned by BG Properties, LLC. In the recent history, the property has been a parking lot.
Below Poverty Number:	2412

255 PEARL STREET (Continued) **1023618708**

Below Poverty Percent:	13.77
Meidan Income:	8423
Meidan Income Number:	5756
Meidan Income Percent:	32.86
Vacant Housing Number:	409
Vacant Housing Percent:	5.17
Unemployed Number:	996
Unemployed Percent:	5.69
Name:	255 PEARL STREET
Address:	255 PEARL STREET
Recipient name:	City of Somerville
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	0.19
Latitude:	42.3881977
Longitude:	-71.0958489
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: he property is owned by BG Properties, LLC. In the recent history, the property has been a parking lot.
Datum:	Not reported
Acres Property ID:	227963
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	3670
Assessment Funding Source:	EPA
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported
Grant Type:	Petroleum
Accomplishment Type:	Supplemental Assessment
Accomplishment Count:	N
Cooperative Agreement Number:	96190801
Start Date:	10/1/2017
Ownership Entity:	Not reported
Completion Date:	Not reported
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	U
Video Available:	Not reported
Photo Available:	Not reported
Institutional Controls Required:	U
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported

255 PEARL STREET (Continued) **1023618708**

IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Not reported
Contaminant Cleanup:	Not reported
Media Affected:	Not reported
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.19
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	he property is owned by BG Properties, LLC. In the recent history, the property has been a parking lot.
Below Poverty Number:	2412
Below Poverty Percent:	13.77
Meidan Income:	8423
Meidan Income Number:	5756
Meidan Income Percent:	32.86
Vacant Housing Number:	409
Vacant Housing Percent:	5.17
Unemployed Number:	996
Unemployed Percent:	5.69
Name:	255 PEARL STREET
Address:	255 PEARL STREET
Recipient name:	City of Somerville
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	0.19
Latitude:	42.3881977
Longitude:	-71.0958489
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: he property is owned by BG Properties, LLC. In the recent history, the property has been a parking lot.
Datum:	Not reported
Acres Property ID:	227963
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	11561

255 PEARL STREET (Continued) **1023618708**

Assessment Funding Source:	EPA
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported
Grant Type:	Petroleum
Accomplishment Type:	Phase II Environmental Assessment
Accomplishment Count:	N
Cooperative Agreement Number:	96190801
Start Date:	2/12/2018
Ownership Entity:	Not reported
Completion Date:	Not reported
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	U
Video Available:	Not reported
Photo Available:	Not reported
Institutional Controls Required:	U
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Not reported
Contaminant Cleanup:	Not reported
Media Affected:	Not reported
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.19
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	he property is owned by BG Properties, LLC. In the recent history, the property has been a parking lot.
Below Poverty Number:	2412
Below Poverty Percent:	13.77
Meidan Income:	8423
Meidan Income Number:	5756
Meidan Income Percent:	32.86
Vacant Housing Number:	409
Vacant Housing Percent:	5.17
Unemployed Number:	996
Unemployed Percent:	5.69

255 PEARL STREET (Continued) **1023618708**

Name:	255 PEARL STREET
Address:	255 PEARL STREET
Recipient name:	City of Somerville
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	0.19
Latitude:	42.3881977
Longitude:	-71.0958489
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: he property is owned by BG Properties, LLC. In the recent history, the property has been a parking lot.
Datum:	Not reported
Acres Property ID:	227963
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Grant Type:	Petroleum
Accomplishment Type:	Not reported
Accomplishment Count:	Not reported
Cooperative Agreement Number:	96190801
Start Date:	Not reported
Ownership Entity:	Not reported
Completion Date:	Not reported
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	U
Video Available:	Not reported
Photo Available:	Not reported
Institutional Controls Required:	U
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Not reported
Contaminant Cleanup:	Not reported
Media Affected:	Not reported
Media Cleanup:	Not reported

255 PEARL STREET (Continued) **1023618708**

Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.19
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	he property is owned by BG Properties, LLC. In the recent history, the property has been a parking lot.
Below Poverty Number:	2412
Below Poverty Percent:	13.77
Meidan Income:	8423
Meidan Income Number:	5756
Meidan Income Percent:	32.86
Vacant Housing Number:	409
Vacant Housing Percent:	5.17
Unemployed Number:	996
Unemployed Percent:	5.69
Name:	255 PEARL STREET
Address:	255 PEARL STREET
Recipient name:	City of Somerville
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	0.19
Latitude:	42.3881977
Longitude:	-71.0958489
HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: he property is owned by BG Properties, LLC. In the recent history, the property has been a parking lot.
Datum:	Not reported
Acres Property ID:	227963
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	14450
Assessment Funding Source:	EPA
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported
Grant Type:	Petroleum
Accomplishment Type:	Phase II Environmental Assessment

255 PEARL STREET (Continued) **1023618708**

Accomplishment Count:	Y
Cooperative Agreement Number:	96190801
Start Date:	1/20/2017
Ownership Entity:	Not reported
Completion Date:	3/6/2017
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	U
Video Available:	Not reported
Photo Available:	Not reported
Institutional Controls Required:	U
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Not reported
Contaminant Cleanup:	Not reported
Media Affected:	Not reported
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.19
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	he property is owned by BG Properties, LLC. In the recent history, the property has been a parking lot.
Below Poverty Number:	2412
Below Poverty Percent:	13.77
Meidan Income:	8423
Meidan Income Number:	5756
Meidan Income Percent:	32.86
Vacant Housing Number:	409
Vacant Housing Percent:	5.17
Unemployed Number:	996
Unemployed Percent:	5.69
Name:	255 PEARL STREET
Address:	255 PEARL STREET
Recipient name:	City of Somerville
Grant type:	Assessment
Region:	1
Property Number:	Not reported
Parcel size:	0.19
Latitude:	42.3881977
Longitude:	-71.0958489

255 PEARL STREET (Continued) **1023618708**

HCM Label:	Not reported
Map Scale:	Not reported
Point of Reference:	Not reported
Highlights:	Former Use: he property is owned by BG Properties, LLC. In the recent history, the property has been a parking lot.
Datum:	Not reported
Acres Property ID:	227963
IC Data Access:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Acres Cleaned Up:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Assessment Funding:	11561
Assessment Funding Source:	EPA
Redevelopment Funding:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	US EPA - Brownfields Assessment Cooperative Agreement
Cleanup Funding Entity:	Not reported
Grant Type:	Petroleum
Accomplishment Type:	Phase II Environmental Assessment
Accomplishment Count:	N
Cooperative Agreement Number:	96190801
Start Date:	2/12/2018
Ownership Entity:	Not reported
Completion Date:	Not reported
Current Owner:	Not reported
Did Owner Change:	Not reported
Cleanup Required:	U
Video Available:	Not reported
Photo Available:	Not reported
Institutional Controls Required:	U
IC Category Proprietary Controls:	Not reported
IC Cat. Info. Devices:	Not reported
IC Cat. Gov. Controls:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Contaminant Found:	Not reported
Contaminant Cleanup:	Not reported
Media Affected:	Not reported
Media Cleanup:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	0.19
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported

255 PEARL STREET (Continued) **1023618708**

Superfund Fed. landowner flag:	Not reported
Future Use: Multistory	Not reported
Past Use: Multistory	Not reported
Property Description:	he property is owned by BG Properties, LLC. In the recent history, the property has been a parking lot.
Below Poverty Number:	2412
Below Poverty Percent:	13.77
Meidan Income:	8423
Meidan Income Number:	5756
Meidan Income Percent:	32.86
Vacant Housing Number:	409
Vacant Housing Percent:	5.17
Unemployed Number:	996
Unemployed Percent:	5.69

FINDS:
Registry ID: 110070069111

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is an federal online database for Brownfields Grantees to electronically submit data directly to EPA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

G33 **255 PEARL STREET** **MA SHWS S121394380**
SSE **255 PEARL STREET** **MA RELEASE N/A**
1/4-1/2 **SOMERVILLE, MA 02145**
0.272 mi.
1437 ft. **Site 4 of 4 in cluster G**

Relative:
Lower

Actual:
34 ft.

SHWS:

Name:	255 PEARL STREET
Address:	255 PEARL STREET
City,State,Zip:	SOMERVILLE, MA 021450000
Facility ID:	3-0034611
Source Type:	UNKNOWN
Release Town:	SOMERVILLE
Notification Date:	11/06/2017
Category:	120 DY
Associated ID:	Not reported
Current Status:	PSC
Status Date:	11/14/2017
Phase:	Not reported
Response Action Outcome:	PC
Oil Or Haz Material:	Hazardous Material

Release:

Name:	255 PEARL STREET
Address:	255 PEARL STREET
City,State,Zip:	SOMERVILLE, MA 021450000
Release Tracking Number/Current Status:	3-0034611 / PSC
Primary ID:	Not reported
Official City:	SOMERVILLE
Notification:	11/06/2017

255 PEARL STREET (Continued) **S121394380**

Category: 120 DY
Status Date: 11/14/2017
Phase: Not reported
Response Action Outcome: PC - PC
Oil / Haz Material Type: Hazardous Material

Click here to access the MA DEP site for this facility:

Actions:
Action Type: Response Action Outcome - RAO
Action Status: PSCRCD
Action Date: 11/14/2017
Response Action Outcome: PC

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 11/6/2017
Response Action Outcome: PC

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 11/6/2017
Response Action Outcome: PC

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 11/6/2017
Response Action Outcome: PC

Chemicals:
Chemical: LEAD
Quantity: 19 micrograms per liter
Source: UNKNOWN

---

34 North 1/4-1/2 0.278 mi. 1466 ft. **TRIPLE DECKER CONDOMINIUM** **MA LAST** **S106776048**
29 MAIN ST **MA RELEASE** **N/A**
SOMERVILLE, MA 02145

Relative: Higher
Actual: 115 ft.

LAST:
Name: TRIPLE DECKER CONDOMINIUM
Address: 29 MAIN ST
City,State,Zip: SOMERVILLE, MA 021450000
Release Tracking Number/Current Status: 3-0024488 / RAO
Source Type: AST
Release Town: SOMERVILLE
Notification Date: 12/13/2004
Category: TWO HR
Associated ID: Not reported
Status Date: 08/02/2005
Phase: Not reported
Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil Or Haz Material: Oil

Chemicals:

TRIPLE DECKER CONDOMINIUM (Continued) **S106776048**

Chemical: FUEL OIL
Quantity: 10 gallons
Chemical: #2 FUEL OIL
Quantity: 63 gallons
Location Type: RESIDNTIAL
Source: AST

Actions:

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 1/27/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 1/27/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/4/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 12/13/2004
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 12/13/2004
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 12/16/2004
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 12/16/2004
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 12/21/2004
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF

TRIPLE DECKER CONDOMINIUM (Continued) **S106776048**

Action Date: 2/4/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDD1A
Action Date: 2/9/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Approval of Plan
Action Date: 3/14/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 4/14/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: DEPRET
Action Date: 4/28/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLFLD
Action Date: 4/8/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 5/12/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 5/12/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 8/2/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Release:
Name: TRIPLE DECKER CONDOMINIUM
Address: 29 MAIN ST
City,State,Zip: SOMERVILLE, MA 021450000

TRIPLE DECKER CONDOMINIUM (Continued) **S106776048**

Release Tracking Number/Current Status: 3-0024488 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 12/13/2004
Category: TWO HR
Status Date: 08/02/2005
Phase: Not reported
Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 1/27/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 1/27/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/4/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 12/13/2004
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 12/13/2004
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 12/16/2004
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 12/16/2004
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA

TRIPLE DECKER CONDOMINIUM (Continued) **S106776048**

Action Status: FOLOFF
Action Date: 12/21/2004
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 2/4/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDD1A
Action Date: 2/9/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Approval of Plan
Action Date: 3/14/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 4/14/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: DEPRET
Action Date: 4/28/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLFLD
Action Date: 4/8/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 5/12/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 5/12/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 8/2/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been

TRIPLE DECKER CONDOMINIUM (Continued) **S106776048**

reduced to background.

Chemicals:
Chemical: FUEL OIL
Quantity: 10 gallons
Chemical: #2 FUEL OIL
Quantity: 63 gallons
Location Type: RESIDNTIAL
Source: AST

---

35 NO LOCATION AID **MA SHWS S106954219**
WNW 38 GLENWOOD RD **MA LAST N/A**
1/4-1/2 SOMERVILLE, MA **MA RELEASE**
0.278 mi.
1470 ft.

Relative: Lower

Actual: 59 ft.

SHWS:
Name: NO LOCATION AID
Address: 38 GLENWOOD RD
City,State,Zip: SOMERVILLE, MA
Facility ID: 3-0025003
Source Type: PIPE
Release Town: SOMERVILLE
Notification Date: 07/01/2005
Category: 72 HR
Associated ID: Not reported
Current Status: RAO
Status Date: 12/07/2010
Phase: Not reported
Response Action Outcome: A2
Oil Or Haz Material: Oil

LAST:
Name: NO LOCATION AID
Address: 38 GLENWOOD RD
City,State,Zip: SOMERVILLE, MA
Release Tracking Number/Current Status: 3-0025003 / RAO
Source Type: AST
Release Town: SOMERVILLE
Notification Date: 07/01/2005
Category: 72 HR
Associated ID: Not reported
Status Date: 12/07/2010
Phase: Not reported
Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil Or Haz Material: Oil

Chemicals:
Chemical: #2 FUEL OIL
Quantity: 0.75 inches
Chemical: #2 FUEL OIL
Quantity: Not reported
Location Type: RESIDNTIAL
Source: AST
Source: PIPE

NO LOCATION AID (Continued) **S106954219**

Actions:

Action Type: Release Abatement Measure
Action Status: Modified Revised or Updated Plan Received
Action Date: 1/18/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 1/18/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Level I - Technical Screen Audit
Action Date: 1/21/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/29/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/6/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 10/11/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: RMRINT
Action Date: 10/25/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 10/25/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 12/21/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: RMRINI

NO LOCATION AID (Continued) **S106954219**

Action Date: 12/21/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 12/29/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDD1A
Action Date: 12/31/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Completion Statement Received
Action Date: 12/6/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: RMRFIN
Action Date: 12/6/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 12/6/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 12/7/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 2/16/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: RMRFIN
Action Date: 2/16/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 2/16/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

NO LOCATION AID (Continued) **S106954219**

Action Type: RLFA
Action Status: FOLOFF
Action Date: 2/2/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 2/22/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Modified Revised or Updated Plan Received
Action Date: 2/22/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Written Plan Received
Action Date: 2/27/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: RMRFIN
Action Date: 2/5/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 2/5/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 3/16/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 3/6/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: RMRINT
Action Date: 6/17/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 6/17/2008

NO LOCATION AID (Continued) **S106954219**

Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: RMRINT
Action Date: 6/27/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 6/27/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: Level I - Technical Screen Audit
Action Date: 6/27/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSENT
Action Date: 6/5/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 7/1/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 7/1/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 7/1/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 7/21/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 7/21/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

NO LOCATION AID (Continued) **S106954219**

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 7/21/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 7/22/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Phase 2
Action Status: Completion Statement Received
Action Date: 7/23/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Phase 3
Action Status: Completion Statement Received
Action Date: 7/23/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Tier Classification
Action Status: Legal Notice Published
Action Date: 7/28/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 7/8/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: RMRINI
Action Date: 8/18/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Modified Revised or Updated Plan Received
Action Date: 8/18/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 8/18/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 8/31/2005

NO LOCATION AID (Continued) **S106954219**

Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 8/31/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 9/11/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Denial of Plan
Action Date: 9/15/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 9/18/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Modified Revised or Updated Plan Received
Action Date: 9/21/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Release:
Name: NO LOCATION AID
Address: 38 GLENWOOD RD
City,State,Zip: SOMERVILLE, MA
Release Tracking Number/Current Status: 3-0025003 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 07/01/2005
Category: 72 HR
Status Date: 12/07/2010
Phase: Not reported
Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:
Action Type: Release Abatement Measure
Action Status: Modified Revised or Updated Plan Received
Action Date: 1/18/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been

NO LOCATION AID (Continued) **S106954219**

reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 1/18/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Level I - Technical Screen Audit
Action Date: 1/21/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/29/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/6/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 10/11/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: RMRINT
Action Date: 10/25/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 10/25/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 12/21/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: RMRINI
Action Date: 12/21/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA

NO LOCATION AID (Continued) **S106954219**

Action Status: FOLOFF
Action Date: 12/29/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDD1A
Action Date: 12/31/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Completion Statement Received
Action Date: 12/6/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: RMRFIN
Action Date: 12/6/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 12/6/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 12/7/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 2/16/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: RMRFIN
Action Date: 2/16/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 2/16/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 2/2/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been

NO LOCATION AID (Continued) **S106954219**

reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 2/22/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Modified Revised or Updated Plan Received
Action Date: 2/22/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Written Plan Received
Action Date: 2/27/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: RMRFIN
Action Date: 2/5/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 2/5/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 3/16/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 3/6/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: RMRINT
Action Date: 6/17/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 6/17/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure

NO LOCATION AID (Continued) **S106954219**

Action Status: RMRINT
Action Date: 6/27/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 6/27/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: Level I - Technical Screen Audit
Action Date: 6/27/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSENT
Action Date: 6/5/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 7/1/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 7/1/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 7/1/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 7/21/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 7/21/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 7/21/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been

NO LOCATION AID (Continued) **S106954219**

reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 7/22/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Phase 2
Action Status: Completion Statement Received
Action Date: 7/23/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Phase 3
Action Status: Completion Statement Received
Action Date: 7/23/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Tier Classification
Action Status: Legal Notice Published
Action Date: 7/28/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 7/8/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: RMRINI
Action Date: 8/18/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Modified Revised or Updated Plan Received
Action Date: 8/18/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 8/18/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 8/31/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action

NO LOCATION AID (Continued) **S106954219**

Action Status: Written Plan Received
Action Date: 8/31/2005
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 9/11/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Denial of Plan
Action Date: 9/15/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 9/18/2006
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Abatement Measure
Action Status: Modified Revised or Updated Plan Received
Action Date: 9/21/2007
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Chemicals:
Chemical: #2 FUEL OIL
Quantity: 0.75 inches
Chemical: #2 FUEL OIL
Quantity: Not reported
Location Type: RESIDNTIAL
Source: AST
Source: PIPE

36
East
1/4-1/2
0.290 mi.
1530 ft.

AT MARSHALL ST **MA SHWS S104000500**
296 TO 308 BROADWAY **MA RELEASE N/A**
SOMERVILLE, MA 02143

Relative: Lower
Actual: 37 ft.

SHWS:
Name: AT MARSHALL ST
Address: 296 TO 308 BROADWAY
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0018407
Source Type: Not reported
Release Town: SOMERVILLE
Notification Date: 06/11/1999
Category: 120 DY
Associated ID: Not reported
Current Status: DPS
Status Date: 07/14/1999
Phase: Not reported

AT MARSHALL ST (Continued) **S104000500**

Response Action Outcome: Not reported
Oil Or Haz Material: Oil

Release:
Name: AT MARSHALL ST
Address: 296 TO 308 BROADWAY
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0018407 / DPS
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 06/11/1999
Category: 120 DY
Status Date: 07/14/1999
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:
Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 6/11/1999
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 6/11/1999
Response Action Outcome: Not reported

Action Type: Downgradient Property Status
Action Status: Transmittal, Notice, or Notification Received
Action Date: 7/14/1999
Response Action Outcome: Not reported

Action Type: Downgradient Property Status
Action Status: Fee Received - FMCRA Use Only
Action Date: 7/21/1999
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 7/9/1999
Response Action Outcome: Not reported

Chemicals:
Chemical: C9 THRU C12 ALIPHATIC HYDROCARBONS
Quantity: 2650 micrograms per liter
Chemical: C11 THRU C22 AROMATIC HYDROCARBONS
Quantity: 260 milligrams per kilogram
Chemical: C9 THRU C18 ALIPHATIC HYDROCARBONS
Quantity: 3800 micrograms per liter

37
ENE
1/4-1/2
0.292 mi.
1540 ft.

NO LOCATION AID
18 TEMPLE STREET
SOMERVILLE, MA 02145

MA LUST **S112195285**
MA RELEASE **N/A**

Relative:
Lower

Actual:
44 ft.

LUST:

Facility:

Name:	NO LOCATION AID
Address:	18 TEMPLE STREET
City,State,Zip:	SOMERVILLE, MA 021450000
Current Status:	**Response Action Outcome**
Release Tracking Number/Current Status:	3-0031100 / RAO
Status Date:	10/29/2012
Source Type:	UST
Release Town:	SOMERVILLE
Notification Date:	09/13/2012
Category:	72 HR
Associated ID:	Not reported
Phase:	Not reported
Response Action Outcome:	A1 - A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Oil Or Haz Material:	Oil
Location Type:	COMMERCIAL
Source:	UST

Click here to access the MA DEP site for this facility:

Chemicals:

Chemical:	GASOLINE
Quantity:	2050 parts per million

Actions:

Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	10/10/2012
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	10/10/2012
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Action Type:	BOL
Action Status:	SHPFAC
Action Date:	10/10/2012
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Action Type:	Response Action Outcome - RAO
Action Status:	RAO Statement Received
Action Date:	10/29/2012
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

NO LOCATION AID (Continued) **S112195285**

Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	9/13/2012
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	9/13/2012
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	9/27/2012
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	9/27/2012
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Release:

Name:	NO LOCATION AID
Address:	18 TEMPLE STREET
City,State,Zip:	SOMERVILLE, MA 021450000
Release Tracking Number/Current Status:	3-0031100 / RAO
Primary ID:	Not reported
Official City:	SOMERVILLE
Notification:	09/13/2012
Category:	72 HR
Status Date:	10/29/2012
Phase:	Not reported
Response Action Outcome:	A1 - A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Oil / Haz Material Type:	Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	10/10/2012
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	10/10/2012
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Action Type:	BOL

NO LOCATION AID (Continued) **S112195285**

Action Status: SHPFAC
Action Date: 10/10/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 10/29/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 9/13/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 9/13/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 9/27/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 9/27/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Chemicals:
Chemical: GASOLINE
Quantity: 2050 parts per million
Location Type: COMMERCIAL
Source: UST

38
NNW
1/4-1/2
0.297 mi.
1567 ft.

RESIDENTIAL
120 BARTLETT ST
SOMERVILLE, MA

MA SHWS **S101047909**
MA LAST **N/A**
MA RELEASE
MA SPILLS

Relative:
Higher

Actual:
128 ft.

SHWS:
Name: NO LOCATION AID
Address: 120 BARTLETT ST
City,State,Zip: SOMERVILLE, MA
Facility ID: 3-0010419
Source Type: PIPE
Release Town: SOMERVILLE
Notification Date: 10/01/1993
Category: TWO HR
Associated ID: Not reported

RESIDENTIAL (Continued) **S101047909**

Current Status:	RAO
Status Date:	10/03/1994
Phase:	Not reported
Response Action Outcome:	A2
Oil Or Haz Material:	Oil

LAST:

Name:	NO LOCATION AID
Address:	120 BARTLETT ST
City,State,Zip:	SOMERVILLE, MA
Release Tracking Number/Current Status:	3-0010419 / RAO
Source Type:	AST
Release Town:	SOMERVILLE
Notification Date:	10/01/1993
Category:	TWO HR
Associated ID:	Not reported
Status Date:	10/03/1994
Phase:	Not reported
Response Action Outcome:	A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil Or Haz Material:	Oil

Chemicals:

Chemical:	#2 FUEL OIL
Quantity:	Not reported
Location Type:	RESIDNTIAL
Source:	PIPE
Source:	AST

Actions:

Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	10/1/1993
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type:	Response Action Outcome - RAO
Action Status:	RAO Statement Received
Action Date:	10/3/1994
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type:	Response Action Outcome - RAO
Action Status:	Fee Received - FMCRA Use Only
Action Date:	10/5/1994
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	3/10/1994
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type:	Compliance and Enforcement Action
Action Status:	Interim Deadline Letter Issued
Action Date:	3/10/1994
Response Action Outcome:	A permanent solution has been achieved. Contamination has not been

RESIDENTIAL (Continued) **S101047909**

reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 5/10/1994
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 7/21/1994
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 7/21/1994
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 9/2/1994
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Release:
Name: NO LOCATION AID
Address: 120 BARTLETT ST
City,State,Zip: SOMERVILLE, MA
Release Tracking Number/Current Status: 3-0010419 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 10/01/1993
Category: TWO HR
Status Date: 10/03/1994
Phase: Not reported
Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:
Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 10/1/1993
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 10/3/1994
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

RESIDENTIAL (Continued) **S101047909**

Action Type: Response Action Outcome - RAO
Action Status: Fee Received - FMCRA Use Only
Action Date: 10/5/1994
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 3/10/1994
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Compliance and Enforcement Action
Action Status: Interim Deadline Letter Issued
Action Date: 3/10/1994
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 5/10/1994
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 7/21/1994
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 7/21/1994
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 9/2/1994
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Chemicals:
Chemical: #2 FUEL OIL
Quantity: Not reported
Location Type: RESIDNTIAL
Source: PIPE
Source: AST

MA Spills:

Facility ID:	0000	Spill ID:	N93-1163
Staff Lead:	ROSS, S	Date Entered:	Not reported
Last Entered:	19930907	First Response:	19930830
Spill Date:	19930830	Spill Time:	Not reported
Report Date:	19930830	Report Time:	12:25PM
Case Closed:	YES	Mat Type:	PETROLEUM

RESIDENTIAL (Continued) **S101047909**

Virgin Waste:	VIRGIN	Contam Soil:	Not reported
Env Impact:	Not reported	Other Impact:	Not reported
Material:	#2 FUEL OIL	Other Material:	Not reported
Qty Reported:	----------	Qty Actual:	UNKNOWN
Qty Reported:	----------	Qty Actual:	----------
CAS No:	Not reported	PCB Lev (ppm):	NONE
Source:	PIPE/HOSE/LINE	Other Source:	Not reported
Incident:	LEAK	Other Incdnt:	Not reported
Cleanup Type:	Not reported	Contractor:	OTHER - UNSPECIFIED
Referral:	NO	LUST Elig:	NO
Report Prep:	Not reported	Category:	Not reported
Notifier:	JACK THOMPSON/ATLAS OIL		
Notif Tel:	Not reported		
Days/Close:	0		

39
NE
1/4-1/2
0.310 mi.
1636 ft.

NO LOCATION AID
38 FENWICK ST
SOMERVILLE, MA

MA SHWS **S106775737**
MA LUST **N/A**
MA RELEASE
MA ENF

Relative:
Lower

Actual:
65 ft.

SHWS:

Name:	NO LOCATION AID
Address:	38 FENWICK ST
City,State,Zip:	SOMERVILLE, MA
Facility ID:	3-0021242
Source Type:	PIPE
Release Town:	SOMERVILLE
Notification Date:	11/10/2001
Category:	TWO HR
Associated ID:	Not reported
Current Status:	RAO
Status Date:	11/08/2011
Phase:	Not reported
Response Action Outcome:	B1
Oil Or Haz Material:	Oil

LUST:

Facility:

Name:	NO LOCATION AID
Address:	38 FENWICK ST
City,State,Zip:	SOMERVILLE, MA
Current Status:	**Response Action Outcome**
Release Tracking Number/Current Status:	3-0021242 / RAO
Status Date:	11/08/2011
Source Type:	UST
Release Town:	SOMERVILLE
Notification Date:	11/10/2001
Category:	TWO HR
Associated ID:	Not reported
Phase:	Not reported
Response Action Outcome:	B1 - Remedial actions have not been conducted because a level of No Significant Risk exists.
Oil Or Haz Material:	Oil
Location Type:	RESIDNTIAL
Source:	UST

NO LOCATION AID (Continued) **S106775737**

Source: PIPE

Click here to access the MA DEP site for this facility:

Chemicals:
Chemical: FUEL OIL #2
Quantity: 100 gallons

Actions:
Action Type: Compliance and Enforcement Action
Action Status: Notice of Non-Compliance Issued
Action Date: 1/13/2004
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 1/18/2005
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Compliance and Enforcement Action
Action Status: NOFENF
Action Date: 1/30/2007
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Compliance and Enforcement Action
Action Status: CILS
Action Date: 1/8/2008
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Compliance and Enforcement Action
Action Status: Interim Deadline Letter Issued
Action Date: 1/8/2008
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Compliance and Enforcement Action
Action Status: Notice of Non-Compliance Issued
Action Date: 10/23/2009
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 11/10/2001
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 11/13/2009
Response Action Outcome: Remedial actions have not been conducted because a level of No

NO LOCATION AID (Continued) **S106775737**

Significant Risk exists.

Action Type: Compliance and Enforcement Action
Action Status: Notice of Enforcement Conference
Action Date: 11/23/2010
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Response Action Outcome - RAO
Action Status: Fee Received - FMCRA Use Only
Action Date: 11/8/2011
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 11/8/2011
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 12/11/2001
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 2/10/2009
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Compliance and Enforcement Action
Action Status: Notice of Non-Compliance Issued
Action Date: 5/27/2010
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: FTLI
Action Status: APPREC
Action Date: 6/7/2010
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 7/14/2003
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 7/17/2003
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)

NO LOCATION AID (Continued) **S106775737**

Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	7/22/2004
Response Action Outcome:	Remedial actions have not been conducted because a level of No Significant Risk exists.
Action Type:	FTLI
Action Status:	Action Status or AUL Terminated
Action Date:	7/27/2011
Response Action Outcome:	Remedial actions have not been conducted because a level of No Significant Risk exists.
Action Type:	FTLI
Action Status:	APPACC
Action Date:	7/8/2010
Response Action Outcome:	Remedial actions have not been conducted because a level of No Significant Risk exists.
Action Type:	Compliance and Enforcement Action
Action Status:	Notice of Non-Compliance Issued
Action Date:	8/1/2002
Response Action Outcome:	Remedial actions have not been conducted because a level of No Significant Risk exists.
Action Type:	Response Action Outcome - RAO
Action Status:	Level I - Technical Screen Audit
Action Date:	8/6/2012
Response Action Outcome:	Remedial actions have not been conducted because a level of No Significant Risk exists.

Release:

Name:	NO LOCATION AID
Address:	38 FENWICK ST
City,State,Zip:	SOMERVILLE, MA
Release Tracking Number/Current Status:	3-0021242 / RAO
Primary ID:	Not reported
Official City:	SOMERVILLE
Notification:	11/10/2001
Category:	TWO HR
Status Date:	11/08/2011
Phase:	Not reported
Response Action Outcome:	B1 - Remedial actions have not been conducted because a level of No Significant Risk exists.
Oil / Haz Material Type:	Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type:	Compliance and Enforcement Action
Action Status:	Notice of Non-Compliance Issued
Action Date:	1/13/2004
Response Action Outcome:	Remedial actions have not been conducted because a level of No Significant Risk exists.
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E

NO LOCATION AID (Continued) **S106775737**

Action Date: 1/18/2005
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Compliance and Enforcement Action
Action Status: NOFENF
Action Date: 1/30/2007
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Compliance and Enforcement Action
Action Status: CILS
Action Date: 1/8/2008
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Compliance and Enforcement Action
Action Status: Interim Deadline Letter Issued
Action Date: 1/8/2008
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Compliance and Enforcement Action
Action Status: Notice of Non-Compliance Issued
Action Date: 10/23/2009
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 11/10/2001
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 11/13/2009
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Compliance and Enforcement Action
Action Status: Notice of Enforcement Conference
Action Date: 11/23/2010
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Response Action Outcome - RAO
Action Status: Fee Received - FMCRA Use Only
Action Date: 11/8/2011
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 11/8/2011
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

NO LOCATION AID (Continued) **S106775737**

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 12/11/2001
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 2/10/2009
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Compliance and Enforcement Action
Action Status: Notice of Non-Compliance Issued
Action Date: 5/27/2010
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: FTLI
Action Status: APPREC
Action Date: 6/7/2010
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 7/14/2003
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 7/17/2003
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 7/22/2004
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: FTLI
Action Status: Action Status or AUL Terminated
Action Date: 7/27/2011
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: FTLI
Action Status: APPACC
Action Date: 7/8/2010
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Compliance and Enforcement Action
Action Status: Notice of Non-Compliance Issued
Action Date: 8/1/2002

NO LOCATION AID (Continued) **S106775737**

Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Response Action Outcome - RAO
Action Status: Level I - Technical Screen Audit
Action Date: 8/6/2012
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Chemicals:
Chemical: FUEL OIL #2
Quantity: 100 gallons
Location Type: RESIDNTIAL
Source: UST
Source: PIPE

ENFORCEMENT:
Name: GRZEBIENIOWSKI, ANDREW
Address: 38 FENWICK ST
City,State,Zip: SOMERVILLE, MA
Region: NERO
DEP Region: NERO
DEP Program: 3a
DEP Bureau: BWSC
Program: BWSC
Program Id: 3-0021242
High Or Low Level Enforcement: LLE
FMF #: 0
Town Where Violation Occurred: Not reported
Date Executed: 05/27/2010
ENF #: NON-NE-10-3A046
Document Type: NON
AG Ref (Y/N): Not reported
Doc Archived (Y/N): Not reported
EJ Community (Y/N): Not reported
Regional Comment: Not reported
Final Payment Due Date: Not reported
ACOP $: Not reported
PAN $: Not reported
EMS (Y/N): Not reported
EMS$: Not reported
SEP (Y/N): Not reported
SEP $: Not reported
Demand $: Not reported
Suspended $: Not reported
Ownership: Individually Owned

Name: GUTIERREZ, ROMULO AND RHINA
Address: 38 FENWICK ST
City,State,Zip: SOMERVILLE, MA
Region: NERO
DEP Region: NERO
DEP Program: 3a
DEP Bureau: BWSC
Program: BWSC
Program Id: 3-0021242