

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Date:	6/25/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	6/29/2021
Response Action Outcome:	Not reported
Action Type:	Downgradient Property Status
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	6/7/2019
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	7/11/2019
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	7/17/2019
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	7/19/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	7/22/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/17/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/23/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	9/12/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	9/13/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	9/2/2021
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Facility:

Name: MBTA PROPERTY
Address: 132 WASHINGTON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Current Status: **Site has been classified as Tier 1. Note that subcategories 1A, 1B and 1C have been discontinued as of 2014 and such sites would now be considered simply ?Tier 1?.**

Release Tracking Number/Current Status: 3-0035997 / TIER I
Status Date: 05/26/2021
Source Type: UST
Release Town: SOMERVILLE
Notification Date: 11/22/2019
Category: 72 HR
Associated ID: 3-0035997
Phase: PHASE II
Response Action Outcome: -
Oil Or Haz Material: Oil

Location Type: INDUSTRIAL
Location Type: COMMERCIAL
Source: USTOTHER
Source: UST
Source: DRUMS
Source: TANK

[Click here to access the MA DEP site for this facility:](#)

Chemicals:

Chemical: PETROLEUM BASED VOCS
Quantity: 207 parts per million

Actions:

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/13/2020
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 1/15/2020
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 1/21/2020
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 1/22/2020
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 1/6/2020

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Response Action Outcome:	Not reported
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	1/6/2020
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	11/22/2019
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	11/22/2019
Response Action Outcome:	Not reported
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	11/23/2020
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	TIERI
Action Date:	11/23/2020
Response Action Outcome:	Not reported
Action Type:	RNFE
Action Status:	Revised Statement or Transmittal Received
Action Date:	11/23/2020
Response Action Outcome:	Not reported
Action Type:	Phase 2
Action Status:	Scope of Work Received
Action Date:	11/23/2020
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	11/23/2020
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Legal Notice Published
Action Date:	12/23/2020
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FLDD1U
Action Date:	12/9/2019
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	3/22/2021
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	3/23/2020
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	3/24/2022
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Level I - Technical Screen Audit
Action Date:	4/9/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	TIER I
Action Date:	5/26/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	5/26/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	5/26/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Level I - Technical Screen Audit
Action Date:	6/22/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	9/17/2020
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	9/27/2022
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	9/28/2021
Response Action Outcome:	Not reported

Facility:

Name:	MBTA PROPERTY
Address:	132 WASHINGTON STREET
City,State,Zip:	SOMERVILLE, MA 021430000
Current Status:	Site has been classified as Tier 1. Note that subcategories 1A, 1B and 1C have been discontinued as of 2014 and such sites would now be

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

considered simply ?Tier 1?.

Release Tracking Number/Current Status: 3-0035997 / TIER I
Status Date: 05/26/2021
Source Type: USTOTHER
Release Town: SOMERVILLE
Notification Date: 11/22/2019
Category: 72 HR
Associated ID: 3-0035997
Phase: PHASE II
Response Action Outcome: -
Oil Or Haz Material: Oil

Location Type: INDUSTRIAL
Location Type: COMMERCIAL
Source: USTOTHER
Source: UST
Source: DRUMS
Source: TANK

[Click here to access the MA DEP site for this facility:](#)

Chemicals:

Chemical: PETROLEUM BASED VOCS
Quantity: 207 parts per million

Actions:

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/13/2020
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.)
Action Date: 1/15/2020
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 1/21/2020
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 1/22/2020
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 1/6/2020
Response Action Outcome: Not reported

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 1/6/2020
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	11/22/2019
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	11/22/2019
Response Action Outcome:	Not reported
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	11/23/2020
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	TIERI
Action Date:	11/23/2020
Response Action Outcome:	Not reported
Action Type:	RNFE
Action Status:	Revised Statement or Transmittal Received
Action Date:	11/23/2020
Response Action Outcome:	Not reported
Action Type:	Phase 2
Action Status:	Scope of Work Received
Action Date:	11/23/2020
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	11/23/2020
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Legal Notice Published
Action Date:	12/23/2020
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FLDD1U
Action Date:	12/9/2019
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	3/22/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	3/23/2020
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Date:	3/24/2022
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Level I - Technical Screen Audit
Action Date:	4/9/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	TIERI
Action Date:	5/26/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	5/26/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	5/26/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Level I - Technical Screen Audit
Action Date:	6/22/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	9/17/2020
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	9/27/2022
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	9/28/2021
Response Action Outcome:	Not reported

LAST:

Name:	132 WASHINGTON ST EXISTING PUMP HOUSE
Address:	132 WASHINGTON STREET
City,State,Zip:	SOMERVILLE, MA 021430000
Release Tracking Number/Current Status:	3-0034742 / DPS
Source Type:	AST
Release Town:	SOMERVILLE
Notification Date:	01/24/2018
Category:	120 DY
Associated ID:	Not reported
Status Date:	06/07/2019
Phase:	Not reported
Response Action Outcome:	-

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Oil Or Haz Material:

Hazardous Material

Chemicals:

Chemical:

TRICHLOROETHYLENE

Quantity:

12 micrograms per liter

Chemical:

ETHENE, 1,2-DICHLORO-, (Z)

Quantity:

47 micrograms per liter

Chemical:

TETRACHLOROETHYLENE

Quantity:

210 micrograms per liter

Source:

AST

Source:

PIPE

Source:

UNKNOWN

Source:

UST

Source:

TANK

Source:

DRUMS

Source:

USTOTHER

Actions:

Action Type:

BOL

Action Status:

Transmittal, Notice, or Notification Received

Action Date:

1/11/2022

Response Action Outcome:

Not reported

Action Type:

RNF

Action Status:

Reportable Release under MGL 21E

Action Date:

1/24/2018

Response Action Outcome:

Not reported

Action Type:

RNFE

Action Status:

Transmittal, Notice, or Notification Received

Action Date:

1/24/2018

Response Action Outcome:

Not reported

Action Type:

Release Disposition

Action Status:

Reportable Release under MGL 21E

Action Date:

1/24/2018

Response Action Outcome:

Not reported

Action Type:

BOL

Action Status:

Transmittal, Notice, or Notification Received

Action Date:

1/5/2023

Response Action Outcome:

Not reported

Action Type:

BOL

Action Status:

Transmittal, Notice, or Notification Received

Action Date:

10/1/2021

Response Action Outcome:

Not reported

Action Type:

BOL

Action Status:

Transmittal, Notice, or Notification Received

Action Date:

10/15/2021

Response Action Outcome:

Not reported

Action Type:

Release Abatement Measure

Action Status:

Status or Interim Report Received

Action Date:

10/21/2022

Response Action Outcome:

Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	10/22/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	10/25/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	10/4/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	10/6/2020
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	11/12/2020
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	RMRINT
Action Date:	11/12/2020
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	ALSENT
Action Date:	11/14/2018
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	11/15/2019
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	RMRINT
Action Date:	11/15/2019
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	11/2/2020
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	11/3/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Date:	11/9/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	12/13/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	12/29/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	2/11/2022
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	2/21/2018
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	2/4/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	3/19/2020
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	3/19/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	3/23/2020
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	NOTSHP
Action Date:	3/24/2020
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	3/9/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	4/1/2022
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 4/16/2020
Response Action Outcome: Not reported

Action Type: Compliance and Enforcement Action
Action Status: Notice of Non-Compliance Issued
Action Date: 4/25/2019
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 4/6/2022
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 4/8/2020
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 5/11/2021
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 5/15/2020
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: RMRINT
Action Date: 5/15/2020
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 5/19/2021
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 5/24/2021
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 5/24/2022
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 5/28/2021
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Date:	5/9/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	5/9/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	6/25/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	6/29/2021
Response Action Outcome:	Not reported
Action Type:	Downgradient Property Status
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	6/7/2019
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	7/11/2019
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	7/17/2019
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	7/19/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	7/22/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/17/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/23/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	9/12/2022
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 9/13/2022
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 9/2/2021
Response Action Outcome: Not reported

UST:

Facility:

Name: BOSTON & MAINE YD
Address: 132 WASHINGTON ST
City,State,Zip: SOMERVILLE, MA 02143
Facility ID: 10875
Owner Id: 4158
Owner: MASS BAY TRANSPORTATION AUTHORITY
Owner Address: 10 PARK PLAZA
Owner City,St,Zip: BOSTON, MA 02116
Telephone: Not reported
Description: Not reported
Facility address 2: Not reported
Owner address 2: Room 6720
Latitude: 42.38100
Longitude: -71.08735
Contact name: Corey Burke
Contact address1: 195 Williamsville Road
Contact address2: Not reported
Contact city: Hubbardston
Contact state: MA
Contact zip: 01452
Contact email: cmburke@mbta.com
Update: 1999-01-19 00:00:00
Update by: Not reported
Fac status: CLOSED

Tank ID: 1
Tank Status: **Tank Closure In-Plac**
Status Date: 03/10/1999
Date Installed: 05/09/1966
Capacity: 5000.00000
Contents: Diesel
Tank Usage: Not reported
Tank Leak Detection: Not reported
Pipe Leak Detection: Not reported
Latitude: Not reported
Longitude: Not reported
Tank construct: Not reported
Pipe construct: Not reported
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Release:

Name: 132 WASHINGTON ST EXISTING PUMP HOUSE
Address: 132 WASHINGTON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0034742 / DPS
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 01/24/2018
Category: 120 DY
Status Date: 06/07/2019
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 1/11/2022
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 1/24/2018
Response Action Outcome: Not reported

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 1/24/2018
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 1/24/2018
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 1/5/2023
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	10/1/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	10/15/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	10/21/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	10/22/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	10/25/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	10/4/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	10/6/2020
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	11/12/2020
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	RMRINT
Action Date:	11/12/2020
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	ALSENT
Action Date:	11/14/2018
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	11/15/2019
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	RMRINT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Date:	11/15/2019
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	11/2/2020
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	11/3/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	11/9/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	12/13/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	12/29/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	2/11/2022
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	2/21/2018
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	2/4/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	3/19/2020
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	3/19/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	3/23/2020
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Type:	BOL
Action Status:	NOTSHP
Action Date:	3/24/2020
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	3/9/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	4/1/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	4/16/2020
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Notice of Non-Compliance Issued
Action Date:	4/25/2019
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	4/6/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	4/8/2020
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	5/11/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	5/15/2020
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	RMRINT
Action Date:	5/15/2020
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	5/19/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Date:	5/24/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	5/24/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	5/28/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	5/9/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	5/9/2022
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	6/25/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	6/29/2021
Response Action Outcome:	Not reported
Action Type:	Downgradient Property Status
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	6/7/2019
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	7/11/2019
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	7/17/2019
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	7/19/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	7/22/2021
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 8/17/2021
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 8/23/2021
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 9/12/2022
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 9/13/2022
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 9/2/2021
Response Action Outcome: Not reported

Chemicals:

Chemical: TRICHLOROETHYLENE
Quantity: 12 micrograms per liter
Chemical: ETHENE, 1,2-DICHLORO-, (Z)
Quantity: 47 micrograms per liter
Chemical: TETRACHLOROETHYLENE
Quantity: 210 micrograms per liter
Source: AST
Source: PIPE
Source: UNKNOWN
Source: UST
Source: TANK
Source: DRUMS
Source: USTOTHER

Name: MBTA PROPERTY
Address: 132 WASHINGTON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0035997 / TIER I
Primary ID: 3-0035997
Official City: SOMERVILLE
Notification: 11/22/2019
Category: 72 HR
Status Date: 05/26/2021
Phase: PHASE II
Response Action Outcome: -
Oil / Haz Material Type: Oil

[Click here to access the MA DEP site for this facility:](#)

Actions:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/13/2020
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 1/15/2020
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 1/21/2020
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 1/22/2020
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 1/6/2020
Response Action Outcome: Not reported

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 1/6/2020
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 11/22/2019
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 11/22/2019
Response Action Outcome: Not reported

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 11/23/2020
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: TIERI
Action Date: 11/23/2020
Response Action Outcome: Not reported

Action Type: RNFE
Action Status: Revised Statement or Transmittal Received
Action Date: 11/23/2020
Response Action Outcome: Not reported

Action Type: Phase 2
Action Status: Scope of Work Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Date:	11/23/2020
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	11/23/2020
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Legal Notice Published
Action Date:	12/23/2020
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FLDD1U
Action Date:	12/9/2019
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	3/22/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	3/23/2020
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	3/24/2022
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Level I - Technical Screen Audit
Action Date:	4/9/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	TIERI
Action Date:	5/26/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	5/26/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	5/26/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Level I - Technical Screen Audit
Action Date:	6/22/2021
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 9/17/2020
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 9/27/2022
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 9/28/2021
Response Action Outcome: Not reported

Chemicals:

Chemical: PETROLEUM BASED VOCS
Quantity: 207 parts per million
Location Type: INDUSTRIAL
Location Type: COMMERCIAL
Source: USTOTHER
Source: UST
Source: DRUMS
Source: TANK

Name: MBTA PROPERTY
Address: 132 WASHINGTON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0036789 / RAONR
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 03/30/2021
Category: 120 DY
Status Date: 05/26/2021
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 11/23/2020
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: TIER I
Action Date: 11/23/2020
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Legal Notice Published
Action Date: 12/23/2020
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	3/30/2021
Response Action Outcome:	Not reported
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	3/30/2021
Response Action Outcome:	Not reported
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	3/30/2021
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	4/13/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	TIERI
Action Date:	5/26/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	5/26/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	5/26/2021
Response Action Outcome:	Not reported
Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	5/26/2021
Response Action Outcome:	Not reported

Chemicals:

Chemical:	DNAPL
Quantity:	0.125 inches
Source:	UNKNOWN

Name:	WASHINGTON STREET
Address:	132 WASHINGTON STREET
City,State,Zip:	SOMERVILLE, MA 021430000
Release Tracking Number/Current Status:	3-0036931 / TIERII
Primary ID:	Not reported
Official City:	SOMERVILLE
Notification:	06/30/2021
Category:	72 HR
Status Date:	09/27/2022
Phase:	Not reported
Response Action Outcome:	-
Oil / Haz Material Type:	Oil

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 10/22/2021
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 10/28/2021
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 11/2/2022
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Legal Notice Published
Action Date: 11/2/2022
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 2/22/2022
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSENT
Action Date: 4/5/2022
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 5/5/2022
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 6/30/2021
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 7/16/2021
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.)
Action Date: 7/21/2021
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 8/10/2021
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Action Type:	Immediate Response Action
Action Status:	Written Plan Received
Action Date:	8/26/2021
Response Action Outcome:	Not reported
Action Type:	RNFE
Action Status:	Revised Statement or Transmittal Received
Action Date:	8/26/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Level I - Technical Screen Audit
Action Date:	8/27/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	9/15/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	9/27/2022
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	9/27/2022
Response Action Outcome:	Not reported
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	9/27/2022
Response Action Outcome:	Not reported

Chemicals:	
Chemical:	PETROLEUM BASED OIL
Quantity:	620 parts per million
Location Type:	ROADWAY
Source:	UST
Source:	USTOTHER
Source:	TANK
Source:	UNKNOWN

ENFORCEMENT:

Name:	MASSACHUSETTS BAY TRANSPORTAION AUTHORITY
Address:	132 WASHINGTON STREET
City,State,Zip:	SOMERVILLE, MA 021430000
Region:	NERO
DEP Region:	NERO
DEP Program:	3a
DEP Bureau:	BWSC
Program:	BWSC
Program Id:	3-0034742
High Or Low Level Enforcement:	LLE
FMF #:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Town Where Violation Occurred: SOMERVILLE
Date Executed: 04/25/2019
ENF #: 00007109
Document Type: NON
AG Ref (Y/N): NO
Doc Archived (Y/N): Not reported
EJ Community (Y/N): YES
Regional Comment: Not reported
Final Payment Due Date: Not reported
ACOP \$: Not reported
PAN \$: Not reported
EMS (Y/N): Not reported
EMS\$: Not reported
SEP (Y/N): Not reported
SEP \$: Not reported
Demand \$: Not reported
Suspended \$: Not reported
Ownership: State Owned

HW GEN:

Name: MBTA KEOLIS SOMERVILLE MAINTENANCE OF WA
Address: 132 WASHINGTON ST
City,State,Zip: SOMERVILLE, MA 02143
EPA Id: MAR000514547
RCRA Generator Status: VSQG
State Generator Status: VQG-MA

TIER 2:

Name: SOMERVILLE MAINTENANCE OF WAY-MYSTIC
Address: 132 WASHINGTON STREET
City,State,Zip: SOMERVILLE, MA 02143
Report Year: 2018
Facility Id: FATR2018000000041352
Facility Dept: Not reported
Latitude: 42.381214
Longitude: -71.088045
Mailing Address: 470 Atlantic Avenue Suite 500
Mailing City/State/Zip: 02210-210-
Mailing Country: Not reported
Notes: Not reported
All Chemicals Same As Last Yr: Not reported
Date Signed: 2019-03-01
Dike Or Other Safeguard: Not reported
Failed Validation: Not reported
Date Modified: 03/01/2019
Fees Total: Not reported
Num Of Employees: 25
Site Coord Abbreviated?: false
Site Map: Not reported
State Label Code: Not reported
Submitted By: Not reported
Validation Report: Not reported
Fire District: Not reported
Latlong Location Description: Not reported
Latlong Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Record Key: FDTR2018000000028073
Id: Not reported
Type: RMP
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000028074
Id: Not reported
Type: State ID
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000028075
Id: Not reported
Type: TRI
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000028076
Id: Not reported
Type: DUN & BradStreet
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000028077
Id: Not reported
Type: T2M Facility ID
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000028078
Id: Not reported
Type: EIN
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000028079
Id: Not reported
Type: SIC
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000028080
Id: Not reported
Type: NAICS
Description: Not reported
Last Modified: Not reported

Contact:
Report Year: 2018
Contact Record Id: CTTR2018382896P41352
Title: Not reported
Contact Name: Not reported
Contact Email: Not reported
Contact Mail Address: Not reported
Contact Mail City: Not reported
Contact Mail State: MA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Contact Mail Zip: Not reported
Contact Mail Country: US
Contact1 Type: Parent Company
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:
Report Year: 2018
Contact Record Id: CTTR2018382903P41352
Title: EQ ER Response
Contact Name: Beadury
Contact Email: Sean.Beadury@usecology.com
Contact Mail Address: Not reported
Contact Mail City: Not reported
Contact Mail State: Not reported
Contact Mail Zip: Not reported
Contact Mail Country: Not reported
Contact1 Type: Emergency Contact
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:
Report Year: 2018
Contact Record Id: CTTR2018382902P41352
Title: Dir of ENV
Contact Name: Coutu
Contact Email: clary.coutu@keoliscs.com
Contact Mail Address: Not reported
Contact Mail City: Not reported
Contact Mail State: Not reported
Contact Mail Zip: Not reported
Contact Mail Country: Not reported
Contact1 Type: Emergency Contact
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:
Report Year: 2018
Contact Record Id: CTTR2018382900P41352
Title: Not reported
Contact Name: Not reported
Contact Email: clary.coutu@keoliscs.com
Contact Mail Address: 132 Washington Street
Contact Mail City: Somerville
Contact Mail State: MA
Contact Mail Zip: 02143
Contact Mail Country: US

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Contact1 Type: Other
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:
Report Year: 2018
Contact Record Id: CTTR2018382901P41352
Title: Dir of ENV
Contact Name: Coutu
Contact Email: clary.coutu@keoliscs.com
Contact Mail Address: Not reported
Contact Mail City: Not reported
Contact Mail State: Not reported
Contact Mail Zip: Not reported
Contact Mail Country: Not reported
Contact1 Type: Tier II Information Contact
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:
Report Year: 2018
Contact Record Id: CTTR2018382897P41352
Title: Not reported
Contact Name: Commuter ServicesLLC
Contact Email: clary.coutu@keoliscs.com
Contact Mail Address: 470 Atlantic Avenue Suite 500
Contact Mail City: Boston
Contact Mail State: MA
Contact Mail Zip: 02210
Contact Mail Country: US
Contact1 Type: Owner / Operator
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:
Report Year: 2018
Contact Record Id: CTTR2018382898P41352
Title: Not reported
Contact Name: Not reported
Contact Email: Not reported
Contact Mail Address: Not reported
Contact Mail City: Not reported
Contact Mail State: Not reported
Contact Mail Zip: Not reported
Contact Mail Country: Not reported
Contact1 Type: Billing
Contact2 Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Chemicals:

Acute: Not reported
Ave Amount: Not reported
Ave Amount Code: Not reported
Chem Inv Record Id: CVTR2018000000155149
Chem Same As Last Yr: true
Chronic: Not reported
CICAS: 68476302
CI EHS Chemical: false
CI Last Modified: 2018-03-01
Days On Site: 365
Entered Chemical Name: Fuel Oil No 2
Fire: Not reported
Gas: false
Liquid: true
Max Amount: 3.019
Max Amount Code: 7
Max Amt Container: 0
Mixture: true
Pressure: Not reported
Pure: false
Reactive: Not reported
Solid: false
State01 Checkbox: Not reported
State01 Number: Not reported
State01 Text: Not reported
State02 Checkbox: Not reported
State02 Number: Not reported
State02 Text: Not reported
State03 Checkbox: Not reported
State03 Number: Not reported
State03 Text: Not reported
State04 Checkbox: Not reported
State04 Number: Not reported
State04 Text: Not reported
State05 Checkbox: Not reported
State05 Text: Not reported
State06 Checkbox: Not reported
State06 Text: Not reported
State07 Checkbox: Not reported
State07 Text: Not reported
State1 Contact Field: Not reported
State Label Code: Not reported
Trade Secret: false

Location:

Record Key: CLTR201800000S427021
Chem Inv Record Id: CVTR2018000000155149
Type Code: Above ground tank
Pressure Code: Ambient pressure
Temperature Code: Ambient temperature
Location: 132 Washington Street

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON & MAINE YD (Continued)

U002007565

Amount: 0
Amount Unit: lbs
Last Modified: 2018-03-01

Chemical Mixture:
Record Key: CLTR201800000M165577
Chem Inv Rec Id: CVTR2018000000155149
Mx Chem: Fuel Oil
Mx CAS: 68476302
Percentage: Not reported
Wt Vol: weight
Mx EHS: false
Mx Last Modified: 2018-03-01

**AW258
SW
1/2-1
0.934 mi.
4934 ft.**

**NO LOCATION AID
260-264 BEACON STREET
SOMERVILLE, MA 02143**

**MA SHWS
MA RELEASE
MA ENF**

**S122833025
N/A**

Site 1 of 5 in cluster AW

**Relative:
Lower**

**Actual:
15 ft.**

SHWS:
Name: NO LOCATION AID
Address: 260-264 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0034995
Source Type: 3-31040
Release Town: SOMERVILLE
Notification Date: 06/15/2018
Category: 72 HR
Associated ID: Not reported
Current Status: RAONR
Status Date: 12/11/2018
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: NO LOCATION AID
Address: 260-264 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0034995
Source Type: RTN
Release Town: SOMERVILLE
Notification Date: 06/15/2018
Category: 72 HR
Associated ID: Not reported
Current Status: RAONR
Status Date: 12/11/2018
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S122833025

Release:

Name: NO LOCATION AID
Address: 260-264 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0034995 / RAONR
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 06/15/2018
Category: 72 HR
Status Date: 12/11/2018
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 11/14/2018
Response Action Outcome: Not reported

Action Type: RAO Not Required
Action Status: Linked to a Tier Classified Site
Action Date: 12/11/2018
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 12/11/2018
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: RTN Linked to TCLASS Via IRA Completion Statement
Action Date: 12/11/2018
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: RTN Linked to TCLASS Via IRA Completion Statement
Action Date: 2/1/2016
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 2/26/2019
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 3/25/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: RTN Linked to TCLASS Via Tier Classification Submittal
Action Date: 3/25/2021
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S122833025

Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	3/25/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	IRA Assessment Only
Action Date:	6/15/2018
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	6/15/2018
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	7/25/2018
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Interim Deadline Letter Issued
Action Date:	7/25/2018
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via IRA Completion Statement
Action Date:	8/11/2015
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	EPETOP
Action Date:	8/24/2015
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	8/24/2015
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S122833025

Action Date: 8/24/2015
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Legal Notice Published
Action Date: 8/26/2013
Response Action Outcome: Not reported

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 8/29/2018
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 8/29/2018
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 8/29/2018
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 8/31/2018
Response Action Outcome: Not reported

Chemicals:
Chemical: TRICHLOROETHYLENE
Quantity: 9 micrograms per liter
Location Type: COMMERCIAL
Location Type: RESIDENTIAL
Source: 3-31040
Source: RTN

ENFORCEMENT:

Name: HIGHLAND CBD 260 BEACON LLC
Address: 260-264 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Region: NERO
DEP Region: NERO
DEP Program: 3s
DEP Bureau: BWSC
Program: BWSC
Program Id: 3-0034995
High Or Low Level Enforcement: LLE
FMF #: Not reported
Town Where Violation Occurred: SOMERVILLE
Date Executed: 07/25/2018
ENF #: 00005424
Document Type: IDL
AG Ref (Y/N): NO
Doc Archived (Y/N): Not reported
EJ Community (Y/N): YES
Regional Comment: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S122833025

Final Payment Due Date: Not reported
ACOP \$: Not reported
PAN \$: Not reported
EMS (Y/N): Not reported
EMS\$: Not reported
SEP (Y/N): Not reported
SEP \$: Not reported
Demand \$: Not reported
Suspended \$: Not reported
Ownership: Commercially Owned

AW259
SW
1/2-1
0.934 mi.
4934 ft.

COMMERCIAL BUILDING
260-264 BEACON ST
SOMERVILLE, MA 02143

MA SHWS
MA RELEASE
MA UIC

S112146224
N/A

Site 2 of 5 in cluster AW

Relative:
Lower

Actual:
15 ft.

SHWS:
Name: COMMERCIAL BUILDING
Address: 260-264 BEACON ST
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031040
Source Type: Not reported
Release Town: SOMERVILLE
Notification Date: 08/13/2012
Category: 120 DY
Associated ID: 3-0031040
Current Status: REMOPS
Status Date: 07/19/2019
Phase: PHASE V
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Release:
Name: COMMERCIAL BUILDING
Address: 260-264 BEACON ST
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0031040 / REMOPS
Primary ID: 3-0031040
Official City: SOMERVILLE
Notification: 08/13/2012
Category: 120 DY
Status Date: 07/19/2019
Phase: PHASE V
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

Click here to access the MA DEP site for this facility:

Actions:

Action Type: Phase 4
Action Status: RMRINT
Action Date: 1/18/2018
Response Action Outcome: Not reported

Action Type: Phase 4
Action Status: Status or Interim Report Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S112146224

Action Date:	1/18/2018
Response Action Outcome:	Not reported
Action Type:	Phase 3
Action Status:	Completion Statement Received
Action Date:	1/20/2017
Response Action Outcome:	Not reported
Action Type:	Phase 4
Action Status:	Written Plan Received
Action Date:	1/20/2017
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	RMRINT
Action Date:	1/21/2022
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	Remedy Operation Status Report Received
Action Date:	1/21/2022
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Written Approval of Plan
Action Date:	1/27/2016
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	RMRINT
Action Date:	1/27/2021
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	Remedy Operation Status Report Received
Action Date:	1/27/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	1/31/2017
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	11/28/2022
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	Remedy Operation Status Report Received
Action Date:	11/28/2022
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	RMRINT
Action Date:	11/28/2022
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S112146224

Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	11/6/2012
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	11/7/2012
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	Work Started
Action Date:	12/10/2018
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	Remedy Operation Status Submittal Received
Action Date:	12/10/2018
Response Action Outcome:	Not reported
Action Type:	Phase 4
Action Status:	Completion Statement Received
Action Date:	12/10/2018
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	RMRINT
Action Date:	12/10/2018
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via IRA Completion Statement
Action Date:	12/11/2018
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	12/14/2021
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	RMRINT
Action Date:	12/23/2019
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	Remedy Operation Status Report Received
Action Date:	12/23/2019
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	12/3/2015
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S112146224

Action Date:	12/3/2015
Response Action Outcome:	Not reported
Action Type:	Phase 2
Action Status:	Scope of Work Received
Action Date:	12/30/2015
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via IRA Completion Statement
Action Date:	2/1/2016
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FLDDO
Action Date:	2/12/2016
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLFLD
Action Date:	2/18/2016
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	SHPFAC
Action Date:	3/20/2017
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	3/25/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	3/25/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	3/25/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	4/10/2017
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/25/2022
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	4/5/2016
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S112146224

Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	5/10/2021
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Interim Deadline Letter Issued
Action Date:	5/8/2013
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	RFI
Action Date:	5/8/2013
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	6/22/2016
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	Remedy Operation Status Report Received
Action Date:	6/26/2020
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	RMRINT
Action Date:	6/26/2020
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	ALSENT
Action Date:	6/7/2013
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	Remedy Operation Status Report Received
Action Date:	7/19/2019
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	RMRINT
Action Date:	7/19/2019
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	Remedy Operation Status Submittal Received
Action Date:	7/19/2019
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	RMRINT
Action Date:	7/23/2021
Response Action Outcome:	Not reported
Action Type:	Phase 5
Action Status:	Remedy Operation Status Report Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S112146224

Action Date:	7/23/2021
Response Action Outcome:	Not reported
Action Type:	Phase 4
Action Status:	RMRINT
Action Date:	7/27/2018
Response Action Outcome:	Not reported
Action Type:	Phase 4
Action Status:	Status or Interim Report Received
Action Date:	7/27/2018
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via IRA Completion Statement
Action Date:	8/11/2015
Response Action Outcome:	Not reported
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	8/13/2012
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	8/13/2012
Response Action Outcome:	Not reported
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/13/2012
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	8/13/2013
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S112146224

Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	8/24/2015
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	EPETOP
Action Date:	8/24/2015
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	8/24/2015
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	8/25/2015
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Legal Notice Published
Action Date:	8/26/2013
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	8/29/2012
Response Action Outcome:	Not reported
Action Type:	Phase 4
Action Status:	Status or Interim Report Received
Action Date:	8/8/2017
Response Action Outcome:	Not reported
Action Type:	Phase 4
Action Status:	RMRINI
Action Date:	8/8/2017
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	SHPFAC
Action Date:	9/1/2016
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	9/28/2016
Response Action Outcome:	Not reported
Chemicals:	
Chemical:	TRICHLOROETHYLENE
Quantity:	933 micrograms per liter
Chemical:	VINYL CHLORIDE
Quantity:	25 micrograms per liter
Chemical:	TETRACHLOROETHYLENE
Quantity:	105 micrograms per liter

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S112146224

Chemical: DICHLOROETHYLENE-CIS
Quantity: 123 micrograms per liter
Location Type: RESIDENTIAL

UIC:
RTN Number: 3-0031040
Name: HIGHLAND CBD 260 BEACON LLC
Address: 260-264 BEACON ST
City,State,Zip: SOMERVILLE, MA 021430000
Permit Date: 06/26/2020
Actor Name: Not reported
Air Sparging: No
Injection Well: Yes/Inactive
ReInjection Well: No
UIC APL Type: Not reported
Latitude: 42.38247
Well Status: Not reported
Longitude: -71.1119
UIC ID: Not reported
EPA Code: Not reported
Indicates Area: Not reported
Number of Wells: Not reported
Owner: Not reported
Receive Date: Not reported
Authorization to Install/Close Date: Not reported
Confirmation of Install Receive: Not reported
Post-Closure Receive: Not reported
Final Approval Date: Not reported
Permit Number: Not reported
Permit Type: Not reported
Permit Type Description: Not reported
Program: Not reported
Applicant Name: Not reported
Decision Date: Not reported
Operator Name: BENJAMIN ROGAN
Well ID: Not reported
Well Type Name: Not reported
Max Well Depth: Not reported
Date Complete: Not reported
Work Performed: Not reported
Depth to Bedrock: Not reported
Water Level: Not reported

AW260
SW
1/2-1
0.934 mi.
4934 ft.

PRIVATE PROPERTY
260 BEACON STREET
SOMERVILLE, MA 02143

Site 3 of 5 in cluster AW

MA SHWS
MA RELEASE
MA ASBESTOS
MA ENF
MA HW GEN

S119872580
N/A

Relative:
Lower
Actual:
15 ft.

SHWS:
Name: PRIVATE PROPERTY
Address: 260 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0036041
Source Type: HSITORICAL
Release Town: SOMERVILLE
Notification Date: 12/16/2019

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE PROPERTY (Continued)

S119872580

Category: 72 HR
Associated ID: Not reported
Current Status: RAONR
Status Date: 03/25/2021
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: PRIVATE PROPERTY
Address: 260 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0036041
Source Type: SITE
Release Town: SOMERVILLE
Notification Date: 12/16/2019
Category: 72 HR
Associated ID: Not reported
Current Status: RAONR
Status Date: 03/25/2021
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: PRIVATE PROPERTY
Address: 260 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0036041
Source Type: CONDITION
Release Town: SOMERVILLE
Notification Date: 12/16/2019
Category: 72 HR
Associated ID: Not reported
Current Status: RAONR
Status Date: 03/25/2021
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Release:
Name: PRIVATE PROPERTY
Address: 260 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0036041 / RAONR
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 12/16/2019
Category: 72 HR
Status Date: 03/25/2021
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Compliance and Enforcement Action

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE PROPERTY (Continued)

S119872580

Action Status:	Interim Deadline Letter Issued
Action Date:	1/2/2020
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.)
Action Date:	1/2/2020
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	10/26/2020
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via IRA Completion Statement
Action Date:	12/11/2018
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	12/16/2019
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	IRA Assessment Only
Action Date:	12/16/2019
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via IRA Completion Statement
Action Date:	2/1/2016
Response Action Outcome:	Not reported
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	2/12/2020
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Written Plan Received
Action Date:	2/12/2020
Response Action Outcome:	Not reported
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	2/12/2020
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	3/25/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	3/25/2021

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE PROPERTY (Continued)

S119872580

Response Action Outcome:	Not reported
Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	3/25/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	3/25/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	6/26/2020
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via IRA Completion Statement
Action Date:	8/11/2015
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	8/24/2015
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	EPETOP
Action Date:	8/24/2015
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	8/24/2015
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Legal Notice Published
Action Date:	8/26/2013
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE PROPERTY (Continued)

S119872580

Chemicals:

Chemical:	VINYL CHLORIDE
Quantity:	3.1 micrograms per liter
Chemical:	TRICHLOROETHYLENE
Quantity:	59 micrograms per liter
Chemical:	ETHENE, 1,2-DICHLORO-, (Z)
Quantity:	34 micrograms per liter
Location Type:	RESIDENTIAL
Location Type:	PRIVPROP
Source:	SITE
Source:	HSITORICAL
Source:	CONDITION

ASBESTOS:

Name:	THOMAS CRAVOTTA
Address:	260 BEACON ST.
City,State,Zip:	SOMERVILLE, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	09/08/2012
End Date:	09/09/2012
Date Entered:	Not reported
Entry Date:	08/27/2012
Quantity Material Removed SF:	40.00
Quantity Material Removed LF:	50.00
Project Description:	Blr,Spr
AR Tracking ID:	162479
Super Lic Number:	AS000828
Monitor Lic Number:	Not reported
Lab Lic Number:	AA000128
Year:	2012
Sticker Number:	100157117
Form Type:	ANF-001
Fee Status:	Exempt
Facility Phone:	7818356685
Sub Town:	Not reported
Worksite:	SAME
Occupied:	-1
Contractor:	AC000800
Contract Type:	WRITTEN
Hours:	Week days: 7AM-5PM Week end: 7AM-5PM
Project Type:	Renv
Abatement Process:	Fcontain,Encp
Location:	Indoors
Decon Process:	APPROPRIATE CRITICAL BARRIER SEPARATION & NEG. PRSSURE INSTALLED, 3 CHAMBER UNIT
Disposal Methods:	ALL ACM WILL BE WET AND PUT INTO 2-6MIL BAGS SEALED AND LABELED
Facility Usage:	FOUR FAMILY
Waiver Given:	Not reported
DEP Waiver Number:	Not reported
DLWD Waiver Number:	Not reported
Small Owner Occ:	4
Owner Name:	THOMAS CRAVOTTA
Owner Address:	260 BEACON ST.
Owner City:	SOMERVILLE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE PROPERTY (Continued)

S119872580

Owner State: MA
On Site Manager Name: Not reported
On Site Manager Phone: Not reported
Ins Comp: Not reported
Policy Number: Not reported
EXP Date: Not reported
Facility Size: Not reported
Transporter Name: BGS ENVIRONMENTAL
Transporter Address: 36 PRESIDENTS AVE.
Transporter City: QUINCY
Transporter State: Not reported
Final Site: 39
Certified Name: ROBERT SWANBECK
Cert Sign Date: 08/27/2012
Certified Company: BGS ENVIRONMENTAL
Certified Phone: 7742265911
Entered_by: Not reported

ENFORCEMENT:

Name: HIGHLAND CBD 260 BEACON LLC
Address: 260 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Region: NERO
DEP Region: NERO
DEP Program: 3s
DEP Bureau: BWSC
Program: BWSC
Program Id: 3-0036041
High Or Low Level Enforcement: LLE
FMF #: Not reported
Town Where Violation Occurred: SOMERVILLE
Date Executed: 01/02/2020
ENF #: 00008801
Document Type: IDL
AG Ref (Y/N): NO
Doc Archived (Y/N): Not reported
EJ Community (Y/N): YES
Regional Comment: Not reported
Final Payment Due Date: Not reported
ACOP \$: Not reported
PAN \$: Not reported
EMS (Y/N): Not reported
EMS\$: Not reported
SEP (Y/N): Not reported
SEP \$: Not reported
Demand \$: Not reported
Suspended \$: Not reported
Ownership: Commercially Owned

HW GEN:

Name: DEVELOPMENT OF 260 BEACON STREET-TEMP ID
Address: 260 BEACON ST
City,State,Zip: SOMERVILLE, MA 02143
EPA Id: MAR000549469
RCRA Generator Status: VSQG
State Generator Status: VQG-MA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

AW261
SW
1/2-1
0.934 mi.
4934 ft.
Site 4 of 5 in cluster AW

MA SHWS
MA RELEASE
MA ENF
S113411687
N/A

Relative:
Lower

SHWS:

Actual:
15 ft.

Name: COMMERCIAL BUILDING
Address: 260-264 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031228
Source Type: HISTORIC
Release Town: SOMERVILLE
Notification Date: 11/14/2012
Category: TWO HR
Associated ID: Not reported
Current Status: RAONR
Status Date: 08/24/2015
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: COMMERCIAL BUILDING
Address: 260-264 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031228
Source Type: RELEASE
Release Town: SOMERVILLE
Notification Date: 11/14/2012
Category: TWO HR
Associated ID: Not reported
Current Status: RAONR
Status Date: 08/24/2015
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: COMMERCIAL BUILDING
Address: 260-264 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031228
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 11/14/2012
Category: TWO HR
Associated ID: Not reported
Current Status: RAONR
Status Date: 08/24/2015
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Release:

Name: COMMERCIAL BUILDING
Address: 260-264 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0031228 / RAONR
Primary ID: Not reported
Official City: SOMERVILLE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S113411687

Notification: 11/14/2012
Category: TWO HR
Status Date: 08/24/2015
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Release Abatement Measure
Action Status: Written Approval of Plan
Action Date: 1/27/2016
Response Action Outcome: Not reported

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 1/30/2013
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 1/30/2013
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 1/30/2013
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 1/30/2013
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 11/14/2012
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 11/14/2012
Response Action Outcome: Not reported

Action Type: Compliance and Enforcement Action
Action Status: Interim Deadline Letter Issued
Action Date: 11/28/2012
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.)
Action Date: 11/28/2012
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Written Plan Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S113411687

Action Date:	11/6/2012
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	11/7/2012
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via IRA Completion Statement
Action Date:	12/11/2018
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	NORA
Action Date:	12/19/2012
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	12/3/2015
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	12/3/2015
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Interim Deadline Letter Issued
Action Date:	2/1/2013
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Written Approval of Plan
Action Date:	2/1/2013
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via IRA Completion Statement
Action Date:	2/1/2016
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Imminent Hazard Evaluation Received
Action Date:	2/28/2013
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINI
Action Date:	3/14/2013
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	3/14/2013
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S113411687

Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	3/20/2014
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	3/20/2014
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	3/25/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	3/25/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	3/25/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	4/10/2017
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	4/14/2015
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/14/2015
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	4/5/2016
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	5/14/2013
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	RFI
Action Date:	5/8/2013
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Interim Deadline Letter Issued

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S113411687

Action Date:	5/8/2013
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	6/11/2013
Response Action Outcome:	Not reported
Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	8/11/2015
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via IRA Completion Statement
Action Date:	8/11/2015
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Completion Statement Received
Action Date:	8/11/2015
Response Action Outcome:	Not reported
Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	8/24/2015
Response Action Outcome:	Not reported
Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	8/24/2015
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S113411687

Action Type:	Tier Classification
Action Status:	EPETOP
Action Date:	8/24/2015
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	8/24/2015
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Legal Notice Published
Action Date:	8/26/2013
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	9/13/2013
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	9/13/2013
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	9/28/2016
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	9/30/2014
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	9/30/2014
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Level I - Technical Screen Audit
Action Date:	9/7/2017
Response Action Outcome:	Not reported

Chemicals:	
Chemical:	TRICHLOROETHYLENE
Quantity:	98.3 UG/M3
Chemical:	TETRACHLOROETHYLENE
Quantity:	25.8 UG/M3
Location Type:	COMMERCIAL
Source:	HISTORIC
Source:	RELEASE
Source:	UNKNOWN

ENFORCEMENT:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S113411687

Name: 50 BEACON STREET REALTY TRUST
Address: 260-264 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Region: NERO
DEP Region: NERO
DEP Program: 3r
DEP Bureau: BWSC
Program: BWSC
Program Id: 3-0031228
High Or Low Level Enforcement: LLE
FMF #: 0
Town Where Violation Occurred: SOMERVILLE
Date Executed: 02/01/2013
ENF #: Faux Enf- 0053
Document Type: IDL
AG Ref (Y/N): Not reported
Doc Archived (Y/N): Not reported
EJ Community (Y/N): YES
Regional Comment: Not reported
Final Payment Due Date: Not reported
ACOP \$: Not reported
PAN \$: Not reported
EMS (Y/N): Not reported
EMS\$: Not reported
SEP (Y/N): Not reported
SEP \$: Not reported
Demand \$: Not reported
Suspended \$: Not reported
Ownership: T

Name: 50 BEACON STREET REALTY TRUST
Address: 260-264 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Region: NERO
DEP Region: NERO
DEP Program: 3r
DEP Bureau: BWSC
Program: BWSC
Program Id: 3-0031228
High Or Low Level Enforcement: LLE
FMF #: 0
Town Where Violation Occurred: SOMERVILLE
Date Executed: 11/28/2012
ENF #: Faux Enf- 0051
Document Type: IDL
AG Ref (Y/N): Not reported
Doc Archived (Y/N): Not reported
EJ Community (Y/N): YES
Regional Comment: Not reported
Final Payment Due Date: Not reported
ACOP \$: Not reported
PAN \$: Not reported
EMS (Y/N): Not reported
EMS\$: Not reported
SEP (Y/N): Not reported
SEP \$: Not reported
Demand \$: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S113411687

Suspended \$: Not reported
Ownership: T

AX262
SSE
1/2-1
0.935 mi.
4936 ft.

FMR KILEY BARREL
20 TO 22 PROSPECT ST
SOMERVILLE, MA 02143

MA SHWS
MA RELEASE

S104000574
N/A

Site 1 of 4 in cluster AX

Relative:
Lower

SHWS:

Actual:
13 ft.

Name: FMR KILEY BARREL
Address: 20 TO 22 PROSPECT ST
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0018513
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 07/12/1999
Category: TWO HR
Associated ID: Not reported
Current Status: RAONR
Status Date: 07/02/2010
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Release:

Name: FMR KILEY BARREL
Address: 20 TO 22 PROSPECT ST
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0018513 / RAONR
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 07/12/1999
Category: TWO HR
Status Date: 07/02/2010
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

Click here to access the MA DEP site for this facility:

Actions:

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 1/4/1996
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Tier 2 Extension
Action Date: 1/4/1996
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Tier 2 Extension
Action Date: 1/6/1997
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FMR KILEY BARREL (Continued)

S104000574

Action Type:	Tier Classification
Action Status:	Legal Notice Published
Action Date:	11/9/2010
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	12/13/2001
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	2/28/1990
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	4/10/2006
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	4/26/2010
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Legal Notice Published
Action Date:	5/20/2010
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	5/25/2007
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	5/26/2010
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 1B Classification
Action Date:	5/26/2010
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	5/3/2010
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Transfer
Action Date:	5/31/2002
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FMR KILEY BARREL (Continued)

S104000574

Action Date:	5/5/2009
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	7/12/1999
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	7/12/1999
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Permit Effective Date
Action Date:	7/2/2010
Response Action Outcome:	Not reported
Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	7/2/2010
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	TCEXT
Action Date:	7/24/2014
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	7/6/2000
Response Action Outcome:	Not reported
Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	7/6/2000
Response Action Outcome:	Not reported
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	8/11/1999
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Written Plan Received
Action Date:	8/11/1999
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	8/11/2000
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	8/18/1999
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FMR KILEY BARREL (Continued)

S104000574

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 8/19/1999
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: RTN Linked to TCLASS Via IRA Completion Statement
Action Date: 8/25/2014
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 9/27/1999
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Tier 2 Transfer
Action Date: 9/9/1999
Response Action Outcome: Not reported

Chemicals:
Chemical: ARSENIC
Quantity: 75 milligrams per kilogram
Chemical: ARSENIC
Quantity: 85 milligrams per kilogram
Location Type: COMMERCIAL
Source: UNKNOWN

263
SE
1/2-1
0.938 mi.
4954 ft.

**AT FRANKLIN STREET
103 WASHINGTON STREET
SOMERVILLE, MA 02143**

**MA SHWS
MA LUST
MA RELEASE
MA ASBESTOS
MA HW GEN**

**S113805359
N/A**

**Relative:
Lower
Actual:
17 ft.**

SHWS:
Name: AT FRANKLIN STREET
Address: 103 WASHINGTON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0034310
Source Type: PIPE
Release Town: SOMERVILLE
Notification Date: 05/30/2017
Category: 120 DY
Associated ID: Not reported
Current Status: PSNC
Status Date: 12/11/2017
Phase: Not reported
Response Action Outcome: PN
Oil Or Haz Material: Oil

Name: AT FRANKLIN STREET
Address: 103 WASHINGTON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0034310
Source Type: LINE
Release Town: SOMERVILLE
Notification Date: 05/30/2017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AT FRANKLIN STREET (Continued)

S113805359

Category:	120 DY
Associated ID:	Not reported
Current Status:	PSNC
Status Date:	12/11/2017
Phase:	Not reported
Response Action Outcome:	PN
Oil Or Haz Material:	Oil
Name:	AT FRANKLIN STREET
Address:	103 WASHINGTON STREET
City,State,Zip:	SOMERVILLE, MA 021430000
Facility ID:	3-0034310
Source Type:	TANK
Release Town:	SOMERVILLE
Notification Date:	05/30/2017
Category:	120 DY
Associated ID:	Not reported
Current Status:	PSNC
Status Date:	12/11/2017
Phase:	Not reported
Response Action Outcome:	PN
Oil Or Haz Material:	Oil
Name:	AT FRANKLIN STREET
Address:	103 WASHINGTON STREET
City,State,Zip:	SOMERVILLE, MA 021430000
Facility ID:	3-0034310
Source Type:	HOSE
Release Town:	SOMERVILLE
Notification Date:	05/30/2017
Category:	120 DY
Associated ID:	Not reported
Current Status:	PSNC
Status Date:	12/11/2017
Phase:	Not reported
Response Action Outcome:	PN
Oil Or Haz Material:	Oil
Name:	AT FRANKLIN STREET
Address:	103 WASHINGTON STREET
City,State,Zip:	SOMERVILLE, MA 021430000
Facility ID:	3-0034310
Source Type:	UNKNOWN
Release Town:	SOMERVILLE
Notification Date:	05/30/2017
Category:	120 DY
Associated ID:	Not reported
Current Status:	PSNC
Status Date:	12/11/2017
Phase:	Not reported
Response Action Outcome:	PN
Oil Or Haz Material:	Oil

LUST:

Facility:

Name: AT FRANKLIN STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AT FRANKLIN STREET (Continued)

S113805359

Address: 103 WASHINGTON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Current Status: **Permanent Solution with No Conditions**
Release Tracking Number/Current Status: 3-0034310 / PSNC
Status Date: 12/11/2017
Source Type: UST
Release Town: SOMERVILLE
Notification Date: 05/30/2017
Category: 120 DY
Associated ID: Not reported
Phase: Not reported
Response Action Outcome: PN - PN
Oil Or Haz Material: Oil

Location Type: UNKNOWNW
Source: TANK
Source: HOSE
Source: PIPE
Source: LINE
Source: UST
Source: UNKNOWN

[Click here to access the MA DEP site for this facility:](#)

Chemicals:
Chemical: C5 THRU C8 ALIPHATIC HYDROCARBONS
Quantity: 1700 milligrams per kilogram
Chemical: C9 THRU C12 ALIPHATIC HYDROCARBONS
Quantity: 1900 milligrams per kilogram
Chemical: C9 THRU C10 AROMATIC HYDROCARBONS
Quantity: 640 milligrams per kilogram

Actions:
Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 10/10/2017
Response Action Outcome: PN

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 10/3/2017
Response Action Outcome: PN

Action Type: Release Abatement Measure
Action Status: Completion Statement Received
Action Date: 12/11/2017
Response Action Outcome: PN

Action Type: Response Action Outcome - RAO
Action Status: PSNRCD
Action Date: 12/11/2017
Response Action Outcome: PN

Action Type: Response Action Outcome - RAO
Action Status: Fee Received - FMCRA Use Only

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AT FRANKLIN STREET (Continued)

S113805359

Action Date: 12/13/2017
Response Action Outcome: PN

Action Type: BOL
Action Status: SHPFAC
Action Date: 12/7/2017
Response Action Outcome: PN

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 5/30/2017
Response Action Outcome: PN

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 5/30/2017
Response Action Outcome: PN

Action Type: RLFA
Action Status: FOLOFF
Action Date: 6/16/2017
Response Action Outcome: PN

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 6/28/2017
Response Action Outcome: PN

Action Type: Release Abatement Measure
Action Status: Level I - Technical Screen Audit
Action Date: 6/6/2017
Response Action Outcome: PN

Action Type: Release Abatement Measure
Action Status: Written Plan Received
Action Date: 6/7/2017
Response Action Outcome: PN

Action Type: RLFA
Action Status: FOLOFF
Action Date: 6/8/2017
Response Action Outcome: PN

Action Type: Release Abatement Measure
Action Status: Fee Received - FMCRA Use Only
Action Date: 6/8/2017
Response Action Outcome: PN

Release:
Name: AT FRANKLIN STREET
Address: 103 WASHINGTON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0034310 / PSNC
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 05/30/2017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AT FRANKLIN STREET (Continued)

S113805359

Category: 120 DY
Status Date: 12/11/2017
Phase: Not reported
Response Action Outcome: PN - PN
Oil / Haz Material Type: Oil

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 10/10/2017
Response Action Outcome: PN

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 10/3/2017
Response Action Outcome: PN

Action Type: Release Abatement Measure
Action Status: Completion Statement Received
Action Date: 12/11/2017
Response Action Outcome: PN

Action Type: Response Action Outcome - RAO
Action Status: PSNRCD
Action Date: 12/11/2017
Response Action Outcome: PN

Action Type: Response Action Outcome - RAO
Action Status: Fee Received - FMCRA Use Only
Action Date: 12/13/2017
Response Action Outcome: PN

Action Type: BOL
Action Status: SHPFAC
Action Date: 12/7/2017
Response Action Outcome: PN

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 5/30/2017
Response Action Outcome: PN

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 5/30/2017
Response Action Outcome: PN

Action Type: RLFA
Action Status: FOLOFF
Action Date: 6/16/2017
Response Action Outcome: PN

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.)
Action Date: 6/28/2017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AT FRANKLIN STREET (Continued)

S113805359

Response Action Outcome: PN

Action Type: Release Abatement Measure
Action Status: Level I - Technical Screen Audit
Action Date: 6/6/2017
Response Action Outcome: PN

Action Type: Release Abatement Measure
Action Status: Written Plan Received
Action Date: 6/7/2017
Response Action Outcome: PN

Action Type: RLFA
Action Status: FOLOFF
Action Date: 6/8/2017
Response Action Outcome: PN

Action Type: Release Abatement Measure
Action Status: Fee Received - FMCRA Use Only
Action Date: 6/8/2017
Response Action Outcome: PN

Chemicals:

Chemical: C5 THRU C8 ALIPHATIC HYDROCARBONS
Quantity: 1700 milligrams per kilogram
Chemical: C9 THRU C12 ALIPHATIC HYDROCARBONS
Quantity: 1900 milligrams per kilogram
Chemical: C9 THRU C10 AROMATIC HYDROCARBONS
Quantity: 640 milligrams per kilogram
Location Type: UNKNONW
Source: TANK
Source: HOSE
Source: PIPE
Source: LINE
Source: UST
Source: UNKNOWN

ASBESTOS:

Name: FORMER SERVICE STATION
Address: 103 WASHINGTON ST
City,State,Zip: SOMERVILLE, MA
Notification: Not reported
DEP Region: Not reported
Notifiers Name: Not reported
Start Date: 11/12/2018
End Date: 11/13/2018
Date Entered: Not reported
Entry Date: 10/29/2018
Quantity Material Removed SF: 1000
Quantity Material Removed LF: 80
Project Description: OTHER WINDOW GLAZE ROOFING
AR Tracking ID: 306611
Super Lic Number: AS000967
Monitor Lic Number: AM031319
Lab Lic Number: AA000208
Year: 2018

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AT FRANKLIN STREET (Continued)

S113805359

Sticker Number: 100297063
Form Type: ANF-001
Fee Status: HUNDRED
Facility Phone: 6036411111
Sub Town: Not reported
Worksite: METAL FRAME WINDOWS, ROOF
Occupied: 0
Contractor: AC000584
Contract Type: WRITTEN
Hours: 7AM-3:30PM
Project Type: Dem
Abatement Process: oth:WHOLE COMPONENT
Location: INDOORS
Decon Process: 3 CHAMBER DECON
Disposal Methods: DOUBLE LAYER SIX MIL POLY BAGS
Facility Usage: SERVICE STATION
Waiver Given: Not reported
DEP Waiver Number: Not reported
DLWD Waiver Number: Not reported
Small Owner Occ: 0
Owner Name: HODAN MANAGEMENT
Owner Address: 103 WASHINGTON ST.
Owner City: BOSTON
Owner State: MA
On Site Manager Name: JAN MARCHARI
On Site Manager Phone: 6173670900
Ins Comp: A.I.M.
Policy Number: 001005986
EXP Date: 6/6/2019
Facility Size: 1500
Transporter Name: ACCOLADE ENVIRONMENTAL CONTRACTING CORP
Transporter Address: PO BOX 1256
Transporter City: PLAISTOW
Transporter State: NH
Final Site: Not reported
Certified Name: FRANK KASABIAN
Cert Sign Date: 10/29/2018
Certified Company: ACCOLADE
Certified Phone: 6036086545
Entered_by: ACCOLADE

HW GEN:

Name: COUNTY AUTO
Address: 103 WASHINGTON ST
City,State,Zip: SOMERVILLE, MA 02143
EPA Id: MV6176283600
RCRA Generator Status: Not reported
State Generator Status: VQG-MA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

264
SW
1/2-1
0.940 mi.
4962 ft.

NO LOCATION AID
258 BEACON ST & 3 BECKWITH CIR
SOMERVILLE, MA 02143

MA SHWS
MA RELEASE
MA ENF

S113411693
N/A

Relative:
Lower

SHWS:

Actual:
15 ft.

Name: NO LOCATION AID
Address: 258 BEACON ST & 3 BECKWITH CIR
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031302
Source Type: FUEL TANK
Release Town: SOMERVILLE
Notification Date: 12/28/2012
Category: TWO HR
Associated ID: Not reported
Current Status: DPS
Status Date: 04/29/2013
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: NO LOCATION AID
Address: 258 BEACON ST & 3 BECKWITH CIR
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031302
Source Type: RTN
Release Town: SOMERVILLE
Notification Date: 12/28/2012
Category: TWO HR
Associated ID: Not reported
Current Status: DPS
Status Date: 04/29/2013
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: NO LOCATION AID
Address: 258 BEACON ST & 3 BECKWITH CIR
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031302
Source Type: 3-31228
Release Town: SOMERVILLE
Notification Date: 12/28/2012
Category: TWO HR
Associated ID: Not reported
Current Status: DPS
Status Date: 04/29/2013
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Release:

Name: NO LOCATION AID
Address: 258 BEACON ST & 3 BECKWITH CIR
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0031302 / DPS
Primary ID: Not reported
Official City: SOMERVILLE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S113411693

Notification: 12/28/2012
Category: TWO HR
Status Date: 04/29/2013
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.)
Action Date: 1/24/2013
Response Action Outcome: Not reported

Action Type: Compliance and Enforcement Action
Action Status: Interim Deadline Letter Issued
Action Date: 1/24/2013
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Written Approval of Plan
Action Date: 1/27/2016
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: RMRINT
Action Date: 10/17/2017
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 10/17/2017
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 10/23/2013
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: RMRINT
Action Date: 10/23/2013
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: RMRINT
Action Date: 10/24/2014
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 10/24/2014
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S113411693

Action Date:	10/25/2016
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	10/25/2016
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	10/25/2018
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	10/25/2018
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	10/25/2019
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	10/25/2019
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	10/26/2020
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	10/26/2020
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	10/28/2015
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	10/28/2015
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	10/28/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	10/28/2021
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S113411693

Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	10/28/2022
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	10/28/2022
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	11/6/2012
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	11/7/2012
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	12/28/2012
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	12/28/2012
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	12/3/2015
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	12/3/2015
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Imminent Hazard Evaluation Received
Action Date:	2/19/2013
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Written Plan Received
Action Date:	2/19/2013
Response Action Outcome:	Not reported
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	2/19/2013
Response Action Outcome:	Not reported
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S113411693

Action Date:	2/19/2013
Response Action Outcome:	Not reported
Action Type:	Downgradient Property Status
Action Status:	Level I - Technical Screen Audit
Action Date:	2/20/2014
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Written Approval of Plan
Action Date:	2/25/2013
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	3/13/2013
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	4/10/2017
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	4/24/2020
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/24/2020
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	4/25/2014
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/25/2014
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	4/25/2017
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/25/2017
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	4/26/2016
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S113411693

Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/26/2016
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	4/26/2018
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/26/2018
Response Action Outcome:	Not reported
Action Type:	Downgradient Property Status
Action Status:	Revised Statement or Transmittal Received
Action Date:	4/26/2019
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/26/2019
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	4/26/2019
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	4/26/2022
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/26/2022
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	4/27/2015
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/27/2015
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/27/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S113411693

Action Date:	4/27/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINI
Action Date:	4/29/2013
Response Action Outcome:	Not reported
Action Type:	Downgradient Property Status
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	4/29/2013
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/29/2013
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	4/5/2016
Response Action Outcome:	Not reported
Action Type:	Downgradient Property Status
Action Status:	Fee Received - FMCRA Use Only
Action Date:	5/1/2013
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	8/13/2013
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	9/28/2016
Response Action Outcome:	Not reported

Chemicals:	
Chemical:	TRICHLOROETHYLENE
Quantity:	26.5 UG/M3
Chemical:	TRICHLOROETHYLENE
Quantity:	53 UG/M3
Location Type:	RESIDENTIAL
Source:	FUELTANK
Source:	3-31228
Source:	RTN

ENFORCEMENT:

Name:	50 BEACON STREET REALTY TRUST
Address:	258 BEACON ST & 3 BECKWITH CIR
City,State,Zip:	SOMERVILLE, MA 021430000
Region:	NERO
DEP Region:	NERO
DEP Program:	3a
DEP Bureau:	BWSC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S113411693

Program: BWSC
Program Id: 3-0031302
High Or Low Level Enforcement: LLE
FMF #: 0
Town Where Violation Occurred: SOMERVILLE
Date Executed: 01/24/2013
ENF #: Faux Enf- 0052
Document Type: IDL
AG Ref (Y/N): Not reported
Doc Archived (Y/N): Not reported
EJ Community (Y/N): YES
Regional Comment: Not reported
Final Payment Due Date: Not reported
ACOP \$: Not reported
PAN \$: Not reported
EMS (Y/N): Not reported
EMS\$: Not reported
SEP (Y/N): Not reported
SEP \$: Not reported
Demand \$: Not reported
Suspended \$: Not reported
Ownership: T

265
SE
1/2-1
0.941 mi.
4969 ft.

**CORNER OF WASHINGTON AND NEW WASHINGTON
120 WASHINGTON ST
SOMERVILLE, MA 02145**

**MA SHWS S104482428
MA RELEASE N/A**

**Relative:
Lower
Actual:
12 ft.**

SHWS:
Name: CORNER OF WASHINGTON AND NEW WASHINGTON
Address: 120 WASHINGTON ST
City,State,Zip: SOMERVILLE, MA 021450000
Facility ID: 3-0019047
Source Type: Not reported
Release Town: SOMERVILLE
Notification Date: 12/06/1999
Category: 120 DY
Associated ID: Not reported
Current Status: RAO
Status Date: 01/10/2000
Phase: Not reported
Response Action Outcome: B1
Oil Or Haz Material: Oil and Hazardous Material

Release:
Name: CORNER OF WASHINGTON AND NEW WASHINGTON
Address: 120 WASHINGTON ST
City,State,Zip: SOMERVILLE, MA 021450000
Release Tracking Number/Current Status: 3-0019047 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 12/06/1999
Category: 120 DY
Status Date: 01/10/2000
Phase: Not reported
Response Action Outcome: B1 - Remedial actions have not been conducted because a level of No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNER OF WASHINGTON AND NEW WASHINGTON (Continued)

S104482428

Oil / Haz Material Type: Significant Risk exists.
Oil and Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 1/10/2000
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 12/6/1999
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 12/6/1999
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 2/28/2000
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Chemicals:

Chemical: C9 THRU C10 AROMATIC HYDROCARBONS
Quantity: 6610 parts per billion
Chemical: BENZO[A]ANTHRACENE
Quantity: 12 parts per million
Chemical: C5 THRU C8 ALIPHATIC HYDROCARBONS
Quantity: 1460 parts per billion

AY266
North
1/2-1
0.942 mi.
4973 ft.
NO LOCATION AID
282 MYSTIC AVE
MEDFORD, MA 02155
Site 1 of 2 in cluster AY

MA SHWS
MA RELEASE
MA SPILLS
MA ENF
S101031173
N/A

Relative: SHWS:
Lower Name: REAR OF STAPLES
Address: 282 MYSTIC AVE
City,State,Zip: MEDFORD, MA
Facility ID: 3-0027907
Source Type: HISTOR
Release Town: MEDFORD
Notification Date: 08/14/2008
Category: 120 DY
Associated ID: Not reported
Current Status: URAM
Status Date: 08/21/2008
Phase: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S101031173

Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: REAR OF STAPLES
Address: 282 MYSTIC AVE
City,State,Zip: MEDFORD, MA
Facility ID: 3-0027907
Source Type: ICAL FILL
Release Town: MEDFORD
Notification Date: 08/14/2008
Category: 120 DY
Associated ID: Not reported
Current Status: URAM
Status Date: 08/21/2008
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: REAR OF STAPLES
Address: 282 MYSTIC AVE
City,State,Zip: MEDFORD, MA
Facility ID: 3-0027907
Source Type: UNKNOWN
Release Town: MEDFORD
Notification Date: 08/14/2008
Category: 120 DY
Associated ID: Not reported
Current Status: URAM
Status Date: 08/21/2008
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: REAR OF STAPLES
Address: 282 MYSTIC AVE
City,State,Zip: MEDFORD, MA 021550000
Facility ID: 3-0028269
Source Type: Not reported
Release Town: MEDFORD
Notification Date: 01/07/2009
Category: 120 DY
Associated ID: Not reported
Current Status: TMPS
Status Date: 06/13/2014
Phase: Not reported
Response Action Outcome: TF
Oil Or Haz Material: Hazardous Material

Name: NO LOCATION AID
Address: 282 MYSTIC AVE
City,State,Zip: MEDFORD, MA 021550000
Facility ID: 3-0029248
Source Type: HISTORICL
Release Town: MEDFORD
Notification Date: 04/30/2010
Category: 120 DY
Associated ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S101031173

Current Status: URAM
Status Date: 05/06/2010
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Oil and Hazardous Material

Name: NO LOCATION AID
Address: 282 MYSTIC AVE
City,State,Zip: MEDFORD, MA 021550000
Facility ID: 3-0029248
Source Type: FILL
Release Town: MEDFORD
Notification Date: 04/30/2010
Category: 120 DY
Associated ID: Not reported
Current Status: URAM
Status Date: 05/06/2010
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Oil and Hazardous Material

Name: NO LOCATION AID
Address: 282 MYSTIC AVE
City,State,Zip: MEDFORD, MA 021550000
Facility ID: 3-0029248
Source Type: MATERIAL
Release Town: MEDFORD
Notification Date: 04/30/2010
Category: 120 DY
Associated ID: Not reported
Current Status: URAM
Status Date: 05/06/2010
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Oil and Hazardous Material

Name: NO LOCATION AID
Address: 282 MYSTIC AVE
City,State,Zip: MEDFORD, MA 021550000
Facility ID: 3-0029248
Source Type: UNKNOWN
Release Town: MEDFORD
Notification Date: 04/30/2010
Category: 120 DY
Associated ID: Not reported
Current Status: URAM
Status Date: 05/06/2010
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Oil and Hazardous Material

Release:
Name: REAR OF STAPLES
Address: 282 MYSTIC AVE
City,State,Zip: MEDFORD, MA
Release Tracking Number/Current Status: 3-0027907 / URAM
Primary ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S101031173

Official City: MEDFORD
Notification: 08/14/2008
Category: 120 DY
Status Date: 08/21/2008
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: RNFE
Action Status: Submittal Determined to be Invalid by DEP
Action Date: 1/7/2009
Response Action Outcome: Not reported

Action Type: Utility-related Abatement Measure
Action Status: Completion Statement Received
Action Date: 11/3/2008
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 8/14/2008
Response Action Outcome: Not reported

Action Type: Utility-related Abatement Measure
Action Status: Notice of Intent to Conduct a URAM
Action Date: 8/14/2008
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: URAMLRL
Action Date: 8/18/2008
Response Action Outcome: Not reported

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 8/21/2008
Response Action Outcome: Not reported

Action Type: Utility-related Abatement Measure
Action Status: Level I - Technical Screen Audit
Action Date: 8/21/2008
Response Action Outcome: Not reported

Action Type: Utility-related Abatement Measure
Action Status: Notification of URAM Received
Action Date: 8/21/2008
Response Action Outcome: Not reported

Chemicals:

Chemical: LEAD
Quantity: 308 milligrams per kilogram
Chemical: BENZO[A]PYRENE
Quantity: 4320 parts per billion

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S101031173

Location Type: PRIVPROP
Location Type: UTILEASE
Location Type: COMMERCIAL
Source: HISTOR
Source: ICAL FILL
Source: UNKNOWN

Name: REAR OF STAPLES
Address: 282 MYSTIC AVE
City,State,Zip: MEDFORD, MA 021550000
Release Tracking Number/Current Status: 3-0028269 / TMPS
Primary ID: Not reported
Official City: MEDFORD
Notification: 01/07/2009
Category: 120 DY
Status Date: 06/13/2014
Phase: Not reported
Response Action Outcome: TF - TF
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Phase 2
Action Status: Completion Statement Received
Action Date: 1/13/2012
Response Action Outcome: TF

Action Type: Phase 3
Action Status: Completion Statement Received
Action Date: 1/13/2012
Response Action Outcome: TF

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 1/6/2010
Response Action Outcome: TF

Action Type: Phase 2
Action Status: Scope of Work Received
Action Date: 1/6/2010
Response Action Outcome: TF

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 1/6/2010
Response Action Outcome: TF

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 1/6/2010
Response Action Outcome: TF

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 1/7/2009
Response Action Outcome: TF

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S101031173

Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	1/7/2009
Response Action Outcome:	TF
Action Type:	Response Action Outcome - RAO
Action Status:	Level I - Technical Screen Audit
Action Date:	10/23/2014
Response Action Outcome:	TF
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	ALSENT
Action Date:	11/6/2009
Response Action Outcome:	TF
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	2/24/2009
Response Action Outcome:	TF
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	2/24/2009
Response Action Outcome:	TF
Action Type:	Compliance and Enforcement Action
Action Status:	Notice of Non-Compliance Issued
Action Date:	3/14/2014
Response Action Outcome:	TF
Action Type:	Compliance and Enforcement Action
Action Status:	Notice of Non-Compliance Issued
Action Date:	3/31/2014
Response Action Outcome:	TF
Action Type:	Response Action Outcome - RAO
Action Status:	TSFRCD
Action Date:	6/13/2014
Response Action Outcome:	TF

Chemicals:

Chemical:	BENZO[A]PYRENE
Quantity:	4320 milligrams per kilogram
Chemical:	CYANIDE
Quantity:	12 milligrams per liter
Chemical:	LEAD
Quantity:	308 milligrams per kilogram

Name:	NO LOCATION AID
Address:	282 MYSTIC AVE
City,State,Zip:	MEDFORD, MA 021550000
Release Tracking Number/Current Status:	3-0029248 / URAM
Primary ID:	Not reported
Official City:	MEDFORD
Notification:	04/30/2010
Category:	120 DY
Status Date:	05/06/2010

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S101031173

Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Oil and Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Utility-related Abatement Measure
Action Status: Notice of Intent to Conduct a URAM
Action Date: 4/30/2010
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 4/30/2010
Response Action Outcome: Not reported

Action Type: Utility-related Abatement Measure
Action Status: Notification of URAM Received
Action Date: 5/6/2010
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: URAMLRL
Action Date: 6/2/2010
Response Action Outcome: Not reported

Action Type: RLFA
Action Status: FOLOFF
Action Date: 6/4/2010
Response Action Outcome: Not reported

Action Type: Utility-related Abatement Measure
Action Status: Completion Statement Received
Action Date: 9/1/2010
Response Action Outcome: Not reported

Chemicals:

Chemical: LEAD
Quantity: 872 milligrams per kilogram
Chemical: C5 THRU C8 ALIPHATIC HYDROCARBONS
Quantity: 947 milligrams per kilogram
Location Type: UTILEASE
Location Type: COMMERCIAL
Source: FILL
Source: MATERIAL
Source: HISTORICL
Source: UNKNOWN

MA Spills:

Facility ID:	3-1219	Spill ID:	N87-0235
Staff Lead:	CHU, R	Date Entered:	Not reported
Last Entered:	Not reported	First Response:	Not reported
Spill Date:	19870225	Spill Time:	Not reported
Report Date:	Not reported	Report Time:	Not reported
Case Closed:	YES	Mat Type:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S101031173

Virgin Waste:	Not reported	Contam Soil:	Not reported
Env Impact:	Not reported	Other Impact:	Not reported
Material:	#2 FUEL OIL	Other Material:	Not reported
Qty Reported:	UNKNOWN	Qty Actual:	Not reported
Qty Reported:	Not reported	Qty Actual:	Not reported
CAS No:	Not reported	PCB Lev (ppm):	Not reported
Source:	U.S.T.	Other Source:	Not reported
Incident:	Not reported	Other Incdnt:	Not reported
Cleanup Type:	Not reported	Contractor:	Not reported
Referral:	SA	LUST Elig:	Not reported
Report Prep:	Not reported	Category:	Not reported
Notifier:	Not reported		
Notif Tel:	Not reported		
Days/Close:	1		

ENFORCEMENT:

Name:	ALGONQUIN GAS TRANSMISSION LLC
Address:	282 MYSTIC AVE
City,State,Zip:	MEDFORD, MA 021550000
Region:	NERO
DEP Region:	NERO
DEP Program:	3r
DEP Bureau:	BWSC
Program:	BWSC
Program Id:	3-0028269
High Or Low Level Enforcement:	LLE
FMF #:	0
Town Where Violation Occurred:	MEDFORD
Date Executed:	03/31/2014
ENF #:	NON-NE-14-3R029
Document Type:	NON
AG Ref (Y/N):	Not reported
Doc Archived (Y/N):	Not reported
EJ Community (Y/N):	YES
Regional Comment:	Not reported
Final Payment Due Date:	Not reported
ACOP \$:	Not reported
PAN \$:	Not reported
EMS (Y/N):	Not reported
EMS\$:	Not reported
SEP (Y/N):	Not reported
SEP \$:	Not reported
Demand \$:	Not reported
Suspended \$:	Not reported
Ownership:	Commercially Owned

Name:	ALGONQUIN GAS TRANSMISSION LLC
Address:	282 MYSTIC AVE
City,State,Zip:	MEDFORD, MA 021550000
Region:	NERO
DEP Region:	NERO
DEP Program:	3r
DEP Bureau:	BWSC
Program:	BWSC
Program Id:	3-0028269
High Or Low Level Enforcement:	LLE
FMF #:	0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S101031173

Town Where Violation Occurred: MEDFORD
Date Executed: 03/14/2014
ENF #: NON-NE-14-3R021
Document Type: NON
AG Ref (Y/N): Not reported
Doc Archived (Y/N): Not reported
EJ Community (Y/N): YES
Regional Comment: Not reported
Final Payment Due Date: Not reported
ACOP \$: Not reported
PAN \$: Not reported
EMS (Y/N): Not reported
EMS\$: Not reported
SEP (Y/N): Not reported
SEP \$: Not reported
Demand \$: Not reported
Suspended \$: Not reported
Ownership: Commercially Owned

267
SSE
1/2-1
0.943 mi.
4981 ft.

**RESIDENTIAL PROPERTY
4 MILK PLACE
SOMERVILLE, MA 02143**

**MA SHWS
MA RELEASE
MA ASBESTOS**

**S114004823
N/A**

**Relative:
Lower
Actual:
10 ft.**

SHWS:
Name: RESIDENTIAL PROPERTY
Address: 4 MILK PLACE
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031763
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 09/18/2013
Category: 120 DY
Associated ID: 3-0031763
Current Status: TIERII
Status Date: 01/14/2021
Phase: PHASE II
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: RESIDENTIAL PROPERTY
Address: 4 MILK PLACE
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031763
Source Type: NATION
Release Town: SOMERVILLE
Notification Date: 09/18/2013
Category: 120 DY
Associated ID: 3-0031763
Current Status: TIERII
Status Date: 01/14/2021
Phase: PHASE II
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: RESIDENTIAL PROPERTY
Address: 4 MILK PLACE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL PROPERTY (Continued)

S114004823

City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031763
Source Type: SOIL
Release Town: SOMERVILLE
Notification Date: 09/18/2013
Category: 120 DY
Associated ID: 3-0031763
Current Status: TIERII
Status Date: 01/14/2021
Phase: PHASE II
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: RESIDENTIAL PROPERTY
Address: 4 MILK PLACE
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031763
Source Type: CONTAMI
Release Town: SOMERVILLE
Notification Date: 09/18/2013
Category: 120 DY
Associated ID: 3-0031763
Current Status: TIERII
Status Date: 01/14/2021
Phase: PHASE II
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: MAP 82, BLOCK D, LOT 5
Address: 4 MILK PLACE
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0032134
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 04/23/2014
Category: 120 DY
Associated ID: Not reported
Current Status: RAONR
Status Date: 01/14/2021
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Release:
Name: RESIDENTIAL PROPERTY
Address: 4 MILK PLACE
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0031763 / TIERII
Primary ID: 3-0031763
Official City: SOMERVILLE
Notification: 09/18/2013
Category: 120 DY
Status Date: 01/14/2021
Phase: PHASE II
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL PROPERTY (Continued)

S114004823

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type:	Tier Classification
Action Status:	EPETOP
Action Date:	1/14/2021
Response Action Outcome:	Not reported
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	1/14/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	1/14/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	1/14/2021
Response Action Outcome:	Not reported
Action Type:	Phase 2
Action Status:	Completion Statement Received
Action Date:	1/14/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	1/14/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	1/15/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	RMRWPR
Action Date:	1/15/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Legal Notice Published
Action Date:	1/29/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	11/18/2022
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	11/19/2021
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL PROPERTY (Continued)

S114004823

Action Type:	Release Abatement Measure
Action Status:	RMRINI
Action Date:	11/19/2021
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	NOFENF
Action Date:	3/25/2014
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Modified Revised or Updated Plan Received
Action Date:	4/8/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	RMRWPR
Action Date:	4/8/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	5/13/2022
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	RMRFIN
Action Date:	5/13/2022
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	5/14/2021
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	6/10/2021
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	9/18/2013
Response Action Outcome:	Not reported
Chemicals:	
Chemical:	CHROMIUM
Quantity:	45 milligrams per kilogram
Chemical:	CADMIUM
Quantity:	4.4 milligrams per kilogram
Chemical:	LEAD
Quantity:	7000 milligrams per kilogram
Location Type:	RESIDENTIAL
Location Type:	MUNICIPAL
Source:	UNKNOWN
Source:	SOIL
Source:	NATION

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL PROPERTY (Continued)

S114004823

Source: CONTAMI

Name: MAP 82, BLOCK D, LOT 5
Address: 4 MILK PLACE
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0032134 / RAONR
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 04/23/2014
Category: 120 DY
Status Date: 01/14/2021
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 1/14/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 1/14/2021
Response Action Outcome: Not reported

Action Type: RAO Not Required
Action Status: Linked to a Tier Classified Site
Action Date: 1/14/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: EPETOP
Action Date: 1/14/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: RTN Linked to TCLASS Via Tier Classification Submittal
Action Date: 1/14/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Legal Notice Published
Action Date: 1/29/2021
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 4/23/2014
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 4/23/2014
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL PROPERTY (Continued)

S114004823

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 4/23/2014
Response Action Outcome: Not reported

Chemicals:

Chemical: BENZO[A]PYRENE
Quantity: 11.5 milligrams per kilogram
Chemical: PHENANTHRENE
Quantity: 20.8 milligrams per kilogram
Chemical: BENZ[A]ANTHRACENE
Quantity: 12.1 milligrams per kilogram
Chemical: CHROMIUM
Quantity: 109 milligrams per kilogram
Chemical: DIBENZO[A,H]ANTHRACENE
Quantity: 53703 milligrams per kilogram
Chemical: NICKEL
Quantity: 31.5 milligrams per kilogram
Chemical: LEAD
Quantity: 562 milligrams per kilogram
Chemical: BENZO[B]FLUORANTHENE
Quantity: 9.05 milligrams per kilogram
Source: UNKNOWN

ASBESTOS:

Name: 4 MILK PLACE
Address: 4 MILK PLACE
City,State,Zip: SOMERVILLE, MA
Notification: Not reported
DEP Region: Not reported
Notifiers Name: Not reported
Start Date: 10/01/2014
End Date: 10/08/2014
Date Entered: Not reported
Entry Date: 09/17/2014
Quantity Material Removed SF: 520.00
Quantity Material Removed LF: 6.00
Project Description: Trns
AR Tracking ID: 198179
Super Lic Number: AS002101
Monitor Lic Number: AM033696
Lab Lic Number: AA000197
Year: 2014
Sticker Number: 100207697
Form Type: ANF-001
Fee Status: EXEMPT
Facility Phone: 6176250722
Sub Town: Not reported
Worksite: 4 MILK PLACE
Occupied: 0
Contractor: AC000497
Contract Type: WRITTEN
Hours: 7-5
Project Type: Dem
Abatement Process: Fcontain
Location: INOUTDOORS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL PROPERTY (Continued)

S114004823

Decon Process: 3 STAGE DECON CHAMBER.
Disposal Methods: DOUBLE BAG WET TRANSPORT IN ENCLOSED CONTAINER
Facility Usage: RESIDENTIAL HOME
Waiver Given: Not reported
DEP Waiver Number: Not reported
DLWD Waiver Number: Not reported
Small Owner Occ: 0
Owner Name: CITY OF SOMERVILLE
Owner Address: 93 HIGHLAND AVE.
Owner City: SOMERVILLE
Owner State: MA
On Site Manager Name: ED O'DONNELL
On Site Manager Phone: 6176250722
Ins Comp: WILLIAM GALLAGHER ASSOCIATES
Policy Number: NWCC47137433
EXP Date: 9/30/2014
Facility Size: 1232
Transporter Name: SERVICE TRANSPORT GROUP
Transporter Address: 58 PYLES LANE
Transporter City: NEW, CASTLE
Transporter State: DE
Final Site: Not reported
Certified Name: STEVEN PLOOF
Cert Sign Date: 09/17/2014
Certified Company: S&R CORPORATION
Certified Phone: 9784412000
Entered_by: SANDRCORP

Name: 4 MILK PLACE
Address: 4 MILK PLACE
City,State,Zip: SOMERVILLE, MA 02143
Notification: 100207697R1
DEP Region: NE
Notifiers Name: S & R CONTRACTING
Start Date: 10/01/2014
End Date: 10/08/2014
Date Entered: 06/10/2014
Entry Date: 10/06/2014
Quantity Material Removed SF: 520
Quantity Material Removed LF: 6
Project Description: Trns
AR Tracking ID: Not reported
Super Lic Number: Not reported
Monitor Lic Number: Not reported
Lab Lic Number: Not reported
Year: 2014
Sticker Number: Not reported
Form Type: Not reported
Fee Status: Not reported
Facility Phone: Not reported
Sub Town: Not reported
Worksite: Not reported
Occupied: Not reported
Contractor: Not reported
Contract Type: Not reported
Hours: Not reported
Project Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL PROPERTY (Continued)

S114004823

Abatement Process: Not reported
Location: Not reported
Decon Process: Not reported
Disposal Methods: Not reported
Facility Usage: Not reported
Waiver Given: Not reported
DEP Waiver Number: Not reported
DLWD Waiver Number: Not reported
Small Owner Occ: Not reported
Owner Name: Not reported
Owner Address: Not reported
Owner City: Not reported
Owner State: Not reported
On Site Manager Name: Not reported
On Site Manager Phone: Not reported
Ins Comp: Not reported
Policy Number: Not reported
EXP Date: Not reported
Facility Size: Not reported
Transporter Name: Not reported
Transporter Address: Not reported
Transporter City: Not reported
Transporter State: Not reported
Final Site: Not reported
Certified Name: Not reported
Cert Sign Date: Not reported
Certified Company: Not reported
Certified Phone: Not reported
Entered_by: Not reported

AW268
SW
1/2-1
0.943 mi.
4981 ft.

APARTMENT BLDG
278 BEACON ST
SOMERVILLE, MA 02143

Site 5 of 5 in cluster AW

MA SHWS
MA RELEASE

S102087527
N/A

Relative:
Lower

SHWS:

Actual:
16 ft.

Name: APARTMENT BLDG
Address: 278 BEACON ST
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0013723
Source Type: Not reported
Release Town: SOMERVILLE
Notification Date: 05/01/1996
Category: 120 DY
Associated ID: Not reported
Current Status: RAO
Status Date: 12/18/1997
Phase: Not reported
Response Action Outcome: B1
Oil Or Haz Material: Hazardous Material

Release:

Name: APARTMENT BLDG
Address: 278 BEACON ST
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0013723 / RAO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BLDG (Continued)

S102087527

Primary ID: Not reported
Official City: SOMERVILLE
Notification: 05/01/1996
Category: 120 DY
Status Date: 12/18/1997
Phase: Not reported
Response Action Outcome: B1 - Remedial actions have not been conducted because a level of No Significant Risk exists.
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Downgradient Property Status
Action Status: Action Status or AUL Terminated
Action Date: 12/18/1997
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 12/18/1997
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Response Action Outcome - RAO
Action Status: Level I - Technical Screen Audit
Action Date: 12/18/2009
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 5/1/1996
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 5/1/1996
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Downgradient Property Status
Action Status: Fee Received - FMCRA Use Only
Action Date: 5/31/1996
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: Downgradient Property Status
Action Status: Transmittal, Notice, or Notification Received
Action Date: 5/31/1996
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BLDG (Continued)

S102087527

Action Date: 6/27/1996
Response Action Outcome: Remedial actions have not been conducted because a level of No Significant Risk exists.

Chemicals:
Chemical: TRICHLOROETHYLENE
Quantity: 550 micrograms per liter

269
SSE
1/2-1
0.947 mi.
5000 ft.

**RESIDENTIAL APARTMENTS
250 SOMERVILLE AVENUE
SOMERVILLE, MA 02143**

**MA SHWS S114004813
MA RELEASE N/A
MA ENF**

**Relative:
Lower**

SHWS:
Name: RESIDENTIAL APARTMENTS
Address: 250 SOMERVILLE AVENUE
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031752
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 09/11/2013
Category: 120 DY
Associated ID: Not reported
Current Status: PSNC
Status Date: 12/30/2018
Phase: Not reported
Response Action Outcome: PN
Oil Or Haz Material: Hazardous Material

**Actual:
7 ft.**

Name: RESIDENTIAL APARTMENTS
Address: 250 SOMERVILLE AVENUE
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031752
Source Type: SOIL
Release Town: SOMERVILLE
Notification Date: 09/11/2013
Category: 120 DY
Associated ID: Not reported
Current Status: PSNC
Status Date: 12/30/2018
Phase: Not reported
Response Action Outcome: PN
Oil Or Haz Material: Hazardous Material

Name: RESIDENTIAL APARTMENTS
Address: 250 SOMERVILLE AVENUE
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031752
Source Type: CONTAMIN
Release Town: SOMERVILLE
Notification Date: 09/11/2013
Category: 120 DY
Associated ID: Not reported
Current Status: PSNC
Status Date: 12/30/2018
Phase: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL APARTMENTS (Continued)

S114004813

Response Action Outcome: PN
Oil Or Haz Material: Hazardous Material

Release:
Name: RESIDENTIAL APARTMENTS
Address: 250 SOMERVILLE AVENUE
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0031752 / PSNC
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 09/11/2013
Category: 120 DY
Status Date: 12/30/2018
Phase: Not reported
Response Action Outcome: PN - PN
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Compliance and Enforcement Action
Action Status: Notice of Non-Compliance Issued
Action Date: 10/10/2014
Response Action Outcome: PN

Action Type: Response Action Outcome - RAO
Action Status: PSNRCD
Action Date: 12/30/2018
Response Action Outcome: PN

Action Type: Release Abatement Measure
Action Status: Completion Statement Received
Action Date: 12/30/2018
Response Action Outcome: PN

Action Type: Compliance and Enforcement Action
Action Status: Notice of Non-Compliance Issued
Action Date: 12/9/2014
Response Action Outcome: PN

Action Type: Compliance and Enforcement Action
Action Status: NON-A
Action Date: 2/25/2015
Response Action Outcome: PN

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 3/12/2015
Response Action Outcome: PN

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 3/12/2015
Response Action Outcome: PN

Action Type: Phase 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL APARTMENTS (Continued)

S114004813

Action Status:	Completion Statement Received
Action Date:	5/4/2015
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	5/4/2015
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	5/4/2015
Response Action Outcome:	PN
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	ALSENT
Action Date:	7/9/2014
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	EPETOP
Action Date:	8/16/2018
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	8/16/2018
Response Action Outcome:	PN
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	8/19/2018
Response Action Outcome:	PN
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	8/22/2018
Response Action Outcome:	PN
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	8/23/2018
Response Action Outcome:	PN
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	9/11/2013
Response Action Outcome:	PN
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	9/11/2013
Response Action Outcome:	PN
Chemicals:	
Chemical:	LEAD
Quantity:	9800 milligrams per kilogram

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL APARTMENTS (Continued)

S114004813

Chemical: CADMIUM
Quantity: 6.2 milligrams per kilogram
Chemical: ARSENIC
Quantity: 130 milligrams per kilogram
Location Type: RESIDENTIAL
Location Type: PRIVPROP
Source: UNKNOWN
Source: CONTAMIN
Source: SOIL

ENFORCEMENT:

Name: WILLIAM CHIN AS TRUSTEE OF CAMBRIDGE RED AND GREEN LINE REALTY TRUST
Address: 250 SOMERVILLE AVENUE
City,State,Zip: SOMERVILLE, MA 021430000
Region: NERO
DEP Region: NERO
DEP Program: 3c
DEP Bureau: BWSC
Program: BWSC
Program Id: 3-0031752
High Or Low Level Enforcement: LLE
FMF #: 0
Town Where Violation Occurred: SOMERVILLE
Date Executed: 02/25/2015
ENF #: NON-NE-14-3R100A
Document Type: NON
AG Ref (Y/N): NO
Doc Archived (Y/N): Not reported
EJ Community (Y/N): YES
Regional Comment: John Zupkus was the contact.
Final Payment Due Date: Not reported
ACOP \$: Not reported
PAN \$: Not reported
EMS (Y/N): Not reported
EMS\$: Not reported
SEP (Y/N): Not reported
SEP \$: Not reported
Demand \$: Not reported
Suspended \$: Not reported
Ownership: T

Name: WILLIAM CHIN AS TRUSTEE OF CAMBRIDGE RED AND GREEN LINE REALTY TRUST
Address: 250 SOMERVILLE AVENUE
City,State,Zip: SOMERVILLE, MA 021430000
Region: NERO
DEP Region: NERO
DEP Program: 3c
DEP Bureau: BWSC
Program: BWSC
Program Id: 3-0031752
High Or Low Level Enforcement: LLE
FMF #: 0
Town Where Violation Occurred: SOMERVILLE
Date Executed: 12/09/2014
ENF #: NON-NE-14-3R100
Document Type: NON
AG Ref (Y/N): NO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL APARTMENTS (Continued)

S114004813

Doc Archived (Y/N): Not reported
EJ Community (Y/N): YES
Regional Comment: John Zupkus was the contact.
Final Payment Due Date: Not reported
ACOP \$: Not reported
PAN \$: Not reported
EMS (Y/N): Not reported
EMS\$: Not reported
SEP (Y/N): Not reported
SEP \$: Not reported
Demand \$: Not reported
Suspended \$: Not reported
Ownership: T

Name: JINZHU CHEN AS TRUSTEE OF CAMBRIDGE RED AND GREEN LINE
Address: 250 SOMERVILLE AVENUE
City,State,Zip: SOMERVILLE, MA 021430000
Region: NERO
DEP Region: NERO
DEP Program: 3r
DEP Bureau: BWSC
Program: BWSC
Program Id: 3-0031752
High Or Low Level Enforcement: LLE
FMF #: 0
Town Where Violation Occurred: SOMERVILLE
Date Executed: 10/10/2014
ENF #: NON-NE-14-3R088
Document Type: NON
AG Ref (Y/N): NO
Doc Archived (Y/N): Not reported
EJ Community (Y/N): YES
Regional Comment: Not reported
Final Payment Due Date: Not reported
ACOP \$: Not reported
PAN \$: Not reported
EMS (Y/N): Not reported
EMS\$: Not reported
SEP (Y/N): Not reported
SEP \$: Not reported
Demand \$: Not reported
Suspended \$: Not reported
Ownership: T

AX270 NO LOCATION AID
SSE 26-28 PROSPECT STREET
1/2-1 SOMERVILLE, MA 02143
0.948 mi.
5005 ft. Site 2 of 4 in cluster AX

MA SHWS S112195263
MA RELEASE N/A

Relative: SHWS:
Lower Name: NO LOCATION AID
Actual: Address: 26-28 PROSPECT STREET
12 ft. City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031025
Source Type: HISTORIC
Release Town: SOMERVILLE
Notification Date: 08/08/2012

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S112195263

Category: TWO HR
Associated ID: Not reported
Current Status: RAONR
Status Date: 01/15/2021
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Not reported

Name: NO LOCATION AID
Address: 26-28 PROSPECT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031025
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 08/08/2012
Category: TWO HR
Associated ID: Not reported
Current Status: RAONR
Status Date: 01/15/2021
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Not reported

Release:

Name: NO LOCATION AID
Address: 26-28 PROSPECT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0031025 / RAONR
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 08/08/2012
Category: TWO HR
Status Date: 01/15/2021
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Not reported

Click here to access the MA DEP site for this facility:

Actions:

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: RTN Linked to TCLASS Via Tier Classification Submittal
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: RAO Not Required

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S112195263

Action Status:	Linked to a Tier Classified Site
Action Date:	1/15/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	EPETOP
Action Date:	1/15/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Completion Statement Received
Action Date:	1/6/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Imminent Hazard Evaluation Received
Action Date:	1/6/2021
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	10/16/2015
Response Action Outcome:	Not reported
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	12/6/2012
Response Action Outcome:	Not reported
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	12/6/2012
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Imminent Hazard Evaluation Received
Action Date:	12/6/2012
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	NOFENF
Action Date:	3/25/2014
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Level I - Technical Screen Audit
Action Date:	6/11/2021
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	ALSENT
Action Date:	6/7/2013
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	8/8/2012

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S112195263

Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.)
Action Date: 8/8/2012
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: IRA Assessment Only
Action Date: 8/8/2012
Response Action Outcome: Not reported

Chemicals:
Chemical: POLYCHLORINATED BIPHENYLS
Quantity: 30 milligrams per kilogram
Location Type: RESIDENTIAL
Location Type: COMMERCIAL
Location Type: PRIVPROP
Source: UNKNOWN
Source: HISTORIC

AX271
SSE
1/2-1
0.948 mi.
5005 ft.

**MAP 82, LOTS 1 AND 2
26-30 PROSPECT STREET
SOMERVILLE, MA 02143**

**MA SHWS S116687189
MA RELEASE N/A**

Site 3 of 4 in cluster AX

**Relative:
Lower**

SHWS:

**Actual:
12 ft.**

Name: MAP 82, LOTS 1 AND 2
Address: 26-30 PROSPECT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0032133
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 04/23/2014
Category: 120 DY
Associated ID: Not reported
Current Status: RAONR
Status Date: 01/15/2021
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Release:

Name: MAP 82, LOTS 1 AND 2
Address: 26-30 PROSPECT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0032133 / RAONR
Primary ID: Not reported
Official City: SOMERVILLE
Notification Date: 04/23/2014
Category: 120 DY
Status Date: 01/15/2021
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAP 82, LOTS 1 AND 2 (Continued)

S116687189

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	1/15/2021
Response Action Outcome:	Not reported

Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	1/15/2021
Response Action Outcome:	Not reported

Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	1/15/2021
Response Action Outcome:	Not reported

Action Type:	Tier Classification
Action Status:	EPETOP
Action Date:	1/15/2021
Response Action Outcome:	Not reported

Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	1/15/2021
Response Action Outcome:	Not reported

Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	4/23/2014
Response Action Outcome:	Not reported

Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	4/23/2014
Response Action Outcome:	Not reported

Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	4/23/2014
Response Action Outcome:	Not reported

Chemicals:

Chemical:	CADMIUM
Quantity:	4.4 milligrams per kilogram
Chemical:	CHROMIUM
Quantity:	32.3 milligrams per kilogram
Chemical:	LEAD
Quantity:	1160 milligrams per kilogram
Chemical:	ARSENIC
Quantity:	33.66 milligrams per kilogram
Source:	UNKNOWN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AZ272 DODAKINS AUTO SALES
SSW 81 PARK STREET
1/2-1 SOMERVILLE, MA 02143
0.948 mi.
5008 ft. Site 1 of 2 in cluster AZ

MA SHWS S116687190
MA LUST N/A
MA INST CONTROL
MA RELEASE

Relative:
Lower

SHWS:

Actual:
19 ft.

Name: DODAKINS AUTO SALES
Address: 81 PARK STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0032135
Source Type: TANK
Release Town: SOMERVILLE
Notification Date: 04/25/2014
Category: 72 HR
Associated ID: Not reported
Current Status: PSC
Status Date: 11/25/2014
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Oil

LUST:

Facility:

Name: DODAKINS AUTO SALES
Address: 81 PARK STREET
City,State,Zip: SOMERVILLE, MA 021430000
Current Status: Permanent Solution with Conditions
Release Tracking Number/Current Status: 3-0032135 / PSC
Status Date: 11/25/2014
Source Type: UST
Release Town: SOMERVILLE
Notification Date: 04/25/2014
Category: 72 HR
Associated ID: Not reported
Phase: Not reported
Response Action Outcome: -
Oil Or Haz Material: Oil

Location Type: COMMERCIAL
Source: UST
Source: TANK

[Click here to access the MA DEP site for this facility:](#)

Chemicals:

Chemical: GASOLINE
Quantity: 396.1 parts per million
Chemical: GASOLINE
Quantity: 358 parts per million

Actions:

Action Type: Activity and Use Limitation
Action Status: Legal Notice Published
Action Date: 10/11/2017
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DODAKINS AUTO SALES (Continued)

S116687190

Action Type: An activity type that is related to an Audit
Action Status: Audit Follow-up Completion Statement Received
Action Date: 10/2/2017
Response Action Outcome: Not reported

Action Type: Activity and Use Limitation
Action Status: Action Status or AUL Terminated
Action Date: 10/3/2017
Response Action Outcome: Not reported

Action Type: Response Action Outcome - RAO
Action Status: PSARCD
Action Date: 11/25/2014
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Completion Statement Received
Action Date: 3/11/2018
Response Action Outcome: Not reported

Action Type: Activity and Use Limitation
Action Status: Level I - Technical Screen Audit
Action Date: 4/10/2017
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Level I - Technical Screen Audit
Action Date: 4/11/2014
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 4/25/2014
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 4/25/2014
Response Action Outcome: Not reported

Action Type: Activity and Use Limitation
Action Status: Level II - Audit Inspection
Action Date: 4/25/2017
Response Action Outcome: Not reported

Action Type: RLFA
Action Status: FLDRUN
Action Date: 4/25/2017
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Written Plan Received
Action Date: 4/9/2014
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Written Plan Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DODAKINS AUTO SALES (Continued)

S116687190

Action Date: 5/10/2017
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Level I - Technical Screen Audit
Action Date: 5/11/2017
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.)
Action Date: 5/12/2014
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 6/10/2015
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Level I - Technical Screen Audit
Action Date: 6/10/2015
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Completion Statement Received
Action Date: 6/16/2014
Response Action Outcome: Not reported

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 6/16/2014
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 6/16/2014
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 6/16/2014
Response Action Outcome: Not reported

Action Type: An activity type that is related to an Audit
Action Status: Notice of Non-compliance related to an Audit
Action Date: 6/2/2017
Response Action Outcome: Not reported

Action Type: An activity type that is related to an Audit
Action Status: NAFVIO
Action Date: 6/2/2017
Response Action Outcome: Not reported

Action Type: Compliance and Enforcement Action
Action Status: Interim Deadline Letter Issued
Action Date: 6/2/2017
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DODAKINS AUTO SALES (Continued)

S116687190

Action Type:	Response Action Outcome - RAO
Action Status:	Level I - Technical Screen Audit
Action Date:	7/9/2015
Response Action Outcome:	Not reported
Action Type:	Activity and Use Limitation
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/20/2014
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	PSARCD
Action Date:	8/20/2014
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	Fee Received - FMCRA Use Only
Action Date:	8/26/2014
Response Action Outcome:	Not reported
Action Type:	Activity and Use Limitation
Action Status:	Legal Notice Published
Action Date:	9/11/2014
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	PSCREV
Action Date:	9/25/2017
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	9/7/2017
Response Action Outcome:	Not reported

INST CONTROL:

Name:	DODAKINS AUTO SALES
Address:	81 PARK STREET
City,State,Zip:	SOMERVILLE, MA 021430000
Release Tracking Number:	3-0032135
Action Type:	AUL
Action Stat:	LEGNOT
Action Date:	09/11/2014
Response Action Outcome:	-

Name:	DODAKINS AUTO SALES
Address:	81 PARK STREET
City,State,Zip:	SOMERVILLE, MA 021430000
Release Tracking Number:	3-0032135
Action Type:	AUL
Action Stat:	LEGNOT
Action Date:	10/11/2017
Response Action Outcome:	-

Name:	DODAKINS AUTO SALES
Address:	81 PARK STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DODAKINS AUTO SALES (Continued)

S116687190

City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number: 3-0032135
Action Type: AUL
Action Stat: RECPT
Action Date: 08/20/2014
Response Action Outcome: -

Name: DODAKINS AUTO SALES
Address: 81 PARK STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number: 3-0032135
Action Type: AUL
Action Stat: SNAUDI
Action Date: 04/25/2017
Response Action Outcome: -

Name: DODAKINS AUTO SALES
Address: 81 PARK STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number: 3-0032135
Action Type: AUL
Action Stat: TERMIN
Action Date: 10/03/2017
Response Action Outcome: -

Name: DODAKINS AUTO SALES
Address: 81 PARK STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number: 3-0032135
Action Type: AUL
Action Stat: TSAUD
Action Date: 04/10/2017
Response Action Outcome: -

Release:
Name: DODAKINS AUTO SALES
Address: 81 PARK STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0032135 / PSC
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 04/25/2014
Category: 72 HR
Status Date: 11/25/2014
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Oil

[Click here to access the MA DEP site for this facility:](#)

Actions:
Action Type: Activity and Use Limitation
Action Status: Legal Notice Published
Action Date: 10/11/2017
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DODAKINS AUTO SALES (Continued)

S116687190

Action Type: An activity type that is related to an Audit
Action Status: Audit Follow-up Completion Statement Received
Action Date: 10/2/2017
Response Action Outcome: Not reported

Action Type: Activity and Use Limitation
Action Status: Action Status or AUL Terminated
Action Date: 10/3/2017
Response Action Outcome: Not reported

Action Type: Response Action Outcome - RAO
Action Status: PSARCD
Action Date: 11/25/2014
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Completion Statement Received
Action Date: 3/11/2018
Response Action Outcome: Not reported

Action Type: Activity and Use Limitation
Action Status: Level I - Technical Screen Audit
Action Date: 4/10/2017
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Level I - Technical Screen Audit
Action Date: 4/11/2014
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 4/25/2014
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 4/25/2014
Response Action Outcome: Not reported

Action Type: Activity and Use Limitation
Action Status: Level II - Audit Inspection
Action Date: 4/25/2017
Response Action Outcome: Not reported

Action Type: RLFA
Action Status: FLDRUN
Action Date: 4/25/2017
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Written Plan Received
Action Date: 4/9/2014
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Written Plan Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DODAKINS AUTO SALES (Continued)

S116687190

Action Date: 5/10/2017
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Level I - Technical Screen Audit
Action Date: 5/11/2017
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.)
Action Date: 5/12/2014
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 6/10/2015
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Level I - Technical Screen Audit
Action Date: 6/10/2015
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Completion Statement Received
Action Date: 6/16/2014
Response Action Outcome: Not reported

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 6/16/2014
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 6/16/2014
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 6/16/2014
Response Action Outcome: Not reported

Action Type: An activity type that is related to an Audit
Action Status: Notice of Non-compliance related to an Audit
Action Date: 6/2/2017
Response Action Outcome: Not reported

Action Type: An activity type that is related to an Audit
Action Status: NAFVIO
Action Date: 6/2/2017
Response Action Outcome: Not reported

Action Type: Compliance and Enforcement Action
Action Status: Interim Deadline Letter Issued
Action Date: 6/2/2017
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DODAKINS AUTO SALES (Continued)

S116687190

Action Type:	Response Action Outcome - RAO
Action Status:	Level I - Technical Screen Audit
Action Date:	7/9/2015
Response Action Outcome:	Not reported
Action Type:	Activity and Use Limitation
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/20/2014
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	PSARCD
Action Date:	8/20/2014
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	Fee Received - FMCRA Use Only
Action Date:	8/26/2014
Response Action Outcome:	Not reported
Action Type:	Activity and Use Limitation
Action Status:	Legal Notice Published
Action Date:	9/11/2014
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	PSCREV
Action Date:	9/25/2017
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	9/7/2017
Response Action Outcome:	Not reported
Chemicals:	
Chemical:	GASOLINE
Quantity:	396.1 parts per million
Chemical:	GASOLINE
Quantity:	358 parts per million
Location Type:	COMMERCIAL
Source:	UST
Source:	TANK

273
East
1/2-1
0.950 mi.
5018 ft.

THE HOME DEPOT STORE #2667
75 MYSTIC AVE
SOMERVILLE, MA 02143

MA SHWS
MA RELEASE
MA ASBESTOS
MA HW GEN
MA MERCURY
MA TIER 2

S112292105
N/A

Relative:
Lower

SHWS:

Actual:
19 ft.

Name:	HOME DEPOT
Address:	75 MYSTIC AVENUE
City,State,Zip:	SOMERVILLE, MA
Facility ID:	3-0031960
Source Type:	FUELTANK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE HOME DEPOT STORE #2667 (Continued)

S112292105

Release Town: SOMERVILLE
Notification Date: 01/29/2014
Category: TWO HR
Associated ID: Not reported
Current Status: RAO
Status Date: 02/18/2014
Phase: Not reported
Response Action Outcome: A1
Oil Or Haz Material: Oil

Name: HOME DEPOT
Address: 75 MYSTIC AVENUE
City,State,Zip: SOMERVILLE, MA
Facility ID: 3-0031960
Source Type: VEHICLE
Release Town: SOMERVILLE
Notification Date: 01/29/2014
Category: TWO HR
Associated ID: Not reported
Current Status: RAO
Status Date: 02/18/2014
Phase: Not reported
Response Action Outcome: A1
Oil Or Haz Material: Oil

Release:

Name: HOME DEPOT
Address: 75 MYSTIC AVENUE
City,State,Zip: SOMERVILLE, MA
Release Tracking Number/Current Status: 3-0031960 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 01/29/2014
Category: TWO HR
Status Date: 02/18/2014
Phase: Not reported
Response Action Outcome: A1 - A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 1/29/2014
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 1/29/2014
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE HOME DEPOT STORE #2667 (Continued)

S112292105

Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 2/12/2014
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 2/18/2014
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 2/18/2014
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 2/18/2014
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Chemicals:
Chemical: DIESEL FUEL
Quantity: 75 gallons
Location Type: PRIVPROP
Location Type: COMMERCIAL
Source: FUELTANK
Source: VEHICLE

ASBESTOS:
Name: EVERSOURCE ENERGY
Address: 75 MYSTIC AVE
City,State,Zip: SOMERVILLE, MA
Notification: Not reported
DEP Region: Not reported
Notifiers Name: Not reported
Start Date: 07/11/2022
End Date: 09/30/2022
Date Entered: Not reported
Entry Date: 07/11/2022
Quantity Material Removed SF: 0
Quantity Material Removed LF: 3000
Project Description: OTHER DUCT BANK
AR Tracking ID: 392990
Super Lic Number: AS040543
Monitor Lic Number: AM900569
Lab Lic Number: AA000174
Year: 2022
Sticker Number: 100368894
Form Type: ANF-001
Fee Status: HUNDRED
Facility Phone: 8005922000
Sub Town: Not reported
Worksite: ELECTRICAL DUCT BANK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE HOME DEPOT STORE #2667 (Continued)

S112292105

Occupied: 0
Contractor: AC000701
Contract Type: WRITTEN
Hours: 0600-1800
Project Type: Renv
Abatement Process: oth:NTWP - DEMOLITION OF DUCT BANK
Location: OUTDOORS
Decon Process: ALL WORKERS TO DON PROPER PPE WHILE PERFORMING ABATEMENT ACTIVITIES.
MOBILE DECON UNIT WILL BE USED ON SITE.
Disposal Methods: ALL ACM WILL BE PROPERLY WET DOWN, LABELED AND TRANSPORTED FOLLOWING
EPA/DOT RULES AND REGULATIONS.
Facility Usage: TRENCH
Waiver Given: Not reported
DEP Waiver Number: NAW2206125
DLWD Waiver Number: Not reported
Small Owner Occ: 0
Owner Name: EVERSOURCE ENERGY
Owner Address: ONE NSTAR WAY NE 250
Owner City: WESTWOOD
Owner State: MA
On Site Manager Name: ROBIN COLLINS
On Site Manager Phone: 8005922000
Ins Comp: NATIONAL CASUALTY COMPANY
Policy Number: WCSIG35012101
EXP Date: 10/1/2022
Facility Size: 3000
Transporter Name: RED TECHNOLOGIES
Transporter Address: 173 PICKERING STREET
Transporter City: PORTLAND
Transporter State: CT
Final Site: Not reported
Certified Name: BROOKE SEGUIN
Cert Sign Date: 07/08/2022
Certified Company: MORAN ENVIRONMENTAL RECOVERY
Certified Phone: 7818151123
Entered_by: MORAN

Name: EVERSOURCE ENERGY
Address: 75 MYSTIC AVE
City,State,Zip: SOMERVILLE, MA
Notification: Not reported
DEP Region: Not reported
Notifiers Name: Not reported
Start Date: 07/11/2022
End Date: 12/31/2022
Date Entered: Not reported
Entry Date: 10/07/2022
Quantity Material Removed SF: 0
Quantity Material Removed LF: 3000
Project Description: OTHER DUCT BANK
AR Tracking ID: 400445
Super Lic Number: AS040543
Monitor Lic Number: AM900569
Lab Lic Number: AA000174
Year: 2022
Sticker Number: 100368894R
Form Type: ANF-001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE HOME DEPOT STORE #2667 (Continued)

S112292105

Fee Status: THIRTY FIVE
Facility Phone: 8005922000
Sub Town: Not reported
Worksite: ELECTRICAL DUCT BANK
Occupied: 0
Contractor: AC000701
Contract Type: WRITTEN
Hours: 0600-1800
Project Type: Renv
Abatement Process: oth:NTWP - DEMOLITION OF DUCT BANK
Location: OUTDOORS
Decon Process: ALL WORKERS TO DON PROPER PPE WHILE PERFORMING ABATEMENT ACTIVITIES.
MOBILE DECON UNIT WILL BE USED ON SITE.
Disposal Methods: ALL ACM WILL BE PROPERLY WET DOWN, LABELED AND TRANSPORTED FOLLOWING
EPA/DOT RULES AND REGULATIONS.
Facility Usage: TRENCH
Waiver Given: Not reported
DEP Waiver Number: NAW2206125
DLWD Waiver Number: Not reported
Small Owner Occ: 0
Owner Name: EVERSOURCE ENERGY
Owner Address: ONE NSTAR WAY NE 250
Owner City: WESTWOOD
Owner State: MA
On Site Manager Name: ROBIN COLLINS
On Site Manager Phone: 8005922000
Ins Comp: NATIONAL CASUALTY COMPANY
Policy Number: WCSIG35012101
EXP Date: 10/1/2022
Facility Size: 3000
Transporter Name: RED TECHNOLOGIES
Transporter Address: 173 PICKERING STREET
Transporter City: PORTLAND
Transporter State: CT
Final Site: Not reported
Certified Name: BROOKE SEGUIN
Cert Sign Date: 09/30/2022
Certified Company: MORAN ENVIRONMENTAL RECOVERY
Certified Phone: 7818151123
Entered_by: MORAN

HW GEN:

Name: HOME DEPOT 2667
Address: 75 MYSTIC AVE
City,State,Zip: SOMERVILLE, MA 02143
EPA Id: MAR000512269
RCRA Generator Status: SQG
State Generator Status: VQG-MA

MERCURY:

Name: HOME DEPOT, SOMERVILLE
Address: 75 MYSTIC AVENUE
City,State,Zip: SOMERVILLE, MA
Hours1: Winter Hours: Mon - Sat 6am - 9pm, Sun 8am - 7pm
Hours2: Summer Hours: Mon - Sat 6am - 10pm, Sun 8am - 8pm
Work Phone: (617) 623-0001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE HOME DEPOT STORE #2667 (Continued)

S112292105

Button Batteries B:	Not reported
Button Batteries R:	Not reported
Fluorescent Lamps (Incl# Cfls) B:	Not reported
Fluorescent Lamps (Incl# Cfls) R:	Yes
Thermostats B:	Not reported
Thermostats R:	Not reported
Electronics-Inc Flat Panel TV,Laptops B:	Not reported
Electronics-Inc Flat Panel TV,Laptops R:	Not reported
Other Hg Products-Thermometers Blood Press Cuffs B:	Not reported
Other Hg Products-Thermometers Blood Press Cuffs R:	Not reported
Comments:	CFL's only

TIER 2:

Name:	THE HOME DEPOT STORE #2667
Address:	75 MYSTIC AVE
City,State,Zip:	SOMERVILLE, MA 02143
Report Year:	2018
Facility Id:	FATR2018000000037163
Facility Dept:	Not reported
Latitude:	42.389400
Longitude:	-71.080800
Mailing Address:	160 Chapel Road, Suite 201 c/o Compliance Department
Mailing City/State/Zip:	06042
Mailing Country:	Not reported
Notes:	Not reported
All Chemicals Same As Last Yr:	Not reported
Date Signed:	2019-02-06
Dike Or Other Safeguard:	Not reported
Failed Validation:	Not reported
Date Modified:	01/11/2019
Fees Total:	Not reported
Num Of Employees:	400
Site Coord Abbreviated?:	false
Site Map:	Not reported
State Label Code:	Not reported
Submitted By:	Not reported
Validation Report:	Not reported
Fire District:	Not reported
Latlong Location Description:	Not reported
Latlong Method:	Not reported

Record Key:	FDTR2018000000013105
Id:	Not reported
Type:	RMP
Description:	Not reported
Last Modified:	Not reported

Record Key:	FDTR2018000000013106
Id:	Not reported
Type:	State ID
Description:	Not reported
Last Modified:	Not reported

Record Key:	FDTR2018000000013107
Id:	Not reported
Type:	TRI
Description:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE HOME DEPOT STORE #2667 (Continued)

S112292105

Last Modified: Not reported

Record Key: FDTR2018000000013108
Id: Not reported
Type: T2M Facility ID
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000013109
Id: Not reported
Type: NAICS
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000013110
Id: Not reported
Type: SIC
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000013111
Id: Not reported
Type: EIN
Description: Not reported
Last Modified: Not reported

Record Key: FDTR2018000000013112
Id: Not reported
Type: DUN & BradStreet
Description: Not reported
Last Modified: Not reported

Contact:

Report Year: 2018
Contact Record Id: CTTR2018343733P37163
Title: Not reported
Contact Name: Not reported
Contact Email: Not reported
Contact Mail Address: Not reported
Contact Mail City: Not reported
Contact Mail State: Not reported
Contact Mail Zip: Not reported
Contact Mail Country: Not reported
Contact1 Type: Billing
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:

Report Year: 2018
Contact Record Id: CTTR2018343731P37163
Title: Not reported
Contact Name: Home Depot U.S.A., Inc.
Contact Email: TierIIAdministrator@arcadis.com

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE HOME DEPOT STORE #2667 (Continued)

S112292105

Contact Mail Address: 2455 Paces Ferry Road, C-19
Contact Mail City: Atlanta
Contact Mail State: GA
Contact Mail Zip: 30339
Contact Mail Country: US
Contact1 Type: Parent Company
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:

Report Year: 2018
Contact Record Id: CTTR2018139823P37163
Title: Not reported
Contact Name: Not reported
Contact Email: Not reported
Contact Mail Address: 2366 Bernville Road
Contact Mail City: Reading
Contact Mail State: PA
Contact Mail Zip: 19605--
Contact Mail Country: Not reported
Contact1 Type: Carrier Contact
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:

Report Year: 2018
Contact Record Id: CTTR2018343736P37163
Title: Tier II Administrator
Contact Name: Inc
Contact Email: TierIIAdministrator@arcadis.com
Contact Mail Address: Not reported
Contact Mail City: Not reported
Contact Mail State: Not reported
Contact Mail Zip: Not reported
Contact Mail Country: Not reported
Contact1 Type: Tier II Information Contact
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:

Report Year: 2018
Contact Record Id: CTTR2018343735P37163
Title: Not reported
Contact Name: Not reported
Contact Email: David_c_corsetto@homedepot.com
Contact Mail Address: 75 Mystic Ave
Contact Mail City: Somerville

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE HOME DEPOT STORE #2667 (Continued)

S112292105

Contact Mail State: MA
Contact Mail Zip: 02143
Contact Mail Country: US
Contact1 Type: Other
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:

Report Year: 2018
Contact Record Id: CTTR2018343737P37163
Title: Store Manager
Contact Name: Corsetto
Contact Email: David_c_corsetto@homedepot.com
Contact Mail Address: Not reported
Contact Mail City: Not reported
Contact Mail State: Not reported
Contact Mail Zip: Not reported
Contact Mail Country: Not reported
Contact1 Type: Emergency Contact
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:

Report Year: 2018
Contact Record Id: CTTR2018343732P37163
Title: Not reported
Contact Name: Home Depot USA Inc
Contact Email: TierIIAdministrator@arcadis.com
Contact Mail Address: 2455 Paces Ferry Road, C-19
Contact Mail City: Atlanta
Contact Mail State: GA
Contact Mail Zip: 30339
Contact Mail Country: US
Contact1 Type: Owner / Operator
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:

Report Year: 2018
Contact Record Id: CTTR2018343738P37163
Title: MultiStore Asset Protection Manager
Contact Name: Watts
Contact Email: STEPHANIE_WATTS@homedepot.com
Contact Mail Address: Not reported
Contact Mail City: Not reported
Contact Mail State: Not reported
Contact Mail Zip: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE HOME DEPOT STORE #2667 (Continued)

S112292105

Contact Mail Country: Not reported
Contact1 Type: Emergency Contact
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Contact:

Report Year: 2018
Contact Record Id: CTTR2018343739P37163
Title: Store Manager
Contact Name: Corsetto
Contact Email: David_c_corsetto@homedepot.com
Contact Mail Address: Not reported
Contact Mail City: Not reported
Contact Mail State: Not reported
Contact Mail Zip: Not reported
Contact Mail Country: Not reported
Contact1 Type: Fac. Emergency Coordinator
Contact2 Type: Not reported
Contact3 Type: Not reported
Contact4 Type: Not reported
Modification Date: 1900-01-01

Chemicals:

Acute: Not reported
Ave Amount: Not reported
Ave Amount Code: Not reported
Chem Inv Record Id: CVTR2018000000139823
Chem Same As Last Yr: false
Chronic: Not reported
CICAS: Not reported
CI EHS Chemical: false
CI Last Modified: 2019-01-11
Days On Site: 365
Entered Chemical Name: Lead/Acid Batteries
Fire: Not reported
Gas: false
Liquid: true
Max Amount: 2.880
Max Amount Code: 7
Max Amt Container: 3636
Mixture: true
Pressure: Not reported
Pure: false
Reactive: Not reported
Solid: true
State01 Checkbox: Not reported
State01 Number: Not reported
State01 Text: Not reported
State02 Checkbox: Not reported
State02 Number: Not reported
State02 Text: Not reported
State03 Checkbox: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE HOME DEPOT STORE #2667 (Continued)

S112292105

State03 Number: Not reported
State03 Text: Not reported
State04 Checkbox: Not reported
State04 Number: Not reported
State04 Text: Not reported
State05 Checkbox: Not reported
State05 Text: Not reported
State06 Checkbox: Not reported
State06 Text: Not reported
State07 Checkbox: Not reported
State07 Text: Not reported
State1 Contact Field: Not reported
State Label Code: Not reported
Trade Secret: false

Location:

Record Key: CLTR201800000S377717
Chem Inv Record Id: CVTR2018000000139823
Type Code: Battery
Pressure Code: Ambient pressure
Temperature Code: Ambient temperature
Location: Batteries: in Receiving and on equipment
Amount: 28808
Amount Unit: lbs
Last Modified: 2019-01-11

Chemical Mixture:

Record Key: CLTR201800000M143265
Chem Inv Rec Id: CVTR2018000000139823
Mx Chem: Sulfuric acid
Mx CAS: 7664939
Percentage: Not reported
Wt Vol: weight
Mx EHS: true
Mx Last Modified: 2019-01-11

Record Key: CLTR201800000M143264
Chem Inv Rec Id: CVTR2018000000139823
Mx Chem: Lead
Mx CAS: 7439921
Percentage: Not reported
Wt Vol: weight
Mx EHS: false
Mx Last Modified: 2019-01-11

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AY274
North
1/2-1
0.950 mi.
5018 ft.
ALGONQUIN GAS
BEHIND 278282 MYSTIC AVE
MEDFORD, MA 02153
Site 2 of 2 in cluster AY

MA SHWS
MA RELEASE
S105199694
N/A

Relative:
Lower

SHWS:

Actual:
22 ft.

Name: ALGONQUIN GAS
Address: BEHIND 278282 MYSTIC AVE
City,State,Zip: MEDFORD, MA 02153
Facility ID: 3-0003784
Source Type: Not reported
Release Town: MEDFORD
Notification Date: 01/15/1992
Category: NONE
Associated ID: Not reported
Current Status: DEPNFA
Status Date: 06/07/1996
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Not reported

Release:

Name: ALGONQUIN GAS
Address: BEHIND 278282 MYSTIC AVE
City,State,Zip: MEDFORD, MA 02153
Release Tracking Number/Current Status: 3-0003784 / DEPNFA
Primary ID: Not reported
Official City: MEDFORD
Notification: 01/15/1992
Category: NONE
Status Date: 06/07/1996
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Not reported

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Release Disposition
Action Status: Valid Transition Site
Action Date: 1/15/1992
Response Action Outcome: Not reported

Action Type: TREGS
Action Status: DEPNFA
Action Date: 6/7/1996
Response Action Outcome: Not reported

Chemicals:

Chemical: UNKNOWN
Quantity: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AX275
SSE
1/2-1
0.952 mi.
5026 ft.
OFF PROSPECT ST
BENNETT CT
SOMERVILLE, MA 02145
Site 4 of 4 in cluster AX

MA SHWS
MA RELEASE
S106132293
N/A

Relative:
Lower

SHWS:

Actual:
12 ft.

Name: OFF PROSPECT ST
Address: BENNETT CT
City,State,Zip: SOMERVILLE, MA 021450000
Facility ID: 3-0023401
Source Type: TRANSFORM
Release Town: SOMERVILLE
Notification Date: 11/29/2003
Category: TWO HR
Associated ID: Not reported
Current Status: RAO
Status Date: 12/08/2003
Phase: Not reported
Response Action Outcome: A1
Oil Or Haz Material: Oil

Release:

Name: OFF PROSPECT ST
Address: BENNETT CT
City,State,Zip: SOMERVILLE, MA 021450000
Release Tracking Number/Current Status: 3-0023401 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 11/29/2003
Category: TWO HR
Status Date: 12/08/2003
Phase: Not reported
Response Action Outcome: A1 - A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 11/29/2003
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 11/29/2003
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 12/8/2003
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OFF PROSPECT ST (Continued)

S106132293

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 12/8/2003
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Chemicals:
Chemical: HYDRAULIC FLUID
Quantity: 30 gallons
Location Type: ROADWAY
Location Type: RESIDENTIAL
Source: TRANSFORM

276
WSW
1/2-1
0.954 mi.
5036 ft.

**IN FRONT OF 86 ELM STREET
86 ELM STREET
SOMERVILLE, MA 02144**

**MA SHWS
MA RELEASE
MA ASBESTOS**

**S119842799
N/A**

**Relative:
Lower**

SHWS:
Name: IN FRONT OF 86 ELM STREET
Address: 86 ELM STREET
City,State,Zip: SOMERVILLE, MA 021440000
Facility ID: 3-0037473
Source Type: LINE
Release Town: SOMERVILLE
Notification Date: 05/04/2022
Category: TWO HR
Associated ID: Not reported
Current Status: PSNC
Status Date: 07/05/2022
Phase: Not reported
Response Action Outcome: PN
Oil Or Haz Material: Oil

**Actual:
38 ft.**

Release:
Name: IN FRONT OF 86 ELM STREET
Address: 86 ELM STREET
City,State,Zip: SOMERVILLE, MA 021440000
Release Tracking Number/Current Status: 3-0037473 / PSNC
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 05/04/2022
Category: TWO HR
Status Date: 07/05/2022
Phase: Not reported
Response Action Outcome: PN - PN
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 5/4/2022
Response Action Outcome: PN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

IN FRONT OF 86 ELM STREET (Continued)

S119842799

Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	5/4/2022
Response Action Outcome:	PN
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	6/15/2022
Response Action Outcome:	PN
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	7/5/2022
Response Action Outcome:	PN
Action Type:	Response Action Outcome - RAO
Action Status:	PSNRCD
Action Date:	7/5/2022
Response Action Outcome:	PN

Chemicals:	
Chemical:	HYDRAULIC FLUID
Quantity:	30 gallons
Location Type:	ROADWAY
Location Type:	MUNICIPAL
Source:	LINE

ASBESTOS:	
Name:	MR JOSEPH BENOIT
Address:	86 ELM ST
City,State,Zip:	SOMERVILLE, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	11/09/2009
End Date:	11/10/2009
Date Entered:	Not reported
Entry Date:	10/27/2009
Quantity Material Removed SF:	.00
Quantity Material Removed LF:	90.00
Project Description:	Spr
AR Tracking ID:	119334
Super Lic Number:	AS040852
Monitor Lic Number:	Not reported
Lab Lic Number:	Not reported
Year:	2009
Sticker Number:	100096956
Form Type:	ANF-001
Fee Status:	Exempt
Facility Phone:	Not reported
Sub Town:	Not reported
Worksite:	BASEMENT
Occupied:	-1
Contractor:	AC000703
Contract Type:	VERBAL
Hours:	Week days: 8-4 Week end:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

IN FRONT OF 86 ELM STREET (Continued)

S119842799

Project Type:	Renv
Abatement Process:	GlV,Encl
Location:	Indoors
Decon Process:	MINI CHAMBER
Disposal Methods:	POLY WALLS FLOORS CRITICALS NEG AIR HEPA WET TO DOUBLE BAG
Facility Usage:	RESIDENCE
Waiver Given:	Not reported
DEP Waiver Number:	Not reported
DLWD Waiver Number:	Not reported
Small Owner Occ:	4
Owner Name:	JOE BENOIT
Owner Address:	Not reported
Owner City:	Not reported
Owner State:	MA
On Site Manager Name:	Not reported
On Site Manager Phone:	Not reported
Ins Comp:	Not reported
Policy Number:	Not reported
EXP Date:	Not reported
Facility Size:	Not reported
Transporter Name:	CAS INC
Transporter Address:	Not reported
Transporter City:	Not reported
Transporter State:	Not reported
Final Site:	68
Certified Name:	ROBERT DAPRATO
Cert Sign Date:	10/27/2009
Certified Company:	Not reported
Certified Phone:	Not reported
Entered_by:	Not reported

277
WSW
1/2-1
0.955 mi.
5041 ft.

**RESIDENTIAL APARTMENTS AT ADELAIDE ROAD
765 SOMERVILLE AVENUE
SOMERVILLE, MA 02143**

**MA SHWS S126024614
MA LUST N/A
MA RELEASE**

**Relative:
Lower
Actual:
33 ft.**

SHWS:	
Name:	RESIDENTIAL APARTMENTS AT ADELAIDE ROAD
Address:	765 SOMERVILLE AVENUE
City,State,Zip:	SOMERVILLE, MA 021430000
Facility ID:	3-0035863
Source Type:	TANK
Release Town:	SOMERVILLE
Notification Date:	09/18/2019
Category:	72 HR
Associated ID:	Not reported
Current Status:	PSNC
Status Date:	01/17/2020
Phase:	Not reported
Response Action Outcome:	PN
Oil Or Haz Material:	Oil

LUST:

Facility:	
Name:	RESIDENTIAL APARTMENTS AT ADELAIDE ROAD
Address:	765 SOMERVILLE AVENUE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL APARTMENTS AT ADELAIDE ROAD (Continued)

S126024614

City,State,Zip: SOMERVILLE, MA 021430000
Current Status: **Permanent Solution with No Conditions**
Release Tracking Number/Current Status: 3-0035863 / PSNC
Status Date: 01/17/2020
Source Type: UST
Release Town: SOMERVILLE
Notification Date: 09/18/2019
Category: 72 HR
Associated ID: Not reported
Phase: Not reported
Response Action Outcome: PN - PN
Oil Or Haz Material: Oil

Location Type: RESIDENTIAL
Source: UST
Source: TANK

[Click here to access the MA DEP site for this facility:](#)

Chemicals:

Chemical: #2 FUEL OIL VOCS
Quantity: 128 parts per million

Actions:

Action Type: Response Action Outcome - RAO
Action Status: PSNRCD
Action Date: 1/17/2020
Response Action Outcome: PN

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 1/17/2020
Response Action Outcome: PN

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 10/17/2019
Response Action Outcome: PN

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 10/8/2019
Response Action Outcome: PN

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 11/19/2019
Response Action Outcome: PN

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 11/19/2019
Response Action Outcome: PN

Action Type: RNFE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL APARTMENTS AT ADELAIDE ROAD (Continued)

S126024614

Action Status: Transmittal, Notice, or Notification Received
Action Date: 11/19/2019
Response Action Outcome: PN

Action Type: BOL
Action Status: SHPFAC
Action Date: 11/19/2019
Response Action Outcome: PN

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 11/21/2019
Response Action Outcome: PN

Action Type: Response Action Outcome - RAO
Action Status: Level I - Technical Screen Audit
Action Date: 11/30/2020
Response Action Outcome: PN

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 6/16/2020
Response Action Outcome: PN

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 9/18/2019
Response Action Outcome: PN

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 9/18/2019
Response Action Outcome: PN

Release:

Name: RESIDENTIAL APARTMENTS AT ADELAIDE ROAD
Address: 765 SOMERVILLE AVENUE
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0035863 / PSNC
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 09/18/2019
Category: 72 HR
Status Date: 01/17/2020
Phase: Not reported
Response Action Outcome: PN - PN
Oil / Haz Material Type: Oil

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Response Action Outcome - RAO
Action Status: PSNRCD
Action Date: 1/17/2020
Response Action Outcome: PN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL APARTMENTS AT ADELAIDE ROAD (Continued)

S126024614

Action Type:	Immediate Response Action
Action Status:	Completion Statement Received
Action Date:	1/17/2020
Response Action Outcome:	PN
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	10/17/2019
Response Action Outcome:	PN
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	10/8/2019
Response Action Outcome:	PN
Action Type:	Immediate Response Action
Action Status:	Written Plan Received
Action Date:	11/19/2019
Response Action Outcome:	PN
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	11/19/2019
Response Action Outcome:	PN
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	11/19/2019
Response Action Outcome:	PN
Action Type:	BOL
Action Status:	SHPFAC
Action Date:	11/19/2019
Response Action Outcome:	PN
Action Type:	Immediate Response Action
Action Status:	Level I - Technical Screen Audit
Action Date:	11/21/2019
Response Action Outcome:	PN
Action Type:	Response Action Outcome - RAO
Action Status:	Level I - Technical Screen Audit
Action Date:	11/30/2020
Response Action Outcome:	PN
Action Type:	Immediate Response Action
Action Status:	Level I - Technical Screen Audit
Action Date:	6/16/2020
Response Action Outcome:	PN
Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	9/18/2019
Response Action Outcome:	PN
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL APARTMENTS AT ADELAIDE ROAD (Continued)

S126024614

Action Date: 9/18/2019
Response Action Outcome: PN

Chemicals:
Chemical: #2 FUEL OIL VOCS
Quantity: 128 parts per million
Location Type: RESIDENTIAL
Source: UST
Source: TANK

278
NW
1/2-1
0.955 mi.
5041 ft.

4-UNIT RESIDENTIAL APARTMENT BUILDING
55-57 MARION STREET
MEDFORD, MA 02155

MA SHWS
MA LAST
MA RELEASE

S110822181
N/A

Relative:
Lower

Actual:
20 ft.

SHWS:
Name: 4-UNIT RESIDENTIAL APARTMENT BUILDING
Address: 55-57 MARION STREET
City,State,Zip: MEDFORD, MA 021550000
Facility ID: 3-0029737
Source Type: LINE
Release Town: MEDFORD
Notification Date: 01/07/2011
Category: TWO HR
Associated ID: Not reported
Current Status: RAO
Status Date: 09/27/2011
Phase: Not reported
Response Action Outcome: A2
Oil Or Haz Material: Oil

LAST:
Name: 4-UNIT RESIDENTIAL APARTMENT BUILDING
Address: 55-57 MARION STREET
City,State,Zip: MEDFORD, MA 021550000
Release Tracking Number/Current Status: 3-0029737 / RAO
Source Type: AST
Release Town: MEDFORD
Notification Date: 01/07/2011
Category: TWO HR
Associated ID: Not reported
Status Date: 09/27/2011
Phase: Not reported
Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil Or Haz Material: Oil

Chemicals:
Chemical: #2 FUEL OIL
Quantity: 100 gallons
Location Type: APT
Location Type: RESIDENTIAL
Location Type: BLDG
Location Type: PRIVPROP
Source: AST
Source: LINE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

4-UNIT RESIDENTIAL APARTMENT BUILDING (Continued)

S110822181

Actions:

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: FLDISS
Action Date: 1/10/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDRUN
Action Date: 1/10/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDRAN
Action Date: 1/11/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: FLDISS
Action Date: 1/11/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/14/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/18/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.)
Action Date: 1/19/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDRAN
Action Date: 1/20/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action - DEP Lead
Action Status: Oral Approval of a Modified Plan
Action Date: 1/20/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDD1U

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

4-UNIT RESIDENTIAL APARTMENT BUILDING (Continued)

S110822181

Action Date: 1/7/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 1/7/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action - DEP Lead
Action Status: Oral Approval of Plan or Action
Action Date: 1/7/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action - DEP Lead
Action Status: Oral Approval of Plan or Action
Action Date: 1/8/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/8/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/9/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action - DEP Lead
Action Status: Oral Approval of a Modified Plan
Action Date: 1/9/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 2/1/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 2/15/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDRUN
Action Date: 2/24/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

4-UNIT RESIDENTIAL APARTMENT BUILDING (Continued)

S110822181

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 3/14/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 3/7/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 3/7/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 3/8/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Oral Approval of a Modified Plan
Action Date: 3/8/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDRAN
Action Date: 4/14/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: BOL
Action Status: SHPFAC
Action Date: 4/7/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Approval of Plan
Action Date: 4/8/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 5/13/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 5/16/2011

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

4-UNIT RESIDENTIAL APARTMENT BUILDING (Continued)

S110822181

Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO

Action Status: Level I - Technical Screen Audit

Action Date: 6/18/2012

Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO

Action Status: RAO Statement Received

Action Date: 9/27/2011

Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO

Action Status: Fee Received - FMCRA Use Only

Action Date: 9/27/2011

Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Release:

Name: 4-UNIT RESIDENTIAL APARTMENT BUILDING

Address: 55-57 MARION STREET

City,State,Zip: MEDFORD, MA 021550000

Release Tracking Number/Current Status: 3-0029737 / RAO

Primary ID: Not reported

Official City: MEDFORD

Notification: 01/07/2011

Category: TWO HR

Status Date: 09/27/2011

Phase: Not reported

Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.

Oil / Haz Material Type: Oil

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: A Notice sent to a Potentially Responsible Party (PRP)

Action Status: FLDISS

Action Date: 1/10/2011

Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA

Action Status: FLDRUN

Action Date: 1/10/2011

Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA

Action Status: FLDRAN

Action Date: 1/11/2011

Response Action Outcome: A permanent solution has been achieved. Contamination has not been

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

4-UNIT RESIDENTIAL APARTMENT BUILDING (Continued)

S110822181

reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: FLDISS
Action Date: 1/11/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/14/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/18/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.)
Action Date: 1/19/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDRAN
Action Date: 1/20/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action - DEP Lead
Action Status: Oral Approval of a Modified Plan
Action Date: 1/20/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDD1U
Action Date: 1/7/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 1/7/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action - DEP Lead
Action Status: Oral Approval of Plan or Action
Action Date: 1/7/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action - DEP Lead

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

4-UNIT RESIDENTIAL APARTMENT BUILDING (Continued)

S110822181

Action Status: Oral Approval of Plan or Action
Action Date: 1/8/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/8/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/9/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action - DEP Lead
Action Status: Oral Approval of a Modified Plan
Action Date: 1/9/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 2/1/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 2/15/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDRUN
Action Date: 2/24/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 3/14/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 3/7/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 3/7/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

4-UNIT RESIDENTIAL APARTMENT BUILDING (Continued)

S110822181

reduced to background.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 3/8/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Oral Approval of a Modified Plan
Action Date: 3/8/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: RLFA
Action Status: FLDRAN
Action Date: 4/14/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: BOL
Action Status: SHPFAC
Action Date: 4/7/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Written Approval of Plan
Action Date: 4/8/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 5/13/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 5/16/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: Level I - Technical Screen Audit
Action Date: 6/18/2012
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 9/27/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

4-UNIT RESIDENTIAL APARTMENT BUILDING (Continued)

S110822181

Action Status: Fee Received - FMCRA Use Only
Action Date: 9/27/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Chemicals:
Chemical: #2 FUEL OIL
Quantity: 100 gallons
Location Type: APT
Location Type: RESIDENTIAL
Location Type: BLDG
Location Type: PRIVPROP
Source: AST
Source: LINE

AZ279 **DODAKINS AUTO SALES**
SSW **191 BEACON STREET**
1/2-1 **SOMERVILLE, MA**
0.957 mi.
5052 ft. **Site 2 of 2 in cluster AZ**

MA SHWS **S113882731**
MA LUST **N/A**
MA INST CONTROL
MA RELEASE

Relative: **SHWS:**
Lower Name: DODAKINS AUTO SALES
Address: 191 BEACON STREET
City,State,Zip: SOMERVILLE, MA
Facility ID: 3-0031722
Source Type: TANK
Release Town: SOMERVILLE
Notification Date: 08/20/2013
Category: 120 DY
Associated ID: Not reported
Current Status: PSC
Status Date: 08/20/2014
Phase: Not reported
Response Action Outcome: PC
Oil Or Haz Material: Oil and Hazardous Material

Name: DODAKINS AUTO SALES
Address: 191 BEACON STREET
City,State,Zip: SOMERVILLE, MA
Facility ID: 3-0031722
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 08/20/2013
Category: 120 DY
Associated ID: Not reported
Current Status: PSC
Status Date: 08/20/2014
Phase: Not reported
Response Action Outcome: PC
Oil Or Haz Material: Oil and Hazardous Material

LUST:

Facility:
Name: DODAKINS AUTO SALES
Address: 191 BEACON STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DODAKINS AUTO SALES (Continued)

S113882731

City,State,Zip: SOMERVILLE, MA
Current Status: **Permanent Solution with Conditions**
Release Tracking Number/Current Status: 3-0031722 / PSC
Status Date: 08/20/2014
Source Type: UST
Release Town: SOMERVILLE
Notification Date: 08/20/2013
Category: 120 DY
Associated ID: Not reported
Phase: PHASE IV
Response Action Outcome: PC - PC
Oil Or Haz Material: Oil and Hazardous Material

Location Type: RESIDENTIAL
Source: TANK
Source: UNKNOWN
Source: UST

[Click here to access the MA DEP site for this facility:](#)

Chemicals:
Chemical: C9 THRU C10 AROMATIC HYDROCARBONS
Quantity: 463 milligrams per kilogram
Chemical: PCB
Quantity: 9 milligrams per kilogram
Chemical: C5 THRU C8 ALIPHATIC HYDROCARBONS
Quantity: 9430 micrograms per liter
Chemical: CADMIUM
Quantity: 6 micrograms per liter
Chemical: NAPHTHALENE
Quantity: 6.3 milligrams per kilogram
Chemical: NICKEL
Quantity: 32 milligrams per kilogram
Chemical: ZINC
Quantity: 900 micrograms per liter
Chemical: 2-METHYLNAPHTHALENE
Quantity: 0.735 milligrams per kilogram
Chemical: CHROMIUM
Quantity: 40 milligrams per kilogram
Chemical: LEAD
Quantity: 1100 milligrams per kilogram
Chemical: SELENIUM
Quantity: 130 micrograms per liter
Chemical: LEAD
Quantity: 11 micrograms per liter
Chemical: C5 THRU C8 ALIPHATIC HYDROCARBONS
Quantity: 1070 milligrams per kilogram

Actions:
Action Type: Activity and Use Limitation
Action Status: Legal Notice Published
Action Date: 10/11/2017
Response Action Outcome: PC

Action Type: An activity type that is related to an Audit

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DODAKINS AUTO SALES (Continued)

S113882731

Action Status:	Audit Follow-up Completion Statement Received
Action Date:	10/2/2017
Response Action Outcome:	PC
Action Type:	Activity and Use Limitation
Action Status:	Action Status or AUL Terminated
Action Date:	10/3/2017
Response Action Outcome:	PC
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	3/11/2018
Response Action Outcome:	PC
Action Type:	Activity and Use Limitation
Action Status:	Level I - Technical Screen Audit
Action Date:	4/10/2017
Response Action Outcome:	PC
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	4/11/2014
Response Action Outcome:	PC
Action Type:	RLFA
Action Status:	FLDRUN
Action Date:	4/25/2017
Response Action Outcome:	PC
Action Type:	Activity and Use Limitation
Action Status:	Level II - Audit Inspection
Action Date:	4/25/2017
Response Action Outcome:	PC
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	4/9/2014
Response Action Outcome:	PC
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	5/10/2017
Response Action Outcome:	PC
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	5/11/2017
Response Action Outcome:	PC
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	6/10/2015
Response Action Outcome:	PC
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	6/16/2014

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DODAKINS AUTO SALES (Continued)

S113882731

Response Action Outcome:	PC
Action Type:	An activity type that is related to an Audit
Action Status:	Notice of Non-compliance related to an Audit
Action Date:	6/2/2017
Response Action Outcome:	PC
Action Type:	An activity type that is related to an Audit
Action Status:	NAFVIO
Action Date:	6/2/2017
Response Action Outcome:	PC
Action Type:	Compliance and Enforcement Action
Action Status:	Interim Deadline Letter Issued
Action Date:	6/2/2017
Response Action Outcome:	PC
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	ALSENT
Action Date:	6/20/2014
Response Action Outcome:	PC
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	8/20/2013
Response Action Outcome:	PC
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	8/20/2013
Response Action Outcome:	PC
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/20/2013
Response Action Outcome:	PC
Action Type:	Response Action Outcome - RAO
Action Status:	PSARCD
Action Date:	8/20/2014
Response Action Outcome:	PC
Action Type:	Activity and Use Limitation
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/20/2014
Response Action Outcome:	PC
Action Type:	Phase 2
Action Status:	Completion Statement Received
Action Date:	8/20/2014
Response Action Outcome:	PC
Action Type:	Phase 3
Action Status:	Completion Statement Received
Action Date:	8/20/2014
Response Action Outcome:	PC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DODAKINS AUTO SALES (Continued)

S113882731

Action Type:	Response Action Outcome - RAO
Action Status:	Fee Received - FMCRA Use Only
Action Date:	8/26/2014
Response Action Outcome:	PC
Action Type:	Activity and Use Limitation
Action Status:	Legal Notice Published
Action Date:	9/11/2014
Response Action Outcome:	PC
Action Type:	Response Action Outcome - RAO
Action Status:	PSCREV
Action Date:	9/25/2017
Response Action Outcome:	PC
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	9/6/2013
Response Action Outcome:	PC
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	9/7/2017
Response Action Outcome:	PC

INST CONTROL:

Name:	DODAKINS AUTO SALES
Address:	191 BEACON STREET
City,State,Zip:	SOMERVILLE, MA
Release Tracking Number:	3-0031722
Action Type:	AUL
Action Stat:	LEGNOT
Action Date:	09/11/2014
Response Action Outcome:	PC - PC

Name:	DODAKINS AUTO SALES
Address:	191 BEACON STREET
City,State,Zip:	SOMERVILLE, MA
Release Tracking Number:	3-0031722
Action Type:	AUL
Action Stat:	LEGNOT
Action Date:	10/11/2017
Response Action Outcome:	PC - PC

Name:	DODAKINS AUTO SALES
Address:	191 BEACON STREET
City,State,Zip:	SOMERVILLE, MA
Release Tracking Number:	3-0031722
Action Type:	AUL
Action Stat:	RECPT
Action Date:	08/20/2014
Response Action Outcome:	PC - PC

Name:	DODAKINS AUTO SALES
Address:	191 BEACON STREET
City,State,Zip:	SOMERVILLE, MA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DODAKINS AUTO SALES (Continued)

S113882731

Release Tracking Number: 3-0031722
Action Type: AUL
Action Stat: SNAUDI
Action Date: 04/25/2017
Response Action Outcome: PC - PC

Name: DODAKINS AUTO SALES
Address: 191 BEACON STREET
City,State,Zip: SOMERVILLE, MA
Release Tracking Number: 3-0031722
Action Type: AUL
Action Stat: TERMIN
Action Date: 10/03/2017
Response Action Outcome: PC - PC

Name: DODAKINS AUTO SALES
Address: 191 BEACON STREET
City,State,Zip: SOMERVILLE, MA
Release Tracking Number: 3-0031722
Action Type: AUL
Action Stat: TSAUD
Action Date: 04/10/2017
Response Action Outcome: PC - PC

Release:
Name: DODAKINS AUTO SALES
Address: 191 BEACON STREET
City,State,Zip: SOMERVILLE, MA
Release Tracking Number/Current Status: 3-0031722 / PSC
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 08/20/2013
Category: 120 DY
Status Date: 08/20/2014
Phase: Not reported
Response Action Outcome: PC - PC
Oil / Haz Material Type: Oil and Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:
Action Type: Activity and Use Limitation
Action Status: Legal Notice Published
Action Date: 10/11/2017
Response Action Outcome: PC

Action Type: An activity type that is related to an Audit
Action Status: Audit Follow-up Completion Statement Received
Action Date: 10/2/2017
Response Action Outcome: PC

Action Type: Activity and Use Limitation
Action Status: Action Status or AUL Terminated
Action Date: 10/3/2017
Response Action Outcome: PC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DODAKINS AUTO SALES (Continued)

S113882731

Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	3/11/2018
Response Action Outcome:	PC
Action Type:	Activity and Use Limitation
Action Status:	Level I - Technical Screen Audit
Action Date:	4/10/2017
Response Action Outcome:	PC
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	4/11/2014
Response Action Outcome:	PC
Action Type:	RLFA
Action Status:	FLDRUN
Action Date:	4/25/2017
Response Action Outcome:	PC
Action Type:	Activity and Use Limitation
Action Status:	Level II - Audit Inspection
Action Date:	4/25/2017
Response Action Outcome:	PC
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	4/9/2014
Response Action Outcome:	PC
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	5/10/2017
Response Action Outcome:	PC
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	5/11/2017
Response Action Outcome:	PC
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	6/10/2015
Response Action Outcome:	PC
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	6/16/2014
Response Action Outcome:	PC
Action Type:	An activity type that is related to an Audit
Action Status:	Notice of Non-compliance related to an Audit
Action Date:	6/2/2017
Response Action Outcome:	PC
Action Type:	An activity type that is related to an Audit
Action Status:	NAFVIO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DODAKINS AUTO SALES (Continued)

S113882731

Action Date:	6/2/2017
Response Action Outcome:	PC
Action Type:	Compliance and Enforcement Action
Action Status:	Interim Deadline Letter Issued
Action Date:	6/2/2017
Response Action Outcome:	PC
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	ALSENT
Action Date:	6/20/2014
Response Action Outcome:	PC
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	8/20/2013
Response Action Outcome:	PC
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	8/20/2013
Response Action Outcome:	PC
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/20/2013
Response Action Outcome:	PC
Action Type:	Response Action Outcome - RAO
Action Status:	PSARCD
Action Date:	8/20/2014
Response Action Outcome:	PC
Action Type:	Activity and Use Limitation
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/20/2014
Response Action Outcome:	PC
Action Type:	Phase 2
Action Status:	Completion Statement Received
Action Date:	8/20/2014
Response Action Outcome:	PC
Action Type:	Phase 3
Action Status:	Completion Statement Received
Action Date:	8/20/2014
Response Action Outcome:	PC
Action Type:	Response Action Outcome - RAO
Action Status:	Fee Received - FMCRA Use Only
Action Date:	8/26/2014
Response Action Outcome:	PC
Action Type:	Activity and Use Limitation
Action Status:	Legal Notice Published
Action Date:	9/11/2014
Response Action Outcome:	PC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DODAKINS AUTO SALES (Continued)

S113882731

Action Type:	Response Action Outcome - RAO
Action Status:	PSCREV
Action Date:	9/25/2017
Response Action Outcome:	PC
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	9/6/2013
Response Action Outcome:	PC
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	9/7/2017
Response Action Outcome:	PC

Chemicals:	
Chemical:	C9 THRU C10 AROMATIC HYDROCARBONS
Quantity:	463 milligrams per kilogram
Chemical:	PCB
Quantity:	9 milligrams per kilogram
Chemical:	C5 THRU C8 ALIPHATIC HYDROCARBONS
Quantity:	9430 micrograms per liter
Chemical:	CADMIUM
Quantity:	6 micrograms per liter
Chemical:	NAPHTHALENE
Quantity:	6.3 milligrams per kilogram
Chemical:	NICKEL
Quantity:	32 milligrams per kilogram
Chemical:	ZINC
Quantity:	900 micrograms per liter
Chemical:	2-METHYLNAPHTHALENE
Quantity:	0.735 milligrams per kilogram
Chemical:	CHROMIUM
Quantity:	40 milligrams per kilogram
Chemical:	LEAD
Quantity:	1100 milligrams per kilogram
Chemical:	SELENIUM
Quantity:	130 micrograms per liter
Chemical:	LEAD
Quantity:	11 micrograms per liter
Chemical:	C5 THRU C8 ALIPHATIC HYDROCARBONS
Quantity:	1070 milligrams per kilogram
Location Type:	RESIDENTIAL
Source:	TANK
Source:	UNKNOWN
Source:	UST

280
North
1/2-1
0.971 mi.
5126 ft.

WARNER CABLE
278-282 MYSTIC AVE
MEDFORD, MA 02153

MA SHWS S100829167
MA RELEASE N/A

Relative:
Lower
Actual:
21 ft.

SHWS:
Name: WARNER CABLE
Address: 278-282 MYSTIC AVE
City,State,Zip: MEDFORD, MA 02153

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WARNER CABLE (Continued)

S100829167

Facility ID: 3-0001219
Source Type: Not reported
Release Town: MEDFORD
Notification Date: 03/17/1987
Category: NONE
Associated ID: Not reported
Current Status: RAO
Status Date: 08/02/1996
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Not reported

Release:

Name: WARNER CABLE
Address: 278-282 MYSTIC AVE
City,State,Zip: MEDFORD, MA 02153
Release Tracking Number/Current Status: 3-0001219 / RAO
Primary ID: Not reported
Official City: MEDFORD
Notification: 03/17/1987
Category: NONE
Status Date: 08/02/1996
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Not reported

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Release Disposition
Action Status: Valid Transition Site
Action Date: 3/17/1987
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.)
Action Date: 3/17/1987
Response Action Outcome: Not reported

Action Type: TREGS
Action Status: RAOEQ
Action Date: 8/2/1996
Response Action Outcome: Not reported

Chemicals:

Chemical: UNKNOWN
Quantity: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BA281
SSE
1/2-1
0.971 mi.
5128 ft.
CJ AUTO MOTORS INC
308 MCGRATH HWY
SOMERVILLE, MA 02143
Site 1 of 2 in cluster BA

MA SHWS
MA RELEASE
MA HW GEN
S104774197
N/A

Relative:
Lower

SHWS:

Actual:
16 ft.

Name: NO LOCATION AID
Address: 308 MCGRATH HWY
City,State,Zip: SOMERVILLE, MA
Facility ID: 3-0019828
Source Type: DRUMS
Release Town: SOMERVILLE
Notification Date: 08/10/2000
Category: TWO HR
Associated ID: Not reported
Current Status: RAO
Status Date: 10/20/2000
Phase: Not reported
Response Action Outcome: A1
Oil Or Haz Material: Hazardous Material

Release:

Name: NO LOCATION AID
Address: 308 MCGRATH HWY
City,State,Zip: SOMERVILLE, MA
Release Tracking Number/Current Status: 3-0019828 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 08/10/2000
Category: TWO HR
Status Date: 10/20/2000
Phase: Not reported
Response Action Outcome: A1 - A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Oil / Haz Material Type: Hazardous Material

Click here to access the MA DEP site for this facility:

Actions:

Action Type: RAO - DEP Lead
Action Status: RAO Statement Received
Action Date: 10/20/2000
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: FLDISS
Action Date: 8/10/2000
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Immediate Response Action - DEP Lead
Action Status: Work Started
Action Date: 8/10/2000
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CJ AUTO MOTORS INC (Continued)

S104774197

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 8/10/2000
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: RLFA
Action Status: FLDDO
Action Date: 8/10/2000
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 8/15/2000
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: RLFA
Action Status: FOLOFF
Action Date: 9/11/2000
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Chemicals:
Chemical: UNKNOWN CHEMICAL OF TYPE - HAZARDOUS MATERIAL
Quantity: Not reported
Location Type: COMMERCIAL
Source: DRUMS

HW GEN:
Name: CJ AUTO MOTORS INC
Address: 308 MCGRATH HWY
City,State,Zip: SOMERVILLE, MA 02143
EPA Id: MV6176285757
RCRA Generator Status: Not reported
State Generator Status: VQG-MA

282
SE
1/2-1
0.972 mi.
5134 ft.

COBBLE HILL APPARTMENTS COMPANY
90 WASHINGTON ST
SOMERVILLE, MA 02143

MA SHWS
MA RELEASE
MA ASBESTOS
MA ENF

S112195287
N/A

Relative:
Lower

SHWS:
Name: COMMERCIAL PLAZA
Address: 90 WASHINGTON ST
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031102
Source Type: Not reported
Release Town: SOMERVILLE
Notification Date: 09/13/2012
Category: 120 DY
Associated ID: Not reported
Current Status: TMPS
Status Date: 09/12/2018
Phase: Not reported

Actual:
13 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COBBLE HILL APPARTMENTS COMPANY (Continued)

S112195287

Response Action Outcome: TF
Oil Or Haz Material: Oil and Hazardous Material

Release:

Name: COMMERCIAL PLAZA
Address: 90 WASHINGTON ST
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0031102 / TMPS
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 09/13/2012
Category: 120 DY
Status Date: 09/12/2018
Phase: Not reported
Response Action Outcome: TF - TF
Oil / Haz Material Type: Oil and Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Compliance and Enforcement Action
Action Status: Notice of Non-Compliance Issued
Action Date: 3/23/2018
Response Action Outcome: TF

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSENT
Action Date: 7/3/2013
Response Action Outcome: TF

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 9/12/2013
Response Action Outcome: TF

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 9/12/2013
Response Action Outcome: TF

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 9/12/2013
Response Action Outcome: TF

Action Type: Phase 2
Action Status: Completion Statement Received
Action Date: 9/12/2018
Response Action Outcome: TF

Action Type: Phase 3
Action Status: Completion Statement Received
Action Date: 9/12/2018
Response Action Outcome: TF

Action Type: Response Action Outcome - RAO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COBBLE HILL APPARTMENTS COMPANY (Continued)

S112195287

Action Status:	TSFRCD
Action Date:	9/12/2018
Response Action Outcome:	TF
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	9/13/2012
Response Action Outcome:	TF
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	9/13/2012
Response Action Outcome:	TF
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	9/13/2012
Response Action Outcome:	TF
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	9/27/2012
Response Action Outcome:	TF

Chemicals:

Chemical:	ACENAPHTHYLENE
Quantity:	1.13 milligrams per kilogram
Chemical:	2-METHYLNAPHTHALENE
Quantity:	147 milligrams per kilogram
Chemical:	C11 THRU C22 AROMATIC HYDROCARBONS
Quantity:	3670 milligrams per kilogram
Chemical:	NAPHTHALENE
Quantity:	46.1 milligrams per kilogram
Chemical:	C9 THRU C18 ALIPHATIC HYDROCARBONS
Quantity:	8510 milligrams per kilogram

ASBESTOS:

Name:	COBBLE HILL CENTER
Address:	90 WASHINGTON STREET
City,State,Zip:	SOMERVILLE, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	08/06/2015
End Date:	09/01/2015
Date Entered:	Not reported
Entry Date:	07/24/2015
Quantity Material Removed SF:	3300.00
Quantity Material Removed LF:	.00
Project Description:	OTHER TILE MAST LINO ROOFING
AR Tracking ID:	218287
Super Lic Number:	AS032747
Monitor Lic Number:	AM061044
Lab Lic Number:	AA000144
Year:	2015
Sticker Number:	100225454

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COBBLE HILL APPARTMENTS COMPANY (Continued)

S112195287

Form Type:	ANF-001
Fee Status:	HUNDRED
Facility Phone:	6178227222
Sub Town:	Not reported
Worksite:	THROUGHOUT VACANT STRIP MALL
Occupied:	0
Contractor:	AC000791
Contract Type:	WRITTEN
Hours:	7AM-3PM
Project Type:	Repr
Abatement Process:	Clnp,Fcontain
Location:	INOUTDOORS
Decon Process:	3 CHAMBER DECON, WET METHODS, NEGATIVE PRESSURE
Disposal Methods:	ALL METHODS WILL COMPLY
Facility Usage:	VACANT STRIP MALL
Waiver Given:	Not reported
DEP Waiver Number:	Not reported
DLWD Waiver Number:	Not reported
Small Owner Occ:	0
Owner Name:	CORCORAN JENNISON COMPANY, INC
Owner Address:	BAYSIDE 150 MT VERNON STREET #500
Owner City:	BOSTON
Owner State:	MA
On Site Manager Name:	TOM DEVANE, JR
On Site Manager Phone:	6178227222
Ins Comp:	0
Policy Number:	0
EXP Date:	12/31/2015
Facility Size:	60000
Transporter Name:	SERVICE TRANSPORT GROUP
Transporter Address:	58 PYLES LANE
Transporter City:	NEW CASTLE
Transporter State:	DE
Final Site:	Not reported
Certified Name:	MARIA HOSTAGE
Cert Sign Date:	07/24/2015
Certified Company:	ONE SOURCE ENVIRONMENTAL, LLC
Certified Phone:	6034581482
Entered_by:	MHOSTAGE
Name:	90 WASHINGTON STREET
Address:	90 WASHINGTON STREET
City,State,Zip:	SOMERVILLE, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	03/03/2020
End Date:	03/27/2020
Date Entered:	Not reported
Entry Date:	02/18/2020
Quantity Material Removed SF:	2060
Quantity Material Removed LF:	Not reported
Project Description:	OTHER FTMGLUEROOFING
AR Tracking ID:	338695
Super Lic Number:	AS902958
Monitor Lic Number:	Not reported
Lab Lic Number:	AA000188

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COBBLE HILL APPARTMENTS COMPANY (Continued)

S112195287

Year: 2020
Sticker Number: 100324276
Form Type: ANF-001
Fee Status: EXEMPT
Facility Phone: 6176256600
Sub Town: Not reported
Worksite: AREAS 3,4,6,7 & EXTERIOR
Occupied: 0
Contractor: AC001034
Contract Type: WRITTEN
Hours: 7AM-3:30PM
Project Type: Dem
Abatement Process: Fcontain, oth:EXTERIOR REGULATED AREA WITH REMOTE
Location: INOUTDOORS
Decon Process: THREE CHAMBER DECONTAMINATION STATION WITH SHOWER CONTIGUOUS TO WORK AREA FOR FULL CONTAINMENT LOCATIONS. THREE CHAMBER REMOTE DECONTAMINATION UNIT WITH WASH STATION FOR EXTERIOR REGULATED AREA.

Disposal Methods: DOUBLE BAGGING IN 6 MIL POLYETHYLENE BAGS, OR DOUBLE 6 MIL LINED DRUMS/BOXES.

Facility Usage: COMMERCIAL AND RETAIL
Waiver Given: Not reported
DEP Waiver Number: Not reported
DLWD Waiver Number: Not reported
Small Owner Occ: 0
Owner Name: SOMERVILLE REDEVELOPMENT AUTHORITY
Owner Address: 93 HIGHLAND AVE.
Owner City: SOMERVILLE
Owner State: MA
On Site Manager Name: SUNAYANA THOMAS
On Site Manager Phone: 6176256600
Ins Comp: GREAT DIVIDE INS CO
Policy Number: WCA1523267-19
EXP Date: 11/1/2020
Facility Size: 12555
Transporter Name: IAT LOGISTICS
Transporter Address: 174 SOUTH ROAD, SUITE 111
Transporter City: ENFIELD
Transporter State: CT
Final Site: Not reported
Certified Name: WILLIAM FINN
Cert Sign Date: 02/18/2020
Certified Company: COSTELLO DISMANTLING CO., INC.
Certified Phone: 5082912324
Entered_by: SANDICLOUTIER

Name: COBBLE HILL CENTER
Address: 90 WASHINGTON STREET
City,State,Zip: SOMERVILLE, MA
Notification: Not reported
DEP Region: Not reported
Notifiers Name: Not reported
Start Date: 10/08/2015
End Date: 10/23/2015
Date Entered: Not reported
Entry Date: 09/22/2015
Quantity Material Removed SF: 3300.00
Quantity Material Removed LF: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COBBLE HILL APPARTMENTS COMPANY (Continued)

S112195287

Project Description: OTHER TILE MAST LINO ROOFING
AR Tracking ID: 222763
Super Lic Number: AS032747
Monitor Lic Number: AM061044
Lab Lic Number: AA000144
Year: 2015
Sticker Number: 100229352
Form Type: ANF-001
Fee Status: HUNDRED
Facility Phone: 6178227222
Sub Town: Not reported
Worksite: THROUGHOUT VACANT STRIP MALL
Occupied: 0
Contractor: AC000791
Contract Type: WRITTEN
Hours: 7AM-3PM
Project Type: Repr
Abatement Process: Fcontain
Location: INOUTDOORS
Decon Process: 3 CHAMBER DECON, WET METHODS, NEGATIVE PRESSURE
Disposal Methods: ALL METHODS WILL COMPLY
Facility Usage: VACANT STRIP MALL
Waiver Given: Not reported
DEP Waiver Number: Not reported
DLWD Waiver Number: Not reported
Small Owner Occ: 0
Owner Name: CORCORAN JENNISON COMPANY, INC
Owner Address: BAYSIDE 150 MT VERNON STREET #500
Owner City: BOSTON
Owner State: MA
On Site Manager Name: TOM DEVANE, JR
On Site Manager Phone: 6178227222
Ins Comp: 0
Policy Number: 0
EXP Date: 12/31/2015
Facility Size: 60000
Transporter Name: SERVICE TRANSPORT GROUP
Transporter Address: 58 PYLES LANE
Transporter City: NEW CASTLE
Transporter State: DE
Final Site: Not reported
Certified Name: MARIA HOSTAGE
Cert Sign Date: 09/22/2015
Certified Company: ONE SOURCE ENVIRONMENTAL, LLC
Certified Phone: 6034581482
Entered_by: MHOSTAGE

ENFORCEMENT:

Name: COBBLE HILL APPARTMENTS COMPANY
Address: 90 WASHINGTON ST
City,State,Zip: SOMERVILLE, MA 021430000
Region: NERO
DEP Region: NERO
DEP Program: 3r
DEP Bureau: BWSC
Program: BWSC
Program Id: 3-0031102

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COBBLE HILL APPARTMENTS COMPANY (Continued)

S112195287

High Or Low Level Enforcement: LLE
FMF #: Not reported
Town Where Violation Occurred: SOMERVILLE
Date Executed: 03/23/2018
ENF #: 00003586
Document Type: NON
AG Ref (Y/N): NO
Doc Archived (Y/N): Not reported
EJ Community (Y/N): YES
Regional Comment: Not reported
Final Payment Due Date: Not reported
ACOP \$: Not reported
PAN \$: Not reported
EMS (Y/N): Not reported
EMS\$: Not reported
SEP (Y/N): Not reported
SEP \$: Not reported
Demand \$: Not reported
Suspended \$: Not reported
Ownership: Commercially Owned

283
WSW
1/2-1
0.973 mi.
5135 ft.

ELM CORPORATION
371 BEACON ST
SOMERVILLE, MA 02143

MA SHWS
MA LUST
MA UST
MA RELEASE
MA ASBESTOS
MA HW GEN

U003287371
N/A

Relative:
Lower

Actual:
21 ft.

SHWS:

Name: AT OXFORD ST
Address: 371 BEACON ST
City,State,Zip: SOMERVILLE, MA 021433538
Facility ID: 3-0022315
Source Type: OIL WATER
Release Town: SOMERVILLE
Notification Date: 11/15/2002
Category: 120 DY
Associated ID: Not reported
Current Status: RAONR
Status Date: 11/24/2003
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Oil and Hazardous Material

Name: AT OXFORD ST
Address: 371 BEACON ST
City,State,Zip: SOMERVILLE, MA 021433538
Facility ID: 3-0022315
Source Type: SEPARATOR
Release Town: SOMERVILLE
Notification Date: 11/15/2002
Category: 120 DY
Associated ID: Not reported
Current Status: RAONR
Status Date: 11/24/2003
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Oil and Hazardous Material

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Name: BEACON SERVICE CENTER STATION
Address: 371 BEACON ST
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0004432
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 08/18/1992
Category: NONE
Associated ID: 3-0004432
Current Status: PSNC
Status Date: 03/22/2021
Phase: PHASE IV
Response Action Outcome: PN
Oil Or Haz Material: Not reported

Name: BEACON STREET HOTEL
Address: 371 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0033234
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 10/27/2015
Category: 120 DY
Associated ID: Not reported
Current Status: RAONR
Status Date: 10/26/2016
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

LUST:

Facility:

Name: NO LOCATION AID
Address: 371 BEACON ST
City,State,Zip: SOMERVILLE, MA
Current Status: Permanent Solution with No Conditions
Release Tracking Number/Current Status: 3-0019920 / PSNC
Status Date: 03/22/2021
Source Type: UST
Release Town: SOMERVILLE
Notification Date: 09/08/2000
Category: 72 HR
Associated ID: Not reported
Phase: Not reported
Response Action Outcome: -
Oil Or Haz Material: Oil

Location Type: COMMERCIAL
Source: UST

[Click here to access the MA DEP site for this facility:](#)

Chemicals:

Chemical: NAPL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Quantity: 4 inches
Chemical: GASOLINE
Quantity: 4 inches

Actions:

Action Type: Tier Classification
Action Status: Tier 2 Extension
Action Date: 1/24/2011
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 1/30/2009
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 10/16/2006
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 10/21/2003
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Tier 2 Extension
Action Date: 10/27/2003
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Tier 2 Extension
Action Date: 11/11/2004
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: RTN Linked to TCLASS Via Tier Classification Submittal
Action Date: 11/12/2002
Response Action Outcome: Not reported

Action Type: RAO Not Required
Action Status: Linked to a Tier Classified Site
Action Date: 11/12/2002
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Revised Statement or Transmittal Received
Action Date: 11/12/2002
Response Action Outcome: Not reported

Action Type: Compliance and Enforcement Action
Action Status: ACO
Action Date: 11/14/2008
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 11/2/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	11/24/2003
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	11/24/2003
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Written Plan Received
Action Date:	11/7/2000
Response Action Outcome:	Not reported
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	11/7/2000
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	12/12/2005
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	12/12/2005
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	12/14/1998
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	12/14/1998
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	12/20/1999
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	12/20/1999
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	12/6/2000
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Type:	Response Action Outcome - RAO
Action Status:	RAO Statement Received
Action Date:	2/1/2010
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Notice of Non-Compliance Issued
Action Date:	2/12/2002
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	PSNRCD
Action Date:	3/22/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	3/30/2009
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Transfer
Action Date:	3/30/2009
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/14/2003
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/15/2005
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/22/2004
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	Level I - Technical Screen Audit
Action Date:	5/10/2021
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	5/14/2001
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	5/15/2001
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Date:	5/22/2006
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	5/25/2001
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	6/29/2007
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	7/2/2001
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	8/15/2001
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Amendment Received or Issued
Action Date:	8/20/2009
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Modified Revised or Updated Plan Received
Action Date:	9/22/2003
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	9/8/2000
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	9/8/2000
Response Action Outcome:	Not reported

Facility:

Name:	NEAR OXFORD ST
Address:	371 BEACON ST
City,State,Zip:	SOMERVILLE, MA 021430000
Current Status:	Permanent Solution with No Conditions
Release Tracking Number/Current Status:	3-0017733 / PSNC
Status Date:	03/22/2021
Source Type:	UST
Release Town:	SOMERVILLE
Notification Date:	12/15/1998
Category:	72 HR
Associated ID:	Not reported
Phase:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Response Action Outcome: -
Oil Or Haz Material: Oil

Location Type: COMMERCIAL
Source: UST

[Click here to access the MA DEP site for this facility:](#)

Chemicals:

Chemical: GASOLINE
Quantity: 12 inches

Actions:

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/21/1999
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Tier 2 Extension
Action Date: 1/24/2011
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 1/28/1999
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 1/28/1999
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 1/30/2009
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: RMRINT
Action Date: 1/30/2009
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: RMRINT
Action Date: 10/16/2006
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 10/16/2006
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Date:	10/21/2003
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	10/27/2003
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	11/11/2004
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	11/12/2002
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	11/12/2002
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	ACO
Action Date:	11/14/2008
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	11/2/2004
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	11/24/2003
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	11/24/2003
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	12/12/2005
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	12/12/2005
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	12/14/1998
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	12/14/1998
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	12/15/1998
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	12/15/1998
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	12/16/1998
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	12/16/1998
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FLDD1U
Action Date:	12/17/1998
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	FLDISS
Action Date:	12/17/1998
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLFLD
Action Date:	12/18/1998
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	12/20/1999
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	12/20/1999
Response Action Outcome:	Not reported
Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	12/20/1999
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Date:	12/21/1998
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	12/23/1998
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	12/30/1998
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FLDRAN
Action Date:	12/31/1998
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	RAO Statement Received
Action Date:	2/1/2010
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	2/23/1999
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	2/24/2000
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Modified Revised or Updated Plan Received
Action Date:	2/24/2000
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Written Denial of Plan
Action Date:	2/9/1999
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Interim Deadline Letter Issued
Action Date:	2/9/1999
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Modified Revised or Updated Plan Received
Action Date:	3/2/1999
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	PSNRCD
Action Date:	3/22/2021
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	3/26/1999
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Transfer
Action Date:	3/30/2009
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	3/30/2009
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	4/12/1999
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/14/2003
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/15/2005
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Written Approval of Plan
Action Date:	4/21/1999
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	4/21/1999
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/22/2004
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	Level I - Technical Screen Audit
Action Date:	5/10/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINI
Action Date:	5/22/2006
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Date:	5/22/2006
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	6/29/2007
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Notice of Non-Compliance Issued
Action Date:	7/20/2001
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	8/15/2001
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Amendment Received or Issued
Action Date:	8/20/2009
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	8/29/2001
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	8/3/2001
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	8/3/2009
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	8/3/2009
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Modified Revised or Updated Plan Received
Action Date:	9/22/2003
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	9/28/2000
Response Action Outcome:	Not reported

UST:

Facility:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Name: ELM CORPORATION
Address: 371 BEACON ST
City,State,Zip: SOMERVILLE, MA 02143
Facility ID: 10920
Owner Id: 10330
Owner: GEORGE MAKRIGIANNIS
Owner Address: 290 WESTERN AVE
Owner City,St,Zip: CAMBRIDGE, MA 02139
Telephone: Not reported
Description: Retail Motor Vehicle Fuel
Facility address 2: Not reported
Owner address 2: Not reported
Latitude: 42.38639
Longitude: -71.11614
Contact name: Not reported
Contact address1: Not reported
Contact address2: Not reported
Contact city: Not reported
Contact state: Not reported
Contact zip: Not reported
Contact email: Not reported
Update: 2011-08-19 00:00:00
Update by: Not reported
Fac status: CLOSED

Tank ID: 1
Tank Status: Tank Removed
Status Date: 12/18/1998
Date Installed: 05/08/1980
Capacity: 4000.00000
Contents: Gasoline
Tank Usage: Not reported
Tank Leak Detection: Manual Tank Gauging (1,000G or more capacity tank)
Pipe Leak Detection: Quarterly visual inspection and annual product line tightness test
Latitude: Not reported
Longitude: Not reported
Tank construct: Single-walled non-corrodible (including "composite") material (cathodic protection not required)
Pipe construct: Single-walled non-corrodible material (No corrosion protection required)
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Tank ID: 2
Tank Status: **Tank Removed**
Status Date: 12/16/1998
Date Installed: 05/08/1980
Capacity: 3000.00000
Contents: Gasoline
Tank Usage: Not reported
Tank Leak Detection: Manual Tank Gauging (1,000G or more capacity tank)
Pipe Leak Detection: Quarterly visual inspection and annual product line tightness test
Latitude: Not reported
Longitude: Not reported
Tank construct: Single-walled metal tank (cathodic protection required)
Pipe construct: Single-walled non-corrodible material (No corrosion protection required)
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 3
Tank Status: **Tank Removed**
Status Date: 12/16/1998
Date Installed: 05/08/1980
Capacity: 3000.00000
Contents: Gasoline
Tank Usage: Not reported
Tank Leak Detection: Manual Tank Gauging (1,000G or more capacity tank)
Pipe Leak Detection: Quarterly visual inspection and annual product line tightness test
Latitude: Not reported
Longitude: Not reported
Tank construct: Single-walled metal tank (cathodic protection required)
Pipe construct: Single-walled non-corrodible material (No corrosion protection required)
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 4
Tank Status: Tank Removed
Status Date: 12/21/1998
Date Installed: 05/08/1957
Capacity: 500.00000
Contents: Bulk Heati
Tank Usage: Not reported
Tank Leak Detection: Manual Tank Gauging (1,000G or less capacity tank)
Pipe Leak Detection: Quarterly visual inspection and annual product line tightness test
Latitude: Not reported
Longitude: Not reported
Tank construct: Single-walled metal tank (cathodic protection required)
Pipe construct: Single-walled metal (Corrosion protection required)
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 5
Tank Status: Tank Removed
Status Date: 12/21/1998
Date Installed: 05/08/1957
Capacity: 500.00000
Contents: Waste Oil
Tank Usage: Not reported
Tank Leak Detection: Manual Tank Gauging (1,000G or less capacity tank)
Pipe Leak Detection: Not reported
Latitude: Not reported
Longitude: Not reported
Tank construct: Single-walled metal tank (cathodic protection required)
Pipe construct: Single-walled metal (Corrosion protection required)
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 6
Tank Status: Tank Removed
Status Date: 12/09/2010
Date Installed: 11/26/2002
Capacity: 10000.00000
Contents: Gasoline
Tank Usage: Motor Vehi
Tank Leak Detection: In-Tank Monitoring System
Pipe Leak Detection: Annual Automatic Line Leak Detection Test
Latitude: Not reported
Longitude: Not reported
Tank construct: Double-walled metal tank (cathodic protection required)
Pipe construct: Double-walled non-corrodible material (No corrosion protection required)
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 7
Tank Status: Tank Removed
Status Date: 12/09/2010
Date Installed: 11/26/2002
Capacity: 10000.00000
Contents: Gasoline
Tank Usage: Motor Vehi
Tank Leak Detection: In-Tank Monitoring System
Pipe Leak Detection: Annual Automatic Line Leak Detection Test
Latitude: Not reported
Longitude: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Tank construct: Double-walled metal tank (cathodic protection required)
Pipe construct: Double-walled non-corrodible material (No corrosion protection required)
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Release:

Name: BEACON SERVICE CENTER STATION
Address: 371 BEACON ST
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0004432 / PSNC
Primary ID: 3-0004432
Official City: SOMERVILLE
Notification: 08/18/1992
Category: NONE
Status Date: 03/22/2021
Phase: PHASE IV
Response Action Outcome: PN - PN
Oil / Haz Material Type: Not reported

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Tier Classification
Action Status: Tier 2 Extension
Action Date: 1/24/2011
Response Action Outcome: PN

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 10/16/2015
Response Action Outcome: PN

Action Type: Phase 2
Action Status: Scope of Work Received
Action Date: 10/21/2003
Response Action Outcome: PN

Action Type: Tier Classification
Action Status: RTN Linked to TCLASS Via Tier Classification Submittal
Action Date: 10/26/2016
Response Action Outcome: PN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	10/27/2003
Response Action Outcome:	PN
Action Type:	Phase 2
Action Status:	Revised Statement or Transmittal Received
Action Date:	10/27/2015
Response Action Outcome:	PN
Action Type:	Phase 3
Action Status:	Revised Statement or Transmittal Received
Action Date:	10/27/2015
Response Action Outcome:	PN
Action Type:	Phase 4
Action Status:	Modified Revised or Updated Plan Received
Action Date:	10/27/2015
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	11/11/2004
Response Action Outcome:	PN
Action Type:	Phase 4
Action Status:	Status or Interim Report Received
Action Date:	11/11/2016
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	11/12/2002
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	11/12/2002
Response Action Outcome:	PN
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	11/12/2002
Response Action Outcome:	PN
Action Type:	Compliance and Enforcement Action
Action Status:	ACO
Action Date:	11/14/2008
Response Action Outcome:	PN
Action Type:	PIP
Action Status:	PIPMTG
Action Date:	11/18/2009
Response Action Outcome:	PN
Action Type:	Phase 4
Action Status:	Completion Statement Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Date:	11/19/2019
Response Action Outcome:	PN
Action Type:	PIP
Action Status:	Legal Notice Published
Action Date:	11/2/2009
Response Action Outcome:	PN
Action Type:	Phase 4
Action Status:	Status or Interim Report Received
Action Date:	11/22/2017
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	11/24/2003
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	11/24/2003
Response Action Outcome:	PN
Action Type:	Phase 4
Action Status:	Written Plan Received
Action Date:	11/30/2009
Response Action Outcome:	PN
Action Type:	Release Abatement Measure
Action Status:	Written Approval of Plan
Action Date:	12/12/2002
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	12/12/2005
Response Action Outcome:	PN
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	12/14/1998
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	12/14/1998
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	12/14/1998
Response Action Outcome:	PN
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	12/14/1998
Response Action Outcome:	PN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Type:	Phase 2
Action Status:	Notice of Delay in Meeting RA Deadline Received
Action Date:	12/14/2000
Response Action Outcome:	PN
Action Type:	BOL
Action Status:	SHPFAC
Action Date:	12/14/2016
Response Action Outcome:	PN
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	12/14/2016
Response Action Outcome:	PN
Action Type:	Phase 4
Action Status:	Status or Interim Report Received
Action Date:	12/18/2018
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	12/20/1999
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	12/20/1999
Response Action Outcome:	PN
Action Type:	Response Action Outcome - RAO
Action Status:	RAO Statement Received
Action Date:	2/1/2010
Response Action Outcome:	PN
Action Type:	Phase 2
Action Status:	Level I - Technical Screen Audit
Action Date:	2/25/2010
Response Action Outcome:	PN
Action Type:	PIP
Action Status:	Written Plan Received
Action Date:	2/4/2010
Response Action Outcome:	PN
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	3/21/2003
Response Action Outcome:	PN
Action Type:	Response Action Outcome - RAO
Action Status:	PSNRCD
Action Date:	3/22/2021
Response Action Outcome:	PN
Action Type:	PIP
Action Status:	Public Involvement Petition Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Date:	3/26/2009
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	Tier 2 Transfer
Action Date:	3/30/2009
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	3/30/2009
Response Action Outcome:	PN
Action Type:	PIP
Action Status:	Modified Revised or Updated Plan Received
Action Date:	4/24/2015
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	EPETOP
Action Date:	4/24/2015
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	4/24/2015
Response Action Outcome:	PN
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	4/24/2015
Response Action Outcome:	PN
Action Type:	Phase 2
Action Status:	Scope of Work Received
Action Date:	4/24/2015
Response Action Outcome:	PN
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	4/24/2015
Response Action Outcome:	PN
Action Type:	Response Action Outcome - RAO
Action Status:	Level I - Technical Screen Audit
Action Date:	5/10/2021
Response Action Outcome:	PN
Action Type:	Phase 4
Action Status:	Status or Interim Report Received
Action Date:	5/17/2018
Response Action Outcome:	PN
Action Type:	PIP
Action Status:	PIPDLY
Action Date:	6/12/2009
Response Action Outcome:	PN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Type: Phase 4
Action Status: Modified Revised or Updated Plan Received
Action Date: 6/23/2015
Response Action Outcome: PN

Action Type: PIP
Action Status: Modified Revised or Updated Plan Received
Action Date: 6/23/2015
Response Action Outcome: PN

Action Type: Compliance and Enforcement Action
Action Status: Notice of Non-Compliance Issued
Action Date: 6/28/2007
Response Action Outcome: PN

Action Type: Phase 3
Action Status: Completion Statement Received
Action Date: 6/28/2007
Response Action Outcome: PN

Action Type: Phase 4
Action Status: Status or Interim Report Received
Action Date: 6/28/2019
Response Action Outcome: PN

Action Type: Tier Classification
Action Status: Tier 2 Extension
Action Date: 6/29/2007
Response Action Outcome: PN

Action Type: Phase 2
Action Status: Completion Statement Received
Action Date: 6/30/2009
Response Action Outcome: PN

Action Type: Phase 4
Action Status: Status or Interim Report Received
Action Date: 6/5/2017
Response Action Outcome: PN

Action Type: Phase 4
Action Status: Modified Revised or Updated Plan Received
Action Date: 6/5/2017
Response Action Outcome: PN

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 8/11/2008
Response Action Outcome: PN

Action Type: Compliance and Enforcement Action
Action Status: Notice of Non-Compliance Issued
Action Date: 8/11/2008
Response Action Outcome: PN

Action Type: Release Disposition
Action Status: Valid Transition Site

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Date: 8/18/1992
Response Action Outcome: PN

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.)
Action Date: 8/18/1992
Response Action Outcome: PN

Action Type: Compliance and Enforcement Action
Action Status: Amendment Received or Issued
Action Date: 8/20/2009
Response Action Outcome: PN

Chemicals:

Chemical: UNKNOWN
Quantity: Not reported
Location Type: GASSTATION
Source: UNKNOWN

Name: NEAR OXFORD ST
Address: 371 BEACON ST
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0017733 / PSNC
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 12/15/1998
Category: 72 HR
Status Date: 03/22/2021
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Oil

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: RLFA
Action Status: FOLOFF
Action Date: 1/21/1999
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Tier 2 Extension
Action Date: 1/24/2011
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 1/28/1999
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 1/28/1999
Response Action Outcome: Not reported

Action Type: Immediate Response Action

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Status:	Status or Interim Report Received
Action Date:	1/30/2009
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	1/30/2009
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINT
Action Date:	10/16/2006
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	10/16/2006
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	10/21/2003
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	10/27/2003
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	11/11/2004
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	11/12/2002
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	11/12/2002
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	ACO
Action Date:	11/14/2008
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	11/2/2004
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	11/24/2003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	11/24/2003
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	12/12/2005
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	12/12/2005
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	12/14/1998
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	12/14/1998
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	12/15/1998
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	12/15/1998
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	12/16/1998
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	12/16/1998
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FLDD1U
Action Date:	12/17/1998
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	FLDISS
Action Date:	12/17/1998
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Type:	RLFA
Action Status:	FOLFLD
Action Date:	12/18/1998
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	12/20/1999
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	12/20/1999
Response Action Outcome:	Not reported
Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	12/20/1999
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	12/21/1998
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	12/23/1998
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	12/30/1998
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FLDRAN
Action Date:	12/31/1998
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	RAO Statement Received
Action Date:	2/1/2010
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	2/23/1999
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	2/24/2000
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Modified Revised or Updated Plan Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Date:	2/24/2000
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Written Denial of Plan
Action Date:	2/9/1999
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Interim Deadline Letter Issued
Action Date:	2/9/1999
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Modified Revised or Updated Plan Received
Action Date:	3/2/1999
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	PSNRCD
Action Date:	3/22/2021
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	3/26/1999
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Transfer
Action Date:	3/30/2009
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	3/30/2009
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	4/12/1999
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/14/2003
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/15/2005
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Written Approval of Plan
Action Date:	4/21/1999
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	4/21/1999
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/22/2004
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	Level I - Technical Screen Audit
Action Date:	5/10/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	RMRINI
Action Date:	5/22/2006
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	5/22/2006
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	6/29/2007
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Notice of Non-Compliance Issued
Action Date:	7/20/2001
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	8/15/2001
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Amendment Received or Issued
Action Date:	8/20/2009
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	8/29/2001
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	8/3/2001
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Date: 8/3/2009
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: RMRINT
Action Date: 8/3/2009
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Modified Revised or Updated Plan Received
Action Date: 9/22/2003
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 9/28/2000
Response Action Outcome: Not reported

Chemicals:
Chemical: GASOLINE
Quantity: 12 inches
Location Type: COMMERCIAL
Source: UST

Name: NO LOCATION AID
Address: 371 BEACON ST
City,State,Zip: SOMERVILLE, MA
Release Tracking Number/Current Status: 3-0019920 / PSNC
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 09/08/2000
Category: 72 HR
Status Date: 03/22/2021
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Oil

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Tier Classification
Action Status: Tier 2 Extension
Action Date: 1/24/2011
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 1/30/2009
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 10/16/2006
Response Action Outcome: Not reported

Action Type: Immediate Response Action

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Status:	Status or Interim Report Received
Action Date:	10/21/2003
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	10/27/2003
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	11/11/2004
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	11/12/2002
Response Action Outcome:	Not reported
Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	11/12/2002
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	11/12/2002
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	ACO
Action Date:	11/14/2008
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	11/2/2004
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	11/24/2003
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	11/24/2003
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Written Plan Received
Action Date:	11/7/2000
Response Action Outcome:	Not reported
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	11/7/2000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	12/12/2005
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	12/12/2005
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	12/14/1998
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	12/14/1998
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	12/20/1999
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	12/20/1999
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	12/6/2000
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	RAO Statement Received
Action Date:	2/1/2010
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Notice of Non-Compliance Issued
Action Date:	2/12/2002
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	PSNRCD
Action Date:	3/22/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	3/30/2009
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Type:	Tier Classification
Action Status:	Tier 2 Transfer
Action Date:	3/30/2009
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/14/2003
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/15/2005
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	4/22/2004
Response Action Outcome:	Not reported
Action Type:	Response Action Outcome - RAO
Action Status:	Level I - Technical Screen Audit
Action Date:	5/10/2021
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	5/14/2001
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	5/15/2001
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	5/22/2006
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	5/25/2001
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	6/29/2007
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	7/2/2001
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Date: 8/15/2001
Response Action Outcome: Not reported

Action Type: Compliance and Enforcement Action
Action Status: Amendment Received or Issued
Action Date: 8/20/2009
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Modified Revised or Updated Plan Received
Action Date: 9/22/2003
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 9/8/2000
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 9/8/2000
Response Action Outcome: Not reported

Chemicals:

Chemical: NAPL
Quantity: 4 inches
Chemical: GASOLINE
Quantity: 4 inches
Location Type: COMMERCIAL
Source: UST

Name: AT OXFORD ST
Address: 371 BEACON ST
City,State,Zip: SOMERVILLE, MA 021433538
Release Tracking Number/Current Status: 3-0022315 / RAONR
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 11/15/2002
Category: 120 DY
Status Date: 11/24/2003
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Oil and Hazardous Material

Click here to access the MA DEP site for this facility:

Actions:

Action Type: Release Abatement Measure
Action Status: Written Plan Received
Action Date: 1/14/2003
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 1/14/2003
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Type:	Release Abatement Measure
Action Status:	Fee Received - FMCRA Use Only
Action Date:	1/16/2003
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	1/24/2011
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	10/27/2003
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	11/11/2004
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	11/12/2002
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	11/12/2002
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Oral Approval of Plan or Action
Action Date:	11/15/2002
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	11/15/2002
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	11/24/2003
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	11/24/2003
Response Action Outcome:	Not reported
Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	11/24/2003
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Date:	12/12/2005
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	12/14/1998
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	12/14/1998
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	12/20/1999
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	12/20/1999
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	12/27/2002
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	3/20/2003
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Transfer
Action Date:	3/30/2009
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	3/30/2009
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	6/29/2007
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	9/17/2003
Response Action Outcome:	Not reported

Chemicals:	
Chemical:	TOTAL PETROLEUM HYDROCARBONS (TPH)
Quantity:	10500 milligrams per kilogram
Chemical:	ARSENIC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Quantity: 86.5 milligrams per kilogram
Chemical: LEAD
Quantity: 764 milligrams per kilogram
Chemical: WASTE OIL
Quantity: 1000 parts per million
Location Type: COMMERCIAL
Source: OIL WATER
Source: SEPARATOR

Name: BEACON STREET HOTEL
Address: 371 BEACON STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0033234 / RAONR
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 10/27/2015
Category: 120 DY
Status Date: 10/26/2016
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Tier Classification
Action Status: RTN Linked to TCLASS Via Tier Classification Submittal
Action Date: 10/26/2016
Response Action Outcome: Not reported

Action Type: RAO Not Required
Action Status: Linked to a Tier Classified Site
Action Date: 10/26/2016
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 10/27/2015
Response Action Outcome: Not reported

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 10/27/2015
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 10/27/2015
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 11/19/2015
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: EPETOP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Action Date: 4/24/2015
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 4/24/2015
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 4/24/2015
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSent
Action Date: 8/10/2016
Response Action Outcome: Not reported

Chemicals:
Chemical: AROCLOR 1254
Quantity: 75 milligrams per kilogram
Source: UNKNOWN

ASBESTOS:
Name: ABANDON GARAGE
Address: 371 BEACON STREET
City,State,Zip: SOMERVILLE, MA
Notification: Not reported
DEP Region: Not reported
Notifiers Name: Not reported
Start Date: 12/06/2010
End Date: 12/06/2010
Date Entered: Not reported
Entry Date: 11/23/2010
Quantity Material Removed SF: .00
Quantity Material Removed LF: 48.00
Project Description: Trns
AR Tracking ID: 134871
Super Lic Number: AS040292
Monitor Lic Number: AA000128
Lab Lic Number: AA000128
Year: 2010
Sticker Number: 100117147
Form Type: ANF-001
Fee Status: Fifty
Facility Phone: 6179052427
Sub Town: Not reported
Worksite: ABANDON GARAGE
Occupied: 0
Contractor: AC000509
Contract Type: WRITTEN
Hours: Week days: 0730-1630 Week end: N/A
Project Type: Dem
Abatement Process: Encl,REMOVE WINDOW SASH WHOLE
Location: Not reported
Decon Process: 2 STAGE REMOVE DECON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELM CORPORATION (Continued)

U003287371

Disposal Methods: WINDOWS REMOVE WHOLE, DOUBLE WRAPPED, SEALED, LABELED DISPOSE
Facility Usage: ABANDON GARAGE
Waiver Given: Not reported
DEP Waiver Number: Not reported
DLWD Waiver Number: Not reported
Small Owner Occ: 5
Owner Name: LEWIS MAKRIGIANNIS
Owner Address: 111 ELM STREET
Owner City: SOMERVILLE
Owner State: MA
On Site Manager Name: LEWIS MAKRIGIANNIS
On Site Manager Phone: 617-905-2427
Ins Comp: CHARTIS
Policy Number: WC5315048
EXP Date: 4/22/2011
Facility Size: 1500
Transporter Name: TMC SERVICES, INC
Transporter Address: ONE WILLIAM WAY
Transporter City: BELLINGHAM
Transporter State: Not reported
Final Site: 39
Certified Name: JIM CONNOLLY
Cert Sign Date: 11/23/2010
Certified Company: TMC SERVICES, INC
Certified Phone: 5089663737
Entered_by: Not reported

HW GEN:

Name: 371 BEACON ST
Address: 371 BEACON ST
City,State,Zip: SOMERVILLE, MA 02143
EPA Id: MAR000549576
RCRA Generator Status: VSQG
State Generator Status: Not reported

BB284 **BENNETT STREET**
SSE **15 BENNETT STREET**
1/2-1 **SOMERVILLE, MA 02143**
0.977 mi.
5156 ft. **Site 1 of 4 in cluster BB**

MA SHWS **S111460191**
MA RELEASE **N/A**

Relative: SHWS:
Lower Name: BENNETT STREET
Address: 15 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021431740
Facility ID: 3-0030510
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 12/09/2011
Category: TWO HR
Associated ID: 3-0030510
Current Status: TIERII
Status Date: 01/15/2021
Phase: PHASE II
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BENNETT STREET (Continued)

S111460191

Name: BENNETT STREET
Address: 15 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021431740
Facility ID: 3-0030510
Source Type: DRUMS
Release Town: SOMERVILLE
Notification Date: 12/09/2011
Category: TWO HR
Associated ID: 3-0030510
Current Status: TIERII
Status Date: 01/15/2021
Phase: PHASE II
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Release:
Name: BENNETT STREET
Address: 15 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021431740
Release Tracking Number/Current Status: 3-0030510 / TIERII
Primary ID: 3-0030510
Official City: SOMERVILLE
Notification: 12/09/2011
Category: TWO HR
Status Date: 01/15/2021
Phase: PHASE II
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

Click here to access the MA DEP site for this facility:

Actions:

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 1/14/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: RTN Linked to TCLASS Via Tier Classification Submittal
Action Date: 1/14/2021
Response Action Outcome: Not reported

Action Type: Phase 2
Action Status: Completion Statement Received
Action Date: 1/14/2021
Response Action Outcome: Not reported

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 1/14/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: EPETOP
Action Date: 1/14/2021
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BENNETT STREET (Continued)

S111460191

Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	1/14/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	1/15/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	EPETOP
Action Date:	1/15/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	1/15/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	1/15/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	RMRWPR
Action Date:	1/15/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	1/15/2021
Response Action Outcome:	Not reported
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	1/15/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Legal Notice Published
Action Date:	1/29/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	1/4/2022
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	ALSENT
Action Date:	10/10/2012
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BENNETT STREET (Continued)

S111460191

Action Date:	10/8/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	11/18/2022
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	RMRINI
Action Date:	11/19/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	11/19/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	12/10/2012
Response Action Outcome:	Not reported
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	12/10/2012
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	12/10/2012
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	12/22/2011
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	12/9/2011
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	12/9/2011
Response Action Outcome:	Not reported
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	2/1/2012
Response Action Outcome:	Not reported
Action Type:	RNFE
Action Status:	Revised Statement or Transmittal Received
Action Date:	2/1/2012
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BENNETT STREET (Continued)

S111460191

Action Type:	Immediate Response Action
Action Status:	Written Plan Received
Action Date:	2/7/2012
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Imminent Hazard Evaluation Received
Action Date:	2/7/2012
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	NOFENF
Action Date:	3/25/2014
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	4/22/2021
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Completion Statement Received
Action Date:	4/23/2012
Response Action Outcome:	Not reported
Action Type:	RLFA
Action Status:	FOLOFF
Action Date:	4/23/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	4/28/2021
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	4/7/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Modified Revised or Updated Plan Received
Action Date:	4/8/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	RMRWPR
Action Date:	4/8/2021
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	5/13/2022
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	RMRFIN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BENNETT STREET (Continued)

S111460191

Action Date: 5/13/2022
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 5/14/2021
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 5/25/2021
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 6/10/2021
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 9/11/2012
Response Action Outcome: Not reported

Chemicals:
Chemical: POLYCHLORINATED BIPHENYLS (PCBS)
Quantity: 95 milligrams per kilogram
Chemical: ARSENIC
Quantity: 170 milligrams per kilogram
Location Type: MUNICIPAL
Location Type: RESIDENTIAL
Source: UNKNOWN
Source: DRUMS

BA285
SSE
1/2-1
0.979 mi.
5168 ft.

PATS AUTO BODY
306-308 MCGRATH HWY
SOMERVILLE, MA 02143

Site 2 of 2 in cluster BA

MA SHWS
MA RELEASE

S105199539
N/A

Relative: SHWS:
Lower Name: PATS AUTO BODY
Address: 306-308 MCGRATH HWY
City, State, Zip: SOMERVILLE, MA 02143
Facility ID: 3-0002665
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 01/15/1990
Category: NONE
Associated ID: Not reported
Current Status: DEPNFA
Status Date: 03/18/2009
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Oil

Release:
Name: PATS AUTO BODY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PATS AUTO BODY (Continued)

S105199539

Address: 306-308 MCGRATH HWY
City,State,Zip: SOMERVILLE, MA 02143
Release Tracking Number/Current Status: 3-0002665 / DEPNFA
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 01/15/1990
Category: NONE
Status Date: 03/18/2009
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type: Release Disposition
Action Status: Valid Transition Site
Action Date: 1/15/1990
Response Action Outcome: Not reported

Action Type: RLFA
Action Status: FOLOFF
Action Date: 3/18/2009
Response Action Outcome: Not reported

Action Type: RAO Not Required
Action Status: DEPNFA
Action Date: 3/18/2009
Response Action Outcome: Not reported

Chemicals:

Chemical: PETROLEUM
Quantity: Not reported
Location Type: REPAIRYARD
Source: UNKNOWN

286
NNE
1/2-1
0.980 mi.
5177 ft.

Relative:
Lower

Actual:
16 ft.

GENERAL ELECTRIC APPARATUS SERVICE SHOP
3960 MYSTIC VALLEY PKWY
MEDFORD, MA 02155

SEMS-ARCHIVE 1000212227
CORRACTS MAD060094760
RCRA-TSDF
RCRA-SQG
MA SHWS
MA LUST
MA UST
MA INST CONTROL
MA RELEASE
2020 COR ACTION
PADS
US AIRS
MA AIRS
MA ASBESTOS
MA HW GEN
RI MANIFEST

SEMS Archive:

Site ID: 0100549
EPA ID: MAD060094760
Name: GENERAL ELECTRIC APPARATUS SERVICE SHOP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Address: 3960 MYSTIC VALLEY PKWY
Address 2: Not reported
City,State,Zip: MEDFORD, MA 02155
Cong District: 07
FIPS Code: 25017
FF: N
NPL: Not on the NPL
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region: 01
Site ID: 0100549
EPA ID: MAD060094760
Site Name: GENERAL ELECTRIC APPARATUS SERVICE SHOP
NPL: N
FF: N
OU: 00
Action Code: VS
Action Name: ARCH SITE
SEQ: 1
Start Date: Not reported
Finish Date: 1983-07-01 04:00:00
Qual: Not reported
Current Action Lead: EPA Perf In-Hse

Region: 01
Site ID: 0100549
EPA ID: MAD060094760
Site Name: GENERAL ELECTRIC APPARATUS SERVICE SHOP
NPL: N
FF: N
OU: 00
Action Code: PA
Action Name: PA
SEQ: 1
Start Date: Not reported
Finish Date: 1983-07-01 04:00:00
Qual: N
Current Action Lead: EPA Perf

Region: 01
Site ID: 0100549
EPA ID: MAD060094760
Site Name: GENERAL ELECTRIC APPARATUS SERVICE SHOP
NPL: N
FF: N
OU: 00
Action Code: DS
Action Name: DISCVRY
SEQ: 1
Start Date: 1981-06-01 04:00:00
Finish Date: 1981-06-01 04:00:00
Qual: Not reported
Current Action Lead: EPA Perf

CORRACTS:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Name: GENERAL ELECTRIC PRS
Address: 3960 MYSTIC VALLEY PKWY
Address 2: Not reported
EPA ID: MAD060094760
Area Name: ENTIRE FACILITY
Corrective Action: CA PRIORITIZATION-MEDIUM CA PRIORITY
Actual Date: 20090924
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: GENERAL ELECTRIC PRS
Address: 3960 MYSTIC VALLEY PKWY
Address 2: Not reported
EPA ID: MAD060094760
Area Name: ASPHALT CAPPED AREA
Corrective Action: ENGINEERING CONTROLS ESTABLISHED-NON-GROUNDWATER CONTROL
Actual Date: 20041231
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

RCRA TSDF:

Treatment Storage and Disposal Type:	Storage
Full Enforcement Universe:	Not reported
Corrective Action Workload Universe:	Yes
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Storage
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
Operating TSDF Universe:	Not reported
Commercial TSD Indicator:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	Yes

Biennial: List of Years

Year: 2011

[Click Here for Biennial Reporting System Data:](#)

Year: 2009

[Click Here for Biennial Reporting System Data:](#)

Year: 2007

[Click Here for Biennial Reporting System Data:](#)

Year: 2005

[Click Here for Biennial Reporting System Data:](#)

Year: 2001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

[Click Here for Biennial Reporting System Data:](#)

RCRA Listings:

Date Form Received by Agency:	20201120
Handler Name:	General Electric Prs
Handler Address:	3960 MYSTIC VALLEY PKWY
Handler City,State,Zip:	MEDFORD, MA 02155
EPA ID:	MAD060094760
Contact Name:	DAWN M VARACCHI-IVES
Contact Address:	MYSTIC VALLEY PKWY
Contact City,State,Zip:	MEDFORD, MA 02155
Contact Telephone:	781-710-4608
Contact Fax:	Not reported
Contact Email:	DAWN.VARACCHI@GE.COM
Contact Title:	GE LEGACY SITE PROJECT MANAGER
EPA Region:	01
Land Type:	Private
Federal Waste Generator Description:	Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities, Corrective Action Activities, State-specific Activities
State District Owner:	MA
State District:	NE
Mailing Address:	MYSTIC VALLEY PKWY
Mailing City,State,Zip:	MEDFORD, MA 02155
Owner Name:	General Electric Company
Owner Type:	Private
Operator Name:	General Electric Company
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	--Y
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	Yes
Subject to Corrective Action Universe:	Yes
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	Medium
Environmental Control Indicator:	Yes
Institutional Control Indicator:	No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20201201
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years

Year: 2011

[Click Here for Biennial Reporting System Data:](#)

Year: 2009

[Click Here for Biennial Reporting System Data:](#)

Year: 2007

[Click Here for Biennial Reporting System Data:](#)

Year: 2005

[Click Here for Biennial Reporting System Data:](#)

Year: 2001

[Click Here for Biennial Reporting System Data:](#)

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D002
Waste Description:	CORROSIVE WASTE
Waste Code:	D003
Waste Description:	REACTIVE WASTE
Waste Code:	D006
Waste Description:	CADMIUM
Waste Code:	D007
Waste Description:	CHROMIUM
Waste Code:	D008
Waste Description:	LEAD
Waste Code:	D009
Waste Description:	MERCURY
Waste Code:	D011

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Waste Description:	SILVER
Waste Code:	D018
Waste Description:	BENZENE
Waste Code:	D035
Waste Description:	METHYL ETHYL KETONE
Waste Code:	D039
Waste Description:	TETRACHLOROETHYLENE
Waste Code:	D040
Waste Description:	TRICHLOROETHYLENE
Waste Code:	F001
Waste Description:	THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code:	F002
Waste Description:	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code:	F003
Waste Description:	THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code:	F004
Waste Description:	THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code:	F005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code: U080
Waste Description: METHANE, DICHLORO- (OR) METHYLENE CHLORIDE

Waste Code: U210
Waste Description: ETHENE, TETRACHLORO- (OR) TETRACHLOROETHYLENE

Waste Code: U227
Waste Description: 1,1,2-TRICHLOROETHANE (OR) ETHANE, 1,1,2-TRICHLORO-

Handler - Owner Operator:

Owner/Operator Indicator: Owner
Owner/Operator Name: GENERAL ELECTRIC INTERNATIONAL
Legal Status: Private
Date Became Current: 20071201
Date Ended Current: Not reported
Owner/Operator Address: 3960 MYSTIC VALLEY PARKWAY
Owner/Operator City,State,Zip: MEDFORD, MA 02155
Owner/Operator Telephone: 781-393-5277
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: JEFFRY M PACH
Legal Status: Private
Date Became Current: 20071207
Date Ended Current: Not reported
Owner/Operator Address: 3960 MYSTIC VALLEY PARKWAY
Owner/Operator City,State,Zip: MEDFORD, MA 02155
Owner/Operator Telephone: 781-393-5277
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: JAY LUX
Legal Status: Private
Date Became Current: 20110101
Date Ended Current: Not reported
Owner/Operator Address: 3960 MYSTIC VALLEY PARKWAY
Owner/Operator City,State,Zip: MEDFORD, MA 02155
Owner/Operator Telephone: 781-393-5277
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: ROBERT PERRON
Legal Status: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Date Became Current: 20050301
Date Ended Current: Not reported
Owner/Operator Address: 3960 MYSTIC VALLEY PARKWAY
Owner/Operator City,State,Zip: MEDFORD, MA 02155
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: GENERAL ELECTRIC INTERNATIONAL INC
Legal Status: Private
Date Became Current: 19981124
Date Ended Current: Not reported
Owner/Operator Address: 3960 MYSTIC VALLEY PKWY
Owner/Operator City,State,Zip: MEDFORD, MA 02155
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: TOM GAUDET
Legal Status: Private
Date Became Current: 20010709
Date Ended Current: Not reported
Owner/Operator Address: 3960 MYSTIC VALLEY PARKWAY
Owner/Operator City,State,Zip: MEDFORD, MA 02155
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: GE II
Legal Status: Private
Date Became Current: 19930710
Date Ended Current: Not reported
Owner/Operator Address: 3960 MYSTIC VALLEY PARKWAY
Owner/Operator City,State,Zip: MEDFORD, MA 02155
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: GE CO
Legal Status: Private
Date Became Current: 20041016
Date Ended Current: Not reported
Owner/Operator Address: 3960 MYSTIC VALLEY PKY
Owner/Operator City,State,Zip: MEDFORD, MA 02155
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Owner/Operator Indicator: Operator
Owner/Operator Name: GENERAL ELECTRIC INTERNATIONAL INC
Legal Status: Private
Date Became Current: 19981124
Date Ended Current: Not reported
Owner/Operator Address: 3960 MYSTIC VALLEY PKWY
Owner/Operator City,State,Zip: MEDFORD, MA 02155-0000
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: GENERAL ELECTRIC INTERNATIONAL INC
Legal Status: Private
Date Became Current: 19930710
Date Ended Current: Not reported
Owner/Operator Address: 3960 MYSTIC VALLEY PKWY
Owner/Operator City,State,Zip: MEDFORD, MA 02155-0000
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: GENERAL ELECTRIC INTERNATIONAL
Legal Status: Private
Date Became Current: 20000101
Date Ended Current: Not reported
Owner/Operator Address: 3960 MYSTIC VALLEY PKWY
Owner/Operator City,State,Zip: MEDFORD, MA 02155-0000
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: GENERAL ELECTRIC INTERNATIONAL
Legal Status: Private
Date Became Current: 20000101
Date Ended Current: Not reported
Owner/Operator Address: 3960 MYSTIC VALLEY PKWY
Owner/Operator City,State,Zip: MEDFORD, MA 02155-0000
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: GENERAL ELECTRIC INTERNATIONAL
Legal Status: Private
Date Became Current: 20000101
Date Ended Current: Not reported
Owner/Operator Address: 3960 MYSTIC VALLEY PKWY
Owner/Operator City,State,Zip: MEDFORD, MA 02155-0000
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	GENERAL ELECTRIC INTERNATIONAL
Legal Status:	Private
Date Became Current:	20000101
Date Ended Current:	Not reported
Owner/Operator Address:	3960 MYSTIC VALLEY PKWY
Owner/Operator City,State,Zip:	MEDFORD, MA 02155-0000
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	JAY LUX
Legal Status:	Private
Date Became Current:	20110101
Date Ended Current:	Not reported
Owner/Operator Address:	3960 MYSTIC VALLEY PKWY
Owner/Operator City,State,Zip:	MEDFORD, MA 02155-0000
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	GENERAL ELECTRIC COMPANY
Legal Status:	Private
Date Became Current:	20110101
Date Ended Current:	Not reported
Owner/Operator Address:	3960 MYSTIC VALLEY PKWY
Owner/Operator City,State,Zip:	MEDFORD, MA 02155
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	MICHAEL FRONDUTO
Legal Status:	Private
Date Became Current:	20100101
Date Ended Current:	Not reported
Owner/Operator Address:	3960 MYSTIC VALLEY PARKWAY
Owner/Operator City,State,Zip:	MEDFORD, MA 02155
Owner/Operator Telephone:	781-393-5277
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	JAY LUX
Legal Status:	Private
Date Became Current:	20110101
Date Ended Current:	Not reported
Owner/Operator Address:	3960 MYSTIC VALLEY PKWY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Owner/Operator City,State,Zip:	MEDFORD, MA 02155-0000
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	GENERAL ELECTRIC COMPANY
Legal Status:	Private
Date Became Current:	20110101
Date Ended Current:	Not reported
Owner/Operator Address:	3960 MYSTIC VALLEY PKWY
Owner/Operator City,State,Zip:	MEDFORD, MA 02155
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	JEFFRY M PACH
Legal Status:	Private
Date Became Current:	20071207
Date Ended Current:	Not reported
Owner/Operator Address:	3960 MYSTIC VALLEY PARKWAY
Owner/Operator City,State,Zip:	MEDFORD, MA 02155
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	GENERAL ELECTRIC INTERNATIONAL INC
Legal Status:	Private
Date Became Current:	19981124
Date Ended Current:	Not reported
Owner/Operator Address:	3960 MYSTIC VALLEY PKY
Owner/Operator City,State,Zip:	MEDFORD, MA 02155
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	GE II
Legal Status:	Private
Date Became Current:	19930710
Date Ended Current:	Not reported
Owner/Operator Address:	3960 MYSTIC VALLEY PARKWAY
Owner/Operator City,State,Zip:	MEDFORD, MA 02155
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	GENERAL ELECTRIC INTERNATIONAL
Legal Status:	Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Date Became Current: 20071201
Date Ended Current: Not reported
Owner/Operator Address: 3960 MYSTIC VALLEY PARKWAY
Owner/Operator City,State,Zip: MEDFORD, MA 02155
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 19801118
Handler Name: GENERAL ELECTRIC PRS
Federal Waste Generator Description: Large Quantity Generator
State District Owner: MA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20100301
Handler Name: GENERAL ELECTRIC P&RS
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20120301
Handler Name: GENERAL ELECTRIC INTERNATIONAL
Federal Waste Generator Description: Small Quantity Generator
State District Owner: MA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19800814
Handler Name: GENERAL ELECTRIC PRS
Federal Waste Generator Description: Large Quantity Generator
State District Owner: MA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20080123
Handler Name:	GENERAL ELECTRIC PRS
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	MA
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20100301
Handler Name:	GENERAL ELECTRIC PRS
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	MA
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20111118
Handler Name:	GENERAL ELECTRIC PRS
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	MA
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20120301
Handler Name:	GENERAL ELECTRIC PRS
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	MA
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Receive Date: 20201120
Handler Name: GENERAL ELECTRIC PRS
Federal Waste Generator Description: Small Quantity Generator
State District Owner: MA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 19900301
Handler Name: GENERAL ELECTRIC CO
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19920226
Handler Name: GENERAL ELECTRIC APPARATUS SVS
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19940221
Handler Name: GENERAL ELECTRIC
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19960229
Handler Name: GENERAL ELECTRIC
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19980312
Handler Name: GENERAL ELECTRIC COMPANY
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20000407
Handler Name: GE INTERNATIONAL, INC.
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20020225
Handler Name: GENERAL ELECTRIC INTERNATIONAL, INC.
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060131
Handler Name: GENERAL ELECTRIC INTERNATIONAL, INC.
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20080123
Handler Name:	GENERAL ELECTRIC P&RS
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	811211
NAICS Description:	CONSUMER ELECTRONICS REPAIR AND MAINTENANCE
NAICS Code:	81131
NAICS Description:	COMMERCIAL AND INDUSTRIAL MACHINERY AND EQUIPMENT (EXCEPT AUTOMOTIVE AND ELECTRONIC) REPAIR AND MAINTENANCE
NAICS Code:	811412
NAICS Description:	APPLIANCE REPAIR AND MAINTENANCE
NAICS Code:	81149
NAICS Description:	OTHER PERSONAL AND HOUSEHOLD GOODS REPAIR AND MAINTENANCE

Has the Facility Received Notices of Violations:

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	19900109
Actual Return to Compliance Date:	19900614
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	19900818
Enforcement Identifier:	007
Date of Enforcement Action:	19900718
Enforcement Responsible Agency:	EPA
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	19900109
Actual Return to Compliance Date:	19900614
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	19900417
Actual Return to Compliance Date:	19900614
Return to Compliance Qualifier:	Observed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Violation Responsible Agency:	State
Scheduled Compliance Date:	19900604
Enforcement Identifier:	011
Date of Enforcement Action:	19900510
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	NE
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	LDR - General
Date Violation was Determined:	19900109
Actual Return to Compliance Date:	19900614
Return to Compliance Qualifier:	Observed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Violation Responsible Agency:	State
Scheduled Compliance Date:	19900818
Enforcement Identifier:	007
Date of Enforcement Action:	19900718
Enforcement Responsible Agency:	EPA
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Evaluation Action Summary:
Evaluation Date: 19900109
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: R1TZ

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Evaluation Responsible Sub-Organization: NE
Actual Return to Compliance Date: 19900614
Scheduled Compliance Date: 19900818
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19900109
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: R1TZ
Evaluation Responsible Sub-Organization: NE
Actual Return to Compliance Date: 19900614
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19900417
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: R1GT
Evaluation Responsible Sub-Organization: NE
Actual Return to Compliance Date: 19900614
Scheduled Compliance Date: 19900604
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19860618
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: Not reported
Evaluation Responsible Sub-Organization: NE
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 20120831
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier: JKMA
Evaluation Responsible Sub-Organization: NE
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19900109
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R1TZ
Evaluation Responsible Sub-Organization:	NE
Actual Return to Compliance Date:	19900614
Scheduled Compliance Date:	19900818
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19990707
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R1MMW
Evaluation Responsible Sub-Organization:	NE
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20040908
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	MPMA
Evaluation Responsible Sub-Organization:	NE
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19850508
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	NE
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19870717
Evaluation Responsible Agency:	State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	NE
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19900614
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE SCHEDULE EVALUATION
Evaluation Responsible Person Identifier:	R1GT
Evaluation Responsible Sub-Organization:	NE
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

SHWS:

Name:	GENERAL ELECTRIC FACILITY
Address:	3960 MYSTIC VALLEY PKWY
City,State,Zip:	MEDFORD, MA
Facility ID:	3-0000371
Source Type:	DRUMS
Release Town:	MEDFORD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Notification Date: 01/15/1987
Category: NONE
Associated ID: 3-0000371
Current Status: RAO
Status Date: 08/13/2008
Phase: Not reported
Response Action Outcome: C1
Oil Or Haz Material: Oil and Hazardous Material

Name: GENERAL ELECTRIC FACILITY
Address: 3960 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA
Facility ID: 3-0000371
Source Type: UNCONTAIN
Release Town: MEDFORD
Notification Date: 01/15/1987
Category: NONE
Associated ID: 3-0000371
Current Status: RAO
Status Date: 08/13/2008
Phase: Not reported
Response Action Outcome: C1
Oil Or Haz Material: Oil and Hazardous Material

Name: GENERAL ELECTRIC FACILITY
Address: 3960 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA
Facility ID: 3-0000371
Source Type: UNKNOWN
Release Town: MEDFORD
Notification Date: 01/15/1987
Category: NONE
Associated ID: 3-0000371
Current Status: RAO
Status Date: 08/13/2008
Phase: Not reported
Response Action Outcome: C1
Oil Or Haz Material: Oil and Hazardous Material

Name: NO LOCATION AID
Address: 3960 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA
Facility ID: 3-0019409
Source Type: Not reported
Release Town: MEDFORD
Notification Date: 03/17/2000
Category: 120 DY
Associated ID: Not reported
Current Status: RAONR
Status Date: 03/28/2001
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Oil

Name: GE
Address: 3960 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Facility ID: 3-0018992
Source Type: UNKNOWN
Release Town: MEDFORD
Notification Date: 11/22/1999
Category: 72 HR
Associated ID: Not reported
Current Status: RAONR
Status Date: 03/28/2001
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: GENERAL ELECTRIC FACILITY
Address: 3960 MYSTIC VALLEY PWY
City,State,Zip: MEDFORD, MA 021550000
Facility ID: 3-0031890
Source Type: UNKNOWN
Release Town: MEDFORD
Notification Date: 01/01/2014
Category: 120 DY
Associated ID: Not reported
Current Status: URAM
Status Date: 01/19/2014
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Not reported

Name: GENERAL ELECTRIC FACILITY
Address: 3960 MYSTIC VALLEY PWY
City,State,Zip: MEDFORD, MA 021550000
Facility ID: 3-0031890
Source Type: HISTORIC
Release Town: MEDFORD
Notification Date: 01/01/2014
Category: 120 DY
Associated ID: Not reported
Current Status: URAM
Status Date: 01/19/2014
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Not reported

Name: GENERAL ELECTRIC FACILITY
Address: 3960 MYSTIC VALLEY PWY
City,State,Zip: MEDFORD, MA 021550000
Facility ID: 3-0031890
Source Type: 3-0371
Release Town: MEDFORD
Notification Date: 01/01/2014
Category: 120 DY
Associated ID: Not reported
Current Status: URAM
Status Date: 01/19/2014
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

LUST:

Facility:

Name:	GENERAL ELECTRIC
Address:	3960 MYSTIC VALLEY PKWY
City,State,Zip:	MEDFORD, MA
Current Status:	Response Action Outcome
Release Tracking Number/Current Status:	3-0021976 / RAO
Status Date:	10/01/2002
Source Type:	UST
Release Town:	MEDFORD
Notification Date:	07/29/2002
Category:	72 HR
Associated ID:	Not reported
Phase:	Not reported
Response Action Outcome:	A1 - A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Oil Or Haz Material:	Oil
Location Type:	COMMERCIAL
Location Type:	RESIDENTIAL
Location Type:	INDUSTRIAL
Source:	UST

[Click here to access the MA DEP site for this facility:](#)

Chemicals:

Chemical:	FUEL OIL #2
Quantity:	Not reported

Actions:

Action Type:	Response Action Outcome - RAO
Action Status:	RAO Statement Received
Action Date:	10/1/2002
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	10/1/2002
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	7/29/2002
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type:	Immediate Response Action
Action Status:	IRA Assessment Only
Action Date:	7/29/2002
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 8/15/2002
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

UST:

Facility:

Name: GENERAL ELECTRIC CO
Address: 3960 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA 02155
Facility ID: 10439
Owner Id: 2631
Owner: GENERAL ELECTRIC CO
Owner Address: 33-41 Farnsworth Street
Owner City,St,Zip: Boston, MA 02210
Telephone: Not reported
Description: Utilities
Facility address 2: Not reported
Owner address 2: Not reported
Latitude: 42.40519
Longitude: -71.08937
Contact name: Brian Yoder
Contact address1: 1000 Western Ave
Contact address2: Not reported
Contact city: Lynn
Contact state: MA
Contact zip: 01910
Contact email: brian.yoder@ge.com
Update: 2013-05-14 00:00:00
Update by: Not reported
Fac status: CLOSED

Tank ID: 1
Tank Status: Tank Closure In-Plac
Status Date: 09/16/1991
Date Installed: 05/19/1976
Capacity: 10000.00000
Contents: Hazardous
Tank Usage: Not reported
Tank Leak Detection: Not reported
Pipe Leak Detection: Not reported
Latitude: Not reported
Longitude: Not reported
Tank construct: Not reported
Pipe construct: Not reported
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 2
Tank Status: Tank Removed
Status Date: 11/19/1998
Date Installed: 05/20/1951
Capacity: 2500.00000
Contents: Waste Oil
Tank Usage: Not reported
Tank Leak Detection: Not reported
Pipe Leak Detection: Not reported
Latitude: Not reported
Longitude: Not reported
Tank construct: Not reported
Pipe construct: Not reported
Ptype: Not reported
Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

Tank ID: 3
Tank Status: Tank Removed
Status Date: 11/19/1998
Date Installed: 05/20/1951
Capacity: 2500.00000
Contents: Waste Oil
Tank Usage: Not reported
Tank Leak Detection: Not reported
Pipe Leak Detection: Not reported
Latitude: Not reported
Longitude: Not reported
Tank construct: Not reported
Pipe construct: Not reported
Ptype: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Number of compartment: Not reported
Pipe install date: Not reported
Pipe leak install date: Not reported
Submersible sump: N
Submersible sump install date: Not reported
Turbine sump: N
Turbine sump sensor: N
Intermediate sump: N
Intermediate sump sensor: N
Spill bucket installed date: Not reported
Spill bucket sensor: N
Overfill protect install: Not reported
Overfill protect type: Not reported
Automatic line leak detect: Not reported
Tank corrosion type: Not reported
Leak corrosion type: Not reported

INST CONTROL:

Name: GENERAL ELECTRIC FACILITY
Address: 3960 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA
Release Tracking Number: 3-0000371
Action Type: AUL
Action Stat: FEEREC
Action Date: 07/26/2022
Response Action Outcome: C1 - C1

Name: GENERAL ELECTRIC FACILITY
Address: 3960 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA
Release Tracking Number: 3-0000371
Action Type: AUL
Action Stat: RECPT
Action Date: 07/21/2022
Response Action Outcome: C1 - C1

Release:

Name: GENERAL ELECTRIC FACILITY
Address: 3960 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA
Release Tracking Number/Current Status: 3-0000371 / RAO
Primary ID: 3-0000371
Official City: MEDFORD
Notification: 01/15/1987
Category: NONE
Status Date: 08/13/2008
Phase: Not reported
Response Action Outcome: C1 - C1
Oil / Haz Material Type: Oil and Hazardous Material

Click here to access the MA DEP site for this facility:

Actions:

Action Type: Release Disposition
Action Status: Valid Transition Site
Action Date: 1/15/1987

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Response Action Outcome:	C1
Action Type:	TREGS
Action Status:	WAVSIG
Action Date:	1/26/1994
Response Action Outcome:	C1
Action Type:	TREGS
Action Status:	WAVREC
Action Date:	10/1/1993
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	10/10/2001
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	10/20/2021
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	10/22/2003
Response Action Outcome:	C1
Action Type:	Phase 2
Action Status:	Scope of Work Received
Action Date:	10/29/1999
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	10/4/2000
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	10/9/2002
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	11/13/2000
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Periodic Review Opinion Evaluating Temp Solution
Action Date:	11/21/2018
Response Action Outcome:	C1
Action Type:	Phase 3
Action Status:	Completion Statement Received
Action Date:	11/25/2003
Response Action Outcome:	C1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Action Type:	Response Action Outcome - RAO
Action Status:	Level I - Technical Screen Audit
Action Date:	11/4/2022
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	12/20/2005
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	2/11/2022
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	2/12/2010
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	2/12/2020
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	2/12/2021
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	2/14/2014
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	2/14/2018
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	2/15/2012
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	2/15/2013
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	2/16/2015
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Action Date:	2/17/2011
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	2/21/2017
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	2/22/2016
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	2/8/2019
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	2/9/2009
Response Action Outcome:	C1
Action Type:	Utility-related Abatement Measure
Action Status:	Completion Statement Received
Action Date:	3/17/2000
Response Action Outcome:	C1
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	3/22/2000
Response Action Outcome:	C1
Action Type:	Phase 2
Action Status:	Completion Statement Received
Action Date:	3/27/2001
Response Action Outcome:	C1
Action Type:	Tier Classification
Action Status:	Tier 1C Classification
Action Date:	3/27/2001
Response Action Outcome:	C1
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	3/27/2001
Response Action Outcome:	C1
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	3/27/2001
Response Action Outcome:	C1
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	3/5/1999
Response Action Outcome:	C1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	3/9/2000
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	4/10/2001
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	4/12/2002
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	4/14/2003
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	4/16/2002
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	4/19/2006
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	4/19/2022
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	5/13/2022
Response Action Outcome:	C1
Action Type:	TREGS
Action Status:	WAVACC
Action Date:	5/5/1994
Response Action Outcome:	C1
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	5/5/1994
Response Action Outcome:	C1
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	5/5/1999
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Action Date:	6/22/2021
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	6/5/2000
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	7/10/2006
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	7/12/2004
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	7/14/2021
Response Action Outcome:	C1
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via IRA Completion Statement
Action Date:	7/18/2000
Response Action Outcome:	C1
Action Type:	Immediate Response Action
Action Status:	Completion Statement Received
Action Date:	7/18/2000
Response Action Outcome:	C1
Action Type:	Phase 3
Action Status:	Notice of Delay in Meeting RA Deadline Received
Action Date:	7/21/2003
Response Action Outcome:	C1
Action Type:	Activity and Use Limitation
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	7/21/2022
Response Action Outcome:	C1
Action Type:	Activity and Use Limitation
Action Status:	Fee Received - FMCRA Use Only
Action Date:	7/26/2022
Response Action Outcome:	C1
Action Type:	Partial RAO for this RTN
Action Status:	TSFREV
Action Date:	7/29/2022
Response Action Outcome:	C1
Action Type:	Partial RAO for this RTN
Action Status:	PSARCD
Action Date:	7/29/2022
Response Action Outcome:	C1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Action Type: Response Action Outcome - RAO
Action Status: Inspection and Monitoring Report Received
Action Date: 8/11/2009
Response Action Outcome: C1

Action Type: Response Action Outcome - RAO
Action Status: Inspection and Monitoring Report Received
Action Date: 8/11/2011
Response Action Outcome: C1

Action Type: Response Action Outcome - RAO
Action Status: Inspection and Monitoring Report Received
Action Date: 8/11/2017
Response Action Outcome: C1

Action Type: Response Action Outcome - RAO
Action Status: Inspection and Monitoring Report Received
Action Date: 8/12/2010
Response Action Outcome: C1

Action Type: Response Action Outcome - RAO
Action Status: Inspection and Monitoring Report Received
Action Date: 8/12/2016
Response Action Outcome: C1

Action Type: Response Action Outcome - RAO
Action Status: Inspection and Monitoring Report Received
Action Date: 8/12/2022
Response Action Outcome: C1

Action Type: Phase 4
Action Status: Completion Statement Received
Action Date: 8/13/2008
Response Action Outcome: C1

Action Type: Partial RAO for this RTN
Action Status: RAO Statement Received
Action Date: 8/13/2008
Response Action Outcome: C1

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 8/13/2008
Response Action Outcome: C1

Action Type: Phase 4
Action Status: As-Built Construction Report Received
Action Date: 8/13/2008
Response Action Outcome: C1

Action Type: Response Action Outcome - RAO
Action Status: Inspection and Monitoring Report Received
Action Date: 8/13/2021
Response Action Outcome: C1

Action Type: Response Action Outcome - RAO
Action Status: Inspection and Monitoring Report Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Action Date:	8/14/2014
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	8/14/2020
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Periodic Review Opinion Evaluating Temp Solution
Action Date:	8/15/2013
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	8/15/2013
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	8/16/2004
Response Action Outcome:	C1
Action Type:	Phase 4
Action Status:	Written Plan Received
Action Date:	8/16/2004
Response Action Outcome:	C1
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	8/2/2000
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	8/20/2015
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	8/8/2018
Response Action Outcome:	C1
Action Type:	Tier Classification
Action Status:	Permit Effective Date
Action Date:	8/9/2001
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	8/9/2012
Response Action Outcome:	C1
Action Type:	Response Action Outcome - RAO
Action Status:	Inspection and Monitoring Report Received
Action Date:	8/9/2019
Response Action Outcome:	C1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Action Type: BWS03
Action Status: APPROV
Action Date: Not reported
Response Action Outcome: C1

Action Type: BWS20
Action Status: APPROV
Action Date: Not reported
Response Action Outcome: C1

Chemicals:
Chemical: PCBS
Quantity: Not reported
Chemical: VOCS
Quantity: Not reported
Chemical: PCB
Quantity: Not reported
Chemical: CHLORINATED SOLVENTS
Quantity: Not reported
Location Type: PRIVPROP
Location Type: INDUSTRIAL
Location Type: COMMERCIAL
Source: DRUMS
Source: UNCONTAIN
Source: UNKNOWN

Name: GE
Address: 3960 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA
Release Tracking Number/Current Status: 3-0018992 / RAONR
Primary ID: Not reported
Official City: MEDFORD
Notification: 11/22/1999
Category: 72 HR
Status Date: 03/28/2001
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Immediate Response Action
Action Status: Written Plan Received
Action Date: 1/21/2000
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 1/21/2000
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: IRA Assessment Only
Action Date: 11/22/1999
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	11/22/1999
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	12/23/1999
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Interim Deadline Letter Issued
Action Date:	12/23/1999
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	3/22/2000
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 1C Classification
Action Date:	3/27/2001
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	3/27/2001
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	3/27/2001
Response Action Outcome:	Not reported
Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	3/28/2001
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	3/5/1999
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	3/9/2000
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	5/5/1994
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Action Date:	5/5/1999
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via IRA Completion Statement
Action Date:	7/18/2000
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Completion Statement Received
Action Date:	7/18/2000
Response Action Outcome:	Not reported
Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	7/18/2000
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Permit Effective Date
Action Date:	8/9/2001
Response Action Outcome:	Not reported

Chemicals:

Chemical:	POLYCHLORINATED BIPHENYLS (PCBS)
Quantity:	454000 milligrams per kilogram
Chemical:	1,2,4-TRICHLOROBENZENE
Quantity:	204000 milligrams per kilogram
Chemical:	NAPL
Quantity:	Not reported
Location Type:	INDUSTRIAL
Source:	UNKNOWN

Name:	NO LOCATION AID
Address:	3960 MYSTIC VALLEY PKWY
City,State,Zip:	MEDFORD, MA
Release Tracking Number/Current Status:	3-0019409 / RAONR
Primary ID:	Not reported
Official City:	MEDFORD
Notification:	03/17/2000
Category:	120 DY
Status Date:	03/28/2001
Phase:	Not reported
Response Action Outcome:	-
Oil / Haz Material Type:	Oil

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	3/17/2000
Response Action Outcome:	Not reported
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Action Date:	3/17/2000
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	3/27/2001
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	3/27/2001
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 1C Classification
Action Date:	3/27/2001
Response Action Outcome:	Not reported
Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	3/28/2001
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	3/5/1999
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Extension
Action Date:	3/9/2000
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	5/5/1994
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	5/5/1999
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	6/27/2000
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via IRA Completion Statement
Action Date:	7/18/2000
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Permit Effective Date
Action Date:	8/9/2001
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Chemicals:

Chemical:	C9 THRU C18 ALIPHATIC HYDROCARBONS
Quantity:	1780 milligrams per kilogram
Chemical:	C19 THRU C36 ALIPHATIC HYDROCARBONS
Quantity:	3250 milligrams per kilogram
Chemical:	C11 THRU C22 AROMATIC HYDROCARBONS
Quantity:	2500 milligrams per kilogram
Chemical:	C9 THRU C10 AROMATIC HYDROCARBONS
Quantity:	543 milligrams per kilogram
Chemical:	C9 THRU C12 ALIPHATIC HYDROCARBONS
Quantity:	1540 milligrams per kilogram

Name:	GENERAL ELECTRIC
Address:	3960 MYSTIC VALLEY PKWY
City,State,Zip:	MEDFORD, MA
Release Tracking Number/Current Status:	3-0021976 / RAO
Primary ID:	Not reported
Official City:	MEDFORD
Notification:	07/29/2002
Category:	72 HR
Status Date:	10/01/2002
Phase:	Not reported
Response Action Outcome:	A1 - A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Oil / Haz Material Type:	Oil

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type:	Response Action Outcome - RAO
Action Status:	RAO Statement Received
Action Date:	10/1/2002
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	10/1/2002
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	7/29/2002
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Action Type:	Immediate Response Action
Action Status:	IRA Assessment Only
Action Date:	7/29/2002
Response Action Outcome:	A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	8/15/2002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Chemicals:

Chemical: FUEL OIL #2
Quantity: Not reported
Location Type: COMMERCIAL
Location Type: RESIDENTIAL
Location Type: INDUSTRIAL
Source: UST

Name: GENERAL ELECTRIC FACILITY
Address: 3960 MYSTIC VALLEY PWY
City,State,Zip: MEDFORD, MA 021550000
Release Tracking Number/Current Status: 3-0031890 / URAM
Primary ID: Not reported
Official City: MEDFORD
Notification: 01/01/2014
Category: 120 DY
Status Date: 01/19/2014
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Not reported

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 1/1/2014
Response Action Outcome: Not reported

Action Type: Utility-related Abatement Measure
Action Status: Notice of Intent to Conduct a URAM
Action Date: 1/1/2014
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: URAMLRL
Action Date: 1/16/2014
Response Action Outcome: Not reported

Action Type: Utility-related Abatement Measure
Action Status: Notification of URAM Received
Action Date: 1/19/2014
Response Action Outcome: Not reported

Action Type: Utility-related Abatement Measure
Action Status: Notice of Intent to Conduct a URAM
Action Date: 1/19/2014
Response Action Outcome: Not reported

Action Type: Utility-related Abatement Measure
Action Status: Completion Statement Received
Action Date: 3/26/2014
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Chemicals:

Chemical: PCBS
Quantity: 50 milligrams per kilogram
Location Type: INDUSTRIAL
Location Type: PRIVPROP
Source: UNKNOWN
Source: HISTORIC
Source: 3-0371

2020 COR ACTION:

EPA ID: MAD060094760
Region: 1
Action: Not reported

PADS:

Name: GENL ELEC BOSTON APPR SER CTR
Address: 3960 MYSTIC VALLEY PWKY
Address 2: Not reported
City,State,Zip: MEDFORD, MA 02155
EDR ID: 1000212227
EPAID: MAD060094760
Region: 01
Generator: N
Storer: N
Disposer: N
Transporter: Y
Smelter: N
Research Facility: N
Mailing Address: 3960 MYSTIC VALLEY PWKY
Mailing Address 2: Not reported
Mailing City: MEDFORD
Mailing State: MA
Mailing Zip: 02155
Mailing Country: US
Owner Name: GENL ELEC CO
Certification Date: 04/02/1990
Contact Name: J HECTUS
Contact Title: Not reported
Contact Telephone: 000-000-0000
Contact Text: Not reported
Contact Email: Not reported

US AIRS MINOR:

Envid: 1000212227
Region Code: 01
Programmatic ID: AIR MA0000002511900791
Facility Registry ID: 110000795499
D and B Number: Not reported
Primary SIC Code: 3621
NAICS Code: 811412
Default Air Classification Code: MIN
Facility Type of Ownership Code: POF
Air CMS Category Code: Not reported
HPV Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

US AIRS MINOR:

Region Code: 01
Programmatic ID: AIR MA0000002511900791
Facility Registry ID: 110000795499
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1991-03-01 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511900791
Facility Registry ID: 110000795499
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1998-03-06 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511900791
Facility Registry ID: 110000795499
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1999-04-06 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511900791
Facility Registry ID: 110000795499
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2002-04-11 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511900791
Facility Registry ID: 110000795499
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2004-09-08 00:00:00
Activity Status Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511900791
Facility Registry ID: 110000795499
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2005-03-30 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511900791
Facility Registry ID: 110000795499
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2009-07-30 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511900791
Facility Registry ID: 110000795499
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2012-07-12 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR MA0000002511900791
Facility Registry ID: 110000795499
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2012-08-31 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

AIRS:
AQID: 1190791
Name: GENERAL ELECTRIC
Address: 3960 MYSTIC VALLEY PKWY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Address 2:	Not reported
City,State,Zip:	MEDFORD, MA 02155
Branch:	Not reported
Facility Status:	Not reported
Permit Code:	Not reported
Permit Name:	Not reported
Owner Name:	GENERAL ELECTRIC INTERNATIONAL INC
Region:	Not reported
Application Tracking Number:	Not reported
Facility Account:	Not reported
Date Closed:	Not reported
Applicant Name:	Not reported
Applicant Address:	Not reported
Applicant City:	Not reported
Applicant State:	Not reported
Applicant Zip:	Not reported
Applicant Telephone:	Not reported
Primary NAICS:	Y
NAICS Code:	811412
NAICS Description:	Appliance Repair and Maintenance
Latitude:	42.404677
Longitude:	-71.089436

EMI:

AQID:	1190791
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

AQID:	1190791
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

AQID:	1190791
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	Not reported
Actual Emission:	Not reported
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	AMMONIA
Actual Emission:	0.0087
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	CARBON MONOXIDE
Actual Emission:	0.184
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	CHROMIUM
Actual Emission:	0
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

AQID: 1190791

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Pollutant:	COBALT
Actual Emission:	0
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	HALOGENATED ORGANIC COMPOUND
Actual Emission:	0
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	HYDROCARBON
Actual Emission:	0
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	ISOMERS OF XYLENE
Actual Emission:	0
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	MANGANESE
Actual Emission:	0
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	NICKEL
Actual Emission:	0
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	NITROGEN OXIDES (NOx)
Actual Emission:	0.2296
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	PERCHLOROETHYLENE
Actual Emission:	0
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

AQID:	1190791
Pollutant:	PM10, FILTERABLE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Actual Emission:	0.0046
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	PM2.5, FILTERABLE
Actual Emission:	0.0046
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	SULFUR DIOXIDE
Actual Emission:	0.0013
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	TOTAL HAZARDOUS AIR POLLUTANTS
Actual Emission:	0
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported
Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported
P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported
AQID:	1190791
Pollutant:	VOLATILE ORGANIC COMPOUNDS (VOC)
Actual Emission:	0.0126
Emission Year:	2014
DEP Number:	Not reported
Facility Contact:	Not reported
Contact Telephone:	Not reported
Contact Email:	Not reported
Region Code:	Not reported
FMF ID:	Not reported
ORIS Code:	Not reported
AQ Class:	Not reported
NAICS Code:	Not reported
NAICS Description:	Not reported
DEP Stack Number:	Not reported
Stack Height:	Not reported
Stack Diameter:	Not reported
Stack Liner:	Not reported
Stack Max Temp:	Not reported
Stack Max Velocity:	Not reported
Stack Flow:	Not reported
DEP EU Number:	Not reported
Segment Number:	Not reported
Is Exempt From 702:	Not reported
Equipment Type Name:	Not reported
Manufacturer:	Not reported
Model Number:	Not reported
Installed Date:	Not reported
EU Decom Date:	Not reported
Max Input Rating:	Not reported
Approval Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Approval Date:	Not reported
Q1 Operation Percent:	Not reported
Q2 Operation Percent:	Not reported
Q3 Operation Percent:	Not reported
Q4 Operation Percent:	Not reported
Hours Daily:	Not reported
Days Weekly:	Not reported
Weeks Yearly:	Not reported
Type of Material:	Not reported
Case Number:	Not reported
Throughput Data:	Not reported
Sulfur Content Percent:	Not reported
Ash Content Percent:	Not reported
Operating Restrictions:	Not reported
SCC Code:	Not reported
SCC Description:	Not reported
Comments:	Not reported
P10 Act Amount:	Not reported
P10 Act UOM:	Not reported
P10 POT Amount:	Not reported
P10 POT UOM:	Not reported
P10 Per Amount:	Not reported
P10 Per UOM:	Not reported
SO2 Act Amount:	Not reported
SO2 Act UOM:	Not reported
SO2 POT Amount:	Not reported
SO2 POT UOM:	Not reported
SO2 Per Amount:	Not reported
SO2 Per UOM:	Not reported
NO2 Act Amount:	Not reported
NO2 Act UOM:	Not reported
NO2 POT Amount:	Not reported
NO2 POT UOM:	Not reported
NO2 Per Amount:	Not reported
NO2 Per UOM:	Not reported
CO Act Amount:	Not reported
CO Act UOM:	Not reported
CO POT Amount:	Not reported
CO POT UOM:	Not reported
CO Per Amount:	Not reported
CO Per UOM:	Not reported
VOC Act Amount:	Not reported
VOC Act UOM:	Not reported
VOC POT Amount:	Not reported
VOC POT UOM:	Not reported
VOC Per Amount:	Not reported
VOC Per UOM:	Not reported
PB Act Amount:	Not reported
PB Act UOM:	Not reported
PB POT Amount:	Not reported
PB POT UOM:	Not reported
PB Per Amount:	Not reported
PB Per UOM:	Not reported
P25 Act Amount:	Not reported
P25 Act UOM:	Not reported
P25 POT Amount:	Not reported
P25 POT UOM:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

P25 Per Amount:	Not reported
P25 Per UOM:	Not reported
NH3 Act Amount:	Not reported
NH3 Act UOM:	Not reported
NH3 POT Amount:	Not reported
NH3 POT UOM:	Not reported
NH3 Per Amount:	Not reported
NH3 Per UOM:	Not reported
Object ID:	Not reported
NAICS Code Count:	Not reported
Primary NAICS:	Not reported
Release Point:	Not reported
Stack Combined Units:	Not reported
Stack Decom Date:	Not reported
DEP Segment Number:	Not reported
Category Type:	Not reported
Emergency Gen:	Not reported
EU Combined Units:	Not reported
Chemical Name:	Not reported
Max Hourly Fuel Rating:	Not reported
Max UOM:	Not reported
Segment Decom Date:	Not reported
Actual Material Used:	Not reported
Actual Material Used UOM:	Not reported
P10 Annual Emission Restrictions:	Not reported
P25 Annual Emission Restrictions:	Not reported
SO2 Annual Emission Restrictions:	Not reported
NO2 Annual Emission Restrictions:	Not reported
CO Annual Emission Restrictions:	Not reported
PB Annual Emission Restrictions:	Not reported
NH3 Annual Emission Restrictions:	Not reported
VOC Annual Emission Restrictions:	Not reported

ASBESTOS:

Name:	GENERAL ELECTRIC COMPANY
Address:	3960 MYSTIC VALLEY PARKWAY
City,State,Zip:	MEDFORD, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	05/17/2021
End Date:	07/31/2021
Date Entered:	Not reported
Entry Date:	04/30/2021
Quantity Material Removed SF:	14000
Quantity Material Removed LF:	1355
Project Description:	OTHER GLZ.CAULKGALBESTOS PANEL
AR Tracking ID:	363689
Super Lic Number:	AS072151
Monitor Lic Number:	AM073950
Lab Lic Number:	AA000005
Year:	2021
Sticker Number:	100345252
Form Type:	ANF-001
Fee Status:	HUNDRED
Facility Phone:	6033617236

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Sub Town: Not reported
Worksite: 3960 MYSTIC VALLEY PARKWAY
Occupied: 0
Contractor: AC000664
Contract Type: WRITTEN
Hours: 7AM-7PM
Project Type: Dem
Abatement Process: oth:EXTERIOR REGULATED AREA
Location: OUTDOORS
Decon Process: REGULATED AREA WITH REMOTE 3 STAGE DECON
Disposal Methods: DOUBLE BAG 6ML ASBESTOS BAGS ,LABELS
Facility Usage: MANUFACTURING
Waiver Given: Not reported
DEP Waiver Number: Not reported
DLWD Waiver Number: Not reported
Small Owner Occ: 0
Owner Name: GENERAL ELECTRIC COMPANY
Owner Address: 3960 MYSTIC VALLEY PARKWAY
Owner City: MEDFORD
Owner State: MA
On Site Manager Name: MIKE FRONDUTO
On Site Manager Phone: 6033617236
Ins Comp: BERKSHIRE HATHAWAY GUARD INSURANCE CO
Policy Number: R2WC136115
EXP Date: 8/31/2021
Facility Size: 35000
Transporter Name: EQ NORTHEAST
Transporter Address: 185 INDUSTRIAL ROAD
Transporter City: WRENTHAM
Transporter State: MA
Final Site: Not reported
Certified Name: BRUCE EULIAN
Cert Sign Date: 04/30/2021
Certified Company: C&H ENVIRONMENTAL TECH SERVICES
Certified Phone: 4134644815
Entered_by: BEULIAN

Name: GENERAL ELECTRIC COMPANY
Address: 3960 MYSTIC VALLEY PARKWAY
City,State,Zip: MEDFORD, MA
Notification: Not reported
DEP Region: Not reported
Notifiers Name: Not reported
Start Date: 05/17/2021
End Date: 06/03/2021
Date Entered: Not reported
Entry Date: 06/04/2021
Quantity Material Removed SF: 14000
Quantity Material Removed LF: 1355
Project Description: OTHER GLZ.CAULKGALBESTOS PANEL
AR Tracking ID: 366110
Super Lic Number: AS072151
Monitor Lic Number: AM073950
Lab Lic Number: AA000005
Year: 2021
Sticker Number: 100345252R1
Form Type: ANF-001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Fee Status: THIRTY FIVE
Facility Phone: 6033617236
Sub Town: Not reported
Worksite: 3960 MYSTIC VALLEY PARKWAY
Occupied: 0
Contractor: AC000664
Contract Type: WRITTEN
Hours: 7AM-7PM
Project Type: Dem
Abatement Process: oth:EXTERIOR REGULATED AREA
Location: OUTDOORS
Decon Process: REGULATED AREA WITH REMOTE 3 STAGE DECON
Disposal Methods: DOUBLE BAG 6ML ASBESTOS BAGS ,LABELS
Facility Usage: MANUFACTURING
Waiver Given: Not reported
DEP Waiver Number: Not reported
DLWD Waiver Number: Not reported
Small Owner Occ: 0
Owner Name: GENERAL ELECTRIC COMPANY
Owner Address: 3960 MYSTIC VALLEY PARKWAY
Owner City: MEDFORD
Owner State: MA
On Site Manager Name: MIKE FRONDUTO
On Site Manager Phone: 6033617236
Ins Comp: BERKSHIRE HATHAWAY GUARD INSURANCE CO
Policy Number: R2WC136115
EXP Date: 8/31/2021
Facility Size: 35000
Transporter Name: EQ NORTHEAST
Transporter Address: 185 INDUSTRIAL ROAD
Transporter City: WRENTHAM
Transporter State: MA
Final Site: Not reported
Certified Name: BRUCE EULIAN
Cert Sign Date: 06/04/2021
Certified Company: Not reported
Certified Phone: 4134644815
Entered_by: BEULIAN

Name: GENERAL ELECTRIC
Address: 3960 MYSTIC VALLEY PARKWAY
City,State,Zip: MEDFORD, MA
Notification: Not reported
DEP Region: Not reported
Notifiers Name: Not reported
Start Date: 03/27/2019
End Date: 03/28/2019
Date Entered: Not reported
Entry Date: 03/26/2019
Quantity Material Removed SF: 0
Quantity Material Removed LF: 15
Project Description: PIPEINSUL
AR Tracking ID: 316138
Super Lic Number: AS901690
Monitor Lic Number: AA000175
Lab Lic Number: AA000175
Year: 2019

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Sticker Number: 100305218
Form Type: ANF-001
Fee Status: HUNDRED
Facility Phone: 7813969600
Sub Town: Not reported
Worksite: BASEMENT
Occupied: -1
Contractor: AC000503
Contract Type: VERBAL
Hours: 7AM-3:30PM0
Project Type: Repr
Abatement Process: Glv
Location: OUTDOORS
Decon Process: 3 STAGE DECON
Disposal Methods: ALL MATERIALS ARE TO BE DOUBLE BAGGED IN 2, 6MIL POLY
Facility Usage: MANUFACTURER
Waiver Given: Not reported
DEP Waiver Number: NAW-190-3137
DLWD Waiver Number: 25324-2019
Small Owner Occ: 0
Owner Name: GENERAL ELECTRIC
Owner Address: 3960 MYSTIC VALLEY PARKWAY
Owner City: MEDFORD,
Owner State: MA
On Site Manager Name: MIKE ORIOLA
On Site Manager Phone: 7813969600
Ins Comp: GREAT DIVIDE
Policy Number: WCA20273831010152019
EXP Date: 10/15/2019
Facility Size: 0
Transporter Name: BRISTOL ENVIRONMENTAL
Transporter Address: 10 COOK STREET
Transporter City: BILLERICA
Transporter State: MA
Final Site: Not reported
Certified Name: SHARON JAFFARIAN
Cert Sign Date: 03/26/2019
Certified Company: BRISTOL
Certified Phone: 9782948989
Entered_by: JAFFARS

Name: GENERAL ELECTRIC
Address: 3960 MYSTIC VALLEY PARKWAY
City,State,Zip: MEDFORD, MA
Notification: Not reported
DEP Region: Not reported
Notifiers Name: Not reported
Start Date: 06/30/2010
End Date: 06/30/2010
Date Entered: Not reported
Entry Date: 06/30/2010
Quantity Material Removed SF: .00
Quantity Material Removed LF: 80.00
Project Description: Trns
AR Tracking ID: 128529
Super Lic Number: AS030983
Monitor Lic Number: AA000144

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Lab Lic Number: AA000144
Year: 2010
Sticker Number: 100108900
Form Type: ANF-001
Fee Status: Fifty
Facility Phone: Not reported
Sub Town: Not reported
Worksite: OVEN AREA
Occupied: -1
Contractor: AC000753
Contract Type: VERBAL
Hours: Week days: 7AM-3PM Week end:
Project Type: Rpr
Abatement Process: Fcontain
Location: Indoors
Decon Process: 3 STAGE DECONTAMINATION UNIT
Disposal Methods: ADEQUATELY WETTING OF ACM AND DOUBLE BAGGING IN 6-MIL LABELED BAGS
Facility Usage: INDUSTRIAL
Waiver Given: Not reported
DEP Waiver Number: 10-06908
DLWD Waiver Number: 1-B10181BS
Small Owner Occ: 5
Owner Name: GENERAL ELECTRIC
Owner Address: 3960 MYSTIC VALLEY PARKWAY
Owner City: MEDFORD, MA
Owner State: MA
On Site Manager Name: MIKE GAGNE
On Site Manager Phone: 781-393-5277
Ins Comp: Not reported
Policy Number: Not reported
EXP Date: Not reported
Facility Size: 30,000
Transporter Name: ALL PRO ENVIRONMENTAL SERVICES
Transporter Address: 50 SQUIRE RIDGE ROAD
Transporter City: HAMPSTEAD, NH
Transporter State: Not reported
Final Site: 7
Certified Name: RODNEY FEUGILL
Cert Sign Date: 06/30/2010
Certified Company: ALLPRO ENVIRONMENTAL
Certified Phone: 6032313170
Entered_by: Not reported

Name: FORMER GE
Address: 3960 MYSTIC VALLEY PARKWAY
City,State,Zip: MEDFORD, MA
Notification: Not reported
DEP Region: Not reported
Notifiers Name: Not reported
Start Date: 10/04/2021
End Date: 11/05/2021
Date Entered: Not reported
Entry Date: 09/22/2021
Quantity Material Removed SF: 33500
Quantity Material Removed LF: Not reported
Project Description: OTHER GALBESTOSROOFING
AR Tracking ID: 373389

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Super Lic Number: AS072692
Monitor Lic Number: Not reported
Lab Lic Number: Not reported
Year: 2021
Sticker Number: 100353185
Form Type: ANF-001
Fee Status: Not reported
Facility Phone: 3154472105
Sub Town: Not reported
Worksite: ROOF, EXTERIOR WALL
Occupied: 0
Contractor: AC000639
Contract Type: WRITTEN
Hours: 7AM - 5PM
Project Type: Dem
Abatement Process: oth:EXTERIOR REGULATED AREA
Location: OUTDOORS
Decon Process: REMOTE THREE CHAMBER DECONTAMINATION UNIT WITH HOT AND COLD WATER SUPPLY
Disposal Methods: 2 LAYER SIX POLY LINED BAGS DRUMS AND GAYLORD BOXES PROPERLY LABELLED AND WETTED
Facility Usage: INDUSTRIAL
Waiver Given: Not reported
DEP Waiver Number: Not reported
DLWD Waiver Number: Not reported
Small Owner Occ: 0
Owner Name: GENERAL ELECTRIC
Owner Address: PO BOX 4900
Owner City: SCOTTSDALE
Owner State: MA
On Site Manager Name: ARCADIS US, INC.
On Site Manager Phone: 3154472105
Ins Comp: GREAT DIVIDE INSURANCE COMPANY
Policy Number: WCA 203159810-11
EXP Date: 3/29/2022
Facility Size: 34000
Transporter Name: IAT LOGISTICS
Transporter Address: 174 SOUTH ROAD, SUITE 111
Transporter City: ENFIELD
Transporter State: CT
Final Site: Not reported
Certified Name: RANDY REYNOLDS
Cert Sign Date: 09/20/2021
Certified Company: AMERICAN ENVIRONMENTAL, INC.
Certified Phone: 4133227190
Entered_by: METROREMEDIATOR

Name: G.E
Address: 3960 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA
Notification: Not reported
DEP Region: Not reported
Notifiers Name: Not reported
Start Date: 12/01/2009
End Date: 12/01/2009
Date Entered: Not reported
Entry Date: 11/13/2009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Quantity Material Removed SF: 10.00
Quantity Material Removed LF: .00
Project Description: Insl
AR Tracking ID: 120040
Super Lic Number: AS000339
Monitor Lic Number: AA000144
Lab Lic Number: Not reported
Year: 2009
Sticker Number: 100097828
Form Type: ANF-001
Fee Status: Exempt
Facility Phone: Not reported
Sub Town: Not reported
Worksite: BREAKER BOX
Occupied: 0
Contractor: AC000511
Contract Type: WRITTEN
Hours: Week days: 8AM-2 Week end:
Project Type: Oth:ASBESTOS REMOVAL
Abatement Process: Glv,Fcontain
Location: Indoors
Decon Process: GLOVEBAGS
Disposal Methods: ALL METHODS WILL APPLY
Facility Usage: SUB STATION
Waiver Given: Not reported
DEP Waiver Number: Not reported
DLWD Waiver Number: Not reported
Small Owner Occ: 5
Owner Name: SCOTT EAGLES
Owner Address: Not reported
Owner City: Not reported
Owner State: MA
On Site Manager Name: Not reported
On Site Manager Phone: Not reported
Ins Comp: Not reported
Policy Number: Not reported
EXP Date: Not reported
Facility Size: 20,000
Transporter Name: Not reported
Transporter Address: Not reported
Transporter City: Not reported
Transporter State: Not reported
Final Site: 18
Certified Name: JIM NET
Cert Sign Date: 11/13/2009
Certified Company: NA, INC
Certified Phone: 7815893161
Entered_by: Not reported

Name: GENERAL ELECTRIC
Address: 3960 MYSTIC VALLEY PARKWAY
City,State,Zip: MEDFORD, MA
Notification: Not reported
DEP Region: Not reported
Notifiers Name: Not reported
Start Date: 09/30/2002
End Date: 10/02/2002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Date Entered: Not reported
Entry Date: 09/18/2002
Quantity Material Removed SF: .00
Quantity Material Removed LF: 44.00
Project Description: Corrugated Pipe
AR Tracking ID: 16099
Super Lic Number: AS060788
Monitor Lic Number: Not reported
Lab Lic Number: AA000128
Year: 2002
Sticker Number: 558590
Form Type: ANF-001
Fee Status: 50
Facility Phone: Not reported
Sub Town: Not reported
Worksite: bathroom
Occupied: -1
Contractor: AC000264
Contract Type: Not reported
Hours: 8-5
Project Type: Repair
Abatement Process: Glove Bag
Location: Indoors
Decon Process: Not reported
Disposal Methods: 2 Ply Poly Bag with Label
Facility Usage: mfg.
Waiver Given: 0
DEP Waiver Number: Not reported
DLWD Waiver Number: Not reported
Small Owner Occ: 0
Owner Name: General Electric
Owner Address: 3960 Mystic Valley Parkway
Owner City: MEDFORD
Owner State: MA
On Site Manager Name: Not reported
On Site Manager Phone: Not reported
Ins Comp: Liberty Mutual
Policy Number: Not reported
EXP Date: Not reported
Facility Size: 53,000
Transporter Name: WASTE MANAGEMENT
Transporter Address: 203 PICKERING STREET
Transporter City: PORTLAND
Transporter State: CT
Final Site: 17
Certified Name: Daniel Whitehouse
Cert Sign Date: 09/16/2002
Certified Company: Not reported
Certified Phone: (508) 580-0258
Entered_by: Not reported

HW GEN:

Name: GENERAL ELECTRIC PRS
Address: 3960 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA 02155
EPA Id: MAD060094760
RCRA Generator Status: SQG

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

State Generator Status: LQG-MA

RI MANIFEST:

Name: GENERAL ELECTRIC INTERNATIONAL
Address: 3960 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA 02155-6920
EPA Id: MAD060094760
GEN Cert Date: 3/1/2006
Manifest Document Number: MAU190447
Waste Description: NON DOT REGULATED MATERIAL, (WASHWATER) , NONE, NO
TSDF Id: MAD053452637
TSDF Name: Clean Harbors of Braintree
Qty: 2083
WT/Vol Units: G
TSDF Date: 3/2/2006
Transporter 2 Id: Not reported
Item Number: 1
Transporter 2 Name: Not reported
Transporter Name 2: Clean Harbors Environmental Serv
Transporter EPAID: MAD039322250
Transporter Receipt Date: 3/2/2006
Number Of Containers: 1
Container Type: TT
Waste Code1: MA99
Waste Code2: Not reported
Waste Code3: Not reported
Waste Code4: Not reported
Waste Code5: Not reported
Waste Code6: Not reported
Fee Exempt Code: Not reported
Comment: Not reported
Transporter Name 2: Not reported
Company Permit Number: Not reported
Year: Not reported
Quarter: Not reported
Transporter Contact Name: Not reported
Transporter Contact Email: Not reported
Filing Date: Not reported
Total Fee: Not reported
Billing Name: Not reported
Paid Date: Not reported
Paid Time: Not reported
Facility Receipt Date: Not reported
Fee: Not reported
Manifest Created Date: Not reported
Manifest Updated Date: Not reported

RI MANIFEST:

Transporter Receipt Date: 3/2/2006
Number Of Containers: 1
Container Type: TT
Waste Code1: MA99
Waste Code2: Not reported
Waste Code3: Not reported
Waste Code4: Not reported
Waste Code5: Not reported
Waste Code6: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Comment:	Not reported
Fee Exempt Code:	Not reported
TSD Name:	Clean Harbors of Braintree
TSD ID:	MAD053452637
Transporter Name 2:	Not reported
Company Permit Number:	Not reported
Year:	Not reported
EPA ID:	MAD060094760
Manifest Docket Number:	MAU190447
Quarter:	Not reported
Waste Description:	NON DOT REGULATED MATERIAL, (WASHWATER) , NONE, NO
Transporter Contact Name:	Not reported
Quantity:	2083
Transporter Contact Email:	Not reported
WT/Vol Units:	G
Filing Date:	Not reported
Total Fee:	Not reported
Item Number:	1
Transporter Name:	Clean Harbors Environmental Serv
Billing Name:	Not reported
Transporter EPA ID:	MAD039322250
Date Paid:	Not reported
Time Paid:	Not reported
GEN Cert Date:	3/1/2006
Facility Receipt Date:	Not reported
Fee:	Not reported
Transporter 2 Receipt Date:	Not reported
Manifest Created Date:	Not reported
TSD Receipt Date:	3/2/2006
Transporter 2 ID:	Not reported
Manifest Updated Date:	Not reported
Transporter Receipt Date:	3/2/2006
Number Of Containers:	1
Container Type:	TT
Waste Code1:	MA99
Waste Code2:	Not reported
Waste Code3:	Not reported
Waste Code4:	Not reported
Waste Code5:	Not reported
Waste Code6:	Not reported
Comment:	Not reported
Fee Exempt Code:	Not reported
TSD Name:	Clean Harbors of Braintree
TSD ID:	MAD053452637
Transporter Name 2:	Not reported
Company Permit Number:	Not reported
Year:	Not reported
EPA ID:	MAD060094760
Manifest Docket Number:	MAU190447
Quarter:	Not reported
Waste Description:	NON DOT REGULATED MATERIAL, (WASHWATER) , NONE, NO
Transporter Contact Name:	Not reported
Quantity:	2083
Transporter Contact Email:	Not reported
WT/Vol Units:	G
Filing Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GENERAL ELECTRIC APPARATUS SERVICE SHOP (Continued)

1000212227

Total Fee:	Not reported
Item Number:	1
Transporter Name:	Clean Harbors Environmental Serv
Billing Name:	Not reported
Transporter EPA ID:	MAD039322250
Date Paid:	Not reported
Time Paid:	Not reported
GEN Cert Date:	3/1/2006
Facility Receipt Date:	Not reported
Fee:	Not reported
Transporter 2 Receipt Date:	Not reported
Manifest Created Date:	Not reported
TSD Receipt Date:	3/2/2006
Transporter 2 ID:	Not reported
Manifest Updated Date:	Not reported

287
NNE
1/2-1
0.981 mi.
5179 ft.

ENTRANCE TO WEGMAN'S IN MEADOW GLEN MALL
3850 MYSTIC VALLEY PARKWAY
MEDFORD, MA 02155

MA SHWS
MA RELEASE
MA ASBESTOS
MA HW GEN

S118485769
N/A

Relative:
Lower
Actual:
12 ft.

SHWS:	
Name:	ENTRANCE TO WEGMAN'S IN MEADOW GLEN MALL
Address:	3850 MYSTIC VALLEY PARKWAY
City,State,Zip:	MEDFORD, MA 021550000
Facility ID:	3-0037030
Source Type:	FUEL TANK
Release Town:	MEDFORD
Notification Date:	08/27/2021
Category:	TWO HR
Associated ID:	Not reported
Current Status:	PSNC
Status Date:	07/28/2022
Phase:	Not reported
Response Action Outcome:	PN
Oil Or Haz Material:	Oil

Release:	
Name:	ENTRANCE TO WEGMAN'S IN MEADOW GLEN MALL
Address:	3850 MYSTIC VALLEY PARKWAY
City,State,Zip:	MEDFORD, MA 021550000
Release Tracking Number/Current Status:	3-0037030 / PSNC
Primary ID:	Not reported
Official City:	MEDFORD
Notification:	08/27/2021
Category:	TWO HR
Status Date:	07/28/2022
Phase:	Not reported
Response Action Outcome:	PN - PN
Oil / Haz Material Type:	Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type:	RLFA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ENTRANCE TO WEGMAN'S IN MEADOW GLEN MALL (Continued)

S118485769

Action Status:	FOLOFF
Action Date:	2/18/2022
Response Action Outcome:	PN
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	ALSENT
Action Date:	5/31/2022
Response Action Outcome:	PN
Action Type:	Response Action Outcome - RAO
Action Status:	PSNRCD
Action Date:	7/28/2022
Response Action Outcome:	PN
Action Type:	Immediate Response Action
Action Status:	Completion Statement Received
Action Date:	7/28/2022
Response Action Outcome:	PN
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	7/28/2022
Response Action Outcome:	PN
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	8/27/2021
Response Action Outcome:	PN
Action Type:	Immediate Response Action
Action Status:	Oral Approval of Plan or Action
Action Date:	8/27/2021
Response Action Outcome:	PN
Action Type:	RLFA
Action Status:	FLDRAN
Action Date:	8/27/2021
Response Action Outcome:	PN
Action Type:	RLFA
Action Status:	FOLFLD
Action Date:	8/27/2021
Response Action Outcome:	PN
Action Type:	RLFA
Action Status:	PRPMTG
Action Date:	8/27/2021
Response Action Outcome:	PN
Action Type:	Response Action Outcome - RAO
Action Status:	Fee Received - FMCRA Use Only
Action Date:	8/29/2022
Response Action Outcome:	PN
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	9/29/2021

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ENTRANCE TO WEGMAN'S IN MEADOW GLEN MALL (Continued)

S118485769

Response Action Outcome: PN

Chemicals:

Chemical: DIESEL FUEL
Quantity: 20 gallons
Location Type: ROADWAY
Location Type: STATE
Source: FUEL TANK

ASBESTOS:

Name: MEADOW GLEN MALL
Address: 3850 MYSTIC VALLEY PARKWAY
City,State,Zip: MEDFORD, MA 02155
Notification: 100248388R1
DEP Region: NE
Notifiers Name: ADVANCED BUILDING SYSTEMS INC
Start Date: 08/17/2016
End Date: 09/02/2016
Date Entered: 12/08/2016
Entry Date: 08/12/2016
Quantity Material Removed SF: 2000
Quantity Material Removed LF: Not reported
Project Description: OTHER ROOF
AR Tracking ID: Not reported
Super Lic Number: Not reported
Monitor Lic Number: Not reported
Lab Lic Number: Not reported
Year: 2016
Sticker Number: Not reported
Form Type: Not reported
Fee Status: Not reported
Facility Phone: Not reported
Sub Town: Not reported
Worksite: Not reported
Occupied: Not reported
Contractor: Not reported
Contract Type: Not reported
Hours: Not reported
Project Type: Not reported
Abatement Process: Not reported
Location: Not reported
Decon Process: Not reported
Disposal Methods: Not reported
Facility Usage: Not reported
Waiver Given: Not reported
DEP Waiver Number: Not reported
DLWD Waiver Number: Not reported
Small Owner Occ: Not reported
Owner Name: Not reported
Owner Address: Not reported
Owner City: Not reported
Owner State: Not reported
On Site Manager Name: Not reported
On Site Manager Phone: Not reported
Ins Comp: Not reported
Policy Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ENTRANCE TO WEGMAN'S IN MEADOW GLEN MALL (Continued)

S118485769

EXP Date:	Not reported
Facility Size:	Not reported
Transporter Name:	Not reported
Transporter Address:	Not reported
Transporter City:	Not reported
Transporter State:	Not reported
Final Site:	Not reported
Certified Name:	Not reported
Cert Sign Date:	Not reported
Certified Company:	Not reported
Certified Phone:	Not reported
Entered_by:	Not reported
Name:	BUILDING
Address:	3850 MYSTIC VALLEY PARKWAY
City,State,Zip:	MEDFORD, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	11/26/2019
End Date:	12/15/2019
Date Entered:	Not reported
Entry Date:	11/12/2019
Quantity Material Removed SF:	3800
Quantity Material Removed LF:	Not reported
Project Description:	OTHER CEILING FLOOR TILE
AR Tracking ID:	332874
Super Lic Number:	AS901097
Monitor Lic Number:	AM000091
Lab Lic Number:	Not reported
Year:	2019
Sticker Number:	100319539
Form Type:	ANF-001
Fee Status:	EXEMPT
Facility Phone:	5083174552
Sub Town:	Not reported
Worksite:	BUILDING
Occupied:	-1
Contractor:	AC000733
Contract Type:	WRITTEN
Hours:	7:00-3:30
Project Type:	Renv
Abatement Process:	Fcontain
Location:	INDOORS
Decon Process:	THREE CHAMBERS DEACON AND SHOWER
Disposal Methods:	WET REMOVAL TWO LAYERS SIX MIL POLY ASBESTOS BAGS
Facility Usage:	BUILDING
Waiver Given:	Not reported
DEP Waiver Number:	Not reported
DLWD Waiver Number:	Not reported
Small Owner Occ:	-1
Owner Name:	MEADOW GLENN , LLC
Owner Address:	3850 MYSTIC PARKWAY
Owner City:	MEDFORD
Owner State:	MA
On Site Manager Name:	N/A
On Site Manager Phone:	0000000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ENTRANCE TO WEGMAN'S IN MEADOW GLEN MALL (Continued)

S118485769

Ins Comp: FAMILY DISCOUNT AGENCY
Policy Number: 6ZZUB-9844M53
EXP Date: 6/18/2020
Facility Size: 936
Transporter Name: INFINITY ABATEMENT SERVICES
Transporter Address: 91 FARNHAM ST.
Transporter City: LAWRENCE
Transporter State: MA
Final Site: Not reported
Certified Name: MAURICIO FERREIRA
Cert Sign Date: 11/12/2019
Certified Company: MAURICIO FERREIRA
Certified Phone: 9789948734
Entered_by: SERVICE

Name: MEADOW GLEN MALL
Address: 3850 MYSTIC VALLEY PARKWAY
City,State,Zip: MEDFORD, MA 02155
Notification: 100237927R1
DEP Region: NE
Notifiers Name: ADVANCED BUILDING SYSTEMS INC
Start Date: 03/10/2016
End Date: 04/29/2016
Date Entered: 07/04/2016
Entry Date: 04/07/2016
Quantity Material Removed SF: 14800
Quantity Material Removed LF: 5500
Project Description: OTHER RFV&MCARPMACAULKGDAUB
AR Tracking ID: Not reported
Super Lic Number: Not reported
Monitor Lic Number: Not reported
Lab Lic Number: Not reported
Year: 2016
Sticker Number: Not reported
Form Type: Not reported
Fee Status: Not reported
Facility Phone: Not reported
Sub Town: Not reported
Worksite: Not reported
Occupied: Not reported
Contractor: Not reported
Contract Type: Not reported
Hours: Not reported
Project Type: Not reported
Abatement Process: Not reported
Location: Not reported
Decon Process: Not reported
Disposal Methods: Not reported
Facility Usage: Not reported
Waiver Given: Not reported
DEP Waiver Number: Not reported
DLWD Waiver Number: Not reported
Small Owner Occ: Not reported
Owner Name: Not reported
Owner Address: Not reported
Owner City: Not reported
Owner State: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ENTRANCE TO WEGMAN'S IN MEADOW GLEN MALL (Continued)

S118485769

On Site Manager Name:	Not reported
On Site Manager Phone:	Not reported
Ins Comp:	Not reported
Policy Number:	Not reported
EXP Date:	Not reported
Facility Size:	Not reported
Transporter Name:	Not reported
Transporter Address:	Not reported
Transporter City:	Not reported
Transporter State:	Not reported
Final Site:	Not reported
Certified Name:	Not reported
Cert Sign Date:	Not reported
Certified Company:	Not reported
Certified Phone:	Not reported
Entered_by:	Not reported
Name:	MEADOW GLEN MALL
Address:	3850 MYSTIC VALLEY PARKWAY
City,State,Zip:	MEDFORD, MA 02155
Notification:	100237927R2
DEP Region:	NE
Notifiers Name:	ADVANCED BUILDING SYSTEMS INC
Start Date:	03/10/2016
End Date:	05/20/2016
Date Entered:	28/04/2016
Entry Date:	04/28/2016
Quantity Material Removed SF:	14800
Quantity Material Removed LF:	5500
Project Description:	OTHER RFV&MCARPMACAULKGDAUB
AR Tracking ID:	Not reported
Super Lic Number:	Not reported
Monitor Lic Number:	Not reported
Lab Lic Number:	Not reported
Year:	2016
Sticker Number:	Not reported
Form Type:	Not reported
Fee Status:	Not reported
Facility Phone:	Not reported
Sub Town:	Not reported
Worksite:	Not reported
Occupied:	Not reported
Contractor:	Not reported
Contract Type:	Not reported
Hours:	Not reported
Project Type:	Not reported
Abatement Process:	Not reported
Location:	Not reported
Decon Process:	Not reported
Disposal Methods:	Not reported
Facility Usage:	Not reported
Waiver Given:	Not reported
DEP Waiver Number:	Not reported
DLWD Waiver Number:	Not reported
Small Owner Occ:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ENTRANCE TO WEGMAN'S IN MEADOW GLEN MALL (Continued)

S118485769

Owner City:	Not reported
Owner State:	Not reported
On Site Manager Name:	Not reported
On Site Manager Phone:	Not reported
Ins Comp:	Not reported
Policy Number:	Not reported
EXP Date:	Not reported
Facility Size:	Not reported
Transporter Name:	Not reported
Transporter Address:	Not reported
Transporter City:	Not reported
Transporter State:	Not reported
Final Site:	Not reported
Certified Name:	Not reported
Cert Sign Date:	Not reported
Certified Company:	Not reported
Certified Phone:	Not reported
Entered_by:	Not reported
Name:	MEADOW GLEN MALL
Address:	3850 MYSTIC VALLEY PARKWAY
City,State,Zip:	MEDFORD, MA 02155
Notification:	100237927R3
DEP Region:	NE
Notifiers Name:	ADVANCED BUILDING SYSTEMS INC
Start Date:	03/10/2016
End Date:	06/17/2016
Date Entered:	19/05/2016
Entry Date:	05/19/2016
Quantity Material Removed SF:	14800
Quantity Material Removed LF:	5500
Project Description:	OTHER RFV&MCARPMACAULKGDAUB
AR Tracking ID:	Not reported
Super Lic Number:	Not reported
Monitor Lic Number:	Not reported
Lab Lic Number:	Not reported
Year:	2016
Sticker Number:	Not reported
Form Type:	Not reported
Fee Status:	Not reported
Facility Phone:	Not reported
Sub Town:	Not reported
Worksite:	Not reported
Occupied:	Not reported
Contractor:	Not reported
Contract Type:	Not reported
Hours:	Not reported
Project Type:	Not reported
Abatement Process:	Not reported
Location:	Not reported
Decon Process:	Not reported
Disposal Methods:	Not reported
Facility Usage:	Not reported
Waiver Given:	Not reported
DEP Waiver Number:	Not reported
DLWD Waiver Number:	Not reported
Small Owner Occ:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ENTRANCE TO WEGMAN'S IN MEADOW GLEN MALL (Continued)

S118485769

Owner Name:	Not reported
Owner Address:	Not reported
Owner City:	Not reported
Owner State:	Not reported
On Site Manager Name:	Not reported
On Site Manager Phone:	Not reported
Ins Comp:	Not reported
Policy Number:	Not reported
EXP Date:	Not reported
Facility Size:	Not reported
Transporter Name:	Not reported
Transporter Address:	Not reported
Transporter City:	Not reported
Transporter State:	Not reported
Final Site:	Not reported
Certified Name:	Not reported
Cert Sign Date:	Not reported
Certified Company:	Not reported
Certified Phone:	Not reported
Entered_by:	Not reported
Name:	MEADOW GLEN MALL
Address:	3850 MYSTIC VALLEY PARKWAY
City,State,Zip:	MEDFORD, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	03/10/2016
End Date:	04/08/2016
Date Entered:	Not reported
Entry Date:	02/25/2016
Quantity Material Removed SF:	14800.00
Quantity Material Removed LF:	5500.00
Project Description:	OTHER RFV&MCARPMACAULKGDAUB
AR Tracking ID:	232667
Super Lic Number:	AS030574
Monitor Lic Number:	AA000146
Lab Lic Number:	AA000146
Year:	2016
Sticker Number:	100237927
Form Type:	ANF-001
Fee Status:	HUNDRED
Facility Phone:	7812903497
Sub Town:	Not reported
Worksite:	THROUGHOUT BLDG & EXTERIOR
Occupied:	-1
Contractor:	AC000319
Contract Type:	WRITTEN
Hours:	6AM-6PM
Project Type:	Dem
Abatement Process:	Fcontain, oth:REGULATED AREA
Location:	INOUTDOORS
Decon Process:	THREE CHAMBER DECONTAMINATION CHAMBER WITH SHOWER
Disposal Methods:	ALL MATERIAL WILL BE WETTED THOROUGHLY, DOUBLE BAGGED AND LABELED
Facility Usage:	RETAIL
Waiver Given:	Not reported
DEP Waiver Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ENTRANCE TO WEGMAN'S IN MEADOW GLEN MALL (Continued)

S118485769

DLWD Waiver Number:	Not reported
Small Owner Occ:	0
Owner Name:	MEDFORD ASSOC LTD PTNSPS C/O NE DEVELOPMENT
Owner Address:	75 PARK PLAZA
Owner City:	MEDFORD
Owner State:	MA
On Site Manager Name:	KURT SJOSTEDT
On Site Manager Phone:	6172437884
Ins Comp:	GREAT DIVIDE
Policy Number:	WCA200774210
EXP Date:	8/1/2016
Facility Size:	350000
Transporter Name:	SERVICE TRANSPORT
Transporter Address:	58 PYLES LANE
Transporter City:	NEW CASTLE
Transporter State:	DE
Final Site:	Not reported
Certified Name:	WILLIAM SHEA
Cert Sign Date:	02/25/2016
Certified Company:	ABS,INC.
Certified Phone:	6038930380
Entered_by:	ABS,INC.
Name:	MEADOW GLEN MALL
Address:	3850 MYSTIC VALLEY PARKWAY
City,State,Zip:	MEDFORD, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	08/15/2016
End Date:	09/02/2016
Date Entered:	Not reported
Entry Date:	08/02/2016
Quantity Material Removed SF:	2000.00
Quantity Material Removed LF:	Not reported
Project Description:	OTHER ROOF
AR Tracking ID:	245200
Super Lic Number:	AS030574
Monitor Lic Number:	AA000146
Lab Lic Number:	AA000146
Year:	2016
Sticker Number:	100248388
Form Type:	ANF-001
Fee Status:	HUNDRED
Facility Phone:	7812903497
Sub Town:	Not reported
Worksite:	ROOF
Occupied:	-1
Contractor:	AC000319
Contract Type:	WRITTEN
Hours:	6AM - 6PM
Project Type:	Dem
Abatement Process:	oth:REGULATED AREA
Location:	OUTDOORS
Decon Process:	THREE CHAMBER DECONTAMINATION CHAMBER WITH SHOWER
Disposal Methods:	ALL MATERIALS WILL BE THOROUGHLY WETTED, DOUBLE BAGGED, AND LABELED
Facility Usage:	RETAIL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ENTRANCE TO WEGMAN'S IN MEADOW GLEN MALL (Continued)

S118485769

Waiver Given: Not reported
DEP Waiver Number: Not reported
DLWD Waiver Number: Not reported
Small Owner Occ: 0
Owner Name: MEDFORD ASSOC LTD PTNSPS C/O NE DEVELOPMENT
Owner Address: 75 PARK PLAZA
Owner City: MEDFORD
Owner State: MA
On Site Manager Name: KURT SJOSTEDT
On Site Manager Phone: 6172437884
Ins Comp: GREAT DIVIDE
Policy Number: WCA200774214
EXP Date: 8/1/2017
Facility Size: 350000
Transporter Name: ADVANCED BUILDING SYSTEMS, INC.
Transporter Address: PO BOX 9
Transporter City: SALEM
Transporter State: NH
Final Site: Not reported
Certified Name: WILLIAM SHEA
Cert Sign Date: 08/02/2016
Certified Company: ABS, INC.
Certified Phone: 6038930380
Entered_by: ABS,INC.

HW GEN:

Name: DICKS SPORTING GOODS 1308
Address: 3850 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA 02155
EPA Id: MAR000612051
RCRA Generator Status: VSQG
State Generator Status: VQG-MA

Name: KOHLS DEPARTMENT STORE 531
Address: 3850 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA 02155
EPA Id: MV7813956001
RCRA Generator Status: VSQG
State Generator Status: Not reported

Name: WEGMANS FOOD MARKET #134
Address: 3850 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA 02155
EPA Id: MAR000536664
RCRA Generator Status: SQG
State Generator Status: VQG-MA

Name: MARSHALLS M0061
Address: 3850 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA 02155
EPA Id: MAR000543637
RCRA Generator Status: VSQG
State Generator Status: Not reported

Name: PETCO STORE 3791
Address: 3850 MYSTIC VALLEY PKWY
City,State,Zip: MEDFORD, MA 02155

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ENTRANCE TO WEGMAN'S IN MEADOW GLEN MALL (Continued)

S118485769

EPA Id: MAR000522813
RCRA Generator Status: VSQG
State Generator Status: Not reported

288
SE
1/2-1
0.981 mi.
5181 ft.

NO LOCATION AID
24-30 JOY STREET
SOMERVILLE, MA 02143

MA SHWS **S127973381**
MA RELEASE **N/A**

Relative:
Lower
Actual:
10 ft.

SHWS:
Name: NO LOCATION AID
Address: 24-30 JOY STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0036974
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 08/02/2021
Category: 120 DY
Associated ID: Not reported
Current Status: TIERII
Status Date: 08/08/2022
Phase: PHASE II
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Release:
Name: NO LOCATION AID
Address: 24-30 JOY STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0036974 / TIERII
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 08/02/2021
Category: 120 DY
Status Date: 08/08/2022
Phase: PHASE II
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSENT
Action Date: 6/1/2022
Response Action Outcome: Not reported

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 8/2/2021
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 8/2/2021
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S127973381

Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	8/2/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Legal Notice Published
Action Date:	8/24/2022
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	8/27/2021
Response Action Outcome:	Not reported
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	8/8/2022
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	EPETOP
Action Date:	8/8/2022
Response Action Outcome:	Not reported
Action Type:	Phase 2
Action Status:	Scope of Work Received
Action Date:	8/8/2022
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	8/8/2022
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	8/8/2022
Response Action Outcome:	Not reported

Chemicals:	
Chemical:	PHENANTHRENE
Quantity:	28.2 milligrams per kilogram
Chemical:	ACENAPHTHENE
Quantity:	4.59 milligrams per kilogram
Chemical:	BENZ[A]ANTHRACENE
Quantity:	8.39 milligrams per kilogram
Chemical:	ARSENIC
Quantity:	117 milligrams per kilogram
Chemical:	DIBENZO[A,H]ANTHRACENE
Quantity:	1.43 milligrams per kilogram
Chemical:	CHROMIUM
Quantity:	179 milligrams per kilogram
Chemical:	2-METHYLNAPHTHALENE
Quantity:	0.92 milligrams per kilogram
Chemical:	BENZO[B]FLUORANTHENE
Quantity:	8.51 milligrams per kilogram

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S127973381

Chemical: BARIUM
Quantity: 1010 milligrams per kilogram
Chemical: ACENAPHTHYLENE
Quantity: 1.4 milligrams per kilogram
Chemical: BENZO[A]PYRENE
Quantity: 7.78 milligrams per kilogram
Source: UNKNOWN

BB289 **MAP 82, BLOCK I, LOTS 3,4,5,6, AND 7**
SSE **27 BENNETT STREET**
1/2-1 **SOMERVILLE, MA 02143**
0.982 mi.
5187 ft. **Site 2 of 4 in cluster BB**

MA SHWS **S112195262**
MA RELEASE **N/A**
MA ASBESTOS

Relative:
Lower
Actual:
11 ft.

SHWS:
Name: NO LOCATION AID
Address: 27 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031024
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 08/08/2012
Category: TWO HR
Associated ID: Not reported
Current Status: RAONR
Status Date: 01/15/2021
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Not reported

Name: NO LOCATION AID
Address: 27 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0031024
Source Type: HISTORIC
Release Town: SOMERVILLE
Notification Date: 08/08/2012
Category: TWO HR
Associated ID: Not reported
Current Status: RAONR
Status Date: 01/15/2021
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Not reported

Name: MAP 82, BLOCK I, LOTS 3,4,5,6, AND 7
Address: 27 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0032129
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 04/23/2014
Category: 120 DY
Associated ID: Not reported
Current Status: RAONR
Status Date: 01/15/2021
Phase: Not reported
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAP 82, BLOCK I, LOTS 3,4,5,6, AND 7 (Continued)

S112195262

Oil Or Haz Material: Oil and Hazardous Material

Release:

Name: NO LOCATION AID
Address: 27 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0031024 / RAONR
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 08/08/2012
Category: TWO HR
Status Date: 01/15/2021
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Not reported

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: RTN Linked to TCLASS Via Tier Classification Submittal
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: EPETOP
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: RAO Not Required
Action Status: Linked to a Tier Classified Site
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Legal Notice Published
Action Date: 1/29/2021
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Completion Statement Received
Action Date: 1/6/2021
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Imminent Hazard Evaluation Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAP 82, BLOCK I, LOTS 3,4,5,6, AND 7 (Continued)

S112195262

Action Date: 1/6/2021
Response Action Outcome: Not reported

Action Type: RLFA
Action Status: FOLOFF
Action Date: 10/16/2015
Response Action Outcome: Not reported

Action Type: Compliance and Enforcement Action
Action Status: NOFENF
Action Date: 3/25/2014
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Level I - Technical Screen Audit
Action Date: 6/14/2021
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSENT
Action Date: 6/7/2013
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 8/8/2012
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 8/8/2012
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: IRA Assessment Only
Action Date: 8/8/2012
Response Action Outcome: Not reported

Chemicals:
Chemical: POLYCHLORINATED BIPHENYLS
Quantity: 196 milligrams per kilogram
Location Type: COMMERCIAL
Location Type: PRIVPROP
Source: HISTORIC
Source: UNKNOWN

Name: MAP 82, BLOCK I, LOTS 3,4,5,6, AND 7
Address: 27 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0032129 / RAONR
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 04/23/2014
Category: 120 DY
Status Date: 01/15/2021
Phase: Not reported
Response Action Outcome: -

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAP 82, BLOCK I, LOTS 3,4,5,6, AND 7 (Continued)

S112195262

Oil / Haz Material Type: Oil and Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: RAO Not Required
Action Status: Linked to a Tier Classified Site
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: EPETOP
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: RTN Linked to TCLASS Via Tier Classification Submittal
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Legal Notice Published
Action Date: 1/29/2021
Response Action Outcome: Not reported

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 4/23/2014
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 4/23/2014
Response Action Outcome: Not reported

Action Type: RNFE
Action Status: Transmittal, Notice, or Notification Received
Action Date: 4/23/2014
Response Action Outcome: Not reported

Chemicals:

Chemical: LEAD
Quantity: 148 micrograms per liter
Chemical: CADMIUM
Quantity: 2.9 milligrams per kilogram
Chemical: BENZO[A]PYRENE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAP 82, BLOCK I, LOTS 3,4,5,6, AND 7 (Continued)

S112195262

Quantity:	21 milligrams per kilogram
Chemical:	BENZO[B]FLUORANTHENE
Quantity:	15 milligrams per kilogram
Chemical:	ARSENIC
Quantity:	25.2 milligrams per kilogram
Chemical:	CHROMIUM
Quantity:	63.3 milligrams per kilogram
Chemical:	LEAD
Quantity:	5140 milligrams per kilogram
Chemical:	BENZO[A]ANTHRACENE
Quantity:	24.5 milligrams per kilogram
Chemical:	DIBENZO[A,H]ANTHRACENE
Quantity:	2.92 milligrams per kilogram
Chemical:	INDENO(1,2,3-CD)PYRENE
Quantity:	9.63 milligrams per kilogram
Chemical:	C9 THRU C10 AROMATIC HYDROCARBONS
Quantity:	114 milligrams per kilogram
Chemical:	NICKEL
Quantity:	83.9 milligrams per kilogram
Source:	UNKNOWN

ASBESTOS:

Name:	27 BENNETT STREET
Address:	27 BENNETT STREET
City,State,Zip:	SOMERVILLE, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	10/03/2014
End Date:	10/03/2014
Date Entered:	Not reported
Entry Date:	09/18/2014
Quantity Material Removed SF:	300.00
Quantity Material Removed LF:	.00
Project Description:	Trns
AR Tracking ID:	198203
Super Lic Number:	AS002101
Monitor Lic Number:	AM033696
Lab Lic Number:	AA000197
Year:	2014
Sticker Number:	100207705
Form Type:	ANF-001
Fee Status:	EXEMPT
Facility Phone:	6176250722
Sub Town:	Not reported
Worksite:	27 BENNETT STREET
Occupied:	0
Contractor:	AC000497
Contract Type:	WRITTEN
Hours:	7-5
Project Type:	Dem
Abatement Process:	Fcontain
Location:	INDOORS
Decon Process:	3 STAGE DECON CHAMBER
Disposal Methods:	DOUBLE BAG WET TRANSPORT IN ENCLOSED CONTAINER
Facility Usage:	STORAGE BLDG
Waiver Given:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAP 82, BLOCK I, LOTS 3,4,5,6, AND 7 (Continued)

S112195262

DEP Waiver Number: Not reported
DLWD Waiver Number: Not reported
Small Owner Occ: 0
Owner Name: CITY OF SOMERVILLE
Owner Address: 93 HIGHLAND AVE.
Owner City: SOMERVILLE
Owner State: MA
On Site Manager Name: ED O'DONNELL
On Site Manager Phone: 6176250722
Ins Comp: WILLIAM GALLAGHER ASSOCIATES
Policy Number: NWCC47137433
EXP Date: 9/30/2014
Facility Size: 1092
Transporter Name: SERVICE TRANSPORT GROUP
Transporter Address: 58 PYLES LANE
Transporter City: NEW, CASTLE
Transporter State: DE
Final Site: Not reported
Certified Name: STEVEN PLOOF
Cert Sign Date: 09/18/2014
Certified Company: S&R CORPORATION
Certified Phone: 9784412000
Entered_by: SANDRCORP

BB290
SSE
1/2-1
0.983 mi.
5191 ft.
NO LOCATION AID
26 BENNETT STREET
SOMERVILLE, MA 02143
Site 3 of 4 in cluster BB

MA SHWS
MA INST CONTROL
MA RELEASE
MA ASBESTOS
MA ENF
S110526252
N/A

Relative:
Lower

SHWS:
Name: NO LOCATION AID
Address: 26 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0029452
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 08/30/2010
Category: 120 DY
Associated ID: Not reported
Current Status: RAO
Status Date: 10/13/2011
Phase: PHASE II
Response Action Outcome: A3
Oil Or Haz Material: Hazardous Material

Actual:
11 ft.

INST CONTROL:

Name: NO LOCATION AID
Address: 26 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number: 3-0029452
Action Type: AUL
Action Stat: DEDNOT
Action Date: 01/29/2021
Response Action Outcome: A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S110526252

Name: NO LOCATION AID
Address: 26 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number: 3-0029452
Action Type: AUL
Action Stat: RECPT
Action Date: 10/13/2011
Response Action Outcome: A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Release:

Name: NO LOCATION AID
Address: 26 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0029452 / RAO
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 08/30/2010
Category: 120 DY
Status Date: 10/13/2011
Phase: PHASE II
Response Action Outcome: A3 - A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Release Abatement Measure
Action Status: Written Plan Received
Action Date: 1/15/2021
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Abatement Measure
Action Status: RMRWPR
Action Date: 1/15/2021
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Activity and Use Limitation
Action Status: DEDNOT
Action Date: 1/29/2021
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 10/13/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S110526252

been implemented.

Action Type: Activity and Use Limitation
Action Status: Transmittal, Notice, or Notification Received
Action Date: 10/13/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 10/13/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: Fee Received - FMCRA Use Only
Action Date: 10/17/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Response Action Outcome - RAO
Action Status: Level I - Technical Screen Audit
Action Date: 10/31/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 11/18/2022
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Abatement Measure
Action Status: RMRINI
Action Date: 11/19/2021
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 11/19/2021
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Abatement Measure
Action Status: RMRWPR
Action Date: 4/8/2021
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S110526252

Action Type: Release Abatement Measure
Action Status: Modified Revised or Updated Plan Received
Action Date: 4/8/2021
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 5/13/2022
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Abatement Measure
Action Status: RMRFIN
Action Date: 5/13/2022
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 5/14/2021
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSENT
Action Date: 6/7/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 8/30/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 8/30/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: Compliance and Enforcement Action
Action Status: Notice of Non-Compliance Issued
Action Date: 9/19/2011
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S110526252

Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 9/22/2010
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background and an Activity and use Limitation (AUL) has been implemented.

Chemicals:
Chemical: CADMIUM
Quantity: 29 milligrams per kilogram
Chemical: LEAD
Quantity: 0.099 milligrams per liter
Chemical: NICKEL
Quantity: 43 milligrams per kilogram
Chemical: TOTAL CHROMIUM
Quantity: 97 milligrams per kilogram
Chemical: LEAD
Quantity: 1500 milligrams per kilogram
Chemical: ZINC
Quantity: 4300 milligrams per kilogram
Location Type: UNKNOWN
Source: UNKNOWN

ASBESTOS:

Name: 26 BENNETT STREET
Address: 26 BENNETT STREET
City,State,Zip: SOMERVILLE, MA
Notification: Not reported
DEP Region: Not reported
Notifiers Name: Not reported
Start Date: 10/06/2014
End Date: 10/31/2014
Date Entered: Not reported
Entry Date: 09/18/2014
Quantity Material Removed SF: 11202.00
Quantity Material Removed LF: 1000.00
Project Description: Trns
AR Tracking ID: 198211
Super Lic Number: AS002101
Monitor Lic Number: AM033696
Lab Lic Number: AA000197
Year: 2014
Sticker Number: 100207721
Form Type: ANF-001
Fee Status: EXEMPT
Facility Phone: 6176250722
Sub Town: Not reported
Worksite: WORK SHOP ASSOCIATED BUILDINGS
Occupied: 0
Contractor: AC000497
Contract Type: WRITTEN
Hours: 7-5
Project Type: Dem
Abatement Process: oth:BULK LOAD ROOFING
Location: INOUTDOORS
Decon Process: ROOFING - REMOTE 3 STAGE REMOTE DECON CHAMBER GLAZING - 3 STAGE REMOTE DECON CHAMBER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S110526252

Disposal Methods:	ROOFING - BULK LOAD WET W/ LAYERS OF 10 MIL POLY BLADDER BAGS GLAZING - DOUBLE BAG WET TRANSPORT IN ENCLOSED CONTAINER
Facility Usage:	WORK SHOP
Waiver Given:	Not reported
DEP Waiver Number:	Not reported
DLWD Waiver Number:	Not reported
Small Owner Occ:	0
Owner Name:	CITY OF BOSTON PUBLIC FACILITIES DEPT.
Owner Address:	93 HIGHLAND AVE.
Owner City:	SOMERVILLE
Owner State:	MA
On Site Manager Name:	ED O'DONNELL
On Site Manager Phone:	6176250722
Ins Comp:	WILLIAM GALLAGHER ASSOCIATES
Policy Number:	NWCC47137433
EXP Date:	9/30/2014
Facility Size:	9452
Transporter Name:	SERVICE TRANSPORT GROUP
Transporter Address:	58 PYLES LANE
Transporter City:	NEW, CASTLE
Transporter State:	DE
Final Site:	Not reported
Certified Name:	STEVEN PLOOF
Cert Sign Date:	09/18/2014
Certified Company:	S&R CORPORATION
Certified Phone:	9784412000
Entered_by:	SANDRCORP

ENFORCEMENT:

Name:	M & S BENNETT SERVICES, CORP.
Address:	26 BENNETT STREET
City,State,Zip:	SOMERVILLE, MA 021430000
Region:	NERO
DEP Region:	NERO
DEP Program:	3c
DEP Bureau:	BWSC
Program:	BWSC
Program Id:	3-0029452
High Or Low Level Enforcement:	LLE
FMF #:	0
Town Where Violation Occurred:	Not reported
Date Executed:	09/19/2011
ENF #:	NON-NE-11-3C015
Document Type:	NON
AG Ref (Y/N):	Not reported
Doc Archived (Y/N):	Not reported
EJ Community (Y/N):	YES
Regional Comment:	Not reported
Final Payment Due Date:	Not reported
ACOP \$:	Not reported
PAN \$:	Not reported
EMS (Y/N):	Not reported
EMS\$:	Not reported
SEP (Y/N):	Not reported
SEP \$:	Not reported
Demand \$:	Not reported
Suspended \$:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S110526252

Ownership: Commercially Owned

291
SSE
1/2-1
0.985 mi.
5199 ft.

**PROPERTIES ABUTTING KILEY BARREL SITE
9 11 13 17 ALLEN ST
SOMERVILLE, MA**

**MA SHWS
MA RELEASE**

**S112288304
N/A**

**Relative:
Lower
Actual:
9 ft.**

SHWS:

Name: PROPERTIES ABUTTING KILEY BARREL SITE
Address: 9 11 13 17 ALLEN ST
City,State,Zip: SOMERVILLE, MA
Facility ID: 3-0028512
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 05/18/2009
Category: TWO HR
Associated ID: Not reported
Current Status: TIERII
Status Date: 05/26/2010
Phase: PHASE II
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Name: PROPERTIES ABUTTING KILEY BARREL SITE
Address: 9 11 13 17 ALLEN ST
City,State,Zip: SOMERVILLE, MA
Facility ID: 3-0028512
Source Type: HISTORICL
Release Town: SOMERVILLE
Notification Date: 05/18/2009
Category: TWO HR
Associated ID: Not reported
Current Status: TIERII
Status Date: 05/26/2010
Phase: PHASE II
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Release:

Name: PROPERTIES ABUTTING KILEY BARREL SITE
Address: 9 11 13 17 ALLEN ST
City,State,Zip: SOMERVILLE, MA
Release Tracking Number/Current Status: 3-0028512 / TIERII
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 05/18/2009
Category: TWO HR
Status Date: 05/26/2010
Phase: PHASE II
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

Click here to access the MA DEP site for this facility:

Actions:

Action Type: BOL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PROPERTIES ABUTTING KILEY BARREL SITE (Continued)

S112288304

Action Status: Transmittal, Notice, or Notification Received
Action Date: 11/20/2014
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Legal Notice Published
Action Date: 11/9/2010
Response Action Outcome: Not reported

Action Type: RLFA
Action Status: FOLOFF
Action Date: 12/11/2012
Response Action Outcome: Not reported

Action Type: RLFA
Action Status: FOLOFF
Action Date: 12/17/2010
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 12/19/2012
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Completion Statement Received
Action Date: 3/11/2015
Response Action Outcome: Not reported

Action Type: RLFA
Action Status: FOLOFF
Action Date: 3/12/2014
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSENT
Action Date: 3/14/2010
Response Action Outcome: Not reported

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: ALSENT
Action Date: 3/15/2010
Response Action Outcome: Not reported

Action Type: Immediate Response Action
Action Status: Status or Interim Report Received
Action Date: 3/18/2010
Response Action Outcome: Not reported

Action Type: BOL
Action Status: SHPFAC
Action Date: 3/9/2015
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 5/18/2009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PROPERTIES ABUTTING KILEY BARREL SITE (Continued)

S112288304

Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	IRA Assessment Only
Action Date:	5/18/2009
Response Action Outcome:	Not reported
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	5/26/2010
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	5/26/2010
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	5/26/2010
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Legal Notice Published
Action Date:	5/27/2010
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	6/30/2009
Response Action Outcome:	Not reported
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	7/20/2009
Response Action Outcome:	Not reported
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	7/20/2009
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Written Plan Received
Action Date:	7/22/2009
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Written Plan Received
Action Date:	9/17/2014
Response Action Outcome:	Not reported
Action Type:	Immediate Response Action
Action Status:	Status or Interim Report Received
Action Date:	9/18/2009
Response Action Outcome:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PROPERTIES ABUTTING KILEY BARREL SITE (Continued)

S112288304

Chemicals:
Chemical: ARSENIC
Quantity: 140 milligrams per kilogram
Location Type: OPENSOURCE
Location Type: RESIDENTIAL
Location Type: COMMERCIAL
Source: HISTORICAL
Source: UNKNOWN

292
East
1/2-1
0.985 mi.
5203 ft.

DRAW SEVEN PARK
FOLEY STREET EXT
SOMERVILLE, MA 02143

MA SHWS
MA RELEASE

S100830666
N/A

Relative:
Lower
Actual:
13 ft.

SHWS:
Name: DRAW SEVEN PARK
Address: FOLEY STREET EXT
City,State,Zip: SOMERVILLE, MA 02143
Facility ID: 3-0003908
Source Type: PIPE
Release Town: SOMERVILLE
Notification Date: 04/15/1992
Category: NONE
Associated ID: Not reported
Current Status: DPS
Status Date: 06/08/1998
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Not reported

Name: DRAW SEVEN PARK
Address: FOLEY STREET EXT
City,State,Zip: SOMERVILLE, MA 02143
Facility ID: 3-0003908
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 04/15/1992
Category: NONE
Associated ID: Not reported
Current Status: DPS
Status Date: 06/08/1998
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Not reported

Name: DRAW SEVEN PARK
Address: FOLEY STREET EXT
City,State,Zip: SOMERVILLE, MA 02143
Facility ID: 3-0003908
Source Type: LINE
Release Town: SOMERVILLE
Notification Date: 04/15/1992
Category: NONE
Associated ID: Not reported
Current Status: DPS
Status Date: 06/08/1998

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DRAW SEVEN PARK (Continued)

S100830666

Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Not reported

Release:
Name: DRAW SEVEN PARK
Address: FOLEY STREET EXT
City,State,Zip: SOMERVILLE, MA 02143
Release Tracking Number/Current Status: 3-0003908 / DPS
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 04/15/1992
Category: NONE
Status Date: 06/08/1998
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Not reported

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 1/27/2022
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 10/14/2021
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Modified Revised or Updated Plan Received
Action Date: 10/14/2021
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Level I - Technical Screen Audit
Action Date: 10/28/2021
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 3/1/2022
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Valid Transition Site
Action Date: 4/15/1992
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Written Plan Received
Action Date: 6/14/2021
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DRAW SEVEN PARK (Continued)

S100830666

Action Type:	TREGS
Action Status:	LSPFA
Action Date:	6/26/1997
Response Action Outcome:	Not reported
Action Type:	Downgradient Property Status
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	6/8/1998
Response Action Outcome:	Not reported
Action Type:	BOL
Action Status:	SHPFAC
Action Date:	7/21/2022
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	7/22/2022
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Level I - Technical Screen Audit
Action Date:	7/6/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	7/9/1997
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	7/9/1997
Response Action Outcome:	Not reported
Chemicals:	
Chemical:	UNKNOWN
Quantity:	Not reported
Location Type:	PARK
Location Type:	MUNICIPAL
Source:	UNKNOWN
Source:	LINE
Source:	PIPE

BC293
North
1/2-1
0.987 mi.
5210 ft.

ALEXANDER AVE AT MYSTIC AVENUE
ALEXANDER AVENUE AT MYSTIC AVE
MEDFORD, MA
Site 1 of 2 in cluster BC

MA SHWS **S111277349**
MA RELEASE **N/A**

Relative:
Lower
Actual:
18 ft.

SHWS:
Name: ALEXANDER AVE AT MYSTIC AVENUE
Address: ALEXANDER AVENUE AT MYSTIC AVE
City,State,Zip: MEDFORD, MA
Facility ID: 3-0030315
Source Type: UNKNOWN
Release Town: MEDFORD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALEXANDER AVE AT MYSTIC AVENUE (Continued)

S111277349

Notification Date: 09/22/2011
Category: 120 DY
Associated ID: Not reported
Current Status: URAM
Status Date: 09/29/2011
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Release:

Name: ALEXANDER AVE AT MYSTIC AVENUE
Address: ALEXANDER AVENUE AT MYSTIC AVE
City,State,Zip: MEDFORD, MA
Release Tracking Number/Current Status: 3-0030315 / URAM
Primary ID: Not reported
Official City: MEDFORD
Notification: 09/22/2011
Category: 120 DY
Status Date: 09/29/2011
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Utility-related Abatement Measure
Action Status: Status or Interim Report Received
Action Date: 1/24/2012
Response Action Outcome: Not reported

Action Type: BOL
Action Status: Transmittal, Notice, or Notification Received
Action Date: 4/10/2012
Response Action Outcome: Not reported

Action Type: Utility-related Abatement Measure
Action Status: Completion Statement Received
Action Date: 6/26/2012
Response Action Outcome: Not reported

Action Type: BOL
Action Status: NOTSHP
Action Date: 6/26/2012
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 9/22/2011
Response Action Outcome: Not reported

Action Type: Utility-related Abatement Measure
Action Status: Notice of Intent to Conduct a URAM
Action Date: 9/22/2011
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALEXANDER AVE AT MYSTIC AVENUE (Continued)

S111277349

Action Type: Utility-related Abatement Measure
Action Status: Notification of URAM Received
Action Date: 9/29/2011
Response Action Outcome: Not reported

Chemicals:
Chemical: LEAD
Quantity: 1100 milligrams per kilogram
Location Type: UTILEASE
Location Type: ROADWAY
Location Type: MUNICIPAL
Location Type: RIGHTOFWAY
Source: UNKNOWN

BC294
North
1/2-1
0.987 mi.
5211 ft.

BOSTON EDISON
MYSTIC AVE ALEXANDER AVE
MEDFORD, MA 02153

MA SHWS S105199820
MA RELEASE N/A

Site 2 of 2 in cluster BC

Relative:
Lower

SHWS:
Name: BOSTON EDISON
Address: MYSTIC AVE ALEXANDER AVE
City,State,Zip: MEDFORD, MA 02153
Facility ID: 3-0004529
Source Type: CABLE
Release Town: MEDFORD
Notification Date: 07/15/1993
Category: NONE
Associated ID: Not reported
Current Status: RAO
Status Date: 07/30/1999
Phase: Not reported
Response Action Outcome: A2
Oil Or Haz Material: Oil

Actual:
18 ft.

Release:
Name: BOSTON EDISON
Address: MYSTIC AVE ALEXANDER AVE
City,State,Zip: MEDFORD, MA 02153
Release Tracking Number/Current Status: 3-0004529 / RAO
Primary ID: Not reported
Official City: MEDFORD
Notification: 07/15/1993
Category: NONE
Status Date: 07/30/1999
Phase: Not reported
Response Action Outcome: A2 - A permanent solution has been achieved. Contamination has not been reduced to background.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type: Phase 2
Action Status: Scope of Work Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOSTON EDISON (Continued)

S105199820

Action Date: 4/15/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Release Disposition
Action Status: Valid Transition Site
Action Date: 7/15/1993
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Phase 2
Action Status: Completion Statement Received
Action Date: 7/30/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 7/30/1999
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 8/1/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 8/1/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: TREGS
Action Status: LSPFA
Action Date: 8/1/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Action Type: Phase 1
Action Status: Completion Statement Received
Action Date: 8/1/1997
Response Action Outcome: A permanent solution has been achieved. Contamination has not been reduced to background.

Chemicals:
Chemical: PETROLEUM
Quantity: Not reported
Source: CABLE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

BB295 **MAP 82, BLOCK D, LOTS 23, 25, 29, AND 30**
SSE **40 BENNETT STREET**
1/2-1 **SOMERVILLE, MA 02143**
0.989 mi.
5223 ft. **Site 4 of 4 in cluster BB**

MA SHWS **S111989466**
MA RELEASE **N/A**
MA ASBESTOS
MA ENF

Relative:
Lower

SHWS:

Actual:
11 ft.

Name: MAP 82, BLOCK D, LOTS 23, 25, 29, AND 30
Address: 40 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0032131
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 04/23/2014
Category: 120 DY
Associated ID: Not reported
Current Status: RAONR
Status Date: 01/15/2021
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Oil and Hazardous Material

Name: COMMERCIAL PROPERTY
Address: 40 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Facility ID: 3-0030848
Source Type: UNKNOWN
Release Town: SOMERVILLE
Notification Date: 05/25/2012
Category: 120 DY
Associated ID: Not reported
Current Status: RAONR
Status Date: 06/03/2021
Phase: PHASE II
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Release:

Name: COMMERCIAL PROPERTY
Address: 40 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0030848 / RAONR
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 05/25/2012
Category: 120 DY
Status Date: 06/03/2021
Phase: PHASE II
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

Click here to access the MA DEP site for this facility:

Actions:

Action Type: RLFA
Action Status: FOLOFF
Action Date: 10/16/2015
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAP 82, BLOCK D, LOTS 23, 25, 29, AND 30 (Continued)

S111989466

Action Type:	Compliance and Enforcement Action
Action Status:	NOFENF
Action Date:	3/25/2014
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	ALSENT
Action Date:	3/8/2013
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	5/25/2012
Response Action Outcome:	Not reported
Action Type:	A Notice sent to a Potentially Responsible Party (PRP)
Action Status:	A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date:	5/25/2012
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	5/31/2013
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	5/31/2013
Response Action Outcome:	Not reported
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	5/31/2013
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Legal Notice Published
Action Date:	6/18/2021
Response Action Outcome:	Not reported
Action Type:	RAO Not Required
Action Status:	Linked to a Tier Classified Site
Action Date:	6/3/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	RTN Linked to TCLASS Via Tier Classification Submittal
Action Date:	6/3/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	6/3/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Transmittal, Notice, or Notification Received

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAP 82, BLOCK D, LOTS 23, 25, 29, AND 30 (Continued)

S111989466

Action Date:	6/3/2021
Response Action Outcome:	Not reported
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	6/3/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	EPETOP
Action Date:	6/7/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Tier 2 Classification
Action Date:	6/7/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Revised Statement or Transmittal Received
Action Date:	6/7/2021
Response Action Outcome:	Not reported
Action Type:	Phase 1
Action Status:	Completion Statement Received
Action Date:	6/7/2021
Response Action Outcome:	Not reported
Action Type:	Tier Classification
Action Status:	Legal Notice Published
Action Date:	7/1/2013
Response Action Outcome:	Not reported
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	7/9/2012
Response Action Outcome:	Not reported
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	7/9/2012
Response Action Outcome:	Not reported

Chemicals:

Chemical:	1,1,2,2-TETRACHLOROETHANE
Quantity:	0.55 milligrams per kilogram
Chemical:	BENZO[A]PYRENE
Quantity:	2.39 milligrams per kilogram
Chemical:	NICKEL
Quantity:	29 milligrams per kilogram
Chemical:	LEAD
Quantity:	29 micrograms per liter
Chemical:	METHYL TERT-BUTYL ETHER
Quantity:	0.14 milligrams per kilogram
Chemical:	LEAD
Quantity:	2000 milligrams per kilogram
Chemical:	MERCURY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAP 82, BLOCK D, LOTS 23, 25, 29, AND 30 (Continued)

S111989466

Quantity: 29 milligrams per kilogram
Location Type: PRIVPROP
Location Type: COMMERCIAL
Source: UNKNOWN

Name: MAP 82, BLOCK D, LOTS 23, 25, 29, AND 30
Address: 40 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Release Tracking Number/Current Status: 3-0032131 / RAONR
Primary ID: Not reported
Official City: SOMERVILLE
Notification: 04/23/2014
Category: 120 DY
Status Date: 01/15/2021
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Oil and Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Tier Classification
Action Status: RTN Linked to TCLASS Via Tier Classification Submittal
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: EPETOP
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: RAO Not Required
Action Status: Linked to a Tier Classified Site
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Tier 2 Classification
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: Tier Classification
Action Status: Transmittal, Notice, or Notification Received
Action Date: 1/15/2021
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Fee Received - FMCRA Use Only
Action Date: 1/20/2015
Response Action Outcome: Not reported

Action Type: Release Abatement Measure
Action Status: Level I - Technical Screen Audit
Action Date: 1/9/2015
Response Action Outcome: Not reported

Action Type: Release Abatement Measure

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAP 82, BLOCK D, LOTS 23, 25, 29, AND 30 (Continued)

S111989466

Action Status:	Written Plan Received
Action Date:	1/9/2015
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Completion Statement Received
Action Date:	10/24/2016
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	12/22/2015
Response Action Outcome:	Not reported
Action Type:	Release Disposition
Action Status:	Reportable Release under MGL 21E
Action Date:	4/23/2014
Response Action Outcome:	Not reported
Action Type:	RNF
Action Status:	Reportable Release under MGL 21E
Action Date:	4/23/2014
Response Action Outcome:	Not reported
Action Type:	RNFE
Action Status:	Transmittal, Notice, or Notification Received
Action Date:	4/23/2014
Response Action Outcome:	Not reported
Action Type:	Release Abatement Measure
Action Status:	Status or Interim Report Received
Action Date:	5/14/2015
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	DEPRET
Action Date:	8/19/2015
Response Action Outcome:	Not reported
Action Type:	Compliance and Enforcement Action
Action Status:	Notice of Non-Compliance Issued
Action Date:	8/3/2015
Response Action Outcome:	Not reported

Chemicals:	
Chemical:	MERCURY
Quantity:	771 milligrams per kilogram
Chemical:	ZINC
Quantity:	2880 milligrams per kilogram
Chemical:	PCB
Quantity:	15.82 milligrams per kilogram
Chemical:	DIBENZ[A,H]ANTHRACENE
Quantity:	1.29 milligrams per kilogram
Chemical:	ARSENIC
Quantity:	44.8 milligrams per kilogram
Chemical:	CADMIUM
Quantity:	21.8 milligrams per kilogram

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAP 82, BLOCK D, LOTS 23, 25, 29, AND 30 (Continued)

S111989466

Chemical:	LEAD
Quantity:	30800 milligrams per kilogram
Chemical:	CHROMIUM
Quantity:	68.8 milligrams per kilogram
Chemical:	BENZO[A]PYRENE
Quantity:	6.25 milligrams per kilogram
Chemical:	C19 THRU C36 ALIPHATIC HYDROCARBONS
Quantity:	3700 milligrams per kilogram
Chemical:	C11 THRU C22 AROMATIC HYDROCARBONS
Quantity:	1660 milligrams per kilogram
Chemical:	NICKEL
Quantity:	80.9 milligrams per kilogram
Chemical:	2-METHYLNAPHTHALENE
Quantity:	10.3 milligrams per kilogram
Chemical:	ANTIMONY
Quantity:	31 milligrams per kilogram
Source:	UNKNOWN

ASBESTOS:

Name:	40 BENNETT STREET
Address:	40 BENNETT STREET
City,State,Zip:	SOMERVILLE, MA
Notification:	Not reported
DEP Region:	Not reported
Notifiers Name:	Not reported
Start Date:	10/08/2014
End Date:	10/22/2014
Date Entered:	Not reported
Entry Date:	09/18/2014
Quantity Material Removed SF:	2673.00
Quantity Material Removed LF:	.00
Project Description:	Trns
AR Tracking ID:	198218
Super Lic Number:	AS002101
Monitor Lic Number:	AM033696
Lab Lic Number:	AA000197
Year:	2014
Sticker Number:	100207726
Form Type:	ANF-001
Fee Status:	EXEMPT
Facility Phone:	6176250722
Sub Town:	Not reported
Worksite:	GARAGE AND WORKSHOPS
Occupied:	0
Contractor:	AC000497
Contract Type:	WRITTEN
Hours:	7-5
Project Type:	Dem
Abatement Process:	Fcontain, oth:BULK LOAD ROOFING
Location:	INOUTDOORS
Decon Process:	ROOFING-REMOTE 3 STAGE DECON TILE & MASTIC - 3 STAGE DECON CHAMBER
Disposal Methods:	ROOFING - 2 LAYERS OF 10 MIL POLY BLADDER BAGS TILE & MASTIC - DOUBLE BAG WET TRANSPORT IN ENCLOSED CONTAINER
Facility Usage:	WORK SHOP, GARAGE, WORKSHOP 2
Waiver Given:	Not reported
DEP Waiver Number:	Not reported
DLWD Waiver Number:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAP 82, BLOCK D, LOTS 23, 25, 29, AND 30 (Continued)

S111989466

Small Owner Occ: 0
Owner Name: CITY OF SOMERVILLE
Owner Address: 93 HIGHLAND AVE.
Owner City: SOMERVILLE
Owner State: MA
On Site Manager Name: ED O'DONNELL
On Site Manager Phone: 6176250722
Ins Comp: WILLIAM GALLAGHER ASSOCIATES
Policy Number: NWCC47137433
EXP Date: 9/30/2014
Facility Size: 2221
Transporter Name: SERVICE TRANSPORT GROUP
Transporter Address: 58 PYLES LANE
Transporter City: NEW, CASTLE
Transporter State: DE
Final Site: Not reported
Certified Name: STEVEN PLOOF
Cert Sign Date: 09/18/2014
Certified Company: S&R CORPORATION
Certified Phone: 9784412000
Entered_by: SANDRCORP

ENFORCEMENT:

Name: SOMERVILLE REDEVELOPMENT AUTHORITY
Address: 40 BENNETT STREET
City,State,Zip: SOMERVILLE, MA 021430000
Region: NERO
DEP Region: NERO
DEP Program: 3r
DEP Bureau: BWSC
Program: BWSC
Program Id: 3-0032131
High Or Low Level Enforcement: LLE
FMF #: 0
Town Where Violation Occurred: SOMERVILLE
Date Executed: 08/03/2015
ENF #: NON-NE-15-3R047-Q1
Document Type: NON
AG Ref (Y/N): NO
Doc Archived (Y/N): Not reported
EJ Community (Y/N): YES
Regional Comment: Retracted on 8/19/2015
Final Payment Due Date: Not reported
ACOP \$: Not reported
PAN \$: Not reported
EMS (Y/N): Not reported
EMS\$: Not reported
SEP (Y/N): Not reported
SEP \$: Not reported
Demand \$: Not reported
Suspended \$: Not reported
Ownership: Municipally Owned

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

296
SSW
1/2-1
0.989 mi.
5223 ft.

NO LOCATION AID
SCOTT AND BRYAN STS
CAMBRIDGE, MA

MA SHWS
MA RELEASE
S105810643
N/A

Relative:
Lower

SHWS:

Actual:
17 ft.

Name: NO LOCATION AID
Address: SCOTT AND BRYAN STS
City,State,Zip: CAMBRIDGE, MA
Facility ID: 3-0018371
Source Type: UNKNOWN
Release Town: CAMBRIDGE
Notification Date: 06/04/1999
Category: 120 DY
Associated ID: Not reported
Current Status: URAM
Status Date: 06/04/1999
Phase: Not reported
Response Action Outcome: Not reported
Oil Or Haz Material: Hazardous Material

Release:

Name: NO LOCATION AID
Address: SCOTT AND BRYAN STS
City,State,Zip: CAMBRIDGE, MA
Release Tracking Number/Current Status: 3-0018371 / URAM
Primary ID: Not reported
Official City: CAMBRIDGE
Notification: 06/04/1999
Category: 120 DY
Status Date: 06/04/1999
Phase: Not reported
Response Action Outcome: -
Oil / Haz Material Type: Hazardous Material

[Click here to access the MA DEP site for this facility:](#)

Actions:

Action Type: Utility-related Abatement Measure
Action Status: Completion Statement Received
Action Date: 6/15/2006
Response Action Outcome: Not reported

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 6/4/1999
Response Action Outcome: Not reported

Action Type: Utility-related Abatement Measure
Action Status: Notice of Intent to Conduct a URAM
Action Date: 6/4/1999
Response Action Outcome: Not reported

Action Type: RLFA
Action Status: FOLOFF
Action Date: 6/8/1999
Response Action Outcome: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO LOCATION AID (Continued)

S105810643

Chemicals:
Chemical: EPH
Quantity: Not reported
Chemical: BENZO[A]PYRENE
Quantity: 8.9 parts per million
Location Type: ROADWAY
Source: UNKNOWN

297
West
1/2-1
0.999 mi.
5275 ft.

SHAW'S MARKET (REAR)
49 WHITE ST
CAMBRIDGE, MA 02139

MA SHWS S109489850
MA RELEASE N/A
MA HW GEN

Relative:
Lower

Actual:
33 ft.

SHWS:
Name: SHAW'S MARKET (REAR)
Address: 49 WHITE ST
City,State,Zip: CAMBRIDGE, MA 021390000
Facility ID: 3-0028132
Source Type: Not reported
Release Town: CAMBRIDGE
Notification Date: 11/08/2008
Category: TWO HR
Associated ID: Not reported
Current Status: RAO
Status Date: 12/31/2008
Phase: Not reported
Response Action Outcome: A1
Oil Or Haz Material: Oil

Release:
Name: SHAW'S MARKET (REAR)
Address: 49 WHITE ST
City,State,Zip: CAMBRIDGE, MA 021390000
Release Tracking Number/Current Status: 3-0028132 / RAO
Primary ID: Not reported
Official City: CAMBRIDGE
Notification: 11/08/2008
Category: TWO HR
Status Date: 12/31/2008
Phase: Not reported
Response Action Outcome: A1 - A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.
Oil / Haz Material Type: Oil

Click here to access the MA DEP site for this facility:

Actions:

Action Type: Response Action Outcome - RAO
Action Status: Level I - Technical Screen Audit
Action Date: 1/13/2009
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: FLDISS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHAW'S MARKET (REAR) (Continued)

S109489850

Action Date: 11/8/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Release Disposition
Action Status: Reportable Release under MGL 21E
Action Date: 11/8/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Immediate Response Action
Action Status: Oral Approval of Plan or Action
Action Date: 11/8/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: A Notice sent to a Potentially Responsible Party (PRP)
Action Status: A MassDEP piece of correspondence was issued (approvals, NORs, etc.
Action Date: 12/3/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: Response Action Outcome - RAO
Action Status: RAO Statement Received
Action Date: 12/31/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Action Type: RNF
Action Status: Reportable Release under MGL 21E
Action Date: 12/31/2008
Response Action Outcome: A permanent solution has been achieved. Contamination has been reduced to background or a threat of release has been eliminated.

Chemicals:
Chemical: DIESEL FUEL
Quantity: 60 gallons
Chemical: DIESEL
Quantity: 90 gallons
Location Type: ROADWAY
Location Type: MUNICIPAL

HW GEN:
Name: STAR MARKET 163
Address: 49 WHITE ST
City,State,Zip: CAMBRIDGE, MA 02140
EPA Id: MAR000528299
RCRA Generator Status: VSQG
State Generator Status: Not reported

Count: 101 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
ALLSTON	S126985030	CHARLES RIVER SOUTH OF RIVER ST BR	CHARLES RIVER	02143	MA SHWS, MA RELEASE
CAMBRIDGE	S108640620	STATION 830	66 ABERDEEN ST	02138	MA SHWS, MA RELEASE
CAMBRIDGE	S126024568	FRESH POND PARKING LOT	ALEWIFE BROOK PARKWAY	02140	MA SHWS, MA RELEASE
CAMBRIDGE	S109489324	CHILLED WATER LINE EXTN	BETW OXFORD ST AND FRANCIS AVE	02138	MA SHWS, MA RELEASE, MA ENF
CAMBRIDGE	S118337277	CONCORD LN & NEW ST SEWER & PUMP S	CONCORD LANE & NEW ST	02138	MA SHWS, MA RELEASE
CAMBRIDGE	S113805035	CONSTRUCTION SITE	NORTHWEST COR BANKS AND GRANT	02138	MA SHWS, MA RELEASE
CAMBRIDGE	S103383633	KENNEDY SQUARE	CRAIGIE ST	02138	MA SHWS, MA RELEASE
CAMBRIDGE	S125163289	ROADWAY FROM BENNETT TO JFK STREET	ELIOT STREET	02138	MA SHWS, MA RELEASE
CAMBRIDGE	S128621314	INTERSECTION OF EVERETT ST & MASS	EVERETT ST AT MASS AVE	02138	MA SHWS, MA LUST, MA RELEASE
CAMBRIDGE	S125163313	ROADWAY NEAR INTERSECTION	GARDEN STREET		MA SHWS, MA RELEASE
CAMBRIDGE	S110684448	HARRISON AVENUE AT WHITTEMORE	HARRISON AVENUE		MA SHWS, MA RELEASE
CAMBRIDGE	S117964805	CHILLED WATER EXTENSION PROJECT	HOLYOKE STREET	02138	MA SHWS, MA RELEASE
CAMBRIDGE	S113805080	NO LOCATION AID	JACKSON AND CLAY STS	02140	MA SHWS, MA RELEASE
CAMBRIDGE	S113411742	HURON A PROJECT	LEXINGTON AVE	02138	MA SHWS, MA RELEASE
CAMBRIDGE	S117277505	ROADWAY	MASSACHUSETTS AVE @ PORTER ROA		MA SHWS, MA RELEASE
CAMBRIDGE	S101025524	NO LOCATION AID	MEMORIAL DR		MA SHWS, MA RELEASE, MA SPILLS
CAMBRIDGE	S126024813	EAST OUTFALL TO CHARLES RIVER	MEMORIAL DRIVE	02138	MA SHWS, MA RELEASE
CAMBRIDGE	S107517107	CONSTRUCTION SITE	880 MEMORIAL DR	02138	MA SHWS, MA RELEASE, MA ASBES
CAMBRIDGE	S117964727	MBTA GREEN LINE EXTENSION	MILLERS RIVER		MA SHWS, MA RELEASE
CAMBRIDGE	S106512910	NO LOCATION AID	MOUNT AUBURN STREET AND WESTER		MA SHWS, MA RELEASE
CAMBRIDGE	S123244343	ROADWAY AND SIDEWALK	MOUNT AUBURN STREET	02138	MA SHWS, MA RELEASE
CAMBRIDGE	S112288424	DANEHY PARK	NEW STREET	02138	MA SHWS, MA RELEASE
CAMBRIDGE	S113411758	UTILITY CORRIDOR	WEST OF MEMORIAL DRIVE		MA SHWS, MA RELEASE
CAMBRIDGE	S111826307	HARVARD UNIVERSITY SCIENCE CENTER	OXFORD STREET		MA LAST, MA RELEASE
CAMBRIDGE	S108640697	HARVARD COLLEGE	OXFORD STREET TO MASSACHUSETTS		MA SHWS, MA RELEASE
CAMBRIDGE	S108476781	NO LOCATION AID	THIRD STREET & BROADWAY		MA SHWS, MA RELEASE
CAMBRIDGE	S105596721	FRANCES AVE	VANSERG SHANNON HALL INTERIOR	02138	MA SHWS, MA RELEASE
CAMBRIDGE	S105521995	GROUND ROUND	WHEELER ST	02138	MA SHWS, MA RELEASE
CAMBRIDGE	S112288436	NO LOCATION AID	WHEELER STREET	02138	MA SHWS, MA RELEASE
MEDFORD	S110526225	MBTA TRACKS	BOSTON AVE	02155	MA SHWS, MA RELEASE
MEDFORD	S110124999	NO LOCATION AID	BOW ST	02155	MA SHWS, MA RELEASE
MEDFORD	S117964779	NO LOCATION AID	BOWEN AVE AT MYSTIC AVE	02155	MA SHWS, MA LUST, MA RELEASE
MEDFORD	S120630301	IN FRONT OF 43-51 CHARNWOOD ROAD	CHARNWOOD ROAD ROADWAY		MA SHWS, MA RELEASE
MEDFORD	S118562877	ATHLETIC FIELD E	COLLEGE AVE AND BOSTON AVE	02155	MA SHWS, MA RELEASE
MEDFORD	S105596340	CORPORATION WAY	COMMERCIAL ST		MA SHWS, MA RELEASE
MEDFORD	S104545188	NO LOCATION AID	FELLSWAY		MA LUST, MA RELEASE
MEDFORD	S110526160	COMMUTER RAIL CROSSING	HARVARD ST	02155	MA SHWS, MA RELEASE
MEDFORD	S123244395	IN FRONT OF 7 LOCUST STREET	LOCUST STREET		MA SHWS, MA RELEASE
MEDFORD	S110526226	MEADOW GLEN MALL AREA	LOCUST STREET	02155	MA SHWS, MA RELEASE
MEDFORD	S110115191	ROUTE 16 WEST OFF-RAMP TO MAIN STR	MAIN ST		MA SHWS, MA RELEASE
MEDFORD	S105596752	SOUTH OF TOWN LINE PLAZA	MIDDLESEX AVE	02155	MA SHWS, MA RELEASE, MA ENF
MEDFORD	S104545645	BET RT 93 & SHIP AVE	MYSTIC RIV		MA SHWS, MA RELEASE
MEDFORD	S126985017	MYSTIC VALLEY PARKWAY AT WINTHROP	MYSTIC VALLEY PARKWAY	02155	MA SHWS, MA RELEASE

Count: 101 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
MEDFORD	S128987291	MYSTIC RIVER STATE RESERVATION	MYSTIC VALLEY PARKWAY	02155	MA SHWS, MA RELEASE
MEDFORD	S107678317	E SIDE OF ST E OF INT WITH BILLING	MYSTIC AVE (RTE 38)	02155	MA SHWS, MA RELEASE
MEDFORD	S109546216	NO LOCATION AID	MYSTIC AVE	02155	MA SHWS, MA LUST, MA RELEASE
MEDFORD	S110822193	WEST WING WALL UPPER MYSTIC LAKE D	1001 MYSTIC VALLEY PKWY	02155	MA SHWS, MA RELEASE
MEDFORD	S101017320	SUNOCO	MYSTIC AVE/HARVARD	02155	MA SHWS, MA RELEASE, MA SPILLS
MEDFORD	S128182822	I-93 SOUTH BETWEEN EXITS 22-21	I-93 SOUTH BETWEEN EXITS 22-21	02155	MA SHWS, MA RELEASE
MEDFORD	S114965518	NO LOCATION AID	WILLIS AVENUE	02155	MA SHWS, MA RELEASE
SOMERVILLE	S128987295	DOHERTY FUNERAL HOME	855 & 865 BROADWAY	02144	MA SHWS, MA RELEASE
SOMERVILLE	S121394363	POLE #215/2	ABERDEEN ROAD		MA SHWS, MA RELEASE
SOMERVILLE	S129185993	UTILITY EASEMENT OFF ALEWIFE BROOK	ALEWIFE BROOK PARKWAY	02144	MA SHWS, MA RELEASE
SOMERVILLE	S128621363	ASSEMBLY ROW BLOCK 7A	350 ASSEMBLY ROW	02145	MA SHWS, MA RELEASE
SOMERVILLE	S104482319	NO LOCATION AID	BEACON ST		MA SHWS, MA RELEASE
SOMERVILLE	S118421842	NO LOCATION AID	BEACON STREET	02143	MA SHWS, MA RELEASE
SOMERVILLE	S112551431	MBTA GREEN LINE EXTENSION - SOMERV	664 BOSTON AVE & 675 BROADWAY	02155	MA SHWS, MA RELEASE, MA HW GE
SOMERVILLE	S105309325	NO LOCATION AID	65 1/2 BOW ST		MA LUST, MA RELEASE
SOMERVILLE	S101856538	BOSTON EDISON CO	10 BOW PL	02143	MA SHWS, MA RELEASE
SOMERVILLE	S126024816	SLOPE TO RAILROAD NEXT TO 620 BROA	BROADWAY	02145	MA SHWS, MA RELEASE
SOMERVILLE	S114004786	MBTA GREEN LINE EXTENSION-SOMERVIL	BTW MCGRATH HWY & MEDFORD ST	02143	MA SHWS, MA RELEASE
SOMERVILLE	S118947483	NO LOCATION AID	ELM STREET	02143	MA SHWS, MA RELEASE
SOMERVILLE	S110124959	FR STURTEVANT STREET LLC	FOLEY ST	02145	MA SHWS, MA RELEASE, MA ENF
SOMERVILLE	S109612968	NO LOCATION AID	0 HIGHLAND RD	02143	MA SHWS, MA RELEASE
SOMERVILLE	S103383754	NO LOCATION AID	143 JACQUES ST	02143	MA SHWS, MA RELEASE
SOMERVILLE	S108962865	NO LOCATION AID	JOSEPHINE AND PEARSON AVE		MA SHWS, MA RELEASE
SOMERVILLE	S105596481	SUBSTATION PNU33	LINWOOD ST		MA SHWS, MA RELEASE
SOMERVILLE	S114004788	MBTA GREEN LINE EXTENSION - SOMERV	MBTA ROW NEAR BROADWAY	02145	MA SHWS, MA RELEASE
SOMERVILLE	S114965493	MBTA GREEN LINE EXTENSION - SOMERV	MBTA ROW NORTH OF MCGRATH HWY	02143	MA SHWS, MA RELEASE
SOMERVILLE	S114004787	MBTA GREEN LINE EXTENSION - SOMERV	MBTA ROW NEAR SCHOOL STREET	02143	MA SHWS, MA RELEASE
SOMERVILLE	S126024528	INTERSECTION PEARL STREET & MCGRAT	MCGRATH & OBRIEN HWY		MA SHWS, MA RELEASE
SOMERVILLE	S126024682	4 MCGRATH HIGHWAY INTO TWIN CITY P	MCGRATH HIGHWAY	02143	MA SHWS, MA RELEASE
SOMERVILLE	S104482385	RTE 28 SOUTHBOUND ON RAMP	MEDFORD ST	02143	MA SHWS, MA RELEASE
SOMERVILLE	S121394304	INTERSECTION MIDDLESEX AVE & MYSTI	MIDDLESEX AVENUE		MA SHWS, MA RELEASE
SOMERVILLE	S125163218	MYSTIC RIVER OUTFALL @ SOME-98-A-1	MOUNT VERNON & MYSTIC AVE INTE		MA SHWS, MA RELEASE
SOMERVILLE	S108348118	NO LOCATION AID	MYSTIC AVE		MA SHWS, MA RELEASE
SOMERVILLE	S104000431	NO LOCATION AID	MYSTIC PKWY		MA SHWS, MA RELEASE
SOMERVILLE	S106512865	OFF ROUTE 93 NORTHBOUND ON RAMP	MYSTIC AVE	02145	MA SHWS, MA RELEASE
SOMERVILLE	S118337272	MYSTIC RIVER	MYSTIC RIVER	02145	MA SHWS, MA RELEASE
SOMERVILLE	S125163279	MBTA ROW GLC-NB-3	SOUTH OF BROADWAY	02145	MA SHWS, MA RELEASE
SOMERVILLE	S110479600	PEARL ST AT MCGRATH OBRIEN HWY	PEARL ST		MA SHWS, MA RELEASE
SOMERVILLE	S109489646	NSTAR SUBSTATION 402	PROSPECT ST	02143	MA SHWS, MA RELEASE
SOMERVILLE	S110684393	RAILROAD RIGHT OF WAY B-S007-1	RAILROAD TRACKS UNDER MEDFORD	02143	MA SHWS, MA RELEASE
SOMERVILLE	S110526292	RAILROAD RIGHT OF WAY B-S004-1	RAILROAD TRACKS OVER WASHINGTO	02143	MA SHWS, MA RELEASE
SOMERVILLE	S110526291	RAILROAD RIGHT OF WAY B-S004-4	RAILROAD TRACKS OVER WASHINGTO	02143	MA SHWS, MA RELEASE
SOMERVILLE	S110684377	RAILROAD RIGHT OF WAY	RAILROAD TRACKS NEAR PROSPECT	02143	MA SHWS, MA RELEASE
SOMERVILLE	S110684392	RAILROAD RIGHT OF WAY B-S042-1	RAILROAD TRACKS OVER MEDFORD S	02143	MA SHWS, MA RELEASE
SOMERVILLE	S110684398	RAILROAD RIGHT OF WAY B-S008-3	RAILROAD TRACKS UNDER SCHOOL S	02143	MA SHWS, MA RELEASE
SOMERVILLE	S110684378	RAILROAD RIGHT OF WAY B-S006-1	RAILROAD TRACKS UNDER WALNUT S	02143	MA SHWS, MA RELEASE
SOMERVILLE	S116687163	NO LOCATION AID	35 REAR LEXINGTON AVE	02144	MA SHWS, MA RELEASE

Count: 101 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
SOMERVILLE	S123244286	MBTA GREEN LINE EXTENSION - SOMERV	ROW SOUTH OF BROADWAY - PC 3D	02145	MA SHWS, MA RELEASE
SOMERVILLE	S127590223	MBTA GREEN LINE EXTENSION-SOMERVIL	ROW NEAR WALNUT ST/MEDFORD ST	02143	MA SHWS, MA RELEASE
SOMERVILLE	S127590224	MBTA GREEN LINE EXTENSION-SOMERVIL	ROW AT CHESTER AVE/MCGRATH HWY	02143	MA SHWS, MA RELEASE
SOMERVILLE	S114965492	MBTA GREEN LINE EXTENSION - SOMERV	ROW BTW SYCAMORE AND CENTRAL	02143	MA SHWS, MA RELEASE
SOMERVILLE	S103811968	NO LOCATION AID	SCHOOL ST		MA SHWS, MA RELEASE
SOMERVILLE	S126984919	PUBLIC RIGHT-OF-WAY	SOMERVILLE AVENUE	02143	MA SHWS, MA RELEASE
SOMERVILLE	S126024606	PUBLIC ROADWAY	SOMERVILLE AVENUE AT LINDEN ST	02143	MA SHWS, MA RELEASE
SOMERVILLE	S104847547	NO LOCATION AID	WALNUT ST		MA SHWS, MA RELEASE
SOMERVILLE	S118337311	RAILROAD TRUSS	WASHINGTON STREET	02143	MA SHWS, MA RELEASE
SOMERVILLE	S127590242	WEBSTER AVENUE AND COLUMBIA STREET	WEBSTER AVENUE	02143	MA SHWS, MA RELEASE
SOMERVILLE	S118337316	WEBSTER AVENUE WATER MAIN UPGRADE	WEBSTER AVENUE	02143	MA SHWS, MA RELEASE

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 01/25/2023	Source: EPA
Date Data Arrived at EDR: 02/03/2023	Telephone: N/A
Date Made Active in Reports: 02/28/2023	Last EDR Contact: 05/02/2023
Number of Days to Update: 25	Next Scheduled EDR Contact: 07/10/2023
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 01/25/2023	Source: EPA
Date Data Arrived at EDR: 02/02/2023	Telephone: N/A
Date Made Active in Reports: 02/28/2023	Last EDR Contact: 05/02/2023
Number of Days to Update: 26	Next Scheduled EDR Contact: 07/10/2023
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Lists of Federal Delisted NPL sites

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 01/25/2023
Date Data Arrived at EDR: 02/02/2023
Date Made Active in Reports: 02/28/2023
Number of Days to Update: 26

Source: EPA
Telephone: N/A
Last EDR Contact: 05/02/2023
Next Scheduled EDR Contact: 07/10/2023
Data Release Frequency: Quarterly

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 12/20/2022
Date Data Arrived at EDR: 12/21/2022
Date Made Active in Reports: 03/10/2023
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 03/28/2023
Next Scheduled EDR Contact: 07/10/2023
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly known as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 01/25/2023
Date Data Arrived at EDR: 02/02/2023
Date Made Active in Reports: 02/28/2023
Number of Days to Update: 26

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 05/02/2023
Next Scheduled EDR Contact: 07/24/2023
Data Release Frequency: Quarterly

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 01/25/2023	Source: EPA
Date Data Arrived at EDR: 02/02/2023	Telephone: 800-424-9346
Date Made Active in Reports: 02/28/2023	Last EDR Contact: 05/02/2023
Number of Days to Update: 26	Next Scheduled EDR Contact: 07/24/2023
	Data Release Frequency: Quarterly

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/06/2023	Source: EPA
Date Data Arrived at EDR: 03/09/2023	Telephone: 800-424-9346
Date Made Active in Reports: 03/20/2023	Last EDR Contact: 03/09/2023
Number of Days to Update: 11	Next Scheduled EDR Contact: 07/03/2023
	Data Release Frequency: Quarterly

Lists of Federal RCRA TSD facilities

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 03/06/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/09/2023	Telephone: (888) 372-7341
Date Made Active in Reports: 03/20/2023	Last EDR Contact: 03/09/2023
Number of Days to Update: 11	Next Scheduled EDR Contact: 07/03/2023
	Data Release Frequency: Quarterly

Lists of Federal RCRA generators

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/06/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/09/2023	Telephone: (888) 372-7341
Date Made Active in Reports: 03/20/2023	Last EDR Contact: 03/09/2023
Number of Days to Update: 11	Next Scheduled EDR Contact: 07/03/2023
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 03/06/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/09/2023	Telephone: (888) 372-7341
Date Made Active in Reports: 03/20/2023	Last EDR Contact: 03/09/2023
Number of Days to Update: 11	Next Scheduled EDR Contact: 07/03/2023
	Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/06/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/09/2023	Telephone: (888) 372-7341
Date Made Active in Reports: 03/20/2023	Last EDR Contact: 03/09/2023
Number of Days to Update: 11	Next Scheduled EDR Contact: 07/03/2023
	Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 02/08/2023	Source: Department of the Navy
Date Data Arrived at EDR: 02/09/2023	Telephone: 843-820-7326
Date Made Active in Reports: 05/02/2023	Last EDR Contact: 05/03/2023
Number of Days to Update: 82	Next Scheduled EDR Contact: 08/21/2023
	Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 02/20/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/21/2023	Telephone: 703-603-0695
Date Made Active in Reports: 05/02/2023	Last EDR Contact: 02/21/2023
Number of Days to Update: 70	Next Scheduled EDR Contact: 06/05/2023
	Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 02/20/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/21/2023	Telephone: 703-603-0695
Date Made Active in Reports: 05/02/2023	Last EDR Contact: 02/21/2023
Number of Days to Update: 70	Next Scheduled EDR Contact: 06/05/2023
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/12/2022

Date Data Arrived at EDR: 12/14/2022

Date Made Active in Reports: 12/19/2022

Number of Days to Update: 5

Source: National Response Center, United States Coast Guard

Telephone: 202-267-2180

Last EDR Contact: 03/21/2023

Next Scheduled EDR Contact: 07/03/2023

Data Release Frequency: Quarterly

Lists of state- and tribal hazardous waste facilities

SHWS: Site Transition List

Contains information on releases of oil and hazardous materials that have been reported to DEP.

Date of Government Version: 01/08/2023

Date Data Arrived at EDR: 01/19/2023

Date Made Active in Reports: 03/21/2023

Number of Days to Update: 61

Source: Department of Environmental Protection

Telephone: 617-292-5990

Last EDR Contact: 04/06/2023

Next Scheduled EDR Contact: 07/17/2023

Data Release Frequency: Quarterly

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF: Solid Waste Facility Database/Transfer Stations

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 05/02/2022

Date Data Arrived at EDR: 05/03/2022

Date Made Active in Reports: 07/22/2022

Number of Days to Update: 80

Source: Department of Environmental Protection

Telephone: 617-292-5989

Last EDR Contact: 03/30/2023

Next Scheduled EDR Contact: 07/10/2023

Data Release Frequency: Annually

LF PROFILES: Landfill Profiles Listing

This spreadsheet describes landfills that have actively accepted waste or have closed under MassDEP Solid Waste Regulations first adopted in 1971 (310 CMR 16.00 and 310 CMR 19.00). The list does not include landfills that closed before 1971 (and which never had a MassDEP permit or approval), or for which agency data is incomplete.

Date of Government Version: 07/01/2015

Date Data Arrived at EDR: 10/27/2015

Date Made Active in Reports: 12/14/2015

Number of Days to Update: 48

Source: Department of Environmental Protection

Telephone: 617-292-5868

Last EDR Contact: 03/30/2023

Next Scheduled EDR Contact: 07/10/2023

Data Release Frequency: Varies

Lists of state and tribal leaking storage tanks

LAST: Leaking Aboveground Storage Tank Sites

Sites within the Releases Database that have a AST listed as its source.

Date of Government Version: 01/08/2023

Date Data Arrived at EDR: 01/19/2023

Date Made Active in Reports: 03/21/2023

Number of Days to Update: 61

Source: Department of Environmental Protection

Telephone: 617-292-5500

Last EDR Contact: 04/06/2023

Next Scheduled EDR Contact: 07/17/2023

Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LUST: Leaking Underground Storage Tank Listing

Sites within the Leaking Underground Storage Tank Listing that have a UST listed as its source.

Date of Government Version: 01/08/2023

Date Data Arrived at EDR: 01/19/2023

Date Made Active in Reports: 03/21/2023

Number of Days to Update: 61

Source: Department of Environmental Protection

Telephone: 617-292-5990

Last EDR Contact: 04/06/2023

Next Scheduled EDR Contact: 07/17/2023

Data Release Frequency: Quarterly

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 11/26/2022

Date Data Arrived at EDR: 12/06/2022

Date Made Active in Reports: 03/03/2023

Number of Days to Update: 87

Source: EPA Region 4

Telephone: 404-562-8677

Last EDR Contact: 04/20/2023

Next Scheduled EDR Contact: 07/31/2023

Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 10/14/2022

Date Data Arrived at EDR: 12/06/2022

Date Made Active in Reports: 03/03/2023

Number of Days to Update: 87

Source: EPA Region 7

Telephone: 913-551-7003

Last EDR Contact: 04/20/2023

Next Scheduled EDR Contact: 07/31/2023

Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 11/23/2022

Date Data Arrived at EDR: 12/06/2022

Date Made Active in Reports: 03/03/2023

Number of Days to Update: 87

Source: EPA Region 8

Telephone: 303-312-6271

Last EDR Contact: 04/20/2023

Next Scheduled EDR Contact: 07/31/2023

Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 11/23/2022

Date Data Arrived at EDR: 12/06/2022

Date Made Active in Reports: 03/03/2023

Number of Days to Update: 87

Source: EPA Region 6

Telephone: 214-665-6597

Last EDR Contact: 04/20/2023

Next Scheduled EDR Contact: 07/31/2023

Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 10/14/2022

Date Data Arrived at EDR: 12/06/2022

Date Made Active in Reports: 03/03/2023

Number of Days to Update: 87

Source: EPA, Region 5

Telephone: 312-886-7439

Last EDR Contact: 04/20/2023

Next Scheduled EDR Contact: 07/31/2023

Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 10/19/2022

Date Data Arrived at EDR: 12/06/2022

Date Made Active in Reports: 03/03/2023

Number of Days to Update: 87

Source: EPA Region 1

Telephone: 617-918-1313

Last EDR Contact: 04/20/2023

Next Scheduled EDR Contact: 07/31/2023

Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 11/23/2022	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/06/2022	Telephone: 415-972-3372
Date Made Active in Reports: 03/03/2023	Last EDR Contact: 04/20/2023
Number of Days to Update: 87	Next Scheduled EDR Contact: 07/31/2023
	Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 11/23/2022	Source: EPA Region 10
Date Data Arrived at EDR: 12/06/2022	Telephone: 206-553-2857
Date Made Active in Reports: 04/19/2023	Last EDR Contact: 04/20/2023
Number of Days to Update: 134	Next Scheduled EDR Contact: 07/31/2023
	Data Release Frequency: Varies

Lists of state and tribal registered storage tanks

FEMA UST: Underground Storage Tank Listing
A listing of all FEMA owned underground storage tanks.

Date of Government Version: 10/14/2021	Source: FEMA
Date Data Arrived at EDR: 11/05/2021	Telephone: 202-646-5797
Date Made Active in Reports: 02/01/2022	Last EDR Contact: 03/29/2023
Number of Days to Update: 88	Next Scheduled EDR Contact: 07/17/2023
	Data Release Frequency: Varies

UST: Summary Listing of all the Tanks Registered in the State of Massachusetts
Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 01/11/2023	Source: Department of Fire Services, Office of the Public Safety
Date Data Arrived at EDR: 01/12/2023	Telephone: 617-556-1035
Date Made Active in Reports: 03/06/2023	Last EDR Contact: 05/03/2023
Number of Days to Update: 53	Next Scheduled EDR Contact: 07/24/2023
	Data Release Frequency: Quarterly

AST: Aboveground Storage Tank Database
Registered Aboveground Storage Tanks.

Date of Government Version: 12/16/2022	Source: Department of Public Safety
Date Data Arrived at EDR: 01/10/2023	Telephone: 617-556-1035
Date Made Active in Reports: 03/06/2023	Last EDR Contact: 04/13/2023
Number of Days to Update: 55	Next Scheduled EDR Contact: 07/24/2023
	Data Release Frequency: No Update Planned

AST 2: Aboveground Storage Tanks
Aboveground storage tanks

Date of Government Version: 01/09/2023	Source: Department of Fire Services
Date Data Arrived at EDR: 01/12/2023	Telephone: 978-567-3181
Date Made Active in Reports: 03/30/2023	Last EDR Contact: 04/05/2023
Number of Days to Update: 77	Next Scheduled EDR Contact: 07/24/2023
	Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/23/2022
Date Data Arrived at EDR: 12/06/2022
Date Made Active in Reports: 04/19/2023
Number of Days to Update: 134

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 04/20/2023
Next Scheduled EDR Contact: 07/31/2023
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 11/23/2022
Date Data Arrived at EDR: 12/06/2022
Date Made Active in Reports: 03/03/2023
Number of Days to Update: 87

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 04/20/2023
Next Scheduled EDR Contact: 07/31/2023
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 11/23/2022
Date Data Arrived at EDR: 12/06/2022
Date Made Active in Reports: 03/03/2023
Number of Days to Update: 87

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 04/20/2023
Next Scheduled EDR Contact: 07/31/2023
Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 10/14/2022
Date Data Arrived at EDR: 12/06/2022
Date Made Active in Reports: 03/03/2023
Number of Days to Update: 87

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 04/20/2023
Next Scheduled EDR Contact: 07/31/2023
Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/19/2022
Date Data Arrived at EDR: 12/06/2022
Date Made Active in Reports: 03/03/2023
Number of Days to Update: 87

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 04/20/2023
Next Scheduled EDR Contact: 07/31/2023
Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 10/14/2022
Date Data Arrived at EDR: 12/06/2022
Date Made Active in Reports: 03/03/2023
Number of Days to Update: 87

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 04/20/2023
Next Scheduled EDR Contact: 07/31/2023
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/23/2022
Date Data Arrived at EDR: 12/06/2022
Date Made Active in Reports: 03/03/2023
Number of Days to Update: 87

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 04/20/2023
Next Scheduled EDR Contact: 07/31/2023
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 11/23/2022
Date Data Arrived at EDR: 12/06/2022
Date Made Active in Reports: 03/03/2023
Number of Days to Update: 87

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 04/20/2023
Next Scheduled EDR Contact: 07/31/2023
Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

INST CONTROL: Sites With Activity and Use Limitation

Activity and Use Limitations establish limits and conditions on the future use of contaminated property, and therefore allow cleanups to be tailored to these uses.

Date of Government Version: 01/08/2023
Date Data Arrived at EDR: 01/19/2023
Date Made Active in Reports: 03/21/2023
Number of Days to Update: 61

Source: Department of Environmental Protection
Telephone: 617-292-5990
Last EDR Contact: 04/06/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Quarterly

Lists of state and tribal voluntary cleanup sites

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 07/08/2021
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 03/17/2023
Next Scheduled EDR Contact: 07/03/2023
Data Release Frequency: Varies

Lists of state and tribal brownfield sites

BROWNFIELDS 2: Potential Brownfields Listing

A listing of potential brownfields site locations in the state.

Date of Government Version: 12/03/2019
Date Data Arrived at EDR: 01/29/2021
Date Made Active in Reports: 04/21/2021
Number of Days to Update: 82

Source: Department of Environmental Protection
Telephone: 617-556-1007
Last EDR Contact: 04/27/2023
Next Scheduled EDR Contact: 08/07/2023
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

BROWNFIELDS: Completed Brownfields Covenants Listing

Under Massachusetts law, M.G.L. c. 21E is the statute that governs the cleanup of releases of oil and/or hazardous material to the environment. The Brownfields Act of 1998 amended M.G.L. c. 21E by establishing significant liability relief and financial incentives to spur the redevelopment of brownfields, while ensuring that the Commonwealth's environmental standards are met. Most brownfields are redeveloped with the benefit of liability protections that operate automatically under M.G.L. c. 21E.

Date of Government Version: 04/05/2017
Date Data Arrived at EDR: 08/03/2017
Date Made Active in Reports: 10/10/2017
Number of Days to Update: 68

Source: Office of the Attorney General
Telephone: 617-963-2423
Last EDR Contact: 04/27/2023
Next Scheduled EDR Contact: 08/07/2023
Data Release Frequency: Annually

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 04/06/2023
Date Data Arrived at EDR: 04/13/2023
Date Made Active in Reports: 04/19/2023
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 04/06/2023
Next Scheduled EDR Contact: 06/26/2023
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 04/19/2023
Next Scheduled EDR Contact: 08/07/2023
Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 04/12/2023
Next Scheduled EDR Contact: 07/31/2023
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014

Date Data Arrived at EDR: 08/06/2014

Date Made Active in Reports: 01/29/2015

Number of Days to Update: 176

Source: Department of Health & Human Services, Indian Health Service

Telephone: 301-443-1452

Last EDR Contact: 04/27/2023

Next Scheduled EDR Contact: 08/07/2023

Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 01/06/2023

Date Data Arrived at EDR: 02/02/2023

Date Made Active in Reports: 02/10/2023

Number of Days to Update: 8

Source: Drug Enforcement Administration

Telephone: 202-307-1000

Last EDR Contact: 02/02/2023

Next Scheduled EDR Contact: 06/05/2023

Data Release Frequency: No Update Planned

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 01/06/2023

Date Data Arrived at EDR: 02/02/2023

Date Made Active in Reports: 02/10/2023

Number of Days to Update: 8

Source: Drug Enforcement Administration

Telephone: 202-307-1000

Last EDR Contact: 02/02/2023

Next Scheduled EDR Contact: 06/05/2023

Data Release Frequency: Quarterly

Local Land Records

LIENS: Liens Information Listing

A listing of environmental liens.

Date of Government Version: 03/07/2018

Date Data Arrived at EDR: 03/09/2018

Date Made Active in Reports: 06/21/2018

Number of Days to Update: 104

Source: Department of Environmental Protection

Telephone: 617-292-5628

Last EDR Contact: 02/09/2023

Next Scheduled EDR Contact: 05/29/2023

Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 01/25/2023

Date Data Arrived at EDR: 02/02/2023

Date Made Active in Reports: 02/28/2023

Number of Days to Update: 26

Source: Environmental Protection Agency

Telephone: 202-564-6023

Last EDR Contact: 05/02/2023

Next Scheduled EDR Contact: 07/10/2023

Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/13/2022

Source: U.S. Department of Transportation

Date Data Arrived at EDR: 12/14/2022

Telephone: 202-366-4555

Date Made Active in Reports: 03/10/2023

Last EDR Contact: 03/21/2023

Number of Days to Update: 86

Next Scheduled EDR Contact: 07/03/2023

Data Release Frequency: Quarterly

MA SPILLS: Historical Spill List

The Spills Database was the release notification tracking system for spills that occurred prior to October 1, 1993. This information should be considered to be primarily of historical interest since all of the listed spills have either been cleaned up or assigned new tracking numbers and moved to the Reportable Releases or Sites Transition List databases.

Date of Government Version: 09/30/1993

Source: Department of Environmental Protection

Date Data Arrived at EDR: 12/03/2003

Telephone: 617-292-5720

Date Made Active in Reports: 12/31/2003

Last EDR Contact: 12/03/2003

Number of Days to Update: 28

Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

RELEASE: Reportable Releases

Contains information on all releases of oil and hazardous materials that have been reported to DEP

Date of Government Version: 01/08/2023

Source: Department of Environmental Protection

Date Data Arrived at EDR: 01/19/2023

Telephone: 617-292-5990

Date Made Active in Reports: 03/21/2023

Last EDR Contact: 04/06/2023

Number of Days to Update: 61

Next Scheduled EDR Contact: 07/17/2023

Data Release Frequency: Quarterly

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 12/11/2012

Source: FirstSearch

Date Data Arrived at EDR: 01/03/2013

Telephone: N/A

Date Made Active in Reports: 02/08/2013

Last EDR Contact: 01/03/2013

Number of Days to Update: 36

Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 03/10/1998

Source: FirstSearch

Date Data Arrived at EDR: 01/03/2013

Telephone: N/A

Date Made Active in Reports: 03/05/2013

Last EDR Contact: 01/03/2013

Number of Days to Update: 61

Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/06/2023
Date Data Arrived at EDR: 03/09/2023
Date Made Active in Reports: 03/20/2023
Number of Days to Update: 11

Source: Environmental Protection Agency
Telephone: (888) 372-7341
Last EDR Contact: 03/09/2023
Next Scheduled EDR Contact: 07/03/2023
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 02/01/2023
Date Data Arrived at EDR: 02/14/2023
Date Made Active in Reports: 05/02/2023
Number of Days to Update: 77

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 02/14/2023
Next Scheduled EDR Contact: 05/29/2023
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 06/07/2021
Date Data Arrived at EDR: 07/13/2021
Date Made Active in Reports: 03/09/2022
Number of Days to Update: 239

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 04/11/2023
Next Scheduled EDR Contact: 07/24/2023
Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/11/2018
Date Made Active in Reports: 11/06/2019
Number of Days to Update: 574

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 04/03/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 07/30/2021
Date Data Arrived at EDR: 02/03/2023
Date Made Active in Reports: 02/10/2023
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 02/02/2023
Next Scheduled EDR Contact: 05/22/2023
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 12/13/2022
Date Data Arrived at EDR: 12/14/2022
Date Made Active in Reports: 03/10/2023
Number of Days to Update: 86

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 03/21/2023
Next Scheduled EDR Contact: 07/03/2023
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/21/2014	Telephone: 617-520-3000
Date Made Active in Reports: 06/17/2014	Last EDR Contact: 05/01/2023
Number of Days to Update: 88	Next Scheduled EDR Contact: 08/14/2023
	Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/08/2018	Telephone: 703-308-4044
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 05/04/2023
Number of Days to Update: 73	Next Scheduled EDR Contact: 08/14/2023
	Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2020	Source: EPA
Date Data Arrived at EDR: 06/14/2022	Telephone: 202-260-5521
Date Made Active in Reports: 03/24/2023	Last EDR Contact: 03/13/2023
Number of Days to Update: 283	Next Scheduled EDR Contact: 06/26/2023
	Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2021	Source: EPA
Date Data Arrived at EDR: 02/16/2023	Telephone: 202-566-0250
Date Made Active in Reports: 05/02/2023	Last EDR Contact: 02/16/2023
Number of Days to Update: 75	Next Scheduled EDR Contact: 05/29/2023
	Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 01/17/2023	Source: EPA
Date Data Arrived at EDR: 01/18/2023	Telephone: 202-564-4203
Date Made Active in Reports: 04/19/2023	Last EDR Contact: 04/18/2023
Number of Days to Update: 91	Next Scheduled EDR Contact: 07/31/2023
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 01/25/2023
Date Data Arrived at EDR: 02/02/2023
Date Made Active in Reports: 02/28/2023
Number of Days to Update: 26

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 05/02/2023
Next Scheduled EDR Contact: 06/12/2023
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 04/27/2022
Date Data Arrived at EDR: 05/04/2022
Date Made Active in Reports: 05/10/2022
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 04/13/2023
Next Scheduled EDR Contact: 07/31/2023
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 10/27/2022
Date Data Arrived at EDR: 11/01/2022
Date Made Active in Reports: 11/15/2022
Number of Days to Update: 14

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 05/02/2023
Next Scheduled EDR Contact: 08/14/2023
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 11/03/2022
Date Data Arrived at EDR: 01/04/2023
Date Made Active in Reports: 04/03/2023
Number of Days to Update: 89

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 04/04/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/23/2016	Telephone: 202-564-2501
Date Made Active in Reports: 02/10/2017	Last EDR Contact: 03/29/2023
Number of Days to Update: 79	Next Scheduled EDR Contact: 07/17/2023
	Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 10/26/2022	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 11/22/2022	Telephone: 301-415-7169
Date Made Active in Reports: 12/05/2022	Last EDR Contact: 04/13/2023
Number of Days to Update: 13	Next Scheduled EDR Contact: 07/31/2023
	Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2020	Source: Department of Energy
Date Data Arrived at EDR: 11/30/2021	Telephone: 202-586-8719
Date Made Active in Reports: 02/22/2022	Last EDR Contact: 03/03/2023
Number of Days to Update: 84	Next Scheduled EDR Contact: 06/12/2023
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/05/2019	Telephone: N/A
Date Made Active in Reports: 11/11/2019	Last EDR Contact: 02/27/2023
Number of Days to Update: 251	Next Scheduled EDR Contact: 06/12/2023
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/06/2019	Telephone: 202-566-0517
Date Made Active in Reports: 02/10/2020	Last EDR Contact: 05/04/2023
Number of Days to Update: 96	Next Scheduled EDR Contact: 08/14/2023
	Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/01/2019	Telephone: 202-343-9775
Date Made Active in Reports: 09/23/2019	Last EDR Contact: 03/23/2023
Number of Days to Update: 84	Next Scheduled EDR Contact: 07/10/2023
	Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/02/2020	Source: Department of Transportation, Office of Pipeline Safety
Date Data Arrived at EDR: 01/28/2020	Telephone: 202-366-4595
Date Made Active in Reports: 04/17/2020	Last EDR Contact: 04/25/2023
Number of Days to Update: 80	Next Scheduled EDR Contact: 08/07/2023
	Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2022
Date Data Arrived at EDR: 01/12/2023
Date Made Active in Reports: 04/07/2023
Number of Days to Update: 85

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 04/03/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2021
Date Data Arrived at EDR: 03/09/2023
Date Made Active in Reports: 03/20/2023
Number of Days to Update: 11

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 03/09/2023
Next Scheduled EDR Contact: 07/03/2023
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 04/06/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 07/26/2021
Date Data Arrived at EDR: 07/27/2021
Date Made Active in Reports: 10/22/2021
Number of Days to Update: 87

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 04/26/2023
Next Scheduled EDR Contact: 08/14/2023
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 08/30/2019
Date Data Arrived at EDR: 11/15/2019
Date Made Active in Reports: 01/28/2020
Number of Days to Update: 74

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 02/13/2023
Next Scheduled EDR Contact: 05/29/2023
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 01/25/2023
Date Data Arrived at EDR: 02/02/2023
Date Made Active in Reports: 02/28/2023
Number of Days to Update: 26

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 05/02/2023
Next Scheduled EDR Contact: 07/10/2023
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

MINES VIOLATIONS: MSHA Violation Assessment Data

Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 02/27/2023
Date Data Arrived at EDR: 03/01/2023
Date Made Active in Reports: 03/24/2023
Number of Days to Update: 23

Source: DOL, Mine Safety & Health Admini
Telephone: 202-693-9424
Last EDR Contact: 04/04/2023
Next Scheduled EDR Contact: 06/12/2023
Data Release Frequency: Quarterly

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 11/07/2022
Date Data Arrived at EDR: 11/17/2022
Date Made Active in Reports: 02/10/2023
Number of Days to Update: 85

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 02/22/2023
Next Scheduled EDR Contact: 06/05/2023
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 05/06/2020
Date Data Arrived at EDR: 05/27/2020
Date Made Active in Reports: 08/13/2020
Number of Days to Update: 78

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 02/24/2023
Next Scheduled EDR Contact: 06/05/2023
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011	Source: USGS
Date Data Arrived at EDR: 06/08/2011	Telephone: 703-648-7709
Date Made Active in Reports: 09/13/2011	Last EDR Contact: 02/24/2023
Number of Days to Update: 97	Next Scheduled EDR Contact: 06/05/2023
	Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 12/20/2022	Source: Department of Interior
Date Data Arrived at EDR: 12/20/2022	Telephone: 202-208-2609
Date Made Active in Reports: 03/10/2023	Last EDR Contact: 03/16/2023
Number of Days to Update: 80	Next Scheduled EDR Contact: 06/19/2023
	Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 02/02/2023	Source: EPA
Date Data Arrived at EDR: 02/28/2023	Telephone: (617) 918-1111
Date Made Active in Reports: 03/24/2023	Last EDR Contact: 02/28/2023
Number of Days to Update: 24	Next Scheduled EDR Contact: 06/12/2023
	Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 11/09/2021	Source: Department of Defense
Date Data Arrived at EDR: 10/20/2022	Telephone: 703-704-1564
Date Made Active in Reports: 01/10/2023	Last EDR Contact: 04/27/2023
Number of Days to Update: 82	Next Scheduled EDR Contact: 07/24/2023
	Data Release Frequency: Varies

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 01/01/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/04/2023	Telephone: 202-564-2280
Date Made Active in Reports: 04/03/2023	Last EDR Contact: 03/31/2023
Number of Days to Update: 89	Next Scheduled EDR Contact: 07/17/2023
	Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/06/2021
Date Data Arrived at EDR: 05/21/2021
Date Made Active in Reports: 08/11/2021
Number of Days to Update: 82

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 02/24/2023
Next Scheduled EDR Contact: 06/05/2023
Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 02/13/2023
Date Data Arrived at EDR: 02/14/2023
Date Made Active in Reports: 04/19/2023
Number of Days to Update: 64

Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 02/14/2023
Next Scheduled EDR Contact: 05/29/2023
Data Release Frequency: Quarterly

PFAS NPL: Superfund Sites with PFAS Detections Information

EPA's Office of Land and Emergency Management and EPA Regional Offices maintain data describing what is known about site investigations, contamination, and remedial actions under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) where PFAS is present in the environment.

Date of Government Version: 02/23/2022
Date Data Arrived at EDR: 07/08/2022
Date Made Active in Reports: 11/08/2022
Number of Days to Update: 123

Source: Environmental Protection Agency
Telephone: 703-603-8895
Last EDR Contact: 04/04/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Varies

PFAS FEDERAL SITES: Federal Sites PFAS Information

Several federal entities, such as the federal Superfund program, Department of Defense, National Aeronautics and Space Administration, Department of Transportation, and Department of Energy provided information for sites with known or suspected detections at federal facilities.

Date of Government Version: 03/30/2023
Date Data Arrived at EDR: 03/30/2023
Date Made Active in Reports: 04/07/2023
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 03/30/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Varies

PFAS TSCA: PFAS Manufacture and Imports Information

EPA issued the Chemical Data Reporting (CDR) Rule under the Toxic Substances Control Act (TSCA) and requires chemical manufacturers and facilities that manufacture or import chemical substances to report data to EPA. EPA publishes non-confidential business information (non-CBI) and includes descriptive information about each site, corporate parent, production volume, other manufacturing information, and processing and use information.

Date of Government Version: 01/03/2022
Date Data Arrived at EDR: 03/31/2022
Date Made Active in Reports: 11/08/2022
Number of Days to Update: 222

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 03/30/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Varies

PFAS RCRA MANIFEST: PFAS Transfers Identified In the RCRA Database Listing

To work around the lack of PFAS waste codes in the RCRA database, EPA developed the PFAS Transfers dataset by mining e-Manifest records containing at least one of these common PFAS keywords: PFAS, PFOA, PFOS, PERFL, AFFF, GENX, GEN-X (plus the VT waste codes). These keywords were searched for in the following text fields: Manifest handling instructions (MANIFEST_HANDLING_INSTR), Non-hazardous waste description (NON_HAZ_WASTE_DESCRIPTION), DOT printed information (DOT_PRINTED_INFORMATION), Waste line handling instructions (WASTE_LINE_HANDLING_INSTR), Waste residue comments (WASTE_RESIDUE_COMMENTS).

Date of Government Version: 03/30/2023
Date Data Arrived at EDR: 03/30/2023
Date Made Active in Reports: 05/02/2023
Number of Days to Update: 33

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 03/30/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PFAS ATSDR: PFAS Contamination Site Location Listing

PFAS contamination site locations from the Department of Health & Human Services, Center for Disease Control & Prevention. ATSDR is involved at a number of PFAS-related sites, either directly or through assisting state and federal partners. As of now, most sites are related to drinking water contamination connected with PFAS production facilities or fire training areas where aqueous film-forming firefighting foam (AFFF) was regularly used.

Date of Government Version: 06/24/2020
Date Data Arrived at EDR: 03/17/2021
Date Made Active in Reports: 11/08/2022
Number of Days to Update: 601

Source: Department of Health & Human Services
Telephone: 202-741-5770
Last EDR Contact: 04/20/2023
Next Scheduled EDR Contact: 08/07/2023
Data Release Frequency: Varies

PFAS WQP: Ambient Environmental Sampling for PFAS

The Water Quality Portal (WQP) is a part of a modernized repository storing ambient sampling data for all environmental media and tissue samples. A wide range of federal, state, tribal and local governments, academic and non-governmental organizations and individuals submit project details and sampling results to this public repository. The information is commonly used for research and assessments of environmental quality.

Date of Government Version: 03/30/2023
Date Data Arrived at EDR: 03/30/2023
Date Made Active in Reports: 05/02/2023
Number of Days to Update: 33

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 03/30/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Varies

PFAS NPDES: Clean Water Act Discharge Monitoring Information

Any discharger of pollutants to waters of the United States from a point source must have a National Pollutant Discharge Elimination System (NPDES) permit. The process for obtaining limits involves the regulated entity (permittee) disclosing releases in a NPDES permit application and the permitting authority (typically the state but sometimes EPA) deciding whether to require monitoring or monitoring with limits.

Date of Government Version: 03/30/2023
Date Data Arrived at EDR: 03/30/2023
Date Made Active in Reports: 04/07/2023
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 03/30/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Varies

PFAS ECHO: Facilities in Industries that May Be Handling PFAS Listing

Regulators and the public have expressed interest in knowing which regulated entities may be using PFAS. EPA has developed a dataset from various sources that show which industries may be handling PFAS. Approximately 120,000 facilities subject to federal environmental programs have operated or currently operate in industry sectors with processes that may involve handling and/or release of PFAS.

Date of Government Version: 03/30/2023
Date Data Arrived at EDR: 03/30/2023
Date Made Active in Reports: 04/03/2023
Number of Days to Update: 4

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 03/30/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Varies

PFAS ECHO FIRE TRAINING: Facilities in Industries that May Be Handling PFAS Listing

A list of fire training sites was added to the Industry Sectors dataset using a keyword search on the permitted facility's name to identify sites where fire-fighting foam may have been used in training exercises. Additionally, you may view an example spreadsheet of the subset of fire training facility data, as well as the keywords used in selecting or deselecting a facility for the subset. as well as the keywords used in selecting or deselecting a facility for the subset. These keywords were tested to maximize accuracy in selecting facilities that may use fire-fighting foam in training exercises, however, due to the lack of a required reporting field in the data systems for designating fire training sites, this methodology may not identify all fire training sites or may potentially misidentify them.

Date of Government Version: 03/30/2023
Date Data Arrived at EDR: 03/30/2023
Date Made Active in Reports: 04/03/2023
Number of Days to Update: 4

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 03/30/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PFAS PART 139 AIRPORT: All Certified Part 139 Airports PFAS Information Listing

Since July 1, 2006, all certified part 139 airports are required to have fire-fighting foam onsite that meet military specifications (MIL-F-24385) (14 CFR 139.317). To date, these military specification fire-fighting foams are fluorinated and have been historically used for training and extinguishing. The 2018 FAA Reauthorization Act has a provision stating that no later than October 2021, FAA shall not require the use of fluorinated AFFF. This provision does not prohibit the use of fluorinated AFFF at Part 139 civilian airports; it only prohibits FAA from mandating its use. The Federal Aviation Administration's document AC 150/5210-6D - Aircraft Fire Extinguishing Agents provides guidance on Aircraft Fire Extinguishing Agents, which includes Aqueous Film Forming Foam (AFFF).

Date of Government Version: 03/30/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/30/2023	Telephone: 202-272-0167
Date Made Active in Reports: 04/03/2023	Last EDR Contact: 03/30/2023
Number of Days to Update: 4	Next Scheduled EDR Contact: 07/17/2023
	Data Release Frequency: Varies

AQUEOUS FOAM NRC: Aqueous Foam Related Incidents Listing

The National Response Center (NRC) serves as an emergency call center that fields initial reports for pollution and railroad incidents and forwards that information to appropriate federal/state agencies for response. The spreadsheets posted to the NRC website contain initial incident data that has not been validated or investigated by a federal/state response agency. Response center calls from 1990 to the most recent complete calendar year where there was indication of Aqueous Film Forming Foam (AFFF) usage are included in this dataset. NRC calls may reference AFFF usage in the ?Material Involved? or ?Incident Description? fields.

Date of Government Version: 04/27/2023	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/27/2023	Telephone: 202-272-0167
Date Made Active in Reports: 05/02/2023	Last EDR Contact: 04/27/2023
Number of Days to Update: 5	Next Scheduled EDR Contact: 07/17/2023
	Data Release Frequency: Varies

PFAS: PFAS Contaminated Sites Listing

Detection of Per- and Polyfluoroalkyl Substances (PFAS) in drinking water.

Date of Government Version: 12/09/2022	Source: Department of Environmental Protection
Date Data Arrived at EDR: 12/12/2022	Telephone: 617-292-6770
Date Made Active in Reports: 03/06/2023	Last EDR Contact: 04/19/2023
Number of Days to Update: 84	Next Scheduled EDR Contact: 07/10/2023
	Data Release Frequency: Varies

AIRS: Permitted Facilities Listing

A listing of Air Quality permit applications.

Date of Government Version: 01/12/2023	Source: Department of Environmental Protection
Date Data Arrived at EDR: 01/13/2023	Telephone: 617-292-5789
Date Made Active in Reports: 03/30/2023	Last EDR Contact: 04/05/2023
Number of Days to Update: 76	Next Scheduled EDR Contact: 07/24/2023
	Data Release Frequency: Varies

ASBESTOS: Asbestos Notification Listing

Asbestos sites

Date of Government Version: 11/16/2022	Source: Department of Environmental Protection
Date Data Arrived at EDR: 11/17/2022	Telephone: 617-292-5982
Date Made Active in Reports: 02/13/2023	Last EDR Contact: 03/09/2023
Number of Days to Update: 88	Next Scheduled EDR Contact: 05/29/2023
	Data Release Frequency: Varies

DRYCLEANERS: Regulated Drycleaning Facilities

A listing of Department of Environmental Protection regulated drycleaning facilities that use perchloroethylene under the Environmental Results Program.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/07/2022
Date Data Arrived at EDR: 12/13/2022
Date Made Active in Reports: 01/12/2023
Number of Days to Update: 30

Source: Department of Environmental Protection
Telephone: 617-292-5633
Last EDR Contact: 04/19/2023
Next Scheduled EDR Contact: 07/24/2023
Data Release Frequency: Varies

ENFORCEMENT: Enforcement Action Cases

A listing of enforcement action cases tracked by Department of Environmental Protection programs, including Solid Waste and Hazardous Waste.

Date of Government Version: 01/09/2023
Date Data Arrived at EDR: 01/10/2023
Date Made Active in Reports: 01/12/2023
Number of Days to Update: 2

Source: Department of Environmental Quality
Telephone: 617-292-5979
Last EDR Contact: 04/05/2023
Next Scheduled EDR Contact: 07/24/2023
Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing

Information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 12/01/2010
Date Data Arrived at EDR: 12/23/2010
Date Made Active in Reports: 02/03/2011
Number of Days to Update: 42

Source: Department of Environmental Protection
Telephone: 617-292-5970
Last EDR Contact: 03/02/2023
Next Scheduled EDR Contact: 06/19/2023
Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for underground storage tanks. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 01/11/2023
Date Data Arrived at EDR: 01/12/2023
Date Made Active in Reports: 03/06/2023
Number of Days to Update: 53

Source: Office of State Fire Marshal
Telephone: 978-567-3100
Last EDR Contact: 05/03/2023
Next Scheduled EDR Contact: 07/24/2023
Data Release Frequency: Varies

Financial Assurance 3: Financial Assurance Information listing

Information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 10/24/2022
Date Data Arrived at EDR: 01/12/2023
Date Made Active in Reports: 03/07/2023
Number of Days to Update: 54

Source: Department of Environmental Protection
Telephone: 617-292-5970
Last EDR Contact: 03/29/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Varies

GWDP: Ground Water Discharge Permits

The Ground Water Discharge Permits datalayer (formerly known as Groundwater Discharge Points) is a statewide point dataset containing approximate locations of permitted discharges to groundwater.

Date of Government Version: 11/03/2022
Date Data Arrived at EDR: 01/24/2023
Date Made Active in Reports: 04/12/2023
Number of Days to Update: 78

Source: MassGIS
Telephone: 617-556-1150
Last EDR Contact: 04/25/2023
Next Scheduled EDR Contact: 08/07/2023
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HW GEN: List of Massachusetts Hazardous Waste Generators

Permanent generator identification numbers for all Massachusetts generators of hazardous waste and waste oil that have registered with or notified MassDEP of their hazardous waste activities.

Date of Government Version: 11/18/2022
Date Data Arrived at EDR: 12/14/2022
Date Made Active in Reports: 03/06/2023
Number of Days to Update: 82

Source: Department of Environmental Protection
Telephone: 617-292-5500
Last EDR Contact: 03/21/2023
Next Scheduled EDR Contact: 07/03/2023
Data Release Frequency: Semi-Annually

MERCURY: Mercury Product Recycling Drop-Off Locations Listing

A listing of locations, collecting and recycling for mercury-added products. Mercury is toxic to the human nervous system, as well as fish and animals. Mercury can enter the body either through skin absorption or through inhalation of mercury vapors. At room temperature, small beads of mercury will vaporize.

Date of Government Version: 09/26/2022
Date Data Arrived at EDR: 09/26/2022
Date Made Active in Reports: 12/09/2022
Number of Days to Update: 74

Source: Department of Environmental Protection
Telephone: 617-292-5632
Last EDR Contact: 02/09/2023
Next Scheduled EDR Contact: 05/29/2023
Data Release Frequency: Varies

NPDES: NPDES Permit Listing

Listing of treatment plants in Massachusetts that hold permits to discharge to groundwater.

Date of Government Version: 12/16/2022
Date Data Arrived at EDR: 02/07/2023
Date Made Active in Reports: 02/14/2023
Number of Days to Update: 7

Source: Department of Environmental Protection
Telephone: 508-767-2781
Last EDR Contact: 02/07/2023
Next Scheduled EDR Contact: 05/22/2023
Data Release Frequency: Varies

TIER 2: Tier 2 Information Listing

A listing of facilities which store or manufacture hazardous materials and submit a chemical inventory report

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 07/19/2021
Date Made Active in Reports: 08/17/2021
Number of Days to Update: 29

Source: Massachusetts Emergency Management Agency
Telephone: 508-820-2019
Last EDR Contact: 04/19/2023
Next Scheduled EDR Contact: 07/24/2023
Data Release Frequency: Annually

TSD: TSD Facility

List of Licensed Hazardous Waste Treatment, Storage Disposal Facilities (TSDFs) in Massachusetts.

Date of Government Version: 11/18/2022
Date Data Arrived at EDR: 12/14/2022
Date Made Active in Reports: 03/06/2023
Number of Days to Update: 82

Source: Department of Environmental Protection
Telephone: 617-292-5580
Last EDR Contact: 03/21/2023
Next Scheduled EDR Contact: 07/03/2023
Data Release Frequency: Varies

UIC: Underground Injection Control Listing

A list of UIC registration data and their locations

Date of Government Version: 03/10/2022
Date Data Arrived at EDR: 03/15/2022
Date Made Active in Reports: 06/10/2022
Number of Days to Update: 87

Source: Department of Environmental Protection
Telephone: 617-566-1172
Last EDR Contact: 05/03/2023
Next Scheduled EDR Contact: 08/21/2023
Data Release Frequency: Varies

PFAS TRIS: List of PFAS Added to the TRI

Section 7321 of the National Defense Authorization Act for Fiscal Year 2020 (NDAA) immediately added certain per- and polyfluoroalkyl substances (PFAS) to the list of chemicals covered by the Toxics Release Inventory (TRI) under Section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA) and provided a framework for additional PFAS to be added to TRI on an annual basis.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/07/2023
Date Data Arrived at EDR: 03/07/2023
Date Made Active in Reports: 03/24/2023
Number of Days to Update: 17

Source: Environmental Protection Agency
Telephone: 202-566-0250
Last EDR Contact: 03/30/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Varies

PCS ENF: Enforcement data

No description is available for this data

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 02/05/2015
Date Made Active in Reports: 03/06/2015
Number of Days to Update: 29

Source: EPA
Telephone: 202-564-2497
Last EDR Contact: 03/30/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Varies

PCS: Permit Compliance System

PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 07/14/2011
Date Data Arrived at EDR: 08/05/2011
Date Made Active in Reports: 09/29/2011
Number of Days to Update: 55

Source: EPA, Office of Water
Telephone: 202-564-2496
Last EDR Contact: 03/30/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: No Update Planned

MINES MRDS: Mineral Resources Data System

Mineral Resources Data System

Date of Government Version: 08/23/2022
Date Data Arrived at EDR: 11/22/2022
Date Made Active in Reports: 02/28/2023
Number of Days to Update: 98

Source: USGS
Telephone: 703-648-6533
Last EDR Contact: 02/24/2023
Next Scheduled EDR Contact: 06/05/2023
Data Release Frequency: Varies

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Protection in Massachusetts.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/24/2013
Number of Days to Update: 176

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Protection in Massachusetts.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/24/2013
Number of Days to Update: 176

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/16/2022
Date Data Arrived at EDR: 11/16/2022
Date Made Active in Reports: 02/06/2023
Number of Days to Update: 82

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 02/10/2023
Next Scheduled EDR Contact: 05/22/2023
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/16/2019
Number of Days to Update: 36

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 03/30/2023
Next Scheduled EDR Contact: 07/17/2023
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 10/29/2021
Date Made Active in Reports: 01/19/2022
Number of Days to Update: 82

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 04/27/2023
Next Scheduled EDR Contact: 08/07/2023
Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 06/30/2018
Date Data Arrived at EDR: 07/19/2019
Date Made Active in Reports: 09/10/2019
Number of Days to Update: 53

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 04/06/2023
Next Scheduled EDR Contact: 07/24/2023
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 11/30/2021
Date Made Active in Reports: 02/18/2022
Number of Days to Update: 80

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 02/13/2022
Next Scheduled EDR Contact: 05/29/2023
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 10/28/2019
Date Data Arrived at EDR: 10/29/2019
Date Made Active in Reports: 01/09/2020
Number of Days to Update: 72

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 04/06/2023
Next Scheduled EDR Contact: 07/24/2023
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 06/19/2019
Date Made Active in Reports: 09/03/2019
Number of Days to Update: 76

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 03/06/2023
Next Scheduled EDR Contact: 06/19/2023
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Oil/Gas Pipelines

Source: Endeavor Business Media

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data

Source: Endeavor Business Media

This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: MassDEP

Telephone: 617-292-5907

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

WINTER HILL COMMUNITY SCHOOL
115 SYCAMORE STREET
SOMERVILLE, MA 02145

TARGET PROPERTY COORDINATES

Latitude (North):	42.391816 - 42° 23' 30.54"
Longitude (West):	71.098461 - 71° 5' 54.46"
Universal Transverse Mercator:	Zone 19
UTM X (Meters):	327272.2
UTM Y (Meters):	4695199.5
Elevation:	75 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	11762159 BOSTON NORTH, MA
Version Date:	2018

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SSE

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
25017C0438E	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
25017C0436E	FEMA FIRM Flood data
25017C0439E	FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
EAST HALF OF BOSTON NORTH	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
4	1/4 - 1/2 Mile East	E
10	1/2 - 1 Mile East	N
15	1/2 - 1 Mile East	SSE
25	1/2 - 1 Mile SW	ESE
30	1/2 - 1 Mile WSW	W
1G	1/2 - 1 Mile East	SSE
2G	1/4 - 1/2 Mile East	E
3G	1/2 - 1 Mile East	N
4G	1/2 - 1 Mile WSW	W
5G	1/2 - 1 Mile SW	ESE

For additional site information, refer to Physical Setting Source Map Findings.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era:	Paleozoic
System:	Cambrian
Series:	Cambrian
Code:	Ce (decoded above as Era, System & Series)

GEOLOGIC AGE IDENTIFICATION

Category: Eugeosynclinal Deposits

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: fine sandy loam
silt loam
very fine sandy loam

Surficial Soil Types: fine sandy loam
silt loam
very fine sandy loam

Shallow Soil Types: No Other Soil Types

Deeper Soil Types: fine sandy loam
channery - silt loam
gravelly - loamy sand
silt loam
loamy fine sand
stratified
gravelly - sandy loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	USGS40000473219	0 - 1/8 Mile SSW

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
2	USGS40000473267	0 - 1/8 Mile NE
3	USGS40000473177	1/4 - 1/2 Mile SE
5	USGS40000473109	1/4 - 1/2 Mile SE
7	USGS40000473322	1/2 - 1 Mile ENE
8	USGS40000473385	1/2 - 1 Mile NNE
9	USGS40000473364	1/2 - 1 Mile NE
11	USGS40000473279	1/2 - 1 Mile East
12	USGS40000473049	1/2 - 1 Mile SE
13	USGS40000473168	1/2 - 1 Mile ESE
14	USGS40000473437	1/2 - 1 Mile NNE
16	USGS40000473410	1/2 - 1 Mile NE
18	USGS40000473467	1/2 - 1 Mile North
A19	USGS40000473298	1/2 - 1 Mile ENE
20	USGS40000473454	1/2 - 1 Mile NNW
22	USGS40000473201	1/2 - 1 Mile East
26	USGS40000473495	1/2 - 1 Mile North
27	USGS40000473462	1/2 - 1 Mile NNW
28	USGS40000473479	1/2 - 1 Mile NNE
32	USGS40000473510	1/2 - 1 Mile North
34	USGS40000473266	1/2 - 1 Mile East
35	USGS40000473414	1/2 - 1 Mile NE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
6	MA9000000004959	1/4 - 1/2 Mile NW
17	MA9000000005339	1/2 - 1 Mile SW
A21	MA9000000004605	1/2 - 1 Mile East
23	MA9000000005000	1/2 - 1 Mile SE
A24	MA9000000005016	1/2 - 1 Mile East
29	MA9000000004267	1/2 - 1 Mile North
31	MA9000000005475	1/2 - 1 Mile SSE
33	MA9000000004632	1/2 - 1 Mile SSE

PHYSICAL SETTING SOURCE MAP - 07330730.2r



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons
- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Potentially Productive Aquifers
- Not Potentially Productive Aquifers
- DEP Approved Zone IIs
- EPA Designated Sole Src. Aq.

SITE NAME: Winter Hill Community School
 ADDRESS: 115 Sycamore Street
 Somerville MA 02145
 LAT/LONG: 42.391816 / 71.098461

CLIENT: Haley & Aldrich, Inc.
 CONTACT: Kristen Ingraham
 INQUIRY #: 07330730.2r
 DATE: May 08, 2023 3:28 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

1
SSW
0 - 1/8 Mile
Lower

FED USGS USGS40000473219

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-SQX 1	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	48	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

2
NE
0 - 1/8 Mile
Lower

FED USGS USGS40000473267

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-SQX 2	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	32	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

3
SE
1/4 - 1/2 Mile
Lower

FED USGS USGS40000473177

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-SQX 9	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	16	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

4
East
1/4 - 1/2 Mile
Lower

Site ID:	3-0002971	AQUIFLOW	2571
Groundwater Flow:	E		
Water Table Depth:	Not Reported		
Date:	Not Reported		

5
SE
1/4 - 1/2 Mile
Lower

FED USGS USGS40000473109

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-SQW 5	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Bedrock
Aquifer Type:	Not Reported	Construction Date:	1943
Well Depth:	301	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

6
NW
1/4 - 1/2 Mile
Higher

MA WELLS MA9000000004959

PWS ID:	Not Reported	Site Name:	Not Reported
Type:	Not Reported	Facility Name:	CVS 0714
SubBasin:	BOSTON HARBOR		
Basemap:	DOQ	Accuracy Estimate (ft):	100
Feature Type:	CB	Location Method:	PHO
Primary Location Source:	AP_DOQ	Secondary Location Source:	DD_PAR
Tertiary Location Source:	Not Reported	UST ID:	0
Date Mapped:	01-FEB-14		

7
ENE
1/2 - 1 Mile
Lower

FED USGS USGS40000473322

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-SQW 6	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	1914
Well Depth:	50	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

8
NNE
1/2 - 1 Mile
Lower

FED USGS USGS40000473385

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-SQX 3	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Units:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	25	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

9
NE
1/2 - 1 Mile
Lower

FED USGS USGS40000473364

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-SQR 2	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Units:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	1964
Well Depth:	24	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

10
East
1/2 - 1 Mile
Lower

Site ID:	3-0856
Groundwater Flow:	N
Water Table Depth:	Shallowest: 3 ft. Deepest: 6 ft.
Date:	08/25/1997

AQUIFLOW 4677

11
East
1/2 - 1 Mile
Lower

FED USGS USGS40000473279

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-SQX 11	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Units:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	18	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

12
SE
1/2 - 1 Mile
Lower

FED USGS USGS40000473049

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-SQX 10	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	11	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

13
ESE
1/2 - 1 Mile
Lower

FED USGS USGS40000473168

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-SQX 8	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	359	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

14
NNE
1/2 - 1 Mile
Lower

FED USGS USGS40000473437

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-MMR 3	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	1966
Well Depth:	62	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

15
East
1/2 - 1 Mile
Lower

Site ID: 3-0002891
Groundwater Flow: SSE
Water Table Depth: Shallowest: 7.5 ft. Deepest: 9.3 ft.
Date: 11/13/1996

AQUIFLOW 4821

16
NE
1/2 - 1 Mile
Lower

FED USGS USGS40000473410

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-MMR 8	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	1965
Well Depth:	15	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

17
SW
1/2 - 1 Mile
Lower

MA WELLS MA9000000005339

PWS ID:	Not Reported	Site Name:	Not Reported
Type:	Not Reported	Facility Name:	RITE AID PHARMACY 10161
SubBasin:	CHARLES		
Basemap:	DOQ	Accuracy Estimate (ft):	100
Feature Type:	CB	Location Method:	PHO
Primary Location Source:	AP_DOQ	Secondary Location Source:	DD_PAR
Tertiary Location Source:	Not Reported	UST ID:	0
Date Mapped:	01-FEB-14		

18
North
1/2 - 1 Mile
Lower

FED USGS USGS40000473467

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-MMR 2	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	1965
Well Depth:	82	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

A19
ENE
1/2 - 1 Mile
Lower

FED USGS USGS40000473298

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-SQX 5	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	20	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

20
NNW
1/2 - 1 Mile
Lower

FED USGS USGS40000473454

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-MMX 21	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	1931
Well Depth:	12	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

A21
East
1/2 - 1 Mile
Lower

MA WELLS MA9000000004605

PWS ID:	Not Reported	Site Name:	Not Reported
Type:	Not Reported	Facility Name:	PENSKE AUTO CENTER
SubBasin:	BOSTON HARBOR		
Basemap:	DOQ	Accuracy Estimate (ft):	100
Feature Type:	CB	Location Method:	PHO
Primary Location Source:	AP_PN	Secondary Location Source:	Not Reported
Tertiary Location Source:	Not Reported	UST ID:	0
Date Mapped:	08-FEB-07		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

22
East
1/2 - 1 Mile
Lower

FED USGS USGS40000473201

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-SQX 4	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Units:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	24	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

23
SE
1/2 - 1 Mile
Lower

MA WELLS MA9000000005000

PWS ID:	Not Reported	Site Name:	Not Reported
Type:	Not Reported	Facility Name:	50 TUFTS STREET SITE
SubBasin:	CHARLES		
Basemap:	DOQ	Accuracy Estimate (ft):	100
Feature Type:	CB	Location Method:	OTH
Primary Location Source:	VERB	Secondary Location Source:	Not Reported
Tertiary Location Source:	Not Reported	UST ID:	0
Date Mapped:	09-FEB-01		

A24
East
1/2 - 1 Mile
Lower

MA WELLS MA9000000005016

PWS ID:	Not Reported	Site Name:	Not Reported
Type:	Not Reported	Facility Name:	KMART 3486
SubBasin:	BOSTON HARBOR		
Basemap:	DOQ	Accuracy Estimate (ft):	100
Feature Type:	CB	Location Method:	PHO
Primary Location Source:	DD_PAR	Secondary Location Source:	AP_DOQ
Tertiary Location Source:	MS_WWW	UST ID:	0
Date Mapped:	27-DEC-12		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

25
SW
1/2 - 1 Mile
Lower

Site ID: 3-0004261
Groundwater Flow: ESE
Water Table Depth: Shallowest: 8.24 ft. Deepest: 11.34 ft.
Date: 09/30/94

AQUIFLOW 4819

26
North
1/2 - 1 Mile
Lower

FED USGS USGS40000473495

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-MMR 1	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	1965
Well Depth:	104	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

27
NNW
1/2 - 1 Mile
Lower

FED USGS USGS40000473462

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-MMX 2	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	1938
Well Depth:	18	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

28
NNE
1/2 - 1 Mile
Lower

FED USGS USGS40000473479

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-MMR 6	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	1965
Well Depth:	25	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

29
North
1/2 - 1 Mile
Lower

MA WELLS MA9000000004267

PWS ID: Not Reported
Type: Not Reported
SubBasin: BOSTON HARBOR

Site Name: Not Reported
Facility Name: SENTRY LINCOLN MERCURY SALES INC

Basemap: DOQ
Feature Type: CF
Primary Location Source: AP_PN
Tertiary Location Source: Not Reported
Date Mapped: 05-JAN-07

Accuracy Estimate (ft): 100
Location Method: PHO
Secondary Location Source: Not Reported
UST ID: 0

30
WSW
1/2 - 1 Mile
Lower

Site ID: 3-0004676
Groundwater Flow: W
Water Table Depth: Shallowest: 8.82 ft. Deepest: 13.40 ft.
Date: 09/29/1993

AQUIFLOW 4678

31
SSE
1/2 - 1 Mile
Lower

MA WELLS MA9000000005475

PWS ID: Not Reported
Type: Not Reported
SubBasin: CHARLES

Site Name: Not Reported
Facility Name: VALVOLINE INSTANT OIL CHANGE

Basemap: DOQ
Feature Type: CF
Primary Location Source: AP_PN
Tertiary Location Source: Not Reported
Date Mapped: 09-JAN-07

Accuracy Estimate (ft): 100
Location Method: PHO
Secondary Location Source: WWW
UST ID: 0

32
North
1/2 - 1 Mile
Lower

FED USGS USGS40000473510

Organization ID: USGS-MA
Organization Name: USGS Massachusetts Water Science Center
Monitor Location: MA-MMB 12
Description: Not Reported
Drainage Area: Not Reported
Contrib Drainage Area: Not Reported
Aquifer: Not Reported
Aquifer Type: Not Reported
Well Depth: 86
Well Hole Depth: Not Reported

Type: Well
HUC: 01090001
Drainage Area Units: Not Reported
Contrib Drainage Area Units: Not Reported
Formation Type: Not Reported
Construction Date: 1959
Well Depth Units: ft
Well Hole Depth Units: Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

33
SSE
1/2 - 1 Mile
Lower

MA WELLS MA9000000004632

PWS ID:	Not Reported	Site Name:	Not Reported
Type:	Not Reported	Facility Name:	AUTOZONE 5003 DBA
SubBasin:	CHARLES		

Basemap:	DOQ	Accuracy Estimate (ft):	100
Feature Type:	CF	Location Method:	PHO
Primary Location Source:	AP_PN	Secondary Location Source:	MS_WWW
Tertiary Location Source:	Not Reported	UST ID:	0
Date Mapped:	09-JAN-07		

34
East
1/2 - 1 Mile
Lower

FED USGS USGS40000473266

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-SQX 6	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	36	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

35
NE
1/2 - 1 Mile
Lower

FED USGS USGS40000473414

Organization ID:	USGS-MA		
Organization Name:	USGS Massachusetts Water Science Center		
Monitor Location:	MA-MMB 4	Type:	Well
Description:	Not Reported	HUC:	01090001
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	32	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

1G East 1/2 - 1 Mile Lower	Site ID: Groundwater Flow: Water Table Depth: Date:	3-0002891 SSE Shallowest: 7.5 ft. Deepest: 9.3 ft. 11/13/1996	AQUIFLOW	4821
2G East 1/4 - 1/2 Mile Lower	Site ID: Groundwater Flow: Water Table Depth: Date:	3-0002971 E Not Reported Not Reported	AQUIFLOW	2571
3G East 1/2 - 1 Mile Lower	Site ID: Groundwater Flow: Water Table Depth: Date:	3-0856 N Shallowest: 3 ft. Deepest: 6 ft. 08/25/1997	AQUIFLOW	4677
4G WSW 1/2 - 1 Mile Lower	Site ID: Groundwater Flow: Water Table Depth: Date:	3-0004676 W Shallowest: 8.82 ft. Deepest: 13.40 ft. 09/29/1993	AQUIFLOW	4678
5G SW 1/2 - 1 Mile Lower	Site ID: Groundwater Flow: Water Table Depth: Date:	3-0004261 ESE Shallowest: 8.24 ft. Deepest: 11.34 ft. 09/30/94	AQUIFLOW	4819

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

RADON

AREA RADON INFORMATION

State Database: MA Radon

Radon Test Results

County	% of sites > 4 pCi/L	Median
MIDDLESEX	26	2.2

Federal EPA Radon Zone for MIDDLESEX County: 1

Note: Zone 1 indoor average level > 4 pCi/L.
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 02145

Number of sites tested: 1

Area	Average Activity	% < 4 pCi/L	% 4-20 pCi/L	% > 20 pCi/L
Living Area - 1st Floor	Not Reported	Not Reported	Not Reported	Not Reported
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	0.900 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: MassDEP

Telephone: 617-292-5907

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Massachusetts Geographic Information System (MassGIS) Datalayers

Source: Executive Office of Environmental Affairs

Telephone:

Public Water Supply Database

Telephone:

The Public Water Supply datalayer contains the locations of public community surface and groundwater supply sources and public non-community supply sources as defined in 310 CMR 22.00.

Areas of Critical Environmental Concern

Telephone:

The Areas of Critical Environmental Concern (ACEC) datalayer shows the location of areas that have been designated ACECs by the Secretary of Environmental Affairs. ACEC designation requires greater environmental review of certain kinds of proposed development under state jurisdiction within the ACEC boundaries. The ACEC Program is administered by the Department of Environmental Management (DEM) on behalf of the Secretary of Environmental Affairs. The Massachusetts Coastal Zone Management (MCZM) Office managed the original Coastal ACEC Program from 1978 to 1993, and continues to play a key role in monitoring coastal ACECs. Procedures for ACEC designation and the general policies governing the effects of designation are contained in the ACEC regulations (301 CMR 12.00). The ACEC datalayer has been compiled by MCZM and DEM and includes both coastal and inland areas.

EPA Designated Sole Source Aquifers

Telephone:

The Sole Source Aquifer datalayer was compiled by the Department of Environmental Protection (DEP) Division of Water Supply (DWS). Seven Sole Source Aquifers have been designated by the US Environmental Protection Agency (EPA) for Massachusetts. A Sole Source Aquifer (SSA) is an aquifer designated by US EPA as the sole or principal source of drinking water for a given aquifer service area; that is, an aquifer which is needed to supply 50% or more of the drinking water for that area and for which there are no reasonably available alternative sources should that aquifer become contaminated. The aquifers were defined by an EPA hydrogeologist.

Aquifers

Telephone:

MassGIS produced an aquifer datalayer composed of 20 individual panels, generally based on the boundaries of the major drainage basins. Areas of high and medium yield were mapped. This datalayer includes polygon attribute coding to help in the identification of areas in which cleanup of hazardous waste sites must meet drinking water standards, as defined in the Massachusetts Contingency Plan (MCP) (310 CMR 40.00000).

PHYSICAL SETTING SOURCE RECORDS SEARCHED

Non-Potential Drinking Water Source Areas

Telephone:

Non-Potential Drinking Water Source Areas (NPDWSA) are regulatory in nature representing one of many considerations used in determining the standards to which ground water must be cleaned in the event of a release of oil or hazardous material. NPDWSAs are not based on existing water quality and do not indicate poor ambient conditions.

DEP Approved Zone IIs

Telephone:

The Department of Environmental Protection (DEP) approved Zone IIs datalayer was compiled by the DEP Division of Water Supply (DWS). The database contains 281 approved Zone IIs statewide. As stated in 310 CMR 22.02, a Zone II is 'that area of an aquifer which contributes water to a well under the most severe pumping and recharge conditions that can be realistically anticipated (180 days of pumping at safe yield, with no recharge from precipitation.) It is bounded by the groundwater divides which result from pumping the well and by the contact of the aquifer with less permeable materials such as till or bedrock. In some cases, streams or lakes may act as recharge boundaries. In all cases, Zone IIs shall extend up gradient to its point of intersection with prevailing hydrogeologic boundaries (a groundwater flow divide, a contact with till or bedrock, or a recharge boundary).' These data are used in association with the Public Water Supplies datalayer. The following describes certain unique features of this association.\n - Any proposed new well which will pump at least 100,000 gallons per day must have a Zone II delineation completed and approved by DEP prior to the well coming on line. \n- Additionally, a new source may not be on-line yet, but other, older wells may fall within its Zone II boundary.\n - Further, existing wells must have a Zone II delineated as a condition of receiving a water withdrawal permit under the Water Management Act.

OTHER STATE DATABASE INFORMATION

RADON

State Database: MA Radon

Source: Department of Health

Telephone: 413-586-7525

Radon Test Results

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRRA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX B
EDR Aerial Photo Decade Package

Winter Hill Community School

115 Sycamore Street

Somerville, MA 02145

Inquiry Number: 7330730.5

May 08, 2023

The EDR Aerial Photo Decade Package



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

05/08/23

Site Name:

Winter Hill Community School
115 Sycamore Street
Somerville, MA 02145
EDR Inquiry # 7330730.5

Client Name:

Haley & Aldrich, Inc.
465 Medford Street
Boston, MA 02129
Contact: Kristen Ingraham



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
2018	1"=500'	Flight Year: 2018	USDA/NAIP
2014	1"=500'	Flight Year: 2014	USDA/NAIP
2010	1"=500'	Flight Year: 2010	USDA/NAIP
1995	1"=500'	Acquisition Date: April 03, 1995	USGS/DOQQ
1985	1"=500'	Flight Date: April 17, 1985	USDA
1980	1"=500'	Flight Date: October 10, 1980	USDA
1978	1"=500'	Flight Date: April 23, 1978	USGS
1970	1"=500'	Flight Date: October 29, 1970	USDA
1969	1"=500'	Flight Date: April 09, 1969	USGS
1962	1"=500'	Flight Date: April 04, 1962	USGS
1955	1"=500'	Flight Date: December 01, 1955	USGS
1952	1"=500'	Flight Date: August 24, 1952	USDA
1946	1"=500'	Flight Date: June 15, 1946	USGS
1938	1"=500'	Flight Date: December 15, 1938	USGS

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.


Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT.

ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.



INQUIRY #: 7330730.5

YEAR: 2018

— = 500'





INQUIRY #: 7330730.5

YEAR: 2014

_____ = 500'





INQUIRY #: 7330730.5

YEAR: 2010

— = 500'





INQUIRY #: 7330730.5

YEAR: 1995

— = 500'





INQUIRY #: 7330730.5

YEAR: 1985

— = 500'





INQUIRY #: 7330730.5

YEAR: 1980

— = 500'





INQUIRY #: 7330730.5

YEAR: 1978

— = 500'





INQUIRY #: 7330730.5

YEAR: 1970

— = 500'






INQUIRY #: 7330730.5

YEAR: 1969

— = 500'







INQUIRY #: 7330730.5

YEAR: 1955

500'





INQUIRY #: 7330730.5

YEAR: 1952

_____ = 500'





INQUIRY #: 7330730.5

YEAR: 1946

_____ = 500'





INQUIRY #: 7330730.5

YEAR: 1938

— = 500'



APPENDIX C

EDR Sanborn Map Report



Winter Hill Community School

115 Sycamore Street

Somerville, MA 02145

Inquiry Number: 7330730.3

May 08, 2023

Certified Sanborn® Map Report



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

05/08/23

Site Name:

Winter Hill Community School
115 Sycamore Street
Somerville, MA 02145
EDR Inquiry # 7330730.3

Client Name:

Haley & Aldrich, Inc.
465 Medford Street
Boston, MA 02129
Contact: Kristen Ingraham



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Haley & Aldrich, Inc. were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 8D73-41B9-86C0

PO # 0200460-004

Project NA

Maps Provided:

1991
1989
1950
1934
1933
1900



Sanborn® Library search results

Certification #: 8D73-41B9-86C0

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☒ Library of Congress
- ☒ University Publications of America
- ☒ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Haley & Aldrich, Inc. (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT.

ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



1991 Source Sheets



Volume 1, Sheet 44
1991



Volume 1, Sheet 43
1991



Volume 1, Sheet 45
1991



Volume 1, Sheet 46
1991

1989 Source Sheets




Volume 1, Sheet 45
1989



Volume 1, Sheet 46
1989



Volume 1, Sheet 44
1989



Volume 1, Sheet 43
1989

1950 Source Sheets



Volume 1, Sheet 43
1950



Volume 1, Sheet 44
1950



Volume 1, Sheet 46
1950



Volume 1, Sheet 45
1950

1933 Source Sheets



Volume 1, Sheet 45
1933



Volume 1, Sheet 46
1933



Volume 1, Sheet 44
1933



Volume 1, Sheet 43
1933

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.




1900 Source Sheets



Volume 1, Sheet 65
1900




Volume 1, Sheet 63
1900



Volume 1, Sheet 48
1900




Volume 1, Sheet 66
1900




Site Name: Winter Hill Community School
 Address: 115 Sycamore Street
 City, ST, ZIP: Somerville, MA 02145
 Client: Haley & Aldrich, Inc.
 EDR Inquiry: 7330730.3
 Order Date: 05/08/2023
 Certification #: 8D73-41B9-86C0
 Copyright: 1991



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 46
 Volume 1, Sheet 45
 Volume 1, Sheet 43
 Volume 1, Sheet 44





The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 8D73-41B9-86C0

Site Name: Winter Hill Community School
 Address: 115 Sycamore Street
 City, ST, ZIP: Somerville, MA 02145
 Client: Haley & Aldrich, Inc.
 EDR Inquiry: 7330730.3
 Order Date: 05/08/2023
 Certification #: 8D73-41B9-86C0
 Copyright: 1989




This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 43
 Volume 1, Sheet 44
 Volume 1, Sheet 45
 Volume 1, Sheet 46







The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #8D73-41B9-86C0

Site Name: Winter Hill Community School
 Address: 115 Sycamore Street
 City, ST, ZIP: Somerville, MA 02145
 Client: Haley & Aldrich, Inc.
 EDR Inquiry: 7330730.3
 Order Date: 05/08/2023
 Certification #: 8D73-41B9-86C0
 Copyright: 1950




This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 45
 Volume 1, Sheet 46
 Volume 1, Sheet 44
 Volume 1, Sheet 43






The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification # 8D73-41B9-86C0

Site Name: Winter Hill Community School
 Address: 115 Sycamore Street
 City, ST, ZIP: Somerville, MA 02145
 Client: Haley & Aldrich, Inc.
 EDR Inquiry: 7330730.3
 Order Date: 05/08/2023
 Certification #: 8D73-41B9-86C0
 Copyright: 1934



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.







The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #8D73-41B9-86C0

Site Name: Winter Hill Community School
 Address: 115 Sycamore Street
 City, ST, ZIP: Somerville, MA 02145
 Client: Haley & Aldrich, Inc.
 EDR Inquiry: 7330730.3
 Order Date: 05/08/2023
 Certification #: 8D73-41B9-86C0
 Copyright: 1933




This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 43
 Volume 1, Sheet 44
 Volume 1, Sheet 46
 Volume 1, Sheet 45







Site Name: Winter Hill Community School
 Address: 115 Sycamore Street
 City, ST, ZIP: Somerville, MA 02145
 Client: Haley & Aldrich, Inc.
 EDR Inquiry: 7330730.3
 Order Date: 05/08/2023
 Certification #: 8D73-41B9-86C0
 Copyright: 1900



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 66
 Volume 1, Sheet 48
 Volume 1, Sheet 63
 Volume 1, Sheet 65



APPENDIX D
Hazardous Building Materials Survey Report

**HAZARDOUS BUILDING MATERIALS SURVEY REPORT
THE WINTER HILL COMMUNITY SCHOOL BUILDING
115 SYCAMORE STREET, SOMERVILLE, MA**



PREPARED FOR:

**HALEY & ALDRICH, INC.
465 MEDFORD STREET, SUITE 2200
BOSTON, MA 02129**

PREPARED BY:

**AXIOM PARTNERS, INC.
50B SALEM STREET, SUITE #103
LYNNFIELD, MA 01490**

AUGUST 9, 2023

TABLE OF CONTENTS

	<u>PAGE</u>
CERTIFICATION OF RESULTS	CR-1
1.0 PURPOSE AND SCOPE OF WORK	1
2.0 SITE DESCRIPTION	1
3.0 INSPECTION PERSONNEL, METHODS, AND LABORATORIES	1
3.1 Inspection Personnel and Process	1
3.1.1 <i>Inspection Personnel</i>	<i>1</i>
3.1.2 <i>Inspection Process</i>	<i>1</i>
3.2 Asbestos-Containing Materials (ACM) Investigation	2
3.2.1 <i>Methodology</i>	<i>2</i>
3.2.2 <i>Definitions of Key Inspection Terms</i>	<i>2</i>
3.3 Asbestos Laboratory Services	3
3.3.1 <i>PLM Bulk Sample Analysis</i>	<i>3</i>
3.4 Lead-Containing Paint (LCP) Investigation	3
3.4.1 <i>Introduction</i>	<i>4</i>
3.4.2 <i>Testing Methodology</i>	<i>4</i>
3.4.3 <i>Bulk Sampling Procedures</i>	<i>4</i>
3.5 Polychlorinated Biphenyls (PCBs) and DEHP Investigation	4
3.6 Mercury Light Tubes and Thermostats Investigation	5
3.7 Chlorofluorocarbons (CFCs) Investigation	5
3.8 Miscellaneous Hazardous Building Materials	5
4.0 FINDINGS AND RECOMMENDATIONS	5
4.1 Asbestos-Containing Materials	5
4.1.1 <i>Asbestos-Containing Materials</i>	<i>5</i>
4.1.2 <i>Presumed ACMs</i>	<i>6</i>
4.1.3 <i>Non-Asbestos-Containing Materials</i>	<i>6</i>
4.1.4 <i>Discussion and Recommendations</i>	<i>6</i>
4.2 Lead-Containing Paint (LCP)	7
4.3 Polychlorinated Biphenyls (PCBs) and Mercury	8
4.3.1 <i>Fluorescent Light Fixtures</i>	<i>8</i>
4.3.2 <i>Transformers</i>	<i>9</i>
4.3.3 <i>Mercury-Containing Items</i>	<i>9</i>
4.4 Chlorofluorocarbons (CFCs)	9
4.5 Polychlorinated Biphenyls (PCBs) in Caulking	9
4.5.1 <i>Summary of PCB Bulk Product Testing Results</i>	<i>9</i>
4.5.2 <i>Discussion</i>	<i>10</i>
4.6 Miscellaneous Hazardous Building Materials	10
4.6.1 <i>Miscellaneous Hazardous Materials/Wastes</i>	<i>10</i>
5.0 LIMITATIONS AND EXCLUSIONS	10
5.1 Limitations and Conditions of This Investigation	10
5.1.1 <i>NESHAPs Asbestos Survey</i>	<i>10</i>
5.1.2 <i>Inaccessible Materials and Locations</i>	<i>11</i>
5.1.3 <i>Other Environmental Exclusions</i>	<i>11</i>
5.1.4 <i>Project Specifications</i>	<i>12</i>

APPENDICES

Appendix A Asbestos Bulk and PCB Bulk Sample Results

CR-1



Appendix B	Lead Paint Testing Results
Appendix C	Hazardous Building Materials Tables
Appendix D	Non-ACMs Tables
Appendix E	Photographs
Appendix F	Hazardous Building Materials Abatement Cost Estimate

CERTIFICATION OF RESULTS

This report has been prepared for the exclusive use of AXIOM's Client, Haley & Aldrich, Inc. Photocopying of this document by parties other than those designated by the Client or use of this document for purposes other than it is intended, is strictly prohibited.

Respectfully submitted this 8th day of August 2023.

Prepared by:



Geoff Gerace
Asbestos Inspector/Project Manager

Reviewed by:



Edward Kearney
Project Manager/Principal

1.0 PURPOSE AND SCOPE OF WORK

Axiom Partners, Inc. (AXIOM) was retained by Haley & Aldrich, Inc. to perform an inspection of the referenced building in advance of planned property renovation work.

The purpose of this investigation was to identify Asbestos-Containing Materials (ACMs), Lead-Containing Paint (LCP), Polychlorinated Biphenyls (PCBs), Mercury (Hg), Chlorofluorocarbons (CFCs) and other miscellaneous hazardous materials and wastes for abatement prior to or in conjunction with planned property redevelopment activities.

2.0 SITE DESCRIPTION

The building is an occupied four-story building and has a footprint of approximately 95,000 square feet. The floors are designated as first floor, second floor, third floor and fourth floor. The building was constructed in 1975 and was reportedly renovated over many years to the present day. It is constructed of steel and masonry, concrete and wood. Most notably, the building's areas consist of classrooms, hallways, offices, a boiler room, storage rooms, bathrooms, and mechanical rooms. The exterior walls are stone and concrete façade over CMU block. Interior walls are a combination of concrete, fiberboard, and painted drywall. The vast majority of the floors have vinyl flooring, carpeting as well as some ceramic floor tile coverings. The majority of spaces have concrete or metal wall panels and suspended ceilings covering concrete decking. The building has a flat rubber roof system with a built-up layer underneath.

3.0 INSPECTION PERSONNEL, METHODS, AND LABORATORY

3.1 Inspection Personnel and Process

3.1.1 Inspection Personnel

The investigative survey was conducted from July 24-27th, 2023 by experienced and Massachusetts Department of Labor Standards (DLS) licensed Asbestos Inspector, Geoff Gerace and Jesse DeGeorge (Massachusetts Asbestos Inspector License Number AI034620 and AI031684, respectively).

3.1.2 Inspection Process

The inspection for ACMs and hazardous building materials (HBMs) was conducted in a systematic manner using AXIOM's standard safety procedures and inspection protocols including:

1. A visual inspection of the building's interiors, exteriors, and roofs to locate, quantify and assess the condition of materials suspected to contain asbestos, lead, PCBs, CFCs, Mercury and other hazardous chemicals, materials, and wastes.
2. Collection and analysis of materials as described herein to determine their composition.
3. Review of previous asbestos survey and post-abatement reports, sampling reports and laboratory analysis for ACMs. Reports or related testing data were not provided to AXIOM during this investigation.

3.2 Asbestos-Containing Materials (ACM) Investigation

3.2.1 Methodology

The inspection for suspect ACMs included:

1. Collection of representative bulk samples of each homogeneous application of suspect material in sufficient numbers to comply with EPA/AHERA criteria (see Chart A below).
2. To prevent release of any airborne asbestos, samples of suspect friable materials were collected by wetting the suspect materials and then removing a small full-thickness sample and placing it in a sealed plastic bag labeled with a unique sample identification number.
3. Chain-of-custody documentation was used to ensure sample integrity.
4. Analysis of the bulk samples by an accredited laboratory using the EPA-approved Polarized Light Microscopy (PLM) method.
5. A review of the inspection findings and lab results to ensure proper and consistent identification and characterization of all confirmed and presumed ACMs.

Chart A

Minimum Asbestos Bulk Sampling Criteria

Type of Suspect Material ¹	Minimum Sampling Criteria
Surfacing	EPA/AHERA mandated statistically random criteria (Min. of 3 samples; Max. of 7 samples)
Miscellaneous	A sufficient number of samples to determine if material is an ACM (typically 2 samples of each homogeneous application)
Thermal System Insulations	Three random samples of each homogeneous material

3.2.2 Definition of Key Inspection Terms

Given the specific purposes and objectives of this inspection, the following definitions were used for the terms: Suspect Materials, Non-Suspect Materials, Homogeneous Applications or Areas, Inaccessible Building Areas, and Confirmed ACMs:

1. Suspect Materials: Installed building materials that either were pre-formed (i.e., manufactured off-site) or were prepared and installed on-site. All building materials are considered to be suspect ACMs except as noted in #2 below.
2. Non-Suspect Materials: For the purposes of this inspection, the following materials were considered non-suspect and were not assessed or sampled if observed:

¹ Per homogeneous material or area

- Plastic
- Glass
- Wood or Wood Composite Materials
- Brick, Granite, Marble, or Other Stonework
- Pink or Yellow Fiberglass Insulation on Pipes or Other Mechanical Components
- Clay or Ceramic Tiles
- Rubber or Synthetic Foam
- Paint (unless textured)
- Concrete or Mortar (except Gypcrete)
- Carpeting, Curtains, Wallpaper, and Other Paper/Natural Fiber, Fabric, or Synthetics

3. Homogeneous Applications or Areas: Are suspect materials which serve the same function or purpose (e.g., floor or ceiling tiles) have similar color and texture and were likely installed at or near the same time. Note that the homogeneity of certain materials such as wall and ceiling plaster at times cannot be readily determined.
4. Inaccessible Building Areas: Areas that AXIOM could not survey because it was unsafe or impractical to disassemble or remove systems or coverings or because a human being cannot physically enter or observe the area or components. These areas include, but are not limited to, Transite pipes coming on to the site from municipal utilities mains from the surrounding streets, underground trenches, boilers, vessels, storage tanks and mechanical systems. Also, the principal's office was inaccessible at the time of the survey.
5. Confirmed ACMs: Suspect materials where at least one of the bulk samples contains an asbestos concentration greater than 1%. According to the EPA/AHERA criteria, if all bulk samples of a homogeneous area of material are found to contain less than 1% asbestos, the material may be classified as a non-asbestos material.
6. Friable and Non-Friable ACMs: An ACM that can be crumbled, crushed, or otherwise reduced to powder by hand pressure is a friable material; non-friable ACMs cannot. This is important with respect to managing ACMs. Additionally, some non-friable ACMs are regulated differently.

3.3 Asbestos Laboratory Services

3.3.1 PLM Bulk Sample Analysis

Bulk samples collected during the inspection were submitted to and analyzed by EMSL Analytical, Inc. (EMSL) located in Woburn, Massachusetts. EMSL is a Massachusetts-licensed asbestos bulk sample laboratory (License #AA000188). Bulk samples were analyzed for asbestos content using EPA Method 600/R-93/116. A chain-of-custody form was used to ensure sample integrity.

The entire inventory of collected samples may not have required analysis. Initially, one sample per material was analyzed. If the first sample was found to contain asbestos, the remaining samples were not analyzed (*Positive Stop* protocol). If the first sample was determined not to contain asbestos, however, the remaining samples were analyzed until >1% asbestos was detected or until the entire sample set was analyzed.

3.4 Lead Containing Paint (LCP) Investigation

Representative testing of paints for the presence of lead was performed in the building as part of AXIOM's scope of work.

3.4.1 Introduction

Historically, lead was added to paint because its color stability properties made it a desirable pigment and because it enhances durability. Lead-Containing Paint (LCP) becomes harmful when ingested or inhaled as dust or fumes. Once lead was proven to be a health hazard, it was officially banned in 1978 from paints used in residences.

In an occupational setting, if lead-based painted surfaces are to be impacted by renovation or demolition activities, contractor personnel exposure (per OSHA compliance) and waste disposal (per EPA compliance) issues must be addressed and factored into the cost of the project.

3.4.2 Testing Methodology

AXIOM utilized a Portable X-Ray Fluorescence Analyzer (XRF) to perform the lead paint survey. The XRF is a hand-held instrument that contains a radioisotopic source and operates on the principle of X-ray fluorescence. The depression of a spring-loaded trigger mechanism on the XRF unit opens a shutter in the faceplate that allows radiation from an isotopic source to stimulate the lead atoms in the paint. This stimulation causes the atoms to emit (fluoresce) X-rays which the unit detects and converts into electrical pulses which are then processed, and the result is read through a digital display on the instrument.

AXIOM used a NITON Model XLp300 which analyzes surfaces quickly, accurately, and non-destructively. Surface levels of lead are measured in milligrams per square centimeter (mg/cm^2). This unit can measure the concentration of LCP on surfaces as little as 0.01 mg of lead/ cm^2 .

3.4.3 XRF Testing Procedures

Upon arrival at the site, a "validation test" was performed to ensure that the XRF instrument was operating properly. The validation test was performed on a calibration test sheet supplied by the manufacturer to determine if the instrument is consistently measuring lead content. During this survey, the XRF was functioning properly as defined by the manufacturer.

In conducting the LCP survey representative tests were performed on homogeneous (similar color and use) painted surfaces. Results were related to other surfaces possessing similar homogeneous characteristics. By following this sampling protocol, every painted surface did not have to be tested. Representative testing was performed for the presence of lead-based paint (LBP) and lead-containing paint (LCP) on accessible interior and exterior painted surfaces.

3.5 Polychlorinated Biphenyls (PCBs) Investigation

AXIOM conducted an inspection of the building and grounds to identify suspect PCB-containing fluorescent light fixture ballasts, electrical transformers, and bulk products. The survey was conducted in a systematic manner that included:

1. Performing a detailed walk-through to inspect and categorize the various types of accessible fluorescent light fixtures and electrical transformers.
2. Preparing an inventory of electrical light ballasts and transformers known or suspected to contain PCBs. Nameplate data was recorded if it was present and legible.

3. AXIOM inspected the building to identify suspect PCB-containing caulking. The survey included identifying and testing representative caulking compounds materials for PCBs. The bulk samples were collected using hand tools and placed into seal containers (glass sample jars) which were promptly labeled and placed into a cooler with ice. Samples were picked up at the site by a courier and hand delivered to Alpha Analytical Laboratory located in Westborough, MA for analysis. The samples were prepared using the Soxhlet extraction method and analyzed for PCBs by the Environmental Protection Agency (EPA) Methods 3540C and 8082. The complete laboratory reports can be found in Appendix A.

3.6 Mercury Light Tube and Thermostat Investigation

AXIOM inspected the building to identify suspect Mercury-containing equipment as follows:

1. Preparing an inventory of fluorescent light bulbs that contain Mercury vapor in conjunction with the light ballast inspection described in Section 3.5.
2. Performing a walkthrough to identify and inventory thermostats, switches, actuators, and other equipment that contain liquid Mercury.

3.7 Chlorofluorocarbons (CFCs) Investigation

AXIOM inspected the building to identify suspect chlorofluorocarbons (CFCs) associated with refrigeration and air conditioning equipment and prepared an inventory of equipment including an estimate of CFC quantities. Nameplate data was recorded if it was present and legible. Assumptions were made if the unit was inaccessible or if the nameplate was not present or illegible.

3.8 Miscellaneous Hazardous Building Materials

AXIOM inspected the building for miscellaneous hazardous building materials and chemical wastes including oil-containing devices (e.g., boilers, generators, elevators, motors, grease traps, etc.) and miscellaneous items such as lead acid batteries, paints, cleaners, and other chemicals.

4.0 FINDINGS AND RECOMMENDATIONS

4.1 Asbestos-Containing Materials

4.1.1 Asbestos-Containing Materials (ACMs)

Materials **confirmed** to contain >1% asbestos for the survey are as follows:

**Hazardous Building Materials Survey Report
Winter Hill Community School Building
115 Sycamore Street, Somerville, MA**

Axiom Partners, Inc.

**TABLE 1 - CONFIRMED ACMS
WINTER HILL COMMUNITY SCHOOL BUILDING, 115 SYCAMORE STREET, SOMERVILLE, MA**

Sample Reference	Sample Description	Sample Location	Estimated Quantity ²	Results
072623-57-02A-02E	Lightweight Concrete	Stairwells and Interior Walls Throughout	~165,000 SF	2% CHR
072623-57-05A-05E	12" x 12" Tan Floor Tile	Throughout	~95,500 SF	5% CHR
072623-57-06A-06E	12" x 12" Tan Floor Tile Mastic	1 st Floor Cafe	~95,500 SF	10% CHR
072623-57-14A-14C	12" x 12" Brown Floor Tile	Room 409, Janitors Closets, St-306, St-201, 205, 2 nd Floor Hallway, 114, 102, 108	1,300 SF	5% CHR
072623-57-15A-15C	12" x 12" Brown Floor Tile Mastic	Room 409, Janitors Closets, St-306, St-201, 205, 2 nd Floor Hallway, 114, 102, 108	1,300 SF	10% CHR
072623-57-31A-31C	Gray Duct Sealant	Ceiling Plenums Throughout, Roof Penthouse	~27,500 SF	2% CHR
072623-57-52A-52C	Red Duct Mastic	Ceiling Plenums Throughout, Roof Penthouse	~21,400 SF	5% CHR
072723-95-103A&B	Perimeter Flashing	Lower Roof (GYM)	350 LF	10% CHR

4.1.2 Presumed Asbestos-Containing Materials (PACMs)

The following presumed ACMS (PACMs) may be present in or on the building or at the site that could not be investigated or tested due to inaccessibility:

**TABLE 2
PRESUMED ACMS**

Material	Location	Estimated Quantity	Friability
Asphaltic Damp Proofing	On Foundations, Footings	5,000 SF	Non-Friable
Buried Pipes	Beneath Building or at Site	TBD	TBD

² SF = Square Feet; LF = Linear Feet; EA = Each; TR= Trace Asbestos (<1%); CHR = Chrysotile Asbestos

**Hazardous Building Materials Survey Report
Winter Hill Community School Building
115 Sycamore Street, Somerville, MA**

Axiom Partners, Inc.

Material	Location	Estimated Quantity	Friability
Concealed Pipe/Fitting Insulation Behind and/or Above Hard Wall/Ceiling Surfaces & Inaccessible Crawlspace/Trenches under Building*	Various Areas Building's Interiors	TBD	Friable
FRP Paneling Mastic	3 rd Floor Bath	300 SF	Non-Friable
Blackboards & Adhesive	Classrooms Throughout	1,500 SF	Non-Friable
Pipe Elbow Insulation	Throughout	TBD	Friable
Loose Fill Insulation (in CMU walls)	Various Areas of Building's Interiors	TBD	TBD
Flange Gaskets	Sprinkler System	TBD	Non-Friable
Sprinkler Pipe Thread Sealant	Sprinkler System	TBD	Non-Friable
Drywall and Joint Compound	Library Area	2,000 SF	Friable
Black Sink Mastic	Room 220	1 EA	Non-Friable
Glue Daubs with Tectum Panels Under Windows	Classrooms Throughout	~2,000 SF	Non-Friable
12" x 12" Blue Floor Tile and Mastic	2 nd Floor Bathrooms	100 SF	Non-Friable
Lab Counters	Room 216	200 SF	Non-Friable
Mortar Joints of Concrete Ceiling Panels	Throughout	TBD	Non-Friable
Interior Components w/ Boiler Unit	Basement, Boiler Room	TBD	Friable

Materials **confirmed** to be Non-ACMs for the survey can be found in Appendix D.

4.1.4 Discussion and Recommendations

The mere presence of asbestos in a building does not mean that the health of building occupants is necessarily at risk. As long as the ACMs remain in good condition and are not disturbed, exposure is unlikely. However, when building maintenance, repair, renovation, demolition, or other activities disturb ACMs, or if ACMs are damaged, asbestos fibers are released creating a potential hazard to building occupants.

ACMs associated with the subject building are friable and non-friable and were in good condition. Since the subject building will be renovated, all ACMs must be removed by a Massachusetts-licensed Asbestos Removal Contractor prior to or in conjunction with the demolition work. As required by governing regulations, completion of each asbestos removal task must include a visual inspection by a Massachusetts-licensed Asbestos Project Monitor and final clearance air testing if asbestos removal is performed inside a negative pressure enclosure (containment).

Regulations require that all ACMs be included in a site-specific asbestos operations and maintenance (O&M) program designed, at a minimum, to comply with 29 CFR 1910.1001 and 1926.1101, incorporating the basic components in the EPA's *Guide to Managing Asbestos in Building*.

PACMs that may be present are identified in Table 2.

Removal of ACMs, PACMs and other HBMs should be clearly defined in a project specification which is used to obtain competitive bids for the work. A detailed cost estimate for removal of ACMs is present in Appendix F and includes an allowance for the removal of PACMs and HBMs.

4.2 Lead-Containing Paints (LCP)

The HUD³ lead paint standard classifies Lead Based Paint (LBP) as paint having ≥ 1.0 mg/cm² as measured by the XRF or $\geq 0.5\%$ of lead by weight as analyzed by Atomic Absorption. With respect to renovation and demolition work, OSHA defines a lead-containing paint (LCP) as paint containing detectable amounts of lead.

Testing revealed five paints at the subject building are LBPs. A complete listing of the testing results can be found in Appendix B; however, Table 3 provides a summary of the LBPs at the site.

**TABLE 3
SUMMARY OF LBP RESULTS**

Description	Location	XRF Reading (mg/cm ²)
Beige Wall Tile	1 st Floor, Cafeteria, Kitchen, Classrooms, Offices, Elevator Machine Room, Storage Rooms, Offices, Teacher's Dining Room, Janitor's Office, Hallways, Stairwells, Bathrooms, etc.	2.4
Beige Wall Tile	2 nd Floor, Classrooms, Offices, Copy Room, Storage Rooms, Health Office, Gym, Hallways, Stairwells, Bathrooms, etc.	1.4
Black Newel Post	2 nd Floor Stairwell	1.6
Black Newel Post	3 rd Floor Stairwell	1.5
Black Newel Post	4 th Floor Stairwell	1.5

Based on analytical results, several the paint samples contained lead in detectable quantities. The most elevated levels of lead were detected in the ceramic wall tile and stairwell newel posts. The other levels were non-detectable and substantially below the regulatory limit for lead toxicity.

Contractors should be made aware of the presence of lead paint testing results to satisfy the hazard communication requirements set forth by OSHA regulations. Specifically, contractors and subcontractors should be required to comply with OSHA regulation 29 CFR 1926.62 and Massachusetts regulation 453 CMR 22.11 for lead exposure in construction and 29 CFR 1926.59, *Hazard Communication for the Construction Industry*. This could be accomplished by providing the affected contractors with a copy of this report. The General Contractor is responsible for informing and managing their employees and subcontractors.

³ U.S. Department of Housing and Urban Development

The current interpretation of the EPA's Resource Conservation and Recovery Act (RCRA) requires that waste generated during projects where LCPs are present and will be disposed of is tested for the toxicity characteristic of lead in the waste stream. TCLP⁴ testing is performed to determine whether waste (construction/demolition debris) must be classified as hazardous because of its lead content or if it can be disposed in a conventional construction and demolition (C&D) landfill. The regulatory limit for lead toxicity is 5.0 milligrams per liter (mg/L) using the EPA Method SW846-7420 for Atomic Absorption Spectroscopy (AAS). Since the need for TCLP testing is typically determined by the disposal facility/landfill, AXIOM recommends that pre-disposal testing is the contractor's responsibility.

4.3 Polychlorinated Biphenyls (PCBs) and Mercury in Electrical Equipment

4.3.1 Fluorescent Light Fixtures

AXIOM identified two (2) types of fluorescent light fixtures in the subject building. AXIOM was unable to dismantle and inspect the light fixtures due to height restraints and occupied spaces. Therefore, the ballasts are presumed to contain PCBs. If there were ballasts labeled "No PCBs" they would be presumed to contain di (2-ethylhexyl) phthalate (DEHP). A summary of fluorescent light fixtures is provided in Appendix C.

Handling and disposal of fluorescent light ballasts that contain PCBs should be performed in accordance with the Massachusetts Universal Waste Management Standard (310 CMR 30.1034) and EPA's Resource Conservation and Recovery Act (RCRA) and other governing regulations and requirements. There are two methods currently available for disposal of PCB-containing ballasts including incineration and disposal. Incineration is typically more expensive. Regardless of the method, documentation must be provided that verifies the proper removal, transportation, and disposal (destruction/incineration) at an approved facility. In general, PCB ballasts must be placed in 55-gallon drums which once filled, the drums must be closed and properly labeled for temporary storage, transport, and disposal in accordance with all applicable regulations. Drums containing PCB ballasts must be transported to an EPA-approved disposal facility (landfill or incinerator). Documentation must be provided that verifies the proper removal, transportation, and disposal (or destruction/incineration) at the approved facility. Drums containing non-PCB fluids, ballasts or capacitors shall be disposed of at a legally permitted disposal facility. There is presently no regulatory mandate for special handling and disposal of DEHP-containing ballasts, however, since there are a number of regulations that may be indirectly applicable⁵ and since the disposal cost is not significant, AXIOM recommends disposing of DEHP-containing ballasts similarly.

4.3.2 Transformers

AXIOM did observe one pad-mounted transformers on the exterior of the site.

4.3.3 Mercury-Containing Items

⁴ Toxicity Characteristic Leachate Procedure (TCLP)

⁵ Environmental Protection Agency (EPA) Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA or "Superfund"), Solid Waste Disposal Act, the Clean Water Act, Safe Drinking Water Act and the Toxic Substances Control Act.

There are approximately two thousand (2,000) fluorescent light bulbs associated with actual light fixtures at the subject building. A summary of mercury-containing items is provided in Appendix C.

Handling and disposal of fluorescent light bulbs that contain Mercury should be performed in accordance with the Massachusetts Universal Waste Management Standard (310 CMR 30.1034) and EPA's Resource Conservation and Recovery Act (RCRA) and other governing regulations and requirements. Guidance documents are also available from the EPA (e.g., the 1994 Green Lights Program for Lighting Waste Disposal). If fluorescent lamps become broken or damaged during removal, the broken lamps should be managed as hazardous waste. Note that fluorescent light tubes may be reused.

Mercury-containing devices must be properly recycled in accordance with 310 CMR 30.1034.

4.4 Chlorofluorocarbons (CFCs)

AXIOM identified widow air conditioners, several water fountains, and refrigerators units at the subject building. A summary of CFC-Containing items is provided in Appendix C.

4.5 Polychlorinated Biphenyls (PCBs) Testing

4.5.1 Summary of PCB Bulk Product Testing Results

The following table provides the laboratory results of analysis of caulking for PCBs. The laboratory reports are in Appendix A.

TABLE 4
SUMMARY OF PCBs IN CAULKING COMPOUND RESULTS

Sample Number	Description	Location	Analysis Results ⁶
PCB-01	Exterior Expansion Joint Caulking	Exterior Throughout	ND
PCB-02	Exterior Window Caulking w/metal window)	Exterior Throughout	ND
PCB-03	Exterior Door Caulking	Exterior Throughout	ND

Laboratory results are reported in micrograms per kilograms (ug/kg) which AXIOM converted to milligrams per kilograms (mg/kg) which is equivalent to parts per million (ppm) for comparison to EPA definitions.

4.5.2 Discussion

⁶ ND = PCBs not detected at the Reporting Limit (RL) for the specific samples. Refer to lab report for PCB Reporting Limits; Results are reported in milligrams per kilogram (mg/kg) which is equivalent to parts per million (ppm); all ND results include Aroclor 1016, 1221, 1232, 1242, 1248, 1254, 1260, 1262 and 1268 unless specifically noted otherwise.

According to 40 CFR 761, the EPA specifies that products and materials containing greater than 50 ppm are PCB bulk products. Based on the result of this investigation, **none** of the caulking is considered a PCB bulk product.

4.6 Miscellaneous Hazardous Wastes

4.6.1 Miscellaneous Hazardous Materials/Wastes

AXIOM identified other hazardous materials/wastes including batteries associated with exit signs, batteries associated with emergency lighting, fire extinguishers, monitors, cleaning supplies and chemicals. These items are also listed in Appendix C.

The above-listed materials/components are not typically considered hazardous wastes while in use. However, those that are left behind must be properly characterized and disposed of in compliance with governing regulations.

Intact, non-leaking batteries should be handled and disposed of in accordance with the Universal Waste Management Standard 310 CMR 30.1034. If batteries are damaged or become damaged or leak during removal and/or handling, they should be managed as hazardous waste.

5.0 LIMITATIONS AND EXCLUSIONS

5.1 Limitations and Conditions of This Investigation

5.1.1 NESHAPs Asbestos Survey

This NESHAPs survey involved an investigation for ACMs in preparation for building demolition. Although this investigation attempted to identify and sample inaccessible building materials, some materials were inaccessible, and the potential remains that concealed ACMs may be encountered in the building or at the site.

5.1.2 Inaccessible Materials and Locations

Inaccessible building areas, systems, structural components, or surfaces which may not have been observed because it was unsafe or impractical to demolish, disassemble, or remove systems or coverings, or because a human being cannot physically enter or observe the area or component. Unless specifically noted, inaccessible materials or areas may include:

- buried or otherwise concealed pipe trenches and utility vaults/corridors;
- buried foundations;
- enclosed wall and ceiling cavities;
- electrical equipment/wire;
- concealed mechanical materials;
- concealed pipe/fitting insulation;
- Principal's Office

AXIOM made every reasonable effort to address these potential ACMs. However, the potential remains that concealed ACMs could be encountered during renovation or demolition work.

5.1.3 Other Environmental Exclusions

1. This investigation did not include an assessment of air quality or analysis of soil, surface water or groundwater. Furthermore, this study did not include any subsurface exploration, testing or assessment for wetlands.
2. This investigation did not include assessments for the presence of pesticides, herbicides, urea-formaldehyde, or Radon, nor any air quality monitoring, or any chemical analysis of soil, surface water, or groundwater at the Site.
3. No attempt was made to check the compliance of present or past owners of the Site with Federal, State, or local laws.
4. The testing for lead paint was performed by an experienced Industrial Hygienist. It is intended only to satisfy the requirements of OSHA regulations including 29 CFR 1926.62, *Lead Exposure in Construction: Interim Final Rule* and 29 CFR 1926.59, *Hazard Communication for the Construction Industry*. This investigation was not performed by an EPA HUD⁷ or state accredited/licensed Lead Inspector which is often required for residential structures where children under the age of six live.

5.1.4 Project Specifications

Users are cautioned that this document is an inspection report, not a project specification. Although it is often feasible to use a report such as this to obtain bids for asbestos and related abatement work, it does not provide a proper and/or complete document for defining the scope of work and specifying contractual obligations.

⁷ US Department of Housing and Urban Development

APPENDIX A

Asbestos Bulk and PCB Bulk Sample Results



EMSL Analytical, Inc.

5 Constitution Way, Unit A Woburn, MA 01801

Tel/Fax: (781) 933-8411 / (781) 933-8412

<http://www.EMSL.com/bostonlab@emsl.com>

EMSL Order: 132304714

Customer ID: AXIO80

Customer PO:

Project ID:

Attention: Geoff Gerace

Axiom Partners, Inc.

50B Salem Street, Suite 103

Lynnfield, MA 01940

Phone: (781) 213-9198

Fax: (781) 213-6992

Received Date: 07/26/2023 11:55 AM

Analysis Date: 08/02/2023

Collected Date: 07/26/2023

Project: 01164.136 - Winter Hill Community School Building; 115 Sycamore Street; Somerville, MA

Test Report: Asbestos Analysis of Bulk Materials via AHERA Method 40CFR 763 Subpart E Appendix E supplemented with EPA 600/R-93/116 using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos % Type
			% Fibrous	% Non-Fibrous	
072623-95-100A 132304714-0001	Upper Main Roof Field - Asphaltic Vapor Barrier (on Concrete Decking)	Black Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-95-100B 132304714-0002	Upper Main Roof Field - Asphaltic Vapor Barrier (on Concrete Decking)	Black Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-95-100C 132304714-0003	Lower Main Roof Field - Asphaltic Vapor Barrier (on Concrete Decking)	Black Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-95-101A 132304714-0004	Upper Main Roof Field - Gray Duct Sealant (on Metal Duct Work)	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-95-101B 132304714-0005	Upper Main Roof Field - Gray Duct Sealant (on Metal Duct Work)	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-95-102A 132304714-0006	Upper Main Roof Field - Exterior Window Glazing Compound (w. Plastic Skylight Windows)	Black Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-95-102B 132304714-0007	Upper Main Roof Field - Exterior Window Glazing Compound (w. Plastic Skylight Windows)	Black Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-95-103A 132304714-0008	Upper Main Roof Field - Perimeter Flashing/Sealant	Black Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-95-103B 132304714-0009	Upper Main Roof Field - Perimeter Flashing/Sealant	Black Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-95-103C 132304714-0010	Lower Main Roof Field - Perimeter Flashing/Sealant	Black Non-Fibrous Homogeneous		90% Non-fibrous (Other)	10% Chrysotile
072623-95-104A 132304714-0011	Upper Main Roof Field - Gray Caulking on top of Rubber Perimeter Flashing	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-95-104B 132304714-0012	Lower Main Roof Field - Gray Caulking on top of Rubber Perimeter Flashing	Gray/Yellow Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-95-105A 132304714-0013	Lower Main Roof Field - Natural Gas Pipe Thread Sealant	Gray/Yellow Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected

Initial report from: 08/03/2023 04:28:18



EMSL Analytical, Inc.

5 Constitution Way, Unit A Woburn, MA 01801

Tel/Fax: (781) 933-8411 / (781) 933-8412

<http://www.EMSL.com> / bostonlab@emsl.com

EMSL Order: 132304714

Customer ID: AXIO80

Customer PO:

Project ID:

Test Report: Asbestos Analysis of Bulk Materials via AHERA Method 40CFR 763 Subpart E Appendix E supplemented with EPA 600/R-93/116 using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
072623-95-105B	Lower Main Roof	Gray/Yellow		100% Non-fibrous (Other)	None Detected
	Field - Natural Gas	Non-Fibrous			
132304714-0014	Pipe Thread Sealant	Homogeneous			

Analyst(s)

Kevin Pine (14)

Steve Grise, Laboratory Manager
or Other Approved Signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. The above analyses were performed in general compliance with Appendix E to Subpart E of 40 CFR (previously EPA 600/M4-82-020 "Interim Method") but augmented with procedures outlined in the 1993 ("final") version of the method. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST or any agency of the federal government. Non-friable organically bound materials present a problem matrix and therefore EMSL recommends gravimetric reduction prior to analysis. Unless requested by the client, building materials manufactured with multiple layers (i.e. linoleum, wallboard, etc.) are reported as a single sample. Estimation of uncertainty is available on request.

Samples analyzed by EMSL Analytical, Inc. Woburn, MA NVLAP Lab Code 101147-0, CT PH-0315, MA AA000188, RI AAL-139, VT AL998919, ME LB-0039

Initial report from: 08/03/2023 04:28:18



EMSL Analytical, Inc.

5 Constitution Way, Unit A Woburn, MA 01801

Tel/Fax: (781) 933-8411 / (781) 933-8412

<http://www.EMSL.com / bostonlab@emsl.com>

EMSL Order: 132304815

Customer ID: AXIO80

Customer PO:

Project ID:

Attention: Geoff Gerace

Axiom Partners, Inc.

50B Salem Street, Suite 103

Lynnfield, MA 01940

Phone: (781) 213-9198

Fax: (781) 213-6992

Received Date: 07/27/2023 9:50 AM

Analysis Date: 08/03/2023 - 08/04/2023

Collected Date: 07/26/2023

Project: 01164.133 - Winter Hill Community School; 115 Sycamore Street; Somerville, MA

Test Report: Asbestos Analysis of Bulk Materials via AHERA Method 40CFR 763 Subpart E Appendix E supplemented with EPA 600/R-93/116 using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos % Type
			% Fibrous	% Non-Fibrous	
072623-57-01A 132304815-0001	5th Floor N Stairwell - Textured Coating on Concrete Walls	White Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-01B 132304815-0002	3rd Floor N Stairwell - Textured Coating on Concrete Walls	White Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-01C 132304815-0003	4th Floor S Stairwell - Textured Coating on Concrete Walls	Tan/White Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-01D 132304815-0004	2nd Floor N Stairwell - Textured Coating on Concrete Walls	White/Blue Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-01E 132304815-0005	1st Floor S Stairwell - Textured Coating on Concrete Walls	White Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-02A 132304815-0006	5th Floor N Stairwell - Lightweight Concrete	Gray Non-Fibrous Homogeneous		98% Non-fibrous (Other)	2% Chrysotile
072623-57-02B 132304815-0007	3rd Floor N Stairwell - Lightweight Concrete				Positive Stop (Not Analyzed)
072623-57-02C 132304815-0008	4th Floor S Stairwell - Lightweight Concrete				Positive Stop (Not Analyzed)
072623-57-02D 132304815-0009	2nd Floor N Stairwell - Lightweight Concrete				Positive Stop (Not Analyzed)
072623-57-02E 132304815-0010	1st Floor S Stairwell - Lightweight Concrete				Positive Stop (Not Analyzed)
072623-57-03A 132304815-0011	5th Floor N Stairwell - Tectum Panels	Tan/White Non-Fibrous Homogeneous	65% Cellulose	35% Non-fibrous (Other)	None Detected
072623-57-03B 132304815-0012	4th Floor Bathroom Hall - Tectum Panels	Tan/White Non-Fibrous Homogeneous	65% Cellulose	35% Non-fibrous (Other)	None Detected
072623-57-03C 132304815-0013	Classroom 304 - Tectum Panels	Tan/White Non-Fibrous Homogeneous	65% Cellulose	35% Non-fibrous (Other)	None Detected
072623-57-03D 132304815-0014	2nd Floor Bathroom - Tectum Panels	Tan/White Non-Fibrous Homogeneous	65% Cellulose	35% Non-fibrous (Other)	None Detected
072623-57-03E 132304815-0015	1st Floor Café - Tectum Panels	Tan/White Non-Fibrous Homogeneous	65% Cellulose	35% Non-fibrous (Other)	None Detected
072623-57-04A 132304815-0016	5th Floor N Stairwell - 4" Rubber Cove Base Mastic	Yellow Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected

Initial report from: 08/04/2023 12:37:21



EMSL Analytical, Inc.

5 Constitution Way, Unit A Woburn, MA 01801

Tel/Fax: (781) 933-8411 / (781) 933-8412

<http://www.EMSL.com / bostonlab@emsl.com>

EMSL Order: 132304815

Customer ID: AXIO80

Customer PO:

Project ID:

Test Report: Asbestos Analysis of Bulk Materials via AHERA Method 40CFR 763 Subpart E Appendix E supplemented with EPA 600/R-93/116 using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos % Type
			% Fibrous	% Non-Fibrous	
072623-57-04B 132304815-0017	4th Floor Custodian Closet - 4" Rubber Cove Base Mastic	Brown Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-04C 132304815-0018	3rd Floor N Hallway - 4" Rubber Cove Base Mastic	Yellow Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-04D 132304815-0019	Room 206 - 4" Rubber Cove Base Mastic	Brown Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-04E 132304815-0020	Room 108 - 4" Rubber Cove Base Mastic	Brown Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-05A 132304815-0021	5th Floor Stairwell - 12x12" Tan Floor Tile	Tan Non-Fibrous Homogeneous		95% Non-fibrous (Other)	5% Chrysotile
072623-57-05B 132304815-0022	4th Floor Hallway SE Corner - 12x12" Tan Floor Tile				Positive Stop (Not Analyzed)
072623-57-05C 132304815-0023	Room 305 - 12x12" Tan Floor Tile				Positive Stop (Not Analyzed)
072623-57-05D 132304815-0024	Room 207 - 12x12" Tan Floor Tile				Positive Stop (Not Analyzed)
072623-57-05E 132304815-0025	1st Floor Café - 12x12" Tan Floor Tile				Positive Stop (Not Analyzed)
072623-57-06A 132304815-0026	5th Floor Stairwell - 12x12" Tan Floor Tile Mastic	Black Non-Fibrous Homogeneous		90% Non-fibrous (Other)	10% Chrysotile
072623-57-06B 132304815-0027	4th Floor Hallway SE Corner - 12x12" Tan Floor Tile Mastic				Positive Stop (Not Analyzed)
072623-57-06C 132304815-0028	Room 305 - 12x12" Tan Floor Tile Mastic				Positive Stop (Not Analyzed)
072623-57-06D 132304815-0029	Room 207 - 12x12" Tan Floor Tile Mastic				Positive Stop (Not Analyzed)
072623-57-06E 132304815-0030	1st Floor Café - 12x12" Tan Floor Tile Mastic				Positive Stop (Not Analyzed)
072623-57-07A 132304815-0031	4th Floor Hallway - Interior Door Caulking	Beige Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-07B 132304815-0032	Room 319 - Interior Door Caulking	Beige Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-07C 132304815-0033	2nd Floor Hallway - Interior Door Caulking	Beige Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-07D 132304815-0034	1st Floor PTA Room - Interior Door Caulking	Beige Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-08A 132304815-0035	Room 408 - Interior Window Caulking	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected

Initial report from: 08/04/2023 12:37:21



EMSL Analytical, Inc.

5 Constitution Way, Unit A Woburn, MA 01801

Tel/Fax: (781) 933-8411 / (781) 933-8412

<http://www.EMSL.com> / bostonlab@emsl.com

EMSL Order: 132304815

Customer ID: AXIO80

Customer PO:

Project ID:

Test Report: Asbestos Analysis of Bulk Materials via AHERA Method 40CFR 763 Subpart E Appendix E supplemented with EPA 600/R-93/116 using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
072623-57-08B 132304815-0036	Room 320 - Interior Window Caulking	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-08C 132304815-0037	Room 208 - Interior Window Caulking	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-08D 132304815-0038	1st Floor Café - Interior Window Caulking	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-10A 132304815-0039	Room 408 Art - Expansion Joint Caulk w. Concrete Columns & CMU Walls	Beige Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-10B 132304815-0040	1st Floor Kitchen Area - Expansion Joint Caulk w. Concrete Columns & CMU Walls	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-10C 132304815-0041	3rd Floor Hallway - Expansion Joint Caulk w. Concrete Columns & CMU Walls	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-11A 132304815-0042	4th Floor Art Studio - Safety Glass Glazing	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-11B 132304815-0043	2nd Floor Main Office - Safety Glass Glazing	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-12A 132304815-0044	Room 402 Library - Carpet Square Mastic	Yellow Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-12B 132304815-0045	1st Floor Room 105 Storage - Carpet Square Mastic	Green Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-14A 132304815-0046	Room 409 - 12x12" Brown Floor Tile	Brown Non-Fibrous Homogeneous		95% Non-fibrous (Other)	5% Chrysotile
072623-57-14B 132304815-0047	Room ST-306 - 12x12" Brown Floor Tile				Positive Stop (Not Analyzed)
072623-57-14C 132304815-0048	Room 205 - 12x12" Brown Floor Tile				Positive Stop (Not Analyzed)
072623-57-15A 132304815-0049	Room 409 - 12x12" Brown Floor Tile Mastic	Black Non-Fibrous Homogeneous		90% Non-fibrous (Other)	10% Chrysotile
072623-57-15B 132304815-0050	Room ST-306 - 12x12" Brown Floor Tile Mastic				Positive Stop (Not Analyzed)
072623-57-15C 132304815-0051	Room 205 - 12x12" Brown Floor Tile Mastic				Positive Stop (Not Analyzed)
072623-57-16A 132304815-0052	4th Floor Mens Room - 1x2" Ceramic Floor Tile Grout	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected

Initial report from: 08/04/2023 12:37:21



EMSL Analytical, Inc.

5 Constitution Way, Unit A Woburn, MA 01801

Tel/Fax: (781) 933-8411 / (781) 933-8412

<http://www.EMSL.com / bostonlab@emsl.com>

EMSL Order: 132304815

Customer ID: AXIO80

Customer PO:

Project ID:

Test Report: Asbestos Analysis of Bulk Materials via AHERA Method 40CFR 763 Subpart E Appendix E supplemented with EPA 600/R-93/116 using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
072623-57-16B 132304815-0053	3rd Floor Faculty Bathroom - 1x2" Ceramic Floor Tile Grout	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-17A 132304815-0054	4th Floor Mens Bathroom - 1x2" Ceramic Floor Tile Mortar	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-17B 132304815-0055	3rd Floor Faculty Bathroom - 1x2" Ceramic Floor Tile Mortar	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-18A 132304815-0056	Room 410 Faculty Lounge - 12x12" Light Brown Floor Tile	Tan Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-18B 132304815-0057	Room 306 - 12x12" Light Brown Floor Tile	Tan Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-18C 132304815-0058	Room 206 - 12x12" Light Brown Floor Tile	Tan Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-19A 132304815-0059	Room 410 Faculty Lounge - 12x12" Light Brown Floor Tile Mastic	Yellow Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-19B 132304815-0060	Room 306 - 12x12" Light Brown Floor Tile Mastic	Yellow Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-19C 132304815-0061	Room 206 - 12x12" Light Brown Floor Tile Mastic	Yellow Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-22A 132304815-0062	4th Floor Hallway - White Duct Tape/Mastic	White Fibrous Homogeneous	35% Cellulose	65% Non-fibrous (Other)	None Detected
072623-57-22B 132304815-0063	2nd Floor Hallway - White Duct Tape/Mastic	White Fibrous Homogeneous	35% Cellulose	65% Non-fibrous (Other)	None Detected
072623-57-22C 132304815-0064	Roof Penthouse - White Duct Tape/Mastic	White Fibrous Homogeneous	35% Cellulose	65% Non-fibrous (Other)	None Detected
072623-57-23A 132304815-0065	Room 413 - Fiberboard Wall Panels	Brown Non-Fibrous Homogeneous	95% Cellulose	5% Non-fibrous (Other)	None Detected
072623-57-23B 132304815-0066	Room 214 - Fiberboard Wall Panels	Brown Fibrous Homogeneous	95% Cellulose	5% Non-fibrous (Other)	None Detected
072623-57-23C 132304815-0067	Room 317 - Fiberboard Wall Panels	Brown Fibrous Homogeneous	95% Cellulose	5% Non-fibrous (Other)	None Detected
072623-57-24A 132304815-0068	Room 418 - 2x4' White Fissured Ceiling Tile	Gray/White Fibrous Homogeneous	45% Cellulose 40% Min. Wool	15% Non-fibrous (Other)	None Detected
072623-57-24B 132304815-0069	3rd Floor Bathroom - 2x4' White Fissured Ceiling Tile	Gray/White Fibrous Homogeneous	45% Cellulose 40% Min. Wool	15% Non-fibrous (Other)	None Detected
072623-57-25A 132304815-0070	403 Storage Room - 12" Pipe Insulation	White Fibrous Homogeneous	60% Cellulose	40% Non-fibrous (Other)	None Detected

Initial report from: 08/04/2023 12:37:21



EMSL Analytical, Inc.

5 Constitution Way, Unit A Woburn, MA 01801

Tel/Fax: (781) 933-8411 / (781) 933-8412

<http://www.EMSL.com> / bostonlab@emsl.com

EMSL Order: 132304815

Customer ID: AXIO80

Customer PO:

Project ID:

Test Report: Asbestos Analysis of Bulk Materials via AHERA Method 40CFR 763 Subpart E Appendix E supplemented with EPA 600/R-93/116 using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
072623-57-25B 132304815-0071	2nd Floor Storage Room - 12" Pipe Insulation	White Fibrous Homogeneous	60% Cellulose	40% Non-fibrous (Other)	None Detected
072623-57-25C 132304815-0072	Generator Room - 12" Pipe Insulation	White Fibrous Homogeneous	60% Cellulose	40% Non-fibrous (Other)	None Detected
072623-57-26A 132304815-0073	Room ST-306 - 12" Pipe Elbow Insulation	Gray Fibrous Homogeneous	35% Min. Wool	65% Non-fibrous (Other)	None Detected
072623-57-26B 132304815-0074	Generator Room - 12" Pipe Elbow Insulation	Gray Non-Fibrous Homogeneous	35% Min. Wool	65% Non-fibrous (Other)	None Detected
072623-57-26C 132304815-0075	Roof Penthouse - 12" Pipe Elbow Insulation	Gray Non-Fibrous Homogeneous	35% Min. Wool	65% Non-fibrous (Other)	None Detected
072623-57-27A 132304815-0076	Room 313 - 3" Pipe Elbow Insulation	Gray Fibrous Homogeneous	10% Cellulose 25% Min. Wool	65% Non-fibrous (Other)	None Detected
072623-57-27B 132304815-0077	PTA Room 1st Floor - 3" Pipe Elbow Insulation	Gray Fibrous Homogeneous	10% Cellulose 25% Min. Wool	65% Non-fibrous (Other)	None Detected
072623-57-27C 132304815-0078	2nd Floor Main Hallway near Office - 3" Pipe Elbow Insulation	Gray Fibrous Homogeneous	10% Cellulose 25% Min. Wool	65% Non-fibrous (Other)	None Detected
072623-57-27D 132304815-0079	Roof Penthouse - 3" Pipe Elbow Insulation	Gray Non-Fibrous Homogeneous	10% Cellulose 25% Min. Wool	65% Non-fibrous (Other)	None Detected
072623-57-28A 132304815-0080	Room 307 - Brown Sheet Flooring	Brown Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-28B 132304815-0081	GYM - Brown Sheet Flooring	Brown Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-29A 132304815-0082	Room 307 - Brown Sheet Flooring Mastic	Yellow Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-29B 132304815-0083	GYM - Brown Sheet Flooring Mastic	Yellow Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-31A 132304815-0084	Room 205 - Gray Duct Sealant	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-31B 132304815-0085	1st Floor Kitchen - Gray Duct Sealant	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-31C 132304815-0086	Roof Penthouse - Gray Duct Sealant	Gray Non-Fibrous Homogeneous		98% Non-fibrous (Other)	2% Chrysotile
072623-57-34A 132304815-0087	Gym E - Wall Cushion Mastic	Beige Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-34B 132304815-0088	Gym W - Wall Cushion Mastic	Beige Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected

Initial report from: 08/04/2023 12:37:21



EMSL Analytical, Inc.

5 Constitution Way, Unit A Woburn, MA 01801

Tel/Fax: (781) 933-8411 / (781) 933-8412

<http://www.EMSL.com / bostonlab@emsl.com>

EMSL Order: 132304815

Customer ID: AXIO80

Customer PO:

Project ID:

Test Report: Asbestos Analysis of Bulk Materials via AHERA Method 40CFR 763 Subpart E Appendix E supplemented with EPA 600/R-93/116 using Polarized Light Microscopy

Sample	Description	Appearance	% Fibrous	Non-Asbestos	Asbestos
				% Non-Fibrous	% Type
072623-57-35A 132304815-0089	Kitchen SW - 6" Red Quarry Tile Mortar	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-35B 132304815-0090	Kitchen NE - 6" Red Quarry Tile Mortar	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-36A 132304815-0091	ST-107 - 4x4" Ceramic Wall Tile Grout	White Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-36B 132304815-0092	1st Floor Custodian Closet - 4x4" Ceramic Wall Tile Grout	White Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-37A 132304815-0093	ST-107 - 4x4" Ceramic Wall Tile Thinset	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-37B 132304815-0094	1st Floor Custodian Closet - 4x4" Ceramic Wall Tile Thinset	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-38A 132304815-0095	Room 105 - 12x12" Blue Floor Tile	Blue Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-38B 132304815-0096	Room 105 - 12x12" Blue Floor Tile	Blue Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-39A 132304815-0097	Room 105 - 12x12" Blue Floor Tile Mastic	Yellow Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-39B 132304815-0098	Room 105 - 12x12" Blue Floor Tile Mastic	Yellow Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-40A 132304815-0099	Room 104 - 12x12" Beige Mottled Floor Tile	Beige Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-40B 132304815-0100	Room 103 - 12x12" Beige Mottled Floor Tile	Beige Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-41A 132304815-0101	Room 104 - 12x12" Beige Mottled Floor Tile Mastic	Yellow Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-41B 132304815-0102	Room 103 - 12x12" Beige Mottled Floor Tile Mastic	Yellow Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-42A 132304815-0103	Generator Room - Cloth Expansion Joint	White/Black Fibrous Homogeneous	35% Glass	65% Non-fibrous (Other)	None Detected
072623-57-42B 132304815-0104	Roof Penthouse - Cloth Expansion Joint	White/Black Fibrous Homogeneous	35% Glass	65% Non-fibrous (Other)	None Detected
072623-57-43A 132304815-0105	Exterior S - Expansion Joint Caulking	Gray/Tan Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-43B 132304815-0106	Exterior North - Expansion Joint Caulking	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-43C 132304815-0107	Exterior Roof - Expansion Joint Caulking	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected

Initial report from: 08/04/2023 12:37:21



EMSL Analytical, Inc.

5 Constitution Way, Unit A Woburn, MA 01801

Tel/Fax: (781) 933-8411 / (781) 933-8412

<http://www.EMSL.com / bostonlab@emsl.com>

EMSL Order: 132304815

Customer ID: AXIO80

Customer PO:

Project ID:

Test Report: Asbestos Analysis of Bulk Materials via AHERA Method 40CFR 763 Subpart E Appendix E supplemented with EPA 600/R-93/116 using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
072623-57-44A 132304815-0108	Exterior East - Exterior Window Caulking	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-44B 132304815-0109	Exterior West - Exterior Window Caulking	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-44C 132304815-0110	Exterior N - Exterior Window Caulking	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-45A 132304815-0111	Exterior W - Exterior Door Caulking	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-45B 132304815-0112	Exterior North - Exterior Door Caulking	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-46A 132304815-0113	Exterior West - Textured Coating on Corrugated Cement	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-46B 132304815-0114	Exterior South - Textured Coating on Corrugated Cement	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-46C 132304815-0115	Exterior SE - Textured Coating on Corrugated Cement	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-47A 132304815-0116	Roof Penthouse SW - Duct Pin Mastic w. Foam Wall Panels	Brown Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-47B 132304815-0117	Roof Penthouse NW - Duct Pin Mastic w. Foam Wall Panels	Brown Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-48A 132304815-0118	Roof Penthouse NW - 6" Pipe Elbow Insulation	Gray Fibrous Homogeneous	35% Min. Wool	65% Non-fibrous (Other)	None Detected
072623-57-48B 132304815-0119	Roof Penthouse N - 6" Pipe Elbow Insulation	Gray Fibrous Homogeneous	35% Min. Wool	65% Non-fibrous (Other)	None Detected
072623-57-48C 132304815-0120	Roof Penthouse SW - 6" Pipe Elbow Insulation	Gray Fibrous Homogeneous	35% Min. Wool	65% Non-fibrous (Other)	None Detected
072623-57-49A 132304815-0121	1st Floor Hallway - End Cap Sealant	White/Yellow Fibrous Homogeneous	40% Glass	60% Non-fibrous (Other)	None Detected
072623-57-49B 132304815-0122	3rd Floor Hallway - End Cap Sealant	White/Yellow Fibrous Homogeneous	40% Glass	60% Non-fibrous (Other)	None Detected
072623-57-49C 132304815-0123	Roof Penthouse - End Cap Sealant	White/Yellow Fibrous Homogeneous	40% Glass	60% Non-fibrous (Other)	None Detected
072623-57-50A 132304815-0124	Roof Penthouse E - Duct Pin Mastic	Brown Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-50B 132304815-0125	Roof Penthouse SW - Duct Pin Mastic	Brown Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-51A 132304815-0126	Exterior West - Stone Mortar	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected

Initial report from: 08/04/2023 12:37:21



EMSL Analytical, Inc.

5 Constitution Way, Unit A Woburn, MA 01801

Tel/Fax: (781) 933-8411 / (781) 933-8412

<http://www.EMSL.com> / bostonlab@emsl.com

EMSL Order: 132304815

Customer ID: AXIO80

Customer PO:

Project ID:

Test Report: Asbestos Analysis of Bulk Materials via AHERA Method 40CFR 763 Subpart E Appendix E supplemented with EPA 600/R-93/116 using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
072623-57-51B <i>132304815-0127</i>	Exterior East - Stone Mortar	Gray Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
072623-57-52A <i>132304815-0128</i>	2nd Floor Hallway - Red Duct Mastic	Red Non-Fibrous Homogeneous		95% Non-fibrous (Other)	5% Chrysotile
072623-57-52B <i>132304815-0129</i>	1st Floor Hallway - Red Duct Mastic				Positive Stop (Not Analyzed)
072623-57-52C <i>132304815-0130</i>	Roof Penthouse - Red Duct Mastic				Positive Stop (Not Analyzed)

Analyst(s)

John McCarthy (112)

Steve Grise, Laboratory Manager
or Other Approved Signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. The above analyses were performed in general compliance with Appendix E to Subpart E of 40 CFR (previously EPA 600/M4-82-020 "Interim Method") but augmented with procedures outlined in the 1993 ("final") version of the method. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST or any agency of the federal government. Non-friable organically bound materials present a problem matrix and therefore EMSL recommends gravimetric reduction prior to analysis. Unless requested by the client, building materials manufactured with multiple layers (i.e. linoleum, wallboard, etc.) are reported as a single sample. Estimation of uncertainty is available on request.

Samples analyzed by EMSL Analytical, Inc. Woburn, MA NVLAP Lab Code 101147-0, CT PH-0315, MA AA000188, RI AAL-139, VT AL998919, ME LB-0039

Initial report from: 08/04/2023 12:37:21



AXIOM PARTNERS
50 SALEM STREET, STE 103B
LYNNFIELD, MA 01940
PHONE: 781.213.9198
FAX: 781.213.6992

LABORATORY ORDER # **132304714**

Sample(s) received in good condition? [Y] [N]
Discernable field blank submitted? [Y] [N]

Asbestos Analysis – Chain of Custody Form

Sampled by:	Jesse A. DeGeorge	Date Collected:	07-26-23
Project Name:	Asbestos Roof Survey		
Project Site:	Winter Hill Community School Building, 115 Sycamore St., Somerville, MA		
Project ID/Number:	01164.136		
Special Lab Instructions:	POSITIVE STOP; email results to ggerace@axiomenv.com and jesse.degeorge@gmail.com		

TURNAROUND TIME – If turnaround time is not chosen standard turnaround time applies (6 + Days)

☐ 3 Hours	☐ 6 Hours	☐ 12 Hours	☐ 24 Hours	☐ 48 Hours	☐ 72 Hours	☐ 4 Days	☒ 5 Days	☐ 6-10 Days

TYPE OF ASBESTOS ANALYSIS: EPA 600/R-93/116

SAMPLE NO.	SAMPLE DESCRIPTION	SAMPLE LOCATION	COMMENTS
072623-95-100A	Asphaltic Vapor Barrier (on concrete decking)	Upper Main Roof Field	
072623-95-100B	*	*	
072623-95-100C	*	Lower Main Roof Field	
072623-95-101A	Gray Duct Sealant (on metal duct work)	Upper Main Roof Field	
072623-95-101B	*	*	
072623-95-102A	Exterior Window Glazing Compound (w/ plastic skylight windows)	Upper Main Roof Field	
072623-95-102B	*	*	
072623-95-103A	Perimeter Flashing/Sealant	Upper Main Roof Field	
072623-95-103B	*	*	
072623-95-103C	*	Lower Main Roof Field	
072623-95-104A	Gray Caulking on top of Rubber Perimeter Flashing	Upper Main Roof Field	
072623-95-104B	*	Lower Main Roof Field	
072623-95-105A	Natural Gas Pipe Thread Sealant	Lower Main Roof Field	
072623-95-105B	*	*	

Relinquished:

Jesse A. DeGeorge

Date: 07-26-23

Time: -

Received:

Date:

Time:

REC'D
EMSI-BOSTON

JUL 26 2023

Page 1 of 1

Asbestos Bulk Sample - Chain of Custody Form

132304815

		AXIOM PARTNERS 50 SALEM ST., SUITE 103B LYNNFIELD, MA 01940 PHONE: 781.213.9198		Project Number: 01164.133	
Turnaround Time: ☐ Same Day ☐ 24 hrs ☐ 48 hrs ☒ 5-Day ☐ Other					
Sampled by:	Geoff Gerace			Date Collected:	7-26-23
Project Name:	Winter Hill Community School				
Project Site:	115 Sycamore St, Somerville, MA				
Special Lab Instructions:	☒ Positive Stop ☐ DNA = Do Not Analyze ☐ Other <u>See Attached</u>				
Asbestos Analysis Requested:	☒ PLM/EPA 600/R-93/116 ☐ PLM Point Count ☐ PLM/NOB ☐ TEM/NOB ☐ PLM/SOIL				
Email Results To:	ggerace@axiomenv.com jdegeorge@axiomenv.com				

SAMPLE NO.	SAMPLE DESCRIPTION	SAMPLE LOCATION	COMMENTS
072623-57-01A	Textured Coating on Concrete Walls	5 th Floor N Stairwell	
072623-57-01B	Textured Coating on Concrete	3 rd Floor N Stairwell	
072623-57-01C	Textured Coating on Concrete	4 th Floor S Stairwell	
072623-57-01D	Textured Coating on Concrete	2 nd Floor N Stairwell	
072623-57-01E	Textured Coating on Concrete	1 st Floor S Stairwell	
072623-57-02A	Lightweight Concrete	5 th Floor N Stairwell	
072623-57-02B	Lightweight Concrete	3 rd Floor N Stairwell	
072623-57-02C	Lightweight Concrete	4 th Floor S Stairwell	
072623-57-02D	Lightweight Concrete	2 nd Floor N Stairwell	
072623-57-02E	Lightweight Concrete	1 st Floor S Stairwell	
072623-57-03A	Tectum Panels	5 th Floor N Stairwell	
072623-57-03B	Tectum Panels	4 th Fl Bathroom Hall	
072623-57-03C	Tectum Panels	Classroom 304	
072623-57-03D	Tectum Panels	2 nd Floor Bathroom	
072623-57-03E	Tectum Panels	1 st Floor Cafe	
072623-57-04A	4" Rubber Covebase Mastic	5 th Floor N Stairwell	
072623-57-04B	4" Rubber Covebase Mastic	4 th Floor Custodian Closet	
072623-57-04C	4" Rubber Covebase Mastic	3 rd Floor N Hallway	
072623-57-04D	4" Rubber Covebase Mastic	Room 206	
072623-57-04E	4" Rubber Covebase Mastic	Room 108	
072623-57-05A	12" x 12" Tan Floor Tile	5 th Floor Stairwell	
072623-57-05B	12" x 12" Tan Floor Tile	4 th Floor Hallway SE Corner	

Relinquished: Geoff Gerace

Date: 7-27-23

Time: 10:06

Received:

Date:

Time:

 REC'D
 EMSL-BOSTON JUL 27 2023

Page 1 of 5

Asbestos Bulk Sample - Chain of Custody Form 132304815

AXIOM PARTNERS
50 SALEM ST., SUITE 103B
LYNNFIELD, MA 01940
PHONE: 781.213.9198

Project Number: _____

Turnaround Time: ☐ Same Day ☐ 24 hrs

☐ 48 hrs ☐ 5-Day ☐ Other _____

SAMPLE NO.	SAMPLE DESCRIPTION	SAMPLE LOCATION	COMMENTS
072623-57-05C	12" x 12" Tan Floor Tile	Room 305	
072623-57-05D	12" x 12" Tan Floor Tile	Room 207	
072623-57-05E	12" x 12" Tan Floor Tile	1 st Floor Cafe	
072623-57-06A	12" x 12" Tan Floor Tile Mastic	5 th Floor Stairwell	
072623-57-06B	12" x 12" Tan Floor Tile Mastic	4 th Floor Hallway SE Corner	
072623-57-06C	12" x 12" Tan Floor Tile Mastic	Room 305	
072623-57-06D	12" x 12" Tan Floor Tile Mastic	Room 207	
072623-57-06E	12" x 12" Tan Floor Tile Mastic	1 st Floor Cafe	
072623-57-07A	Interior Door Caulking	4 th Floor Hallway	
072623-57-07B	Interior Door Caulking	Room 319	
072623-57-07C	Interior Door Caulking	2 nd Floor Hallway	
072623-57-07D	Interior Door Caulking	1 st Floor PTA Room	
072623-57-08A	Interior Window Caulking	Room 408	
072623-57-08B	Interior Window Caulking	Room 320	
072623-57-08C	Interior Window Caulking	Room 208	
072623-57-08D	Interior Window Caulking	1 st Floor Cafe	
072623-57-10A	Expansion Joint Caulk with Concrete Columns & CMU Walls	Room 408 Art	
072623-57-10B	Expansion Joint Caulk with Concrete Columns & CMU Walls	1 st Floor Kitchen Area	
072623-57-10C	Expansion Joint Caulk with Concrete Columns & CMU Walls	3 rd Floor Hallway	
072623-57-11A	Safety Glass Glazing	4 th Floor Art Studio	
072623-57-11B	Safety Glass Glazing	2 nd Floor Main Office	
072623-57-12A	Carpet Square Mastic	Room 402 Library	
072623-57-12B	Carpet Square Mastic	1 st Floor Room 105 Storage	
072623-57-14A	12" x 12" Brown Floor Tile	Room 409	
072623-57-14B	12" x 12" Brown Floor Tile	Room St-306	
072623-57-14C	12" x 12" Brown Floor Tile	Room 205	
072623-57-15A	12" x 12" Brown Floor Tile Mastic	Room 409	
072623-57-15B	12" x 12" Brown Floor Tile Mastic	Room St-306	
072623-57-15C	12" x 12" Brown Floor Tile Mastic	Room 205	
072623-57-16A	1" x 2" Ceramic Floor Tile Grout	4 th Floor Mens Room	
072623-57-16B	1" x 2" Ceramic Floor Tile Grout	3 rd Floor Faculty Bathroom	
072623-57-17A	1" x 2" Ceramic Floor Tile Mortar	4 th Floor Mens Room	
072623-57-17B	1" x 2" Ceramic Floor Tile Mortar	3 rd Floor Faculty Bathroom	

REC'D
 FMSI-BOSTON JUL 27 2023

Page ____ of ____

Asbestos Bulk Sample - Chain of Custody Form 132304815

AXIOM PARTNERS
 50 SALEM ST., SUITE 103B
 LYNNFIELD, MA 01940
 PHONE: 781.213.9198

Project Number: _____

 Turnaround Time: ☐ Same Day ☐ 24 hrs
☐ 48 hrs ☐ 5-Day ☐ Other _____

SAMPLE NO.	SAMPLE DESCRIPTION	SAMPLE LOCATION	COMMENTS
072623-57-18A	12" x 12" Light Brown Floor Tile	Room 410 Faculty Lounge	
072623-57-18B	12" x 12" Light Brown Floor Tile	Room 306	
072623-57-18C	12" x 12" Light Brown Floor Tile	Room 206	
072623-57-19A	12" x 12" Light Brown Floor Tile Mastic	Room 410 Faculty Lounge	
072623-57-19B	12" x 12" Light Brown Floor Tile	Room 306	
072623-57-19C	12" x 12" Light Brown Floor Tile	Room 206	
072623-57-22A	White Duct Tape/Mastic	4 th Floor Hallway	
072623-57-22B	White Duct Tape/Mastic	2 nd Floor Hallway	
072623-57-22C	White Duct Tape/Mastic	Roof Penthouse	
072623-57-23A	Fiberboard Wall Panels	Room 413	
072623-57-23B	Fiberboard Wall Panels	Room 214	
072623-57-23C	Fiberboard Wall Panels	Room 317	
072623-57-24A	2' x 4' White Fissured Ceiling Tile	Room 418	
072623-57-24B	2' x 4' White Fissured Ceiling Tile	3 rd Floor Bathroom	
072623-57-25A	12" Pipe Insulation	403 Storage Room	
072623-57-25B	12" Pipe Insulation	2 nd Floor Storage Room	
072623-57-25C	12" Pipe Insulation	Generator Room	
072623-57-26A	12" Pipe Elbow Insulation	Room St-306	
072623-57-26B	12" Pipe Elbow Insulation	Generator Room	
072623-57-26C	12" Pipe Elbow Insulation	Roof Penthouse	
072623-57-27A	3" Pipe Elbow Insulation	Room 313	
072623-57-27B	3" Pipe Elbow Insulation	PTA Room 1 st Floor	
072623-57-27C	3" Pipe Elbow Insulation	2 nd Floor Main Hallway near Office	
072623-57-27D	3" Pipe Elbow Insulation	Roof Penthouse	
072623-57-28A	Brown Sheet Flooring	Room 307	
072623-57-28B	Brown Sheet Flooring	GYM	
072623-57-29A	Brown Sheet Flooring Mastic	Room 307	
072623-57-29B	Brown Sheet Flooring Mastic	GYM	
072623-57-31A	Gray Duct Sealant	Room 205	
072623-57-31B	Gray Duct Sealant	1 st Floor Kitchen	
072623-57-31C	Gray Duct Sealant	Roof Penthouse	
072623-57-34A	Wall Cushion Mastic	Gym E	
072623-57-34B	Wall Cushion Mastic	Gym W	
072623-57-35A	6" Red Quarry Tile Mortar	Kitchen SW	

 REC'D
 EMSI - BOSTON JUL 27 2023

Page ____ of ____

Asbestos Bulk Sample - Chain of Custody Form

132304815

	AXIOM PARTNERS 50 SALEM ST., SUITE 103B LYNNFIELD, MA 01940 PHONE: 781.213.9198	Project Number: _____
		Turnaround Time: ☐ Same Day ☐ 24 hrs ☐ 48 hrs ☐ 5-Day ☐ Other _____

SAMPLE NO.	SAMPLE DESCRIPTION	SAMPLE LOCATION	COMMENTS
072623-57-35B	6" Red Quarry Tile Mortar	Kitchen NE	
072623-57-36A	4" x 4" Ceramic Wall Tile Grout	St-107	
072623-57-36B	4" x 4" Ceramic Wall Tile Grout	1 st Floor Custodian Closet	
072623-57-37A	4" x 4" Ceramic Wall Tile Thinset	St-107	
072623-57-37B	4" x 4" Ceramic Wall Tile Thinset	1 st Floor Custodian Closet	
072623-57-38A	12" x 12" Blue Floor Tile	Room 105	
072623-57-38B	12" x 12" Blue Floor Tile	Room 105	
072623-57-39A	12" x 12" Blue Floor Tile Mastic	Room 105	
072623-57-39B	12" x 12" Blue Floor Tile Mastic	Room 105	
072623-57-40A	12" x 12" Beige Mottled Floor Tile	Room 104	
072623-57-40B	12" x 12" Beige Mottled Floor Tile	Room 103	
072623-57-41A	12" x 12" Beige Mottled Floor Tile Mastic	Room 104	
072623-57-41B	12" x 12" Beige Mottled Floor Tile Mastic	Room 103	
072623-57-42A	Cloth Expansion Joint	Generator Room	
072623-57-42B	Cloth Expansion Joint	Roof Penthouse	
072623-57-43A	Expansion Joint Caulking	Exterior S	
072623-57-43B	Expansion Joint Caulking	Exterior North	
072623-57-43C	Expansion Joint Caulking	Exterior Roof	
072623-57-44A	Exterior Window Caulking	Exterior East	
072623-57-44B	Exterior Window Caulking	Exterior West	
072623-57-44C	Exterior Window Caulking	Exterior N	
072623-57-45A	Exterior Door Caulking	Exterior W	
072623-57-45B	Exterior Door Caulking	Exterior North	
072623-57-46A	Textured Coating On Corrugated Cement	Exterior West	
072623-57-46B	Textured Coating On Corrugated Cement	Exterior South	
072623-57-46C	Textured Coating On Corrugated Cement	Exterior SE	
072623-57-47A	Duct Pin Mastic with Foam Wall Panels	Roof Penthouse SW	
072623-57-47B	Duct Pin Mastic with Foam Wall Panels	Roof Penthouse NW	
072623-57-48A	6" Pipe Elbow Insulation	Roof Penthouse NW	
072623-57-48B	6" Pipe Elbow Insulation	Roof Penthouse N	
072623-57-48C	6" Pipe Elbow Insulation	Roof Penthouse SW	

REC'D
 EMSL-BOSTON JUL 27 2023

Page ____ of ____

Asbestos Bulk Sample - Chain of Custody Form

132304815



AXIOM PARTNERS
50 SALEM ST., SUITE 103B
LYNNFIELD, MA 01940
PHONE: 781.213.9198

Project Number: _____

Turnaround Time: ☐ Same Day ☐ 24 hrs☐ 48 hrs ☐ 5-Day ☐ Other _____

SAMPLE NO.	SAMPLE DESCRIPTION	SAMPLE LOCATION	COMMENTS
072623-57-49A	End Cap Sealant	1 st Floor Hallway	
072623-57-49B	End Cap Sealant	3 rd Floor Hallway	
072623-57-49C	End Cap Sealant	Roof Penthouse	
072623-57-50A	Duct Pin Mastic	Roof Penthouse E	
072623-57-50B	Duct Pin Mastic	Roof Penthouse SW	
072623-57-51A	Stone Mortar	Exterior West	
072623-57-51B	Stone Mortar	Exterior East	
072623-57-52A	Red Duct Mastic	2 nd Floor Hallway	
072623-57-52B	Red Duct Mastic	1 st Floor Hallway	
072623-57-52C	Red Duct Mastic	Roof Penthouse	

REC'D
FBI-BOSTON JUL 27 2023

Page ____ of ____



ANALYTICAL REPORT

Lab Number:	L2343732
Client:	Axiom Partners, Inc. 50B Salem St Lynnfield, MA 01940
ATTN:	Geoff Gerace
Phone:	(781) 995-5101
Project Name:	WINTER HILL COMMUNITY SCHOOL
Project Number:	01164.136
Report Date:	08/04/23

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OH (CL108), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: WINTER HILL COMMUNITY SCHOOL
Project Number: 01164.136

Lab Number: L2343732
Report Date: 08/04/23

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2343732-01	PCB-01	SOLID	115 SYCAMORE ST	07/25/23 12:09	07/28/23
L2343732-02	PCB-02	SOLID	115 SYCAMORE ST	07/25/23 12:16	07/28/23
L2343732-03	PCB-03	SOLID	115 SYCAMORE ST	07/25/23 12:04	07/28/23

Project Name: WINTER HILL COMMUNITY SCHOOL
Project Number: 01164.136

Lab Number: L2343732
Report Date: 08/04/23

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: WINTER HILL COMMUNITY SCHOOL
Project Number: 01164.136

Lab Number: L2343732
Report Date: 08/04/23


Case Narrative (continued)

PCBs

L2343732-02: The sample has elevated detection limits due to limited sample volume available for analysis.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Kelly Stenstrom

Title: Technical Director/Representative

Date: 08/04/23

ORGANICS

PCBS

Project Name: WINTER HILL COMMUNITY SCHOOL
Project Number: 01164.136

Lab Number: L2343732
Report Date: 08/04/23

SAMPLE RESULTS

Lab ID: L2343732-01
Client ID: PCB-01
Sample Location: 115 SYCAMORE ST

Date Collected: 07/25/23 12:09
Date Received: 07/28/23
Field Prep: Not Specified

Sample Depth:

Matrix: Solid
Analytical Method: 1,8082A
Analytical Date: 08/03/23 11:01
Analyst: ENT
Percent Solids: Results reported on an 'AS RECEIVED' basis.

Extraction Method: EPA 3540C
Extraction Date: 07/31/23 11:30
Cleanup Method: EPA 3630
Cleanup Date: 08/02/23
Cleanup Method: EPA 3665A
Cleanup Date: 08/02/23
Cleanup Method: EPA 3660B
Cleanup Date: 08/03/23

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	637	--	1	A
Aroclor 1221	ND		ug/kg	637	--	1	A
Aroclor 1232	ND		ug/kg	637	--	1	A
Aroclor 1242	ND		ug/kg	318	--	1	A
Aroclor 1248	ND		ug/kg	637	--	1	A
Aroclor 1254	ND		ug/kg	637	--	1	A
Aroclor 1260	ND		ug/kg	637	--	1	A
Aroclor 1262	ND		ug/kg	637	--	1	A
Aroclor 1268	ND		ug/kg	318	--	1	A
PCBs, Total	ND		ug/kg	318	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	85		30-150	A
Decachlorobiphenyl	77		30-150	A
2,4,5,6-Tetrachloro-m-xylene	88		30-150	B
Decachlorobiphenyl	78		30-150	B

Project Name: WINTER HILL COMMUNITY SCHOOL
Project Number: 01164.136

Lab Number: L2343732
Report Date: 08/04/23

SAMPLE RESULTS

Lab ID: L2343732-02
Client ID: PCB-02
Sample Location: 115 SYCAMORE ST

Date Collected: 07/25/23 12:16
Date Received: 07/28/23
Field Prep: Not Specified

Sample Depth:

Matrix: Solid
Analytical Method: 1,8082A
Analytical Date: 08/03/23 11:09
Analyst: ENT
Percent Solids: Results reported on an 'AS RECEIVED' basis.

Extraction Method: EPA 3540C
Extraction Date: 07/31/23 11:30
Cleanup Method: EPA 3630
Cleanup Date: 08/02/23
Cleanup Method: EPA 3665A
Cleanup Date: 08/02/23
Cleanup Method: EPA 3660B
Cleanup Date: 08/03/23

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	877	--	1	A
Aroclor 1221	ND		ug/kg	877	--	1	A
Aroclor 1232	ND		ug/kg	877	--	1	A
Aroclor 1242	ND		ug/kg	438	--	1	A
Aroclor 1248	ND		ug/kg	877	--	1	A
Aroclor 1254	ND		ug/kg	877	--	1	A
Aroclor 1260	ND		ug/kg	877	--	1	A
Aroclor 1262	ND		ug/kg	877	--	1	A
Aroclor 1268	ND		ug/kg	438	--	1	A
PCBs, Total	ND		ug/kg	438	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	73		30-150	A
Decachlorobiphenyl	65		30-150	A
2,4,5,6-Tetrachloro-m-xylene	76		30-150	B
Decachlorobiphenyl	67		30-150	B

Project Name: WINTER HILL COMMUNITY SCHOOL
Project Number: 01164.136

Lab Number: L2343732
Report Date: 08/04/23

SAMPLE RESULTS

Lab ID: L2343732-03
Client ID: PCB-03
Sample Location: 115 SYCAMORE ST

Date Collected: 07/25/23 12:04
Date Received: 07/28/23
Field Prep: Not Specified

Sample Depth:

Matrix: Solid
Analytical Method: 1,8082A
Analytical Date: 08/03/23 11:17
Analyst: ENT
Percent Solids: Results reported on an 'AS RECEIVED' basis.

Extraction Method: EPA 3540C
Extraction Date: 08/01/23 09:45
Cleanup Method: EPA 3630
Cleanup Date: 08/02/23
Cleanup Method: EPA 3665A
Cleanup Date: 08/02/23
Cleanup Method: EPA 3660B
Cleanup Date: 08/03/23

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	625	--	1	A
Aroclor 1221	ND		ug/kg	625	--	1	A
Aroclor 1232	ND		ug/kg	625	--	1	A
Aroclor 1242	ND		ug/kg	312	--	1	A
Aroclor 1248	ND		ug/kg	625	--	1	A
Aroclor 1254	ND		ug/kg	625	--	1	A
Aroclor 1260	ND		ug/kg	625	--	1	A
Aroclor 1262	ND		ug/kg	625	--	1	A
Aroclor 1268	ND		ug/kg	312	--	1	A
PCBs, Total	ND		ug/kg	312	--	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	89		30-150	A
Decachlorobiphenyl	85		30-150	A
2,4,5,6-Tetrachloro-m-xylene	92		30-150	B
Decachlorobiphenyl	86		30-150	B

Project Name: WINTER HILL COMMUNITY SCHOOL
Project Number: 01164.136

Lab Number: L2343732
Report Date: 08/04/23

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8082A
 Analytical Date: 08/03/23 10:37
 Analyst: ENT

Extraction Method: EPA 3540C
 Extraction Date: 07/31/23 11:30
 Cleanup Method: EPA 3630
 Cleanup Date: 08/02/23
 Cleanup Method: EPA 3665A
 Cleanup Date: 08/02/23
 Cleanup Method: EPA 3660B
 Cleanup Date: 08/03/23

Parameter	Result	Qualifier	Units	RL	MDL	Column
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01-03 Batch: WG1809821-1						
Aroclor 1016	ND		ug/kg	629	--	A
Aroclor 1221	ND		ug/kg	629	--	A
Aroclor 1232	ND		ug/kg	629	--	A
Aroclor 1242	ND		ug/kg	314	--	A
Aroclor 1248	ND		ug/kg	629	--	A
Aroclor 1254	ND		ug/kg	629	--	A
Aroclor 1260	ND		ug/kg	629	--	A
Aroclor 1262	ND		ug/kg	629	--	A
Aroclor 1268	ND		ug/kg	314	--	A
PCBs, Total	ND		ug/kg	314	--	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	82		30-150	A
Decachlorobiphenyl	85		30-150	A
2,4,5,6-Tetrachloro-m-xylene	87		30-150	B
Decachlorobiphenyl	83		30-150	B

Lab Control Sample Analysis**Batch Quality Control****Project Name:** WINTER HILL COMMUNITY SCHOOL**Project Number:** 01164.136**Lab Number:** L2343732**Report Date:** 08/04/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01-03 Batch: WG1809821-2 WG1809821-3									
Aroclor 1016	64		71		40-140	10		50	A
Aroclor 1260	59		62		40-140	5		50	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	69		75		30-150	A
Decachlorobiphenyl	67		68		30-150	A
2,4,5,6-Tetrachloro-m-xylene	73		77		30-150	B
Decachlorobiphenyl	68		70		30-150	B

Project Name: WINTER HILL COMMUNITY SCHOOL**Lab Number:** L2343732**Project Number:** 01164.136**Report Date:** 08/04/23**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information**Cooler** **Custody Seal**

A Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2343732-01A	Glass 120ml/4oz unpreserved	A	NA		3.5	Y	Absent		PCB-8082-CAULK(365)
L2343732-02A	Glass 120ml/4oz unpreserved	A	NA		3.5	Y	Absent		PCB-8082-CAULK(365)
L2343732-03A	Glass 120ml/4oz unpreserved	A	NA		3.5	Y	Absent		PCB-8082-CAULK(365)

Project Name: WINTER HILL COMMUNITY SCHOOL
Project Number: 01164.136

Lab Number: L2343732
Report Date: 08/04/23

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: Data Usability Report



Project Name: WINTER HILL COMMUNITY SCHOOL
Project Number: 01164.136

Lab Number: L2343732
Report Date: 08/04/23

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

Report Format: Data Usability Report



Project Name: WINTER HILL COMMUNITY SCHOOL
Project Number: 01164.136

Lab Number: L2343732
Report Date: 08/04/23

Data Qualifiers

- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: WINTER HILL COMMUNITY SCHOOL
Project Number: 01164.136

Lab Number: L2343732
Report Date: 08/04/23

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Alpha Analytical, Inc.Facility: **Company-wide**Department: **Quality Assurance**Title: **Certificate/Approval Program Summary**ID No.: **17873**

Revision 20

Published Date: 6/16/2023 4:52:28 PM

Page 1 of 1

Certification Information**The following analytes are not included in our Primary NELAP Scope of Accreditation:****Westborough Facility****EPA 624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625.1:** alpha-Terpineol**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility****SM 2540D:** TSS.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B**The following analytes are included in our Massachusetts DEP Scope of Accreditation****Westborough Facility:****Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,****EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:**Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,****SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables).**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.****Mansfield Facility:****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.****EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

PAGE _____ OF _____

Date Rec'd in Lab:

ALPHA Job #:

TOTAL IN BOTTLES

FORM NO: 01-01 (rev. 12-Mar-2019)

APPENDIX B

Lead Paint Testing Results

XRF PAINT TESTING RESULTS

**Winter Hill Community School Building
115 Sycamore Street
Somerville, MA**

LOCATION	SAMPLE CODE	SUBSTRATE TYPE	PAINT CONDITION	XRF READING (mg/cm ²)	COLOR/ COMMENTS
Exterior, Front Side of Building	D	M	1	0.23	Gray
"	DC	M	1	0.26	Gray
"	WC	M	1	0.32	Gray
Exterior, Left Side of Building	D	M	1	0.11	Blue
"	DC	M	1	0.09	Blue
"	WC	M	1	0.35 – 0.41	Gray
"	HR	M	2 - 3	0.69	Black
"	SH	C	1	0.20	Beige
Exterior, Rear Side of Building	WC	M	1	0.41	Gray
1st Floor, Cafeteria, Kitchen, Classrooms, Offices, Elevator Machine Room, Storage Rooms, Offices, Teacher's Dining Room, Janitor's Office, Hallways, Stairwells, Bathrooms, Etc.	W	T	1	2.4	Beige
"	W	CMU	1	0.06	Lt. Green
"	W	CMU	1	0.10	Yellow
"	W	CMU	1 – 2	0.04	Blue
"	DC	M	1	0.46	Blue
"	DC	M	1	0.49	Gray
"	WC	M	1	0.28	Gray
"	STC	C	1	0.14 – 0.08	Yellow
2nd Floor, Classrooms, Offices, Copy Room, Storage Rooms, Health Office, Gym, Hallways, Stairwells, Bathrooms, Etc.	W	T	1	1.4	Beige

SAMPLE CODE:

BB-Baseboard; B-Bollards/Bumpers; C/T-Casing/Trim; CL-Ceiling; CR-Chair Rail; D-Door; DC-Door Casing; DJ-Door Jamb; DW-Duct Work; E-Equipment; FL-Floor; HR- Handrail; HVAC-Fans/Air Handlers; P-Piping; R-Railing; RD-Radiator; RC-Radiator Cover; SB-Stair Balusters; SH-Shingles/Siding; SR-Stair Riser; SS-Stair Stringer; SR-Stair Railing; ST, Stair Tread; STC-Structural Column; STB-Structural Beam; STM-Structure Misc; W-Wall; UW-Upper Wall; LW-Lower Wall; WSH-Window Sash; WC-Window Casing; WSL-Window Sill

SUBSTRATE TYPE:

W-Wood; G-Gypsum Board; P-Plaster; C-Concrete; CB- Concrete Block; PA-Paneling; T-Tile; M-Metal; B-Brick; U-Unknown

PAINT CONDITION:

1 to 5; 1 = Undamaged (< 5% damage) ; 2 = Slight Damage (6-15% Damage) ; 3 = Moderate Damage (16-25% Damage) ; 4 = Extensive Damage (26-50% Damage) ; 5 = Severe Damage (>50% Damage)



XRF PAINT TESTING RESULTS

**Winter Hill Community School Building
115 Sycamore Street
Somerville, MA**

LOCATION	SAMPLE CODE	SUBSTRATE TYPE	PAINT CONDITION	XRF READING (mg/cm ²)	COLOR/ COMMENTS
"	W	CMU	1	0.06	Lt. Green
"	W	CMU	1	0.10	Yellow
"	NP	M	1	1.6	Black
"	ST	C	1	0.26	Gray
"	DC	M	1	0.46	Blue
"	DC	M	1	0.49	Black
"	WC	M	1	0.28	Gray
"	STC	C	1	0.14 – 0.08	Yellow
3 rd Floor, Classrooms, Offices, Storage Rooms, Hallways, Stairwells, Bathrooms, Etc.	W	T	1	0.6	Beige
"	W	Fiberboard	1	0.12	Blue
"	W	CMU	1	0.10	Yellow
"	NP	M	1	1.5	Black
"	ST	C	1	0.26	Gray
"	DC	M	1	0.46	Blue
"	DC	M	1	0.49	Black
"	WC	M	1	0.28	Gray
"	STC	C	1	0.14 – 0.08	Yellow
4 th Floor, Classrooms, Offices, Storage Rooms, Library, Art Studio, Faculty Lounge, Hallways, Stairwells, Bathrooms, Etc.	W	T	1	0.6	Beige
"	W	Fiberboard	1	0.12	Blue
"	W	CMU	1	0.10	Yellow

SAMPLE CODE:

BB-Baseboard; B-Bollards/Bumpers; C/T-Casing/Trim; CL-Ceiling; CR-Chair Rail; D-Door; DC-Door Casing; DJ-Door Jamb; DW-Duct Work; E-Equipment; FL-Floor; HR- Handrail; HVAC-Fans/Air Handlers; P-Piping; R-Railing; RD-Radiator; RC-Radiator Cover; SB-Stair Balusters; SH-Shingles/Siding; SR-Stair Riser; SS-Stair Stringer; SR-Stair Railing; ST, Stair Tread; STC-Structural Column; STB-Structural Beam; STM-Structure Misc; W-Wall; UW-Upper Wall; LW-Lower Wall; WSH-Window Sash; WC-Window Casing; WSL-Window Sill

SUBSTRATE TYPE:

W-Wood; G-Gypsum Board; P-Plaster; C-Concrete; CB- Concrete Block; PA-Paneling; T-Tile; M-Metal; B-Brick; U-Unknown

PAINT CONDITION:

1 to 5; 1 = Undamaged (< 5% damage) ; 2 = Slight Damage (6-15% Damage) ; 3 = Moderate Damage (16-25% Damage) ; 4 = Extensive Damage (26-50% Damage) ; 5 = Severe Damage (>50% Damage)



XRF PAINT TESTING RESULTS

Winter Hill Community School Building
115 Sycamore Street
Somerville, MA

LOCATION	SAMPLE CODE	SUBSTRATE TYPE	PAINT CONDITION	XRF READING (mg/cm ²)	COLOR/ COMMENTS
"	NP	M	1	1.5	Black
"	ST	C	1	0.26	Gray
"	DC	M	1	0.50	Black
"	WC	M	1	0.32	Gray

SAMPLE CODE:

BB-Baseboard; B-Bollards/Bumpers; C/T-Casing/Trim; CL-Ceiling; CR-Chair Rail; D-Door; DC-Door Casing; DJ-Door Jamb; DW-Duct Work; E-Equipment; FL-Floor; HR- Handrail; HVAC-Fans/Air Handlers; P-Piping; R-Railing; RD-Radiator; RC-Radiator Cover; SB-Stair Balusters; SH-Shingles/Siding; SR-Stair Riser; SS-Stair Stringer; SR-Stair Railing; ST, Stair Tread; STC-Structural Column; STB-Structural Beam; STM-Structure Misc; W-Wall; UW-Upper Wall; LW-Lower Wall; WSH-Window Sash; WC-Window Casing; WSL-Window Sill

SUBSTRATE TYPE:

W-Wood; G-Gypsum Board; P-Plaster; C-Concrete; CB- Concrete Block; PA-Paneling; T-Tile; M-Metal; B-Brick; U-Unknown

PAINT CONDITION:

1 to 5; 1 = Undamaged (< 5% damage) ; 2 = Slight Damage (6-15% Damage) ; 3 = Moderate Damage (16-25% Damage) ; 4 = Extensive Damage (26-50% Damage) ; 5 = Severe Damage (>50% Damage)



APPENDIX C

**Hazardous Building Materials
Summary Tables**

MISCELLANEOUS HAZARDOUS BUILDING MATERIALS INVENTORY

**Winter Hill Community School Building
115 Sycamore Street
Somerville, MA**

Bulbs & Ballasts

Description	Location	Mfg./Model	Quantity	PCB Content
2' x 2 Bulb Suspended	1 st Floor Throughout	Unknown	75	Assumed PCBs
4' x 2 Bulb Suspended	"	Unknown	180	Assumed PCBs
2' x 2 Bulb Suspended	2 nd Floor Throughout	Unknown	225	Assumed PCBs
4' x 2 Bulb Suspended	"	Unknown	180	Assumed PCBs
2' x 2 Bulb Suspended	3 rd Floor Throughout	Unknown	120	Assumed PCBs
4' x 2 Bulb Suspended	"	Unknown	40	Assumed PCBs
2' x 2 Bulb Suspended	4 th Floor Throughout	Unknown	160	Assumed PCBs
4' x 2 Bulb Suspended	"	Unknown	20	Assumed PCBs

CFC-Containing Items

Description/Location	HVAC Manufacturer	Number of Units	Amount/Type of RCFCs
Air Conditioners (floor-mounted) / Lower Flat Roof	Reznor	2	~8-10 lbs. / R-22
Refrigerating Machine / Mechanical Room (off Upper Flat Roof)	Unknown	1	~8-10 lbs. / R-134A
Coolers / 1 st Floor Kitchen	Traulsen	6	~3-5 lbs. / Freon
Walk In Coolers/Freezers / 1 st Floor Kitchen	Unknown	5	~3-5 lbs. / Freon
Refrigerators / 1 st – 4 th Floors Offices	Various Brands	25	~1-2 lbs. / Freon

PCB-Containing Items

Description/Location	Manufacturer	Number of Units	PCBs
Transformer (pad-mounted) / Exterior Right Side of Building	NSTAR	2	Assumed PCBs ¹

Mercury-Containing Items

Description	Location	Manufacturer	Number of Units
Halogen Light Fixtures (w/ 1 mercury bulb)	Exterior, Left Side of Building	Unknown	2

¹ No labels indicating "No PCBs" were observed on the transformers. The units were behind a locked chain linked fence, so AXIOM didn't have full access to these units to inspect for labels. So, AXIOM assumed it to contain this constituent.

Miscellaneous Items

Description	Location	Approx. Quantity
Plastic Drum of Unknown Liquid	Mechanical Room (off Upper Flat Roof)	1
Air Compressor (w/ oil lubricants)	"	1
Batteries w/ Exit Signs	1 st Floor Throughout	12
Batteries w/ Emergency Lighting	"	12
Fire Extinguishers	"	4
Computer Monitors	"	4
Water Fountains	"	4
Cleaning Supplies	"	25
Painting Supplies	"	25
Above-Ground Storage Tank (Contents: hydraulic oil / Capacity: medium sized)	"	1
Elevator Ram (w/ hydraulic oil)	"	1
Emergency Generator	"	1
Batteries w/ Exit Signs	2 nd Floor Throughout	18
Batteries w/ Emergency Lighting	"	18
Fire Extinguishers	"	12
Computer Monitors	"	15
Water Fountains	"	6
Batteries w/ Exit Signs	3 rd Floor Throughout	18
Batteries w/ Emergency Lighting	"	18
Fire Extinguishers	"	12
Computer Monitors	"	15
Water Fountains	"	6
Batteries w/ Exit Signs	4 th Floor Throughout	18
Batteries w/ Emergency Lighting	"	18
Fire Extinguishers	"	12
Computer Monitors	"	15
Water Fountains	"	6

APPENDIX D

Non-ACMs Tables

SAMPLE NO.	SAMPLE DESCRIPTION	SAMPLE LOCATION
072623-57-01A-01E	Textured Coating on Concrete Walls	Throughout
072623-57-03A-03E	Tectum Panels	Throughout
072623-57-04A-04E	4" Rubber Covebase Mastic	Throughout
072623-57-07A-7D	Interior Door Caulking	Throughout
072623-57-08A-08D	Interior Window Caulking	Throughout
072623-57-10A-10C	Expansion Joint Caulk with Concrete Columns & CMU Walls	Throughout
072623-57-11A&B	Safety Glass Glazing	Throughout
072623-57-12A&B	Carpet Square Mastic	Room 402 Library, Room 405, Room 105, St-101
072623-57-16A&B	1" x 2" Ceramic Floor Tile Grout	Bathrooms
072623-57-17A&B	1" x 2" Ceramic Floor Tile Mortar	Bathrooms
072623-57-18A-18C	12" x 12" Light Brown Floor Tile	Room 410 Faculty Lounge
072623-57-19A-19C	12" x 12" Light Brown Floor Tile Mastic	Room 410 Faculty Lounge
072623-57-22A-22C	White Duct Tape/Mastic	Throughout
072623-57-23A-23C	Fiberboard Wall Panels	Throughout
072623-57-24A&B	2' x 4' White Fissured Ceiling Tile	Room 418, 3 rd Floor Bathrooms, 2 nd Floor Bathrooms
072623-57-25A-25C	12" Pipe Insulation	Storage Rooms into Penthouse, Generator Room
072623-57-26A	12" Pipe Elbow Insulation	Room St-306
072623-57-26B	12" Pipe Elbow Insulation	Generator Room
072623-57-26C	12" Pipe Elbow Insulation	Roof Penthouse
072623-57-27A	3" Pipe Elbow Insulation	Room 313
072623-57-27B	3" Pipe Elbow Insulation	PTA Room 1 st Floor
072623-57-27C	3" Pipe Elbow Insulation	2 nd Floor Main Hallway near Office
072623-57-27D	3" Pipe Elbow Insulation	Roof Penthouse
072623-57-28A&B	Brown Sheet Flooring	Room 307
072623-57-29A&B	Brown Sheet Flooring Mastic	Room 307
072623-57-34A&B	Wall Cushion Mastic	Gym
072623-57-35A&B	6" Red Quarry Tile Mortar	Kitchen
072623-57-36A&B	4" x 4" Ceramic Wall Tile Grout	St-107, 1 st Floor Custodian Closet
072623-57-37A&B	4" x 4" Ceramic Wall Tile Thinset	St-107, 1 st Floor Custodian Closet
072623-57-38A&B	12" x 12" Blue Floor Tile	Room 105

SAMPLE NO.	SAMPLE DESCRIPTION	SAMPLE LOCATION
072623-57-39A&B	12" x 12" Blue Floor Tile Mastic	Room 105
072623-57-40A&B	12" x 12" Beige Mottled Floor Tile	Room 104
072623-57-41A&B	12" x 12" Beige Mottled Floor Tile Mastic	Room 104
072623-57-42A&B	Cloth Expansion Joint	Generator Room, Roof Penthouse
072623-57-43A-43C	Expansion Joint Caulking	Exterior
072623-57-44A-44C	Exterior Window Caulking	Exterior
072623-57-45A&B	Exterior Door Caulking	Exterior
072623-57-46A-46C	Textured Coating On Corrugated Cement	Exterior
072623-57-47A&B	Duct Pin Mastic with Foam Wall Panels	Roof Penthouse
072623-57-48A	6" Pipe Elbow Insulation	Roof Penthouse NW
072623-57-48B	6" Pipe Elbow Insulation	Roof Penthouse N
072623-57-48C	6" Pipe Elbow Insulation	Roof Penthouse SW
072623-57-49A-49C	End Cap Sealant	Throughout
072623-57-50A&B	Duct Pin Mastic	Roof Penthouse
072623-57-51A&B	Stone Mortar	Exterior

APPENDIX E

Photographs



Photo 1

View of ACM Lightweight Concrete



Photo 2

View of ACM 12" Tan Floor Tile and Mastic.



Photo 3

View of ACM 12" Brown Floor Tile and Mastic.



Photo 4

View of ACM Gray Mastic.




Photo 5

View of ACM Red Duct Mastic.



Photo 6

View of ACM Perimeter Flashing Gym Roof.



Photo 7

View of PACM Pipe Elbow Insulation.

APPENDIX F

Asbestos and Hazardous Building Materials Abatement Cost Estimate

Asbestos & Hazardous Building Materials Abatement Cost Estimate
Winter Hill Community School Building
115 Sycamore Street, Somerville, MA

Asbestos Removal, ACMs

Material	Location(s)	Estimated Quantity	Estimated Removal Cost
Lightweight Concrete	Stairwells and Interior Walls Throughout	~165,000 SF	\$1,155,000
12" x 12" Tan Floor Tile	Throughout	~95,500 SF	\$573,000
12" x 12" Tan Floor Tile Mastic	1 st Floor Cafe	~105,000 SF	Included Above
12" x 12" Brown Floor Tile	Room 409, Janitors Closets, St-306, St-201, 205, 2 nd Floor Hallway, 114, 102, 108	1,300 SF	\$7,800
12" x 12" Brown Floor Tile Mastic	Room 409, Janitors Closets, St-306, St-201, 205, 2 nd Floor Hallway, 114, 102, 108	1,300 SF	Included Above
Gray Duct Sealant	Ceiling Plenums Throughout, Roof Penthouse	~27,500 SF	\$275,000
Red Duct Mastic	Ceiling Plenums Throughout, Roof Penthouse	~21,400 SF	\$214,000
Perimeter Flashing	Lower Roof (GYM)	350 LF	\$3,500
Subtotal, Asbestos Removal (Confirmed ACMs)			\$ 2,228,300

Asbestos Removal, PACMs

Material	Location	Quantity	Removal Cost
Asphaltic Damp Proofing	On Foundations, Footings	5,000 SF	\$100,000
Buried Pipes	Beneath Building or at Site	TBD	\$5,000
Concealed Pipe/Fitting Insulation Behind and/or Above Hard Wall/Ceiling Surfaces & Inaccessible Crawlspace/Trenches under Building*	Various Areas Building's Interiors	TBD	*NA
FRP Paneling Mastic	3 rd Floor Bath	300 SF	\$3,000
Blackboards & Adhesive	Classrooms Throughout	1,500 SF	\$15,000
Pipe Elbow Insulation	Throughout	TBD	*NA
Loose Fill Insulation (in CMU walls)	Various Areas of Building's Interiors	TBD	*NA
Flange Gaskets	Sprinkler System	TBD	*NA
Sprinkler Pipe Thread Sealant	Sprinkler System	TBD	*NA

Asbestos & Hazardous Building Materials Abatement Cost Estimate
Winter Hill Community School Building
115 Sycamore Street, Somerville, MA

Material	Location	Quantity	Removal Cost
Drywall and Joint Compound	Library Area	2,000 SF	\$14,000
Black Sink Mastic	Room 220	1 EA	\$500
Glue Daubs with Tectum Panels Under Windows	Classrooms Throughout	~2,000 SF	\$12,000
12" x 12" Blue Floor Tile and Mastic	2 nd Floor Bathrooms	100 SF	\$1,000
Lab Counters	Room 216	200 SF	\$1,000
Mortar Joints with Concrete Ceiling Panels	Throughout	TBD	*NA
Interior Components w/ Boiler Unit	Basement, Boiler Room	TBD	*NA
Subtotal, PACM Removal (Recommended Allowance)			\$ 151,500

*N/A – Not applicable at this time

Abatement Cost Estimate Summary

Description	Estimated Removal Cost
Asbestos Removal, Confirmed ACMs	\$ 2,228,300
Asbestos Removal, Presumed ACMs	\$ 151,500
Miscellaneous Hazardous Building Materials	\$ 6,000
~10% Contingency	\$ 238,000
Estimated Abatement Design/Bid & Monitoring Fee	\$ 156,000
Total Hazardous Building Materials Abatement	\$ 2,779,800

Cost Estimate Assumptions

- Based on current market conditions by a non-union contractor.
- Power, water, and heat provided by the Owner.
- Does not include demolition to access concealed ACMs.
- Includes materials, labor, equipment, notifications/permits, transportation, and disposal.
- Excludes the cost for removal of any other hazardous materials or conditions not identified herein.

**MAIN OFFICE:**

50B Salem Street, Ste. 103
Lynnfield, MA 01940
(781) 213-9198

BRANCH OFFICES:

46 Watergate Lane
W Barnstable, MA 02668
(508) 746-5218

10 Diamond Drive
Derry, NH 03038
(603) 434-5245

www.axiomenv.com

August 24, 2023

Mr. Cole Worthy
Haley & Aldrich, Inc.
465 Medford Street, Suite 2200
Boston, MA 02139

VIA EMAIL

Project # 01164.133

RE: Supplemental Asbestos Inspection, 115 Sycamore Avenue, Somerville, MA

Dear Mr. Worthy,

At Haley & Aldrich request, Axiom Partners, Inc., (AXIOM) performed an asbestos inspection for suspect asbestos-containing materials (ACM) in support of the ongoing work at the above-referenced location. The sampling was performed on August 10, 2023, by Massachusetts Asbestos Inspector, Geoff Gerace (License # A1034620).

Bulk samples were collected using hand tools and immediately placed in labeled containers (e.g., Whirlpak™ sample bags) which were assigned a unique sample number and sealed for submission to the laboratory for analysis.

The samples were hand delivered to EMSL Analytical, Inc. (EMSL), a Massachusetts-licensed asbestos bulk sample laboratory. Chain-of-custody documentation was used to ensure sample integrity. EMSL analyzed the samples for asbestos content by the EPA Method 600/R-93/116 for Polarized Light Microscopy (PLM).

Results are as follows and the laboratory report can be found in the attachment.

Material	Location(s)	Sample No. Reference	Analytical Results ¹
Ceiling Panel Mortar Joint	Ceilings Throughout Floors 1-5	081023-57-60A-60E	5 @ NAD
CMU Block Mortar	Throughout	081023-57-61A-61D	4 @ NAD
Cementitious Coating on Columns	Columns Throughout	081023-57-62A-62F	6 @ <1%-3% CHR
Concrete Ceiling Panels	Ceilings Throughout Floors 1-5	081023-57-63A-63D	4 @ NAD
Lightweight Concrete	Classrooms & Hallways Floors 1-4 Cement Panels	081023-57-02F-02I	4 @ NAD

¹NAD = No Asbestos Detected; CHR = Chrysotile Asbestos; SNA = Sample Not Analyzed

State and Federal regulations define an asbestos-containing material (ACM) as any material which contains greater than or equal to 1% asbestos.

Based on this testing, The Cementitious Coating on the concrete columns were found to contain detectable asbestos. There are approximately 140 columns located throughout the school building.

If you have any questions or require additional assistance, please do not hesitate to call us.

Sincerely,

A handwritten signature in black ink, appearing to read "Geoff Gerace", with a long horizontal flourish extending to the right.

Geoff Gerace
Project Manager

attachment: EMSL asbestos bulk sample analysis report

\\projects\01164.133\AsbestosBulkSamplingReport082523