SPEEDO SPOT PUTTY

# **MATERIAL SAFETY DATA SHEET**

SPEEDOKOTE LLC INC 5701 N. Webster Street Dayton, Ohio 45414

INFORMATION: (937) 280-0091

EMERGENCY CONTACT: Chemtrec 1-800-424-9300

**FAX NO**: (937)280-0092

## **SECTION I: PRODUCT IDENTIFICATION**

**PRODUCT NAME:** SPEEDO SPOT PUTTY

**PRODUCT CODE:** SMR-10

HMIS CODES: H: 2 F: 3 R: 0 P: F

## SECTION II: HAZARDOUS INGREDIENTS/SARA III INFORMATION

REPORTABLE COMPONENTS	CAS NUMBER	OSHA PEL	ACGIH TLV	WEIGHT PERCENT
*Styrene	100-42-5	100 ppm	20 ppm	10 – 30 %

<sup>\*</sup> Indicates toxic chemical(s) subject to the reporting requirements of Section 313 of Title III and of 40 CFR 372. WARNING: DETECTABLE AMOUNTS OF A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND/OR BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM MAY BE PRESENT IN THIS PRODUCT.

## SECTION III: PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING RANGE: N/A SPECIFIC GRAVITY: 1.5
VAPOR PRESSURE: N/E EVAPORATION RATE: Slow
WEIGHT/GALLON: 12.48 lb/gal SOLUBILITY: Insoluble

VAPOR DENSITY: N/E APPEARANCE and ODOR: Paste/Aromatic

**VOLITILE WT %: 10-30% VOC: 2.5** 

# SECTION IV: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: 32°C METHOD USED: P.M.C.C.

FLAMMABLE LIMITS IN AIR BY VOLUME: LOWER: 1.1 UPPER: 6.1

#### **EXTINGUISHING MEDIA:**

Carbon dioxide, dry chemical powder, alcohol or polymer foam.

#### **SPECIAL FIREFIGHTING PROCEDURES:**

Flammable, in combustion emits toxic fumes of carbon dioxide/carbon monoxide.

### **UNUSUAL FIRE AND EXPLOSION HAZARDS:**

Wear protective clothing to prevent contact with skin and eyes.

### **SECTION V: REACTIVITY DATA**

**STABILITY:** Stable under normal conditions.

**CONDITIONS TO AVOID:** Direct sunlight, heat, sources of ignition.

**INCOMPATIBILITY (MATERIALS TO AVOID):** Oxidizing agents.

**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** In combustion emits toxic fumes of carbon

dioxide/carbon monoxide.

**HAZARDOUS POLYMERIZATION:** May occur

SPEEDO SPOT PUTTY Page 3 of 4

## **SECTION VI: HEALTH HAZARD DATA**

ROUTES OF ENTRY: Inhalation: Yes Skin: Yes Ingestion: Yes

#### INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Harmful by inhalation, irritating to eyes and skin.

Eye Irritation: There may irritation and redness. Immediately flush eyes with water for at least 15 minutes. Get medical attention.

Skin Contact: There may be irritation and redness at the site of contact. Wash thoroughly with soap and water. Do not use organic solvents on skin.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Remove person to fresh air.

Ingestion: Nausea and stomach pain may occur. Get medical attention.

#### SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE

#### PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

Storage: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep container tightly closed.

Handling: Ensure there is sufficient ventilation of the area. Avoid prolonged or repeated breathing of vapor. Do not store in direct sunlight.

#### SECTION VIII: CONTROL MEASURES

#### **RESPIRATORY PROTECTION:**

Self contained breathing apparatus if above TLV limit exceeding.

#### **VENTILATION:**

Local Exhaust: Yes Special: None Mechanical (General): None Other: None

#### **SKIN PROTECTION:**

Avoid skin contact; wear impervious gloves and protective clothing if in direct contact with material. Nitrile gloves.

SPEEDO SPOT PUTTY Page 4 of 4

#### **EYE PROTECTION:**

Wear chemical splash goggles or side shield safety glasses.

### **WORK/HYGIENIC PRACTICES:**

Do not smoke while using. Wash hands after use. Avoid unnecessary exposure and removal of the material from skin and clothing.

### **SECTION IX: DISCLAIMER**

All chemical compounds marked with an asterisk (\*) are toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Super Fund Amendments and Reauthorization Act (SARA) of 1906 and 40 CFR Part 372. You must notify each person to whom this mixture or trade name product is sold. This statement must remain a part of this Material Safety Data Sheet shall include this statement.