



WP 37_14

Vasilios Plakandaras

Department of Economics, Democritus University of Thrace, Greece

Theophilos Papadimitriou

Department of Economics, Democritus University of Thrace, Greece

Periklis Gogas

Department of Economics, Democritus University of Thrace, Greece
The Rimini Centre for Economic Analysis, Italy

Konstantinos Diamantaras

Department of Information Technology, TEI of Thessaloniki, Greece

MARKET SENTIMENT AND EXCHANGE RATE DIRECTIONAL FORECASTING

Copyright belongs to the author. Small sections of the text, not exceeding three paragraphs, can be used provided proper acknowledgement is given.

The *Rimini Centre for Economic Analysis* (RCEA) was established in March 2007. RCEA is a private, nonprofit organization dedicated to independent research in Applied and Theoretical Economics and related fields. RCEA organizes seminars and workshops, sponsors a general interest journal *The Review of Economic Analysis*, and organizes a biennial conference: *The Rimini Conference in Economics and Finance* (RCEF). The RCEA has a Canadian branch: *The Rimini Centre for Economic Analysis in Canada* (RCEA-Canada). Scientific work contributed by the RCEA Scholars is published in the RCEA Working Papers and Professional Report series.

The views expressed in this paper are those of the authors. No responsibility for them should be attributed to the Rimini Centre for Economic Analysis.

The Rimini Centre for Economic Analysis

Legal address: Via Angherà, 22 – Head office: Via Patara, 3 - 47921 Rimini (RN) – Italy

www.rcfea.org - secretary@rcfea.org

Market Sentiment and Exchange Rate Directional Forecasting

Vasilios Plakandaras*, Theophilos Papadimitriou*, Periklis Gogas*^{a1} and
Konstantinos Diamantaras⁺

**Democritus University of Thrace, Department of Economics*

^aRimini Center for Economic Analysis

⁺TEI of Thessaloniki, Department of Information Technology

Abstract

The microstructural approach to the exchange rate market claims that order flows on a currency can accurately reflect the short-run dynamics its exchange rate. In this paper, instead of focusing on order flows analysis we employ an alternative microstructural approach: we focus on investors' sentiment on a given exchange rate as a possible predictor of its future evolution. As a proxy of investors' sentiment we use *StockTwits* posts, a message board dedicated to finance. Within *StockTwits* investors are asked to explicitly state their market expectations. We collect daily data on the nominal exchange rate of four currencies against the U.S. dollar and the extracted market sentiment for the year 2013. Employing econometric and machine learning methodologies we develop models that forecast in out-of-sample exercise the future direction of the four exchange rates. Our empirical findings reject the Efficient Market Hypothesis even in its weak form for all four exchange rates. Overall, we find evidence that investors' sentiment as expressed in public message boards can be an additional source of information regarding the future directional movement of the exchange rates to the ones proposed by economic theory.

Keywords: Market Sentiment, Exchange rates, Forecasting, Efficient Market Hypothesis, Machine Learning.

JEL Codes: F31, F37, C45, C5

¹ Corresponding author: tel.: +306947001079, email: pgkogkas@ierd.duth.gr

1. Introduction

In their seminal paper Evans and Lyons (2002) on the microstructural aspect of the exchange rate markets claim that the trading volume of an exchange rate can describe a large part of its short-term volatility. More specifically, they state that trading volumes can capture the data generating process of the time series and thus it can be used successfully in forecasting its future value. Thus unlike econometric projections, order flows “*reveal the true belief of a trader to back up his beliefs with real money*”. In other words, they redefine the exchange rate determination problem as a market expectations issue based on the willingness of market participants to finance their beliefs.

As order flows carry valuable information about the short-term price determination mechanism of the exchange rates, there is a number of studies that build on the microstructural aspect of the foreign exchange market. Danielsson *et al.* (2012) provide evidence in favor of the forecasting superiority of order flow models as compared to a Random Walk (RW) for the highly traded EUR/USD, EUR/GBP and USD/JPY. Rime *et al.* (2010) bridge micro and macro approaches in exchange rate economics by developing order flow models conditioned on macroeconomic expectations. The empirical results report the superiority of investing on exchange rate portfolios based on trading volumes in comparison to alternative investment approaches reported in the literature. King *et al.* (2010) conclude that the addition of order flow dynamics into a macroeconomic model improves its forecasting ability. Gehrig and Menkhoff (2004) argue that flow analysis affects traders’ decisions in shaping their expectations, since order flows embody private information. In a recent survey paper on the microstructural aspect of the market, King *et al.* (2013) state that aggregate order flows (short vs long positions) reflect the total public and private information provided to a trader and often function as a self-fulfilling prophecy, shaping market expectations. Overall, the existing literature on the microstructural view of the market relies so far on order flows analysis.

In this paper we tackle the exchange rate directional forecasting problem from an alternative perspective: instead of relying on order flows, we focus on investors’ sentiment as a possible predictor of the future evolution of exchange rates. The investors’ sentiment is extracted from the publicly available investors’ expectations as they are reported on message boards (also known as microblogging) that relate to the

foreign exchange market. Public message boards provide the ability to small traders to express their opinions and share information. Stock message boards are common to the stock trading community, since dedicated sites such as *Yahoo finance*, *Google finance* or *StockTwits* provide space for exchanging information and publish weekly trends and projections over specific stocks. In order to create such projections, each board participant is asked to express her expectation for the specific theme thread by selecting among predefined choices; “Bullish”, “Bearish” or “Neutral”. The aggregated sentiment over all weekly posts provides an estimation over the market sentiment for the specific stock.

Empirical evidence presented in the literature supports the hypothesis that stock message board activity is correlated positively with stock trade volatility (Das and Chen, 2007). Wex *et al.* (2013) train a GARCH(1,1) model with 45 million Reuters posts to forecast oil price direction. Their model outperforms a simple Autoregressive model, while Ruiz *et al.* (2012) and Sprenger and Welppe (2010) detect a positive correlation between *Twitter* posts and stock trading volumes. Bollen *et al.* (2011) examine ten million Tweets and based on the extracted sentiment forecast market movements more accurately than a RW model up to six days ahead. Zhang *et al.* (2012) also report the ability to forecast the overall Dow Jones Industrial Index, the NASDAQ and the S&P 500 index based on *Twitter* posts more accurately compared to a RW model. According to *Aite Group*, as of 2010 35% of all investment firms exploit sentiment analysis information in their models (Bowley, 2010). Nevertheless, there is also a number of studies that argue against the value of sentiment based indices (Rechenthin *et al.*, 2013; Oliveira *et al.*, 2013).

Despite the extensive number of papers on sentiments and stock markets, there is a very limited number of studies examining the ability of microblogging sentiment to forecast exchange rates. To the very best of our knowledge the existing literature on the field is limited to only two papers. Papaioannou *et al.* (2013) develop an Autoregressive and an Artificial Neural Network model to forecast high frequency intraday EUR/USD rate spanning the period October 10, 2010 to January 05, 2011. The authors collect 20250 posts from *Twitter* and select the ones that relate to the EUR/USD exchange rate. According to the evidence presented, under certain assumptions the models that exploit the information provided by the Tweets can outperform the RW model. The second

paper (Janetsko, 2014) collects *Twitter* posts from January 1, 2013 to September 27, 2013. The author develops an ARIMA model fed with market sentiment trends as extracted by *Tweets* in order to forecast the daily closing price of the EUR/USD rate. He concludes that the sentiment-based model consistently outperforms the RW model. An examination of the existing literature regarding short-term forecasting of exchange rates leads to mixed results, since there is no clear consensus regarding exchange market efficiency in daily trading horizon (for instance see Tabak and Lima (2009) and Crowder (1994)).

In this paper, we forecast the future direction of the daily closing rate for the four most important (in terms of market volume) nominal exchange rates. These are: USD/EUR, USD/JPY, USD/GBP and AUD/USD. We use daily data for the year 2013 and evaluate as possible regressors: a) the extracted market sentiment from *StockTwits*, b) the total daily volume of relevant *StockTwits* posts and c) past values of the exchange rate. We employ the information provided by *StockTwits* as it is a message board dedicated explicitly to financial markets, in contrast to other message boards such as *Twitter*. Message boards of broader interest are due to embody posts often irrelevant to market sentiment, increasing the overall spam included in the input dataset. We fit various econometric and machine learning models to each exchange rate and compare their forecasting ability to a RW model used as the benchmark in order to test for the EMH of the exchange rate market.

The rest of the paper is organized as follows: data and methodology is discussed in section 2 and the empirical results are reported in section 3. Finally section 4 concludes.

2. *Data and methodology*

2.1 *Methodology overview*

In this paper we consider various econometric and machine learning methodologies for daily directional forecasting of four highly traded exchange rates, employing traders' sentiment as a possible predictor. In particular, from econometrics we use the Logistic Regression approach for classification and from the field of supervised machine learning the Support Vector Machines (SVM), a Naïve Bayes classifier, K-Nearest

Neighbors (Knn) classification, decision trees with boosting based on the Adaboost and Logitboost algorithms and finally an Artificial Neural Network.

The Logistic Regression (commonly known as the Logit model) is a probabilistic statistical classification methodology used to forecast a binary outcome. Unlike linear regression, the outcomes of the regression are modeled through a logistic function, resulting in class probabilities. Instances that meet a predefined threshold are classified as belonging to the one class (typically coded as “1”) and the remaining as belonging to the other (coded as “0”).

The Naïve Bayes classifier is also a probabilistic classifying methodology, which belongs to the broader category of supervised machine learning techniques. The term naïve corresponds to the assumption that the conditional probability of each regressor (variable) is independent of the conditional probabilities of the others. After extracting the mean and variance for each regressor on a known data sample, the model can classify new (unknown up to that point) instances based on the Bayes theorem, resulting to posterior class membership probabilities.

The third methodology that we evaluate in our study is the k-nearest neighbor (Knn) algorithm. The basic idea behind Knn is to classify every instance to the class of the majority of its k closest neighbors in the feature space. An example of Knn classification for two classes is depicted in Figure 1.




Figure 1: Example of a Knn classification. The circle includes the 8 nearest neighbors of the new unknown instance marked with an X. The two classes are represented with a star and a dot, respectively. As we observe the selection of the number of k that is used for the class membership determination is crucial. If we set k from 1 to 4 we classify the new instance to the class represented with the dot. In contrast, for higher values of k the new instance is classified to the star class.

Decision trees map variables and produces decisions regarding the class membership for each instance. In a forward selection scheme, a randomly selected variable is split into two nodes according to its binary potential outcome (classes). Then each node is re-evaluated for further splitting according to the next variable and the process is continued, until no further splitting increases the accuracy of the model or the number of variables is exhausted. We develop decision trees models boosted with the popular Adaboost (Freund and Shaphire, 1996) and Logitboost (Friedman *et al.*, 2000) algorithms. The term boosting refers to an iterative training procedure, where on a group of weak learners (decision trees) we combine their decisions by assigning a different weight to each one; high weights to misclassified instances and low ones to the ones classified correctly. The procedure is repeated until no further improvement in the forecasting accuracy of the whole training dataset is achieved. Logitboost algorithm gives a statistical aspect in the Adaboost algorithm, as it applies a logit function in updating the weights imposed on classifiers.

Support Vector Machines is a binary supervised machine learning classifier. Proposed by Cortes and Vapnik (1995) the basic notion behind the method is to find a linear separator of the two classes in the feature space (feature space is called the projected data space into higher dimensional space with the use of a kernel function). Solving a convex minimization problem the algorithm converges to a linear separator that has the largest margin between the two classes. The margin between the classes is defined by a set of data points called Support Vectors. An example of an SVM classification with the RBF kernel is depicted in Figure 2.




Figure 2: An example of an SVM classification using the RBF kernel. The two classes are separated with a linear separator on a higher dimensional space, which when is re-projected back into its original dimensions becomes a non-linear function. The circled instances are the Support Vectors defining the decision boundary and the instances with a square rounding are misclassified instances.

Finally, we develop a 2-layer Perceptron network that belongs to the broader category of Artificial Neural Networks (ANN). Inspired by the human central nervous system, an ANN is usually represented as an interconnected “neurons” network that models the relationship between regressors and dependent values. We train the network based on the backpropagation algorithm. Since the final outcome of backpropagation may depend on the initial values of the network, we perform a series of Monte Carlo simulations to avoid local minima.

2.2 The Data

We compile data for four nominal daily exchange rates: USD/EUR, USD/JPY, USD/GBP and USD/AUD for the period January 2, 2013 to December 26, 2013 from

the Federal Reserve Bank of Saint Louis. According to the triennial survey of the Bank of International Settlements (2013), the four selected exchange rates exhibit the highest daily trading volume in the foreign exchange market. Posts are retrieved from *StockTwits* for the entire 2013, under an exclusive research license. *StockTwits* is a financial communication platform focusing solely on financial and investment topics. The message board includes more than 200,000 users (Oliveira *et al.*, 2013) and the main advantage over other social message boards such as *Twitter* is its explicit financial character. This could attribute to less spam or irrelevant messages to our dataset.

On the contrary to earlier approaches that facilitate text examination and sentiment extraction from each post, we confine our interest only on explicitly user selected sentiments through the aforementioned options of the message blog, as presented in Figure 3. In this way we avoid potential misclassifications during sentiment extraction from text. As Rechten *et al.* (2013) argue, extracting sentiment from text using a bag of words approach often results in higher levels of noise addition on data in comparison to manually classifying posts. Nevertheless, manual classification is a cumbersome and time-consuming work, often impossible to be applied in real-life datasets. *StockTwits* acknowledges the drawbacks of extracting sentiment directly from posts, as the published daily market sentiment index is based solely on explicit menu selections (Figure 4).



Figure 3: Message Board under thread EUR/USD on *StockTwits*. We observe the “Bear”-“Bull” selection option.




Figure 4: Sentiment Index for EUR/USD as appeared on *StockTwits*

Trading days are divided into two classes according to the appreciation or the depreciation of the exchange rate. Class ratios on the total number of trading days are depicted in Table 1.

Table 1: Class ratios		
<u>Exchange rate</u>	<u>Appreciating days</u>	<u>Depreciating days</u>
USD/EUR	54.183	45.817
USD/JPY	55.285	44.715
USD/GBP	51.220	49.880
USD/AUD	46.748	53.252

A common issue in model selection during classification simulations is the criterion to be applied when the difference between class ratios is significant (e.g. 80/20). In cases where one class is significantly larger than the other, classification accuracy can be misleading and we need to apply different loss measures such as the F-score or the Area Under the Curve (AUC) criterion for model selection. In our dataset the ratio between the two classes is almost the same (as reported in Table 1), thus we can infer upon the forecasting ability of each methodology by a simple examination of the forecasting accuracy for each class.

In Table 2 we report the descriptive statistics for the dataset. Apart from the exchange rate we report statistics on: a) the total number of posts for each exchange rate on *StockTwits*, b) messages in favor of an upward expectation (“Bullish”) and c) posts stating an expectation for a decline (“Bearish”). As we observe the USD/EUR is the

most active thread with 123 posts every day with the least popular being the USD/GBP exchange rate with 24 posts per day. As expected, the volume of the posts follows the daily trading volume of each exchange rate. According to the reported p -values of the Jarque-Bera test (Jarque and Bera, 1980) the null hypothesis of normality is rejected for all four exchange rates. It is interesting to note that from the total number of sentiment posts only about one third of them explicitly express an expectation.

Table 2: Descriptive Statistics on data

	Obs.	Mean	Median	Standard deviation	Skewness	Kurtosis	Jarque - Bera test (p-value)
<u>USD/EUR</u>							
Rate	246	1.328	1.327	0.027	0.164	2.064	0.013**
Total Posts	30905	123.128	115.000	50.456	0.717	4.331	0.001***
Bullish posts	5514	21.968	20.000	13.244	0.974	4.088	0.001***
Bearish posts	3956	15.761	14.000	10.195	1.190	4.876	0.001***
<u>USD/JPY</u>							
Rate	246	97.379	98.180	3.783	-0.846	3.356	0.001***
Total Posts	9535	38.760	32.500	25.591	2.598	12.914	0.001***
Bullish posts	1338	5.439	4.000	4.406	1.335	5.334	0.001***
Bearish posts	1165	4.736	3.000	5.163	3.229	21.615	0.001***
<u>USD/GBP</u>							
Rate	246	5.439	4.000	4.406	1.334	5.334	0.001***
Total Posts	5966	24.252	22.000	11.304	1.620	7.635	0.001***
Bullish posts	956	3.878	4.000	3.023	1.800	10.594	0.001***
Bearish posts	1046	4.252	3.000	3.595	2.643	17.357	0.001***
<u>USD/AUD</u>							
Rate	246	0.970	0.952	0.056	0.231	1.476	0.001***
Total Posts	6893	28.020	27.000	11.129	0.821	4.030	0.001***
Bullish posts	750	3.049	3.000	2.534	1.041	3.970	0.001***
Bearish posts	907	3.687	3.000	3.042	1.449	6.115	0.001***

Note: ** and *** denote rejection of the null hypothesis of normality in 5% and 1% level of significance, respectively.

3. Empirical Results

3.1 Models' Specification

A straight-forward heuristic approach to measure the accuracy of traders' sentiment in forecasting the future direction of the exchange rate would be to examine whether the majority of traders' expectations as reflected in traders' posts match the actual movement of the exchange rate. We code this approach as Posts Majority (PM). In contrast, the RW model (used as the benchmark) assumes that the present value of the exchange rate includes all the information (both private and publicly available) for the

time series and thus the best predictor of the future value of the exchange rate is its present value.

A crucial step of the methodologies discussed in the methodology overview section is parameter configuration for each model during training. In this paper we examine SVM models with the linear, the RBF and the sigmoid kernel. In order to select the kernel function, determine the kernel parameters and the tolerance parameter of the SVM model with the higher forecasting performance, we apply a 5-fold cross validation training scheme. We also apply a similar approach for calibrating the number of k neighbors for the knn classification and the learning rate for the Adaboost and Logitboost algorithms. Typically when training a Logistic Regression model we should impose a threshold that separates the two classes, with 0.5 as the most common applied threshold value in literature. In this paper we consider various thresholds during the in-sample forecasting step in order to achieve the best possible classification of the dataset. Finally, we apply a 5-fold cross validation training procedure for the determination of the number of neurons included in the hidden layer of the ANN model and multiple thresholds for data classification.

We use the information at period t in order to forecast the directional movement of next period's, $t+1$, closing price. The input variable sets used in the above forecasting methodologies are reported in Table 3. Input Set 1 includes past values of the exchange rate and Input Set 2 includes the market sentiment as reflected in *StockTwits* posts. In Input Set 3 we append the total posts per day to the predictors included in Input Set 2. Input Set 4 includes input sets 1 and 2, while Input variable Set 5 includes variables of Sets 1 and 3. In other words we create all potential combinations of the regressors to identify the Input Variable Set with the highest forecasting accuracy. In order to examine potential delays in the transmission channel of market sentiment to the foreign exchange market we evaluate up to 10 lags (trading days) of all variables.

Table 3: Input Variables Sets

Input Set 1	Past values of the exchange rate
Input Set 2	The volume of “Bearish” and “Bullish” posts per day
Input Set 3	The volume of “Bearish” , “Bullish” and total posts per day
Input Set 4	Past values of the Exchange rate and the volumes of “Bullish” and “Bearish” posts per day
Input Set 5	Past values of the Exchange rate, volumes of “Bullish”, “Bearish” and total posts per day

The dataset is divided into two parts; the first part includes 200 daily observations from January, 2 to October, 16 and is used for training the models and in-sample-forecasting, while the second part spans the period October, 17 to December, 23 with 51 observations and is used for out-of-sample forecasting.

3.2 The USD/EUR Results

On Table 4 we report the best results for the USD/EUR exchange rate for each methodology and Input Variable Set, respectively. We observe that the Logitboost classifier with Input Set 3 variables exhibits the highest in-sample forecasting accuracy, followed by the Adaboost classifier model with similar configuration. Nevertheless, the true forecasting ability of a model is measured in an out-of-sample exercise. As we observe the Knn classifier outperforms all the other methodologies in out-of-sample forecasting reaching a 63.46% accuracy with variables from Input Set 3. Logitboost and Adaboost classifiers exhibit significantly reduced forecasting accuracy in out-of-sample forecasting.

Bearing in mind that the best forecasting model is the one which forecasts accurately and with consistency both in in-sample and in out-of-sample simulations, we select the best forecasting model and its configuration according to the best out-of-sample forecasting performance that deviates from the in-sample accuracy less than 10%. In this way we ensure that the selected model generalizes sufficiently and we avoid overfitting in either the in-sample or the out-of-sample dataset. Consequently, we conclude that the knn classifier with Input variables Set 3 exhibits the highest forecasting performance for the EUR/USD exchange rate. An interesting finding is that although the heuristic approach on traders' expectations (PM) does not exhibit the highest forecasting accuracy, it outperforms the RW model in out-of-sample forecasting and thus can be used efficiently in directional forecasting of the USD/EUR rate. Moreover, the lag structure of the best forecasting model (6 lags) is an indication of a delay in the transmittion channel of market's expectation to the directional movement of the exchange rate.

Table 4: Forecasting accuracies in USD/EUR		
RW	In-sample	43.216
	Out-of-sample	46.154
PM	In-sample	55.500

	Out-of-sample	60.784				
	Input Set	1	2	3	4	5
SVM	Lags	5	9	6	8	9
	kernel	Sigmoid	Sigmoid	Sigmoid	Sigmoid	Sigmoid
	In-sample	51.282	58.115	58.763	54.688	55.497
	Out-of-sample	51.923	61.538*	59.615	55.769	57.692
Naïve Bayes Classifier	Lags	8	8	5	5	2
	In-sample	53.684	58.421	58.549	58.549*	57.143
	Out-of-sample	40.816	51.020*	46.939	40.816	36.735
Knn Classifier	Lags	0	7	6	2	8
	Knn	11	6	12	11	9
	In-sample	68.500	62.694	64.433	65.657*	63.542
	Out-of-sample	57.692	51.923	63.462**	57.692	59.615
Adaboost Classifier	Lags	0	1	1	0	0
	Learn. rate	0.7	0.1	0.3	0.1	0.1
	In-sample	68.500	65.829	68.844	62.500	62.500
	Out-of-sample	48.077	55.769*	55.769*	36.538	36.538
Logitboost Classifier	Lags	0	1	1	0	0
	Learn. rate	0.9	0.1	0.3	0.1	0.1
	In-sample	77.000	67.337	79.899	71.000	71.000
	Out-of-sample	46.154	55.769	57.692	36.538	36.538
Logistic Regression	Lags	1	10	3	3	1
	Threshold	0.4	0.3	0.5	0.4	0.4
	In-sample	55.779	55.263	56.345	56.345	57.789
	Out-of-sample	54.902	60.784*	56.863	58.824	56.863
ANN	Lags	0	0	0	0	0
	Neurons	2	12	15	12	15
	Threshold	0.1	0.1	0.1	0.1	0.1
	In-sample	55.000	56.000	60.000*	56.000	62.000
	Out-of-sample	54.902	52.941	60.784*	52.941	52.941

Note: * denotes out-of-sample forecasting accuracy for each methodology that deviates less than 10% from the in-sample performance. ** denotes the overall best forecasting performance.

Another interesting finding is that the set of regressors leading to the most accurate model for all methodologies except Logistic Regression is either Input Set 2 or Input Set 3. This finding is an indication that microblogging can be used efficiently in directional forecasting of the USD/EUR. All models outperform the RW model and since Input Set 1 is the simple autoregressive model, we can reject even the weak form of efficiency in this exchange rate market.

3.3 The USD/JPY Results

On Table 5 we report the results for the USD/JPY exchange rate. Again the Logitboost classifier exhibits the highest in-sample accuracy with the variables of Input Set 5, but the best out-of-sample performance is reported by the ANN methodology with the autoregressive Input Set 1. Overall, considering both the in-sample and the out-of-sample performance for all models, we conclude that the ANN model with Input Set 1 variables exhibits the best forecasting accuracy for the USD/JPY rate. Since the best forecasting model is the autoregressive one (outperforming the RW model), we reject once again the EMH even in its weak form. The PM model performs poorly for the entire dataset, so the direct application of the majority class of posts as an indicator for directional forecasting is not sufficient.

Table 5: Forecasting accuracies in USD/JPY						
RW	In-sample	51.269				
	Out-of-sample	44.681				
PM	In-sample	45.455				
	Out-of-sample	45.833				
	Input Set	1	2	3	4	5
SVM	Lags	0	8	0	6	6
	kernel	Sigmoid	Linear	RBF	Linear	Sigmoid
	In-sample	57.576	57.895	57.071	60.938	53.125
	Out-of-sample	55.102	59.184*	59.184*	57.143	55.102
Naïve Bayes Classifier	Lags	1	6	1	4	1
	In-sample	56.853	51.042	47.208	52.577	47.208
	Out-of-sample	53.061*	48.980	42.857	46.939	42.857
Knn Classifier	Lags	0	2	10	3	2
	Knn	9	14	8	13	8
	In-sample	65.152	53.061	62.234	60.000	63.265
	Out-of-sample	59.184*	46.939	38.776	44.898	57.143
Adaboost Classifier	Lags	2	2	2	7	5
	Learn. rate	0.1	0.1	0.1	0.1	0.1
	In-sample	54.082	57.143	54.082	65.969	64.767
	Out-of-sample	61.224*	57.143	61.224*	55.102	57.143
Logitboost Classifier	Lags	0	0	2	0	1
	Learn. rate	0.1	0.1	0.1	0.1	0.1
	In-sample	65.657	62.626	71.429	70.202	72.589
	Out-of-sample	61.224*	51.020	57.143	59.184	51.020
Logistic Regression	Lags	1	7	5	4	4
	Threshold	0.4	0.4	0.3	0.4	0.3
	In-sample	53.807	54.974	54.404	55.670	53.093
	Out-of-sample	52.941	54.902	54.902	56.863*	52.941
ANN	Lags	0	0	0	0	0
	Neurons	9	14	12	5	11

Threshold	0.8	0.6	0.4	0.3	0.1
In-sample	63.131	57.071	62.121	58.081	59.091
Out-of-sample	64.583**	58.333	62.500	58.333	58.333

Note: * denotes out-of-sample forecasting accuracy for each methodology that deviates less than 10% from the in-sample performance. ** denotes the overall best forecasting performance.

3.4 The USD/GBP Results

On Table 6 we report the results for the USD/GBP rate. Boosted decision trees trained with the Logitboost algorithm exhibit the highest in-sample accuracy, while the knn classifier reports the highest out-of-sample forecasting performance. Applying the aforementioned model selection methodology we conclude that the best forecasting model is a knn classifier with the variables of Input Set 3. All forecasting models with the autoregressive Input Set 1 outperform the RW model in out-of-sample forecasting, while the PM approach performs worse than the RW in the out-of-sample part. In contrast to the USD/JPY, we find a nine trading days delay in market sentiment as it is reflected on the exchange rate direction.

	Input Set	1	2	3	4	5
RW	In-sample	51.515				
	Out-of-sample	45.833				
PM	In-sample	53.535				
	Out-of-sample	44.898				
SVM	Lags	3	9	6	1	4
	kernel	Sigmoid	Sigmoid	Sigmoid	Sigmoid	Sigmoid
	In-sample	54.359	54.497	59.162	55.330	55.670
	Out-of-sample	53.061	53.061	65.306*	57.143	53.061
Naïve Bayes Classifier	Lags	1	7	2	0	2
	In-sample	52.2843	60.2094	58.1633	54.5455	58.1633
	Out-of-sample	46.9388	55.1020	53.0612	53.0612	57.1429*
Knn Classifier	Lags	0	7	9	9	0
	Knn	7	7	4	7	10
	In-sample	63.131	68.586	68.783	66.138	61.111
	Out-of-sample	65.306	59.184	69.388**	61.224	61.224
Adaboost Classifier	Lags	0.0	0.0	0.0	0.0	0.0
	Learn. rate	0.1	0.1	0.3	0.1	0.3
	In-sample	58.586	60.606	63.131	62.626	66.162
	Out-of-sample	46.939	44.898	57.143*	53.061	57.143*
Logitboost Classifier	Lags	0	0	1	1	0
	Learn. rate	0.1	0.1	0.1	0.1	0.1

	In-sample	63.636	61.616	71.066	69.036	70.202
	Out-of-sample	51.020	40.816	53.061	48.980	57.143
Logistic Regression	Lags	10	10	0	10	0
	Threshold	0.5	0.1	0.4	0.2	0.4
	In-sample	57.447	53.191	51.010	55.319	51.010
	Out-of-sample	60.784*	49.020	47.059	50.980	50.980
ANN	Lags	0	0	0	0	0
	Neurons	9	12	9	1	1
	Threshold	0.7	0.7	0.8	0.4	0.1
	In-sample	60.606	62.121	63.636	57.071	57.071
	Out-of-sample	60.417	58.333	62.500*	54.167	54.167

Note: * denotes out-of-sample forecasting accuracy for each methodology that deviates less than 10% from the in-sample performance. ** denotes the overall best forecasting performance.

3.5 The USD/AUD Results

As we observe in Table 7, the SVM model with Input Set 3 variables has the highest out-of-sample accuracy and overall is the best forecasting model for the USD/AUD rate. The autoregressive SVM model with Input Set 1 variables outperforms the RW model, while the PM approach performs poorly in the out-of-sample part. We again detect a significant delay in the transmission channel of market sentiment to the exchange rate directional movement.

RW	In-sample	48.990				
	Out-of-sample	52.083				
PM	In-sample	57.576				
	Out-of-sample	48.980				
	Input Set	1	2	3	4	5
SVM	Lags	9	9	8	8	7
	kernel	Sigmoid	Linear	Linear	Linear	Linear
	In-sample	56.085	67.725	68.421	69.474	62.827
	Out-of-sample	59.184	69.388	69.388**	67.347	65.306
Naïve Bayes Classifier	Lags	3	9	10	3	2
	In-sample	53.333	67.196	64.361	59.487	59.184
	Out-of-sample	51.020	67.347*	65.306	59.184	59.184
Knn Classifier	Lags	7	9	5	10	1
	Knn	12	14	14	14	4
	In-sample	61.257	65.079	60.622	63.830	62.437

	Out-of-sample	65.306	67.347*	53.061	63.265	63.265
Adaboost Classifier	Lags	7	6	0	5	1
	Learn. rate	0.3	0.1	0.3	0.1	0.9
	In-sample	64.921	66.667	59.596	63.212	73.096
	Out-of-sample	63.265	59.184	61.224	48.980	65.306*
Logitboost Classifier	Lags	1	6	1	6	0
	Learn. rate	0.1	0.1	0.5	0.1	0.9
	In-sample	65.482	73.958	74.619	76.042	79.798
	Out-of-sample	59.184	65.306*	61.224	61.224	57.143
Logistic Regression	Lags	8	10	8	6	9
	Threshold	0.5	0.7	0.6	0.5	0.8
	In-sample	56.842	62.766	65.263	66.667	62.434
	Out-of-sample	52.941	62.745*	62.745*	62.745*	62.745*
ANN	Lags	0	0	0	0	0
	Neurons	12	10	4	6	8
	Threshold	0.2	0.2	0.8	0.5	0.6
	In-sample	57.576	64.646	59.091	63.636	64.646
	Out-of-sample	58.333	64.583*	58.333	62.500	64.583*

Note: * denotes out-of-sample forecasting accuracy for each methodology that deviates less than 10% from the in-sample performance. ** denotes the overall best forecasting performance.

Overall, no forecasting methodology outperforms consistently its competitors in all four exchange rates. Nevertheless, in every simulation the machine learning methodologies appear to perform better than the econometric Logistic Regression, the RW model and the PM approach. In the USD/EUR, USD/GBP and USD/AUD the best forecasting model is the one with the Input Set 3 variables, while in the USD/JPY the model with the highest forecasting performance is the autoregressive one. This finding implies that when the total daily volume of posts is used as an input variable of the model in comparison to the one with only the number of bearish/bullish posts (Input Set 2) the forecasting accuracy increases. We attribute this phenomenon to traders' attitude. When traders' anticipation for a future event is high we expect the volume of posts to be significant higher than in a routine trading day. Our models probably capture this alteration in traders' behavior through the examination of the total volume of posts, since it improves the forecasting accuracy. On the USD/JPY rate the identification of the autoregressive model as the most efficient one in forecasting, indicates that the certain market is less prone to traders' expectations and that the data generating

mechanism should be address to its co-evolution with other markets (Plakandaras *et al.*, 2013).

All models based on information exchange through microblogging outperform the RW model and can be utilized in shaping profitable investment portfolios. The low forecasting efficiency of the direct application of the shaped market sentiment (PM approach) as a predictor indicates the inability to use such an approach as a technical analysis technique. Finally, in the USD/EUR, USD/GBP and the USD/AUD rates we detect a significant lag in the transmission channel of market expectations as they are reflected in *StockTwits* posts and the directional movement of the exchange rate market. This finding indicates stickiness in the directional movement of the exchange rates and should be considered by traders.

4. *Conclusions*

We evaluate various forecasting methodologies considering alternative input variable sets in forecasting the four exchange rates with the highest daily trading volumes. In this study, instead of relying on order flows that is a common approach within the microstructural view of the financial markets, we focus on investors' sentiment as a possible predictor of the future evolution of exchange rates. As a proxy of investors' sentiment we use the *StockTwits*, a finance dedicated message board. Our empirical findings report that no methodology consistently outperforms the others, but overall Knn classifier, SVM and ANN exhibit higher forecasting ability than the econometric Logistic Regression. The weak form of efficiency is rejected for all exchange rates and thus private information exchanged in message boards shapes market expectations and drives exchange rates. Extending the work of Evans and Lyons (2002b) on the microstructural proposition of the foreign exchange market, traders' sentiment as reflected in publicly available microblogging could provide an additional informational path to order flow analysis for traders and policy makers.

Acknowledgments

This research has been co-financed by the European Union (European Social Fund – ESF) and Greek national funds through the Operational Program "Education and Lifelong Learning" of the National Strategic Reference Framework (NSRF) - Research

Funding Program: **THALES** (MIS 380292). Investing in knowledge society through the European Social Fund.

References

- Bank of International Settlements (2013), “Triennial Central Bank Survey of foreign exchange and derivatives markets activity in 2013”, *Triennial Central Bank Survey*, BIS, accessed at <https://www.bis.org/publ/rpfx13fxt.pdf>.
- Bollen, J., Mao, H., Zeng, X.J., 2011, March. Twitter mood predicts the stock market.
- Cheung Y-W and Chinn M –D (2001) Currency traders and exchange rate dynamics: a survey of the U.S. Market, *Journal of International Money and Finance*, vol. 20 (4), pp. 439–471.
- Cortes, C. and Vapnik, V. (1995) Support-vector networks, *Machine Learning*, vol. 20 (3), pp. 273.
- Crowder W. (1994) Foreign exchange market efficiency and common stochastic trends, *Journal of International Money and Finance*, vol. 13 (5), pp. 551-564.
- Daniélsson J., Luo J. and Payne R. (2012) Explaining and forecasting exchange rates, *European Journal of Finance*, vol. 18 (9), pp. 823–840
- Das S.R. and Chen M.Y. (2007) Yahoo! for Amazon: Sentiment extraction from small talk on the web, *Managerial Science*, vol.53 (9), pp. 1375–1388.
- Evans M.D.D. and Lyons R.K. (2002) Order flow and exchange rate dynamics *Journal of Political Economy*, vol. 110 (1), pp. 170–180.
- Freund Y. and Schapire R. (1996) Experiments with a new boosting algorithm. *In the Proceedings of the Thirteenth International Conference on Machine Learning*, pp. 148--156, 1996
- Friedman J., Hastie T. and Tibshirani R. (2000) Additive logistic regression: a statistical view of boosting. *Annals of Statistics*, vol. 28(2), pp. 337–407.
- Gehrig T. and Menkhoff L. (2004) The use of flow analysis in foreign exchange: exploratory evidence, *Journal of International Money and Finance*, vol. 23 (4), pp. 573–594
- Janetzko D. (2014) Using Twitter to Model the EUR/USD Exchange Rate, arxiv archive.
- Jarque C., Bera M. and Anil K. (1980). "Efficient tests for normality, homoscedasticity and serial independence of regression residuals". *Economics Letters*, vol.6(3), pp. 255–259.
- King M., Sarno L. and Sojli E. (2010) Timing exchange rates using order flow: the case of the Loonie, *Journal of Banking and Finance*, vol. 34 (12), pp. 2917–2928.

- King M.R., Osler C.L and Rime D. (2013) The market microstructure approach to foreign exchange: Looking back and looking forward, vol. 38, pp. 95–119.
- Oliveira N., Cortez P. and Areal N. (2013) On the Predictability of Stock Market Behavior Using *StockTwits* Sentiment and Posting Volume, *Progress in Artificial Intelligence, Lecture Notes in Computer Science*, vol. 8154, pp. 355-365.
- Papaioannou, P., Russo, L., Papaioannou, G., and Siettos, C. I. (2013). Can social microblogging be used to forecast intraday exchange rates? *NETNOMICS: Economic Research and Electronic Networking*, 14(1-2):47–68.
- Plakandaras Vasilios, Papadimitriou Theophilos and Gogas Periklis (2013) Forecasting daily and monthly exchange rates with machine learning techniques *DUTH Research Papers in Economics 3-2013, Democritus University of Thrace, Department of Economics*.
- Rechenthin M., Street W.N. and Srinivasan P. (2013) Stock chatter: Using stock sentiment to predict price direction. *Algorithmic Finance*, vol.2 pp. 169–196.
- Rime D., Sarno L. and Sojli E. (2010) Exchange rate forecasting, order flow and macroeconomic information, *Journal of International Economics*, vol. 80 (1), pp. 72–88.
- Ruiz E.J., Hristidis V., Castillo C., Gionis A. and Jaimes A. (2012) Correlating financial time series with micro-blogging activity. *Proceedings of the 5th ACM International Conference on Web Search and Data Mining*, ACM, Seattle, WA, pp. 513–522..
- Sprenger T. and Welpel I. (2010) Tweets and trades: The information content of stock microblogs. Social Science Research Network Working Paper Series, pp.1-89.
- Tabak B. and Lima E. (2009) Market Efficiency of Brazilian Exchange Rate: Evidence from Variance Ratio Statistics and Technical Trading Rules, *European Journal of Operational Research*, vol. 194 (3), pp. 814-820.
- Taylor M.P. and Allen H. (1992) The use of technical analysis in the foreign exchange market, *Journal of International Money and Finance*, vol. 11 (3), pp. 304–314
- Wex F., Widder N., Liebmann M. and Neumann D. (2013) Early warning of impending oil crises using the predictive power of online news stories. *System Sciences (HICSS), 46th Hawaii International Conference*, Wailea, Maui, Hawaii, pp. 1512–1521.
- Zhang, X., Fuehres, H. and Gloor, P.A. (2012) Predicting asset value through twitter buzz. *Advances in Collective Intelligence*, Springer, Savannah, Georgia, pp. 23–34.