FY21 SRB AWARD PLAN (N13SRB 001/FY21) DATED 28OCT2020

SRBs currently offered to AC only. No SRBs are available to FTS at this time.

DATINO	NEC	ZONE A	ZONE B	ZONE C	
RATING	NEC				NOTES
ABE	0000	30K	30K	30K	1
		1.0	1.0	0.5	
ABF	0000	30K	30K	30K	1
		0.5	0.5	0.5	
ABH	0000	30K	30K	30K	1
		1.0	0.5	0.5	
AE	0000	30K		30K	1
		1.0		0.0	
AC	0000	30K	30K		1,4
		0.5	0.5		
AG	J00A	45K			7
		1.0			
AM	763B		30K		4
			0.0		
AME	0000	30K		30K	
		0.5		0.5	
AO	0000	30K		30K	1,4
		1.5		1.0	
AT	0000	30K	30K		1
		1.5	0.0		
AWF	0000	30K	45K		1,4
		2.0	2.0		
AWF	G20A	45K	45K		
		2.5	3.0		
AWO	0000	45K	45K		1,4
		0.0	2.0		
AWO	G09A		45K		
			2.5		
AWR	0000	30K	30K	30K	1,4
		2.0	1.5	0.5	
AWS	0000	45K	45K		1,11
		3.0	2.5		
AWS	G34A		60K		11
			3.0		
AWV	0000	30K	30K	30K	1
		1.5	2.0	1.0	
СВ	B03A	45K	45K		
		2.5	3.0		
CB	B16A		75K	45K	
			4.0	1.0	
СВ	B17A	45K	45K		
		2.0	2.5		
СВ	B18A			75K	
				6.0	
CSSS	0000	30K	30K	45K	1,2,11,12
		2.5	1.0	1.5	
CTI	771B		60K	60K	3
			3.0	3.0	
ALL ratings	813A		75K	75K	13
(EMC: B516)			4.5	4.5	
СТІ	9ARB	75K	75K	45K	3,10
(EMC: B511)		2.5	2.5	1.0	

CTI (EMC: B512) 9CMN 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	3,10 3,10 3,10 3,10
(EMC: B512) 0.0 0.0 0.0 CTI 9HEB 45K 0.0 CTI 9KOR 75K 0.0 (EMC: B512) 0.0 0.0 75K CTI 9RUS 75K 75K 75K (EMC: B516) 0.0 0.0 0.0 0.0 CTM 0000 30K 0.5 0.5 CTM 771B 60K 60K 3.0 3.0 3.0 3.0	3,10
CTI	3,10
CTI	3,10
CTI (EMC: B512) 9KOR 0.0 75K 0.0 75K 75K 75K 75K 75K 75K CTI (EMC: B516) 9RUS 0.0 75K 0.0 0.0 0.0 CTM 0000 0.5 30K 0.5 0.0 0.0 CTM 771B 60K 3.0 60K 3.0 3.0	
CTI (EMC: B512) 9KOR 0.0 75K 0.0 75K 75K 75K 75K 75K 75K CTI (EMC: B516) 9RUS 0.0 75K 0.0 0.0 0.0 CTM 0000 0.5 30K 0.5 0.0 0.0 CTM 771B 60K 3.0 60K 3.0 3.0	
(EMC: B512) 0.0 CTI 9RUS 75K 75K 75K (EMC: B516) 0.0 0.0 0.0 0.0 CTM 0000 30K 0.5	
CTI (EMC: B516) 9RUS 0.0 75K 0.0 75K 0.0 75K 0.0 CTM 0000 0.5 30K 0.5 00K 0.5 00K 0.5 <t< td=""><td>3,10</td></t<>	3,10
(EMC: B516) 0.0 0.0 0.0 CTM 0000 30K 0.5 CTM 771B 60K 60K 3.0 3.0 3.0	- / -
CTM 0000 30K 0.5 CTM 771B 60K 60K 3.0 3.0	
CTM 771B 60K 60K 3.0 3.0	1,3
CTM 771B 60K 60K 3.0 3.0	,-
3.0 3.0	3
CTM C27A 30K	3
1.5	-
CTM C28A 30K	3
1.0	-
CTN 771B 60K 60K	3
3.0 3.0	
CTN H13A 60K 60K 60K	3
3.5 3.5 3.5	
CTN H14A 75K 90K 90K	3
7.0 7.5 7.5	-
CTN H15A 75K 90K 90K	3
7.0 7.0 7.5	-
CTN H16A 75K 90K 90K	3
7.0 7.0 7.5	١ ١
CTR 0000 30K 30K 30K	1,3
1.5 2.0 1.5	_,5
CTR 771B 60K 60K	3
3.0 3.0	-
CTR C19A 60K 60K	3
2.5 3.5	١ ١
CTR	3,8
3.5	3,0
CTT 771B 60K 60K	3
3.0 3.0	-
CTT	3,4
3.0 4.0	٥,.
CTT	3,4
1.0 3.0	-, .
	1,4,11
1.5 0.5 0.5	-, -,
	1,4,11
1.5	-, .,
	4,11
1.0 0.5	.,
	4,11
0.0 2.0 1.0	7,11
	4,11
1.0 0.5	7,11
	4,11
1.0 0.5	→,±±

KBS are available	to F13 at tills	ZONE	ZONE	ZONE	
RATING	NEC	A	B	C	NOTES
EN	0000	30K	30K		1,4,11
LIN	0000	1.5	0.0		1,4,11
EN	747B	1.5	0.0	30K	11
,				2.0	
EN	U13A		30K	30K	4,11
			1.0	1.0	ĺ
ETSW	0000	30K	75K		1,2,4
		1.0	0.0		Ī
ETV	0000	60K	30K	30K	1,2,12
		3.5	1.0	0.5	
ETV	T21A		45K	45K	
			2.0	2.0	
FC	0000	45K	30K	30K	1,4
		2.5	1.5	0.0	
FCA	0000		75K	75K	1,4
==.			2.0	2.5	
FCA	V56A		75K	75K	4,9
F0.4	1/504		3.0	3.0	
FCA	V58A		75K	75K	4,9
FCA	V59A		3.0 75K	3.0 75K	4,9
FCA	VSSA		_	3.0	4,9
FCA	V60A		3.0 75K		4,9
FCA	VOUA		3.0	75K 3.0	4,3
FCA	V64A		75K	75K	4,9
I CA	VOTA		3.0	3.0	4,5
FCA	V66A		75K	75K	4,9
I OA	T TOOK		3.0	3.0	٦,٥
FCA	V67A		75K	75K	4,9
			3.0	3.0	<i>^-</i>
FCA	V73A		75K	75K	4,9
			3.0	3.0	
FCA	V74A		75K	75K	4,9
			3.0	3.0	
FCA	V75A		75K	75K	4,9
			3.0	3.0	
FT	0000	45K		30K	1,4
		3.0		0.0	
GSE	U16A		30K	30K	4
005		2011	1.0	1.0	
GSE	U55A	30K 0.5	30K	30K 0.5	
GSM	0000		1.0	0.5	1 / 11
GSIVI	0000	30K 0.5			1,4,11
GSM	U12A	0.3	30K	30K	4,11
COIVI	JIZA		1.0	0.5	7,11
HM	L00A	30K	60K	0.5	7
	LUUA	0.0	0.0		1 ′
HM	L01A		60K	60K	
			3.0	2.5	1
НМ	L02A		60K	60K	
			E 0	4 E	1

RATING	NEC	ZONE	ZONE B	ZONE C	NOTES
HM	L10A		60K	60K	110123
			4.5	3.5	1
HM	L23A	45K	45K		
		2.5	3.0		Ī
HM	L24A	45K	45K	30K	
		3.5	2.5	1.0	
HM	L26A	30K			
		0.5			Ī
HM	L27A	45K	45K		
		2.5	3.5		Ī
HM	L28A		60K	60K	
			5.0	2.5	1
HM	L29A		30K	30K	
			1.5	1.0	
HM	L31A	30K	45K		
		2.0	2.5		
HM	L32A	45K	45K		
		0.5	3.5		
HM	L35A		30K	60K	
			3.0	3.5	
HM	L37A	45K	45K	45K	
		0.0	4.0	2.5	
HM	L39A		45K	45K	
			0.0	0.0	
HM	L40A		45K	45K	
			2.0	1.0	
HT	0000	30K	30K	30K	1,11
		2.0	0.0	0.0	
HT	U53A		30K		
			1.0		
IC	0000	30K	30K	45K	1,4
10		0.0	0.0	0.0	_
IS	K13A	45K	60K	45K	3
·-		2.0	3.0	3.0	
IT	0000	30K	45K	30K	1
IT	7461	0.5	1.0	0.0	
11	746A		30K		H
IT	H01A		1.5	60K	
"	HOTA			2.0	
IT	H09A		30K	2.0	
	HUJA		2.0		ł
ITS	74XA	75K	2.0		3,5
	/4AA	3.0			3,3
LSSS	0000	30K			1,2, 1
2000	0000	0.0			1,2, 1
MA	0000	30K	30K		1
IVIZ	0000	0.5	0.0		l
MA	P05A	30K	30K	30K	
1717 (FUJA	0.0	0.0	0.0	-

RATING	NEC	ZONE A	ZONE B	ZONE C	NOTES
MA	P06A		30K	30K	
			0.5	0.5	
MMA	0000	30K	30K	30K	1,12
		1.5	2.0	1.5	
MMSW	0000	30K	30K		1,4,11
		2.0	0.0		
MMSW	U57A		30K	30K	4,11
			0.5	0.5	
MMSW	U59A		30K	30K	4,11
			0.5	0.5	
MMSW	U68A		30K	30K	4,11
			0.5	0.5	
MR	0000	30K	30K	30K	11
		1.5	1.0	0.0	
MT	0000	60K	30K		5
		3.0	1.5		
MT	T3XA	60K	30K		5
		0.0	0.0		
NC	0000		30K		1
(EMC: B670)			1.0		
OS	W17A		45K	45K	
			3.5	3.0	

RATING	NEC	ZONE A	ZONE B	ZONE C	NOTES
OS	W27A		45K	45K	
			3.5	3.0	
QM	0000	30K		30K	1
		0.5		0.5	
STG	0000	30K	30K		1,4
		0.5	1.5		
STG	708B		90K	90K	
			3.5	4.5	
STG	V47B		30K		7
			0.0		
STG	V56B		30K		7
			0.0		
STS	0000	60K	30K	30K	1
		4.5	1.0	0.5	
STS	708B		100K	100K	
			5.5	5.0	
TM	0000	30K	30K	30K	1, 12
		2.0	2.5	1.0	
YNSS	0000	30K		45K	1,2, 12
		1.5		0.0	

RATING	NEC	ZONE	ZONE	ZONE	
		Α	В	С	NOTES
SB	O52A	90K	75K	100K	
		6.5	6.0	6.5	
SB	O9XB	100K			5
		7.5			l
SO	O9XA	75K			5
		0.0			1
SO	O26A	75K	75K	100K	
		5.5	6.0	6.5	
SO	O23A	75K	90K		
		6.5	6.5		
ND	MMDV			90K	
				7.0	
ND	M1DV		30K		
			3.5		
ND	M2DV	45K	45K		
		3.0	2.0		
EOD	M02A	45K	60K		
		4.5	4.0		ĺ
EOD	M03A	75K	75K	75K	
		6.5	5.5	4.5	
EOD	M04A		100K	100K	
			7.5	6.0	

DATING		ZONE	ZONE	ZONE	
RATING	NEC	Α	В	С	NOTES
EMN(SS)	N14O/S	100K	100K		2,6
		5.5	7.0		
EMN(SW)	N24O/S	100K	100K		2,6
		6.0	7.5		
ETN(SS)	N13O/S	100K	100K		2,6
		6.5	9.5		
ETN(SW)	N23O/S	100K	100K		2,6
		6.5	8.0		
MMN(ELT)	N16O/S	100K	100K		2,6
(SS)		8.0	7.0		
MMN(ELT)	N26O/S	100K	100K		2,6
(SW)		7.0	7.0		
MMN(SS)	N15O/S	100K	100K		2,6
		9.5	8.5		
MMN(SW)	N25O/S	100K	100K		2,6
		6.0	7.5		

RATING	NEC	ZONE A	ZONE B	ZONE C	NOTES	
Rating	NEC		Award (Celing		
<u> </u>	<u> </u>		<u> </u>]
						← Note
			↑ Award I	evel and	trand	

No award offered for this skillset and zone.
Newly added skillset! SRB award level addition is effective immediately.
SRB award level increased! The new higher award level is effective immediately.
SRB award level reduction. This will become effective on 201127. The last day to reenlist for the higher previous level is the day prior to the effective date of the reduction, which is 201126. Reenlistments on, or after, the effective date of 201127 are subject to the new lower award level.
SRB award level being eliminated. This will become effective on 201127. The last day to reenlist for the higher previous level is the day prior to the effective date of the elimination, which is 201126. Reenlistments on, or after, the effective date of 201127 will not be eligible for an SRB.

A lack of color indicates no change in the award level.

For reductions and eliminations, it may still be possible to move a previously submitted SRB reenlistment to a date prior to the effective date of the reduction or elimintaion. If the request was submitted on, or before 201023, it may still meet 35 days from original request submission to the adjusted date of execution. As long as the newly adjusted reenlistment date is also within 365 days of the member's EAOS, or the memberis in receipt of unexecuted PCS orders with an unmet OBLISERV, it may be possible to move it. Contact BUPERS 328 for assistance in validating elibility and moving the requested reenlistment date.

- 1 The Navy Enlisted Classification (NEC) 0000, commonly referred ro as quad zero, is listed here to establish that Sailors in these ratings/career fields can hold any or no NEC and still be qualified for the SRB provided they meet all
- 2 Subsurface or surface designation does nto mean an individual must be subsurface or enlisted surface warfare specialst qualified, but it indicates the component of the rating in which they can reasonably be expected to serve.
- 3 An SRB approval for all CT, IS, IT and ITS ratings will be contigent upon the Sailor having a current Single Scope Background Investigation (SSBI) or Tier 5 investigation, an active SSBI/Tier 5 or recent submission of an SSBI/Tier 5
- 4 E-3 to E-6 Sailors only. Sailors selected for E-7 advancement are not eligible for SRB.
- 5 X is used is a placeholder to identify where multiple NECs within a rating are eligible for a stated award level. Sailors in the specified rating that hold an NEC that includes the numbers preceding X are eligible for a stated award
- 6 Reenlistment honuses for nuclear-trained Sailors
 - a Reenlistment compensation for zones 1 through 3 nuclear trained Sailors holding a nuclear supervisor NEC shall be provided under the Enlisted Supervisor Retention Pay (ESRP) program in line with policies and
 - b SRB entitlement for eligible nuclear-trained Sailors who reenlist after applying for an officer program will be held pendign selection results. For nuclear-trained Sailors only, the date on which conditional release is
- 7 E-4 to E-6 Sailors only. Sailors selected for E-7 advancement are not eligible.
- 8 E-3 to E-5 Sailors only. Sailors selected for E-6 advancement are not eligible.
- 9 FCA SRB eligibility for these skillset qualifiers contingent upon holding one of the following element supervisor NECs: V56A, V58A, V59A, V60A, V66A, V67A, V73A, V74A, V75A
- 10 CTIs must meet minimum language readiness standard (L2/R2) for SRB eligibility, unless they possess aa valid *Inability to test* waiver from Navy Language, Regional Expertise, and Culture Office (OPNAV N13F). Sailors holding a CTI NEC must be differentiated by the Enlisted Manning Code (EMC). Only Sailors having one of the following NECs and assigned in the respective EMC are eligibile for SRB:
 - a NEC: 813A/9RUS, EMC: B516
 - b NEC: 9ARB/9HEB, EMC: B511
 - c NEC: 9CMN/9KOR, EMC B512
- 11 Sailors are eligible for a +0.5 pay for performance SRB kicker contingent upon meeting all requirements specifice in paragraph 6.
- 12 For submarine Sailors (SS) only.
- Must meet minimum language readiness standard (L2/R2) for SRB eligibility, unless they possess aa valid *Inability to test* waiver from Navy Language, Regional Expertise, and Culture Office (OPNAV N13F). This SRb is open to all Sailors holdign the 813A NEC, regardless of source rating.