



MLS[®]
HOME PRICE INDEX

REALTORS[®] GUIDE

MLS[®] HOME PRICE INDEX (MLS[®] HPI)



TABLE OF CONTENTS

<u>What is the MLS® Home Price Index?</u>	3
<u>What are Benchmark Properties and Benchmark Prices?</u>	3
<u>What’s the difference between a Benchmark Price and Index Price?</u>	4
<u>How is the MLS® HPI calculated?</u>	5
<u>What property types and geographic areas are measured by the HPI?</u>	5
<u>Appendix A – How is the MLS® HPI calculated?</u>	6
<u>Appendix B – Benchmark Home Definitions</u>	9
<u>Appendix C – Benchmark Attribute Report</u>	13
<u>Appendix D - MLS® HPI Methodology</u>	14

REALTORS®GUIDE

MLS® HOME PRICE INDEX (MLS® HPI)

What is the MLS® HPI?

The MLS® Home Price Index (HPI) is a measure of price for residential properties in five major markets across Canada. It includes Greater Vancouver, Fraser Valley, Calgary, Toronto, and Montreal, with more markets to be added.

The first HPI in Canada began with research at the University of BC into improving the measurement of price inflation in housing markets. The Fraser Valley Real Estate Board was first to implement an HPI in 1995, followed by the Real Estate Board of Greater Vancouver in 1996.

The MLS® HPI was pioneered by six founding partners: the real estate boards of Calgary, Fraser Valley, Greater Montreal, Greater Vancouver, and Toronto and the Canadian Real Estate Association. In 2009, the partners contracted with Altus Group to develop the MLS® HPI, which launched in January 2012.

The HPI is the best and purest way of determining price trends in the housing market. It comprises a set of software tools configured to provide time-related indices on residential markets within sales territories of participating real estate boards in Canada.

What are Benchmark Properties and Benchmark Prices?

The MLS® HPI benchmark prices represent the price of a typical property within each market. The MLS® HPI takes into consideration what averages and medians do not – items such as lot size, age, number of rooms, etc. The most commonly traded set of these attributes describes the composite of the **typical or 'benchmark' house** in a given area. Prices paid for homes with these attributes determine benchmark home prices.

For example, perhaps the basket of features for a typical home in a community includes a 10-year-old, three-bedroom house on a 7,200 square-foot lot, with eight rooms, two bathrooms, a fireplace and a one-car garage. The MLS® HPI creates a benchmark price for the typical home by calculating the contribution that each of these features makes to the price paid.

Average and median prices are affected by the composition of properties sold (e.g. the types of homes by age, area and home type), which changes from month to month. The benchmark price overcomes this issue by keeping the qualities of a typical property constant over time, so its change in value is the result of **pure price change** (home price inflation or deflation).

The MLS® HPI is similar to Canada's Consumer Price Index (CPI), the most widely used measure of consumer price inflation. The CPI tracks the market price of a constant quality basket of goods typically consumed by Canadians. Whereas the CPI measures consumer price inflation (or deflation), the MLS® HPI measures housing asset price inflation (or deflation).

The MLS® HPI is used to:

- ✓ Track and report *typical* asset price inflation (or deflation) in local and regional housing markets.
- ✓ Compare typical characteristics or prices of properties in different housing markets.
- ✓ Understand current market conditions and future price trends in a particular housing market.
- ✓ *Estimate* the current market value or selling price of a typical property.

What's the difference between a benchmark price and index price?

An HPI can be stated as an index price like 150, or a benchmark price like \$317,030. The index price makes comparisons using a base year starting at 100. A number higher than 100 indicates an increase from the base year. For example, if the base year is 2000 and the index is currently 150, it indicates a price increase of 50 per cent since the year 2000.

As such, an HPI is quoted as an index value relative to a reference year. Changes in the HPI between two time periods indicate rates of change in home prices.

HPI price indexes measure typical rates of price change rather than individual rates of price change. If the HPI measures price inflation in a particular housing market at 10 per cent, this does not indicate that the value of every property in that market increased by 10 per cent. Rather, it indicates that the typical, or average, rate of inflation was 10 per cent. Further, the more typical a particular property is relative to market-wide properties, the more likely its market value has increased by 10 per cent.

How is the MLS® HPI calculated?

The MLS® HPI employs advanced statistical modeling methods to estimate **benchmark property prices** using property sale prices and qualities. A brief overview of how the MLS® HPI is calculated can be found in [Appendix A](#).

What property types and geographic areas are measured by the HPI?

The MLS® HPI provides price indexes, for the regions, areas and sub-areas in each participating major market. Each housing market is defined by two factors: a property type and a geographic area.

Property Types

MLS® HPI price indexes are calculated for a number of property categories, including one- and two-storey single family homes, townhouse/row units, and apartment units. For the sake of continuity with their earlier HPI, indexes in Greater Vancouver and Fraser Valley are also calculated for one- and two-storey detached homes.

Descriptions of Property Types can be found in [Appendix B](#).

Geographic Areas and Benchmark Property Descriptions

A complete list of MLS® HPI housing markets and benchmark property descriptions is shown in [Appendix C](#).

Appendix A

MLS® Home Price Index

The MLS® Home Price Index is conceptually similar to the Consumer Price Index (CPI), which measures the value of a “basket” of common goods and services. Similarly, the MLS® Home Price Index measures the contribution toward a home’s prices that each attribute or feature makes as part of a “basket” of housing features.

The Index is calculated using a sophisticated statistical model¹ that estimates home prices based on their quantitative and qualitative features, including:

- Number of rooms above the basement level
- Number of bathrooms & half-bathrooms
- Square footage for main living & basement areas
- Whether it has a fireplace and/or finished basement
- Lot size
- The age of the property
- Parking
- How the home is heated
- Foundation, flooring, siding & roofing types
- Whether the property has waterfront or panoramic view
- Whether the property has been sold previously
- Proximity to shopping, schools, hospitals, police stations, churches, sports centres, golf courses, parks, and transportation (including the train station, railways, and airports)

In addition to the types of features described above, the models are also segmented into geographic sub-markets. These sub-markets must be small enough to ensure that homes grouped in sub-market areas are sufficiently similar to each other (i.e. homogeneous). Sub-markets must also be large enough to be statistically significant in order for them to be included in modeling results. A number of tests are performed to ensure that these criteria are met,

¹ Multivariate regression analysis, a commonly used statistical technique, is used to estimate the contribution that various housing features make toward the home price. Technical details on the model can be found at ([URL](#), or *HPI: Methodology*)

including the use of average income by sub-market area to validate a sub-market’s homogeneity.

The MLS® Home Price Index tracks price levels at a point in time relative to price levels in a base (reference) period. Sub-indices are available for 1-storey single family homes, 2-storey single family homes, townhouse/row units, and apartment units, a.k.a. sub-indices).² They are available for areas within a market, for a local (Metropolitan) market overall, and for the aggregation of all sales territories for participating Real Estate Boards/Associations³.

The Metropolitan HPI is based on the weighted contribution of sales activity made by sub-areas (quantities of transaction) in each sub-index category (1-storey single family homes, 2-storey single family homes, townhouse/row units, and apartment units). Changes in the Metropolitan HPI represent the broadest measure of overall home price change in any market. For technical details on how the Metropolitan HPI is calculated, please see [HPI: Methodology](#). (Appendix D)

Benchmark Home Prices

Benchmark home prices are estimated using the HPI model.

Consider how the HPI and Benchmark Home Prices compare to each other:

	HPI	Benchmark home price
What it measures:	Price levels at a point in time relative to those in a base (reference) period.	Price levels at a point in time
What home attribute are included:	The values for a home’s attributes category vary	A home’s attributes remain constant.

Benchmark home prices are based on Benchmark home descriptions (i.e. the common mix of attributes), which represent a home typical of the area in which it is located. Since “typical” home attributes vary depending on their location, Benchmark home descriptions vary from area to area.

² For select boards, the single family category is broken down further into attached and detached one and two story homes.

³ Sales territories include: the Greater Vancouver Real Estate Board, Fraser Valley Real Estate Board, Calgary Real Estate Board, Toronto Real Estate Board, Greater Montreal Real Estate Board.

Benchmark home descriptions in each area remain constant over time. The values for quantitative attributes in a benchmark description are based on the median values for each area (e.g. median above-ground living area). In the case of qualitative (binary) features (e.g. parking? Yes/no; fireplace? Yes/no), the ones most commonly observed are included in Benchmark descriptions. A complete list of Benchmark home descriptions is available in the [Benchmark Attribute Report \(Appendix C\)](#).

Keeping Benchmark home descriptions constant makes it the best tool for an “apples-to-apples” comparison of a Benchmark home’s price over time, or and for comparing the price for different Benchmark homes from area to the next. However, the further an actual home’s description is from a Benchmark home’s description, the less applicable a Benchmark home’s price trend is in describing how that individual home’s price has evolved over time.

By comparison, the MLS® HPI is estimated based on homes whose attribute values vary (e.g. sales of homes with different amounts of above-ground living area, with or without parking, with or without fireplaces, etc.). Because it tracks the willingness to pay for various housing features whose values can differ from one sale to the next, the HPI provides a better measure of general price growth for each category of home being tracked.

Benchmark home prices are available for each category tracked by the HPI. The Aggregate Benchmark Home Price reflects a weighted average of Benchmark Home Prices in a number of areas (or markets), calculated by summing each area’s (or market’s) percentage of aggregate activity for all areas (or markets) included in the aggregate in a reference year multiplied by each market’s Benchmark Home Price.

For example, consider a Benchmark Home Price of \$100,000 in Area A (or market A), and a Benchmark Home Price of \$200,000 in Area B (or market B), in an aggregate of the two areas. If 45% of total Benchmark home sales activity in the two areas occurred in Area A, the Aggregate Benchmark Home Price would be $45\% \times \$100,000 + 55\% \times \$200,000 = \$155,000$.

Appendix B

Benchmark Home Definitions

Benchmark homes are representative of standardized homes for specific sub areas. Their physical characteristics remain fixed over time. Benchmark property attributes are formulated for each sub area for Benchmark housing categories that have a significant presence in a sub-area. Benchmark properties attributes are determined using the median value for each non-binary field (e.g. living area above ground), and the most frequent (i.e. modal) value for each available field that is a binary.

The following describes general characteristics for each Benchmark housing category and for selected composites of categories:

1. One-storey single family homes:

A property with one floor above ground. This type of property is characterized by the bedrooms, kitchen and dining rooms being on the same floor; the utility room and laundry room are generally located below ground. Special attention is made to raised bungalows, where the basement is partially above ground and where the room distribution provides criteria for its assignment to the appropriate Benchmark housing category. This includes Property Styles submitted by participating Real Estate Boards labeled as: Back Split, Bi-Level, Bungalow, Hillside Bungalow, Hillside Split, 2 Storey Split and 3 Level Split. This type of property does not differentiate between attached and detached homes.

2. Two-storey single family homes:

A property with two, or more, above ground floors. This type of property is characterized by the distribution of bedrooms on the upper floor and a kitchen, living room and other day-to-day rooms on the main floor. This category includes Property Styles submitted by Participating Boards labeled as: 4 Level Split, 5 Level Split, One-and-a-Half Storey, Two- Storey, Two-and-a-Half Storey, and Three-Storey. This type of property does not differentiate between attached and detached homes.

3. Single Family homes:

Benchmarks and indices for “Single family homes” are generated as a composite of One- and Two-storey single family homes described above.

4. One-Storey attached single family homes:

A property with one floor above ground sharing at least one wall (or part of a wall) with another home. In addition to sharing a wall, this type of single family home is characterized by the bedrooms, kitchen and dining rooms being on the same floor; the utility room and laundry room are generally located below ground. Special attention is made to raised bungalows, where the basement is partially above ground and where the room distribution provides criteria for its assignment to the appropriate Benchmark housing category. This includes Property Styles submitted by participating Real Estate Boards labeled as: Back Split, Bi-Level, Bungalow, Hillside Bungalow, Hillside Split, 2 Storey Split and 3 Level Split. This type of attached home is distinct from units such as a townhouses, apartments or condos which typically share more than one wall with another home being within multi-family dwellings and where the ownership and maintenance costs of exterior walls, land and entrances may be shared.

Benchmarks and Indices for this particular Property Type are generated for TREB under arrangement with TREB.

5. Two-Storey attached single family homes:

A property with two or more above ground floors sharing at least one wall (or part of a wall) with another home. In addition to sharing a wall, this type of home houses one family and is characterized by the distribution of bedrooms on the upper floor and a kitchen, living room and other day-to-day rooms on the main floor. This category includes Property Styles submitted by Participating Boards labeled as: 4 Level Split, 5 Level Split, One-and-a-Half Storey, Two- Storey, Two-and-a-Half Storey, and Three-Storey. This type of attached home is distinct from units such as a townhouses, apartments or condos which typically share more than one wall with another home being within multi-family dwellings and where the ownership and maintenance costs of exterior walls, land and entrances may be shared.

Benchmarks and Indices for this particular Property Type are generated for TREB under arrangement with TREB.

6. Attached single family homes:

Benchmarks and indices for the category “**Attached single family homes**” are calculated as a composite of One- and Two-storey attached single family homes described above. The term “attached” describes a home that is part of a larger multi-family building. Although Townhouses, apartments and condos are typically part of multi-family dwellings, the term “attached” is used to describe a home that houses a single family and that shares one wall (or part of a wall) with another home. The yard, entrance and exterior of these homes are directly associated with ownership of the home. An attached home may comprise one, two or more storeys and is distinct from units such as a townhouse, apartment or condo which typically share more than one wall with another home being within multi-family dwellings and where the ownership and maintenance costs of exterior walls, land and entrances may be shared. Benchmarks and Indices for this particular Property Type are generated for TREB under arrangement with TREB.

7. One-Storey detached single family homes:

A “One-Storey detached single family home’ is built with one above ground floor on land that exceeds the footprint of the building on each of its sides. Ownership of the surrounding land (typically less than 40,000 square foot yard), entrance and associated lesser structures is an integral and inseparable part of the home. The generation of indices for this particular category of homes is generated for FVREB and REBGV.

8. Two-Storey detached single family homes:

A “Two-storey detached single family home’ is built with two or more above ground floors on land that exceeds the footprint of the building on each of its sides. Ownership of the surrounding land (typically less than 40,000 square foot yard), entrance and associated lesser structures is an integral and inseparable part of the home. The generation of indices for this particular category of homes is generated for FVREB and REBGV.

9. Detached single family homes:

Benchmarks and indices for “Detached single family homes” are generated as a composite of One- and Two-storey detached single family homes. As described above, these homes are independent structures that are typically built on land that exceeds the footprint of the building on each of its sides. Ownership of the surrounding land (typically less than 40,000 square foot yard), entrance and associated lesser structures is an integral and inseparable part of the home. The generation of indices for this particular composite category of homes is generated for FVREB and REBGV.

10. Townhouse/row units:

Townhouses have configurations which lay between apartment units and freehold non strata buildings, such as bungalows and two-storey houses. Owners typically pay co-ownership fees for maintenance and enjoy exclusive access to a part of the lot. This category includes Property Styles submitted by Participating Boards labeled as any of the submitted Styles, with a note that the property is a Townhouse.

11. Apartment units:

Apartment units are characterized by being part of a multi-unit building. Occupants of apartment units may or may not have direct access to the lot from their units. There are also no parts of the lot whereby access is reserved for only one of the co-owners or apartment occupants. This category includes Property Styles submitted by Participating Boards labeled as: Single Level Apartment, Multi-Level Apartment, Loft, Penthouse and Studio Suite.

12. Composite

Benchmarks and indices within the “Composite” category are calculated as an average, weighted by number of sales, of indices and benchmarks representing all homes used in models, including One- and Two-storey single family homes, Townhouses and Apartments. Accordingly, the Composite index includes both attached and detached homes within One- and Two-storey single family homes.

Appendix C

Benchmark Attribute Report

Click [here](#) to see MLS® HPI housing markets and benchmark property descriptions.

MLS[®] HPI Methodology

Table of Contents

- Introduction 16
 - Partnership..... 16
 - Highlights 16
 - MLS® HPI..... 16
 - Benchmark Prices..... 17
 - Relative Benchmark Prices..... 17
 - Markets 17
 - Market Segmentation 18
 - Data inclusions and exclusions 18
- MLS® HPI Methodology 19
 - Data 19
 - Market Segmentation 19
 - Modeling Approach 20
 - Model specification..... 21
 - Variables..... 22
 - Regression..... 22
 - Benchmark Prices and Sub-Indexes 23
 - Aggregate and Composite Benchmark prices 23
 - Aggregate and Composite Indexes 24
 - Relative Benchmark Prices..... 25
- Index Maintenance 26
- Governance 26
- HPI Contact Information 26
- Disclaimer..... 27
- Appendix A 28
- Appendix B 29
- Appendix C 32

Introduction

The MLS® HPI is designed to be a reliable, consistent, and timely way of gauging changes in home prices. It is calculated each month and covers five major housing markets (Greater Vancouver, Fraser Valley, Calgary, Greater Toronto, and Greater Montreal, with additional markets to come). The MLS® HPI is also aggregated for the collection of these markets.

The MLS® HPI tracks price levels at a point in time relative to price levels in a base (reference) period for one- and two-storey single family homes, townhouse/row units, and apartment units. A composite MLS® HPI is also calculated for the collection of these housing categories in each of the five housing markets tracked by the index.

Partnership

The MLS® HPI is generated and published under agreements between The Canadian Real Estate Association, Greater Vancouver Real Estate Board, Fraser Valley Real Estate Board, Calgary Real Estate Board, Toronto Real Estate Board, Greater Montreal Real Estate Board, and Altus Group.

The MLS® HPI model was developed by a design team at Altus Group that includes Professor François Des Rosiers, the 2011 recipient of the International Real Estate Society Achievement Award. He has been teaching Urban and Real Estate Management since 1976 within the Faculty of Business Administration of Laval University in Quebec City, Canada.

Representatives from Statistics Canada, Canada Mortgage and Housing Corporation, the Bank of Canada, Finance Canada and Central 1 Credit Union have also reviewed and endorsed the MLS® HPI methodology, and provided valuable contributions in support of its development.

Highlights

MLS® HPI

The MLS® HPI is available for single family homes (which are further split into 1-storey, and 2-storey single family homes), townhouse/row units, and apartment units. These sub-indices are used to calculate a composite or overall MLS® HPI in each market being tracked. The MLS® HPI for each market is also used to calculate an aggregate MLS® HPI for the collection of Metropolitan markets.

MLS® HPI values track relative price levels by comparing price levels at a point in time to price levels in a base (reference) period. Because the base (reference) period has a value of 100, it's possible to quickly infer the extent to which prices have changed relative to the base period. For example, if the base (reference) period for the HPI is the month of January 2005, and the HPI value for Apartment units in September 2011 is 135.1, this indicates that Apartment units in September 2011 were up 35.1% compared to January 2005.

The MLS® HPI is calculated using multivariate regression analysis, a commonly used statistical technique. Using a hybrid modeling approach that merges the Repeat-Sales and Hedonic Price approaches, the MLS® HPI model reflects contributions made by various quantitative and qualitative housing features toward the home price, including:

- Number of rooms above the basement level
- Number of bathrooms & half-bathrooms
- Square footage for main living & basement areas
- Whether it has a fireplace and/or finished basement
- Lot size
- The age of the property

- Parking
- How the home is heated
- Foundation, flooring, siding & roofing types
- Whether the property has waterfront or panoramic view
- Whether the property has been sold previously (newly constructed and previously unsold, or repeat sale)
- Proximity to shopping, schools, hospitals, police stations, churches, sports centres, golf courses, parks, and transportation (including the train station, railways, and airports)

Details on MLS® HPI calculations appear in the *MLS® HPI Methodology* section below.

Benchmark Prices

The MLS® HPI model is used to calculate Benchmark Prices. A “Benchmark home” is one whose attributes are typical of homes traded in the area where it is located, one being generated for each supported Subarea. Benchmark property descriptions are based on median values for quantitative property attributes (e.g. above ground living area in square feet), and the most commonly occurring value (i.e. modal value) for qualitative attributes (e.g. basement is not finished).

Benchmark Prices are available for each housing category tracked by the MLS® HPI in each market. Composite and Aggregate Benchmark Prices are also available, representing an aggregation of Benchmark categories and Metropolitan markets tracked by the Index. This enables Benchmark Prices and their price changes to be compared across areas, and to the overall market.

Details on Aggregate and Composite Benchmark home price calculations appear in the *MLS® HPI Methodology* section below.

Relative Benchmark Prices

Relative Benchmark Prices (RBP) show the percentage by which a Benchmark Price in a particular area and category is above or below the Benchmark Price for the overall market at a point in time. The RBP for the overall market is 100 at every point in time for each housing category tracked by the HPI. This enables quick identification of market areas where Benchmark Prices are above (or below) the overall market for each Benchmark housing type, and by what percentage.

Details on RBP calculations appear in the *MLS® HPI Methodology* section below.

Markets

The MLS® HPI, Benchmark Prices, and Relative Benchmark Prices are available for Greater Vancouver, Fraser Valley, Calgary, Greater Toronto, and Greater Montreal.

Housing markets included in the MLS® HPI System meet a number of criteria based on their contribution to provincial and national sales activity. The MLS® HPI will be expanded to include the following markets, based on the following criteria:

Where provincial home sales activity accounts for x% of national activity, and 'x' is:	Board/Association home sales activity must account for y% of provincial MLS® res. sales activity, where 'y' is:	Real Estate Boards/Associations meeting criteria for inclusion in an expanded MLS® HPI:
Less than or equal to than 5%	Greater than or equal to 25%	Winnipeg, Fredericton, Moncton, Saint John, St. John's, Halifax-Dartmouth, Regina, Saskatoon
Greater than 5% and less than or equal to 15%	Greater than or equal to 10%	Edmonton, Quebec City
Greater than 15% and less than or equal to 25%	Greater than or equal to 5%	Okanagan-Mainline, Vancouver Island, Victoria
Greater than 25%	Greater than or equal to 3.5%	Hamilton-Burlington, Mississauga, Durham Region, Ottawa, London

Market Segmentation

To generate consistent indices, markets are divided into areas and sub-areas for which sales in MLS® HPI categories have similar attributes (homogenous). Sub-areas have the same geographical boundaries as those used by Real Estate Boards/Associations, which are well known as neighbourhoods. They are used to set MLS® HPI sub-indices, Benchmark Properties, and Benchmark Home Prices. Each sub-area is tested to confirm that it is small enough to ensure homogeneity and large enough to ensure that there are sufficient sales volumes to model the MLS® HPI throughout housing market cycles.

Details on market segmentation appear in the *MLS® HPI Methodology* section below.

Data inclusions and exclusions

The MLS® HPI includes transactional data for home sales via MLS® Systems at participating Canadian Real Estate Boards and Associations. These data include sale price and additional information that is added to support the MLS® HPI model, including information from a Geographical Information System (GIS) to capture additional neighbourhood characteristics (proximity factors) relating to schools, main streets, water, and others.

To maintain data consistency, transactional data are filtered to include records above 0.5% and below 99.5% of the median for the distributions of Sale price, Age, Living Area, Land Area, number of rooms, and number of bathrooms. Should a transaction record appear to include internally inconsistent data, it is manually reviewed and amended (scrubbed).

Transactions for which data discrepancies cannot be reconciled without a field visit are excluded. The scrubbing process results in exclusion of less than five per cent of transaction records.

Details on data appear in the *MLS® HPI Methodology* section below.

MLS® HPI Methodology

Data

Transactional Data collected and used in the MLS® HPI must first be reformatted, analysed, sorted, and in some cases, amended; this process is commonly referred to as “scrubbing”. Transactional data are reformatted to include additional fields necessary to support the MLS® HPI. These new fields include calculated, estimated or inferred attributes from other available information.

For example, *Floor Area Above Main* and *Floor Area Main* are created in the database, and are more useful than a unique *Global Living Area* field. Detailed living areas by floor are aggregated and compared to the Global Living Area in MLS® HPI regressions. For markets where Transactional Data includes detailed Living Area information, it is prioritized over the single Global Living Area in modeling tests.

In keeping with best practices, results are filtered to include records with values above 2.5% and below 97.5% of cumulative Normal distributions; other results are treated as outliers and automatically removed. To mitigate volatility, a moving five-year period is used, since the use of a shorter sample horizon may result in an insufficient number of sales over the period and cause index inaccuracies.

Cook’s Distance is used to estimate the influence of an observation when doing least squares regressions, and helps detect outliers or identify a sub-area where it would be recommended to have more data points. Cook’s Distance is also used to discard outliers that may exert a significantly detrimental impact on the MLS® HPI. When the Cook’s Distance for an observation is high, the observation is redirected to the scrubbing process for manual validation. To ensure the full potential to extract knowledge from outliers, observations with a high measurement of Cook’s Distance are manually reviewed and validated before being removed.

Market Segmentation

After reviewing the data, sub-areas are tested to ensure they are small enough to be homogenous and large enough to be statistically significant.

Dummy variables are created for each sub-area and introduced in the modeling process. Visual validation using trend maps of residuals, sale price/square foot of living area, and average income per household are used to further validate sub-area delineations. Sub-areas must have a minimum level of sales activity to be statistically significant; accordingly, where sales volumes fall short of the minimum, sub-areas may be grouped into sub-area sets for sampling purposes. These sub-areas are also examined to suggest alternative geographic boundaries when a given attribute among property records lacks sufficient homogeneity. The use of dummy variables in models using sub-area sets enables each sub-area in a grouped sample to be reported separately with its own unique value. Sub-areas themselves remain intact, with their own individual Benchmark Properties and sub-indices once MLS® HPI models are complete. Sub-areas with insufficient data are excluded from subsequent calculations.

The first validation of sub-area definitions relies on a cartographical analysis of the homogeneity of two demographic characteristics, average income and education levels. Results show that average income is a key contributor with regard to demographic homogeneity.

A visual inspection is performed to identify adjacent sub-areas for which disparate average income and/or education levels for households would preclude grouped statistical processing of their respective transactional data.

Statistical distributions for living areas, age of properties, and sale prices are also analysed to validate sub-area definitions, and to suggest potential sub-area groupings. To reduce the impact of time on distributions, transactional data spanning the years 2009 and 2010 are used.

Sub-areas are further validated by adding each sub-area into a general model. A hedonic regression is performed whereby sale price is modelled as the dependant variable and all sub-areas but one are used as independent variables, with the remaining sub-area serving as a reference or base sub-area. The model then assigns a value to each sub-area. On a cartographical basis, sub-areas are reviewed to determine if sub-areas should be grouped. When running a regression with sub-areas as explanatory variables, the calculated coefficients represent the comparativeness of each sub-area to the base sub-area. To determine which sub-areas can be grouped, results are illustrated cartographically and subject to visual validation to determine if sub-areas with relatively comparable weights are adjacent to one another.

In cases where sub-areas with relatively comparable weights are adjacent to one another, sub-area homogeneity is subjected to further validation, whereby each sub-area is geographically analyzed to determine if it should be grouped or split into smaller sub-areas. Geographical distributions for living areas, property ages and sale prices are visually analyzed. This review includes the use of Google maps to validate breaks between sub-areas, and confirmation that neighbourhoods on each side of sub-area limits are physically similar. Using the knowledge gained through each of these validations, markets are segmented for each property type.

Models of emerging communities within sales territories are taken into account from the date that the number of Transactional Data property records achieves a minimum bound (typically ten per month over a period of at least twelve months). Analysis of these sales must also satisfy various diagnostic testing criteria.

In the initial configuration of sub-areas, new communities are identified and modeled accordingly. The treatment of new communities is also taken into account as part of annual review of the MLS® HPI system. As part of the annual review, changes to names and boundaries for market segments in use by the Real Estate Board/Association are also taken into account, together with identification of new sub areas that come into being.

Modeling Approach

The MLS® HPI is based on a hybrid model that merges Repeat-Sales and Hedonic Price approaches. Using multivariate regression analysis, a commonly used statistical technique, the MLS® HPI model reflects the contribution that various housing features make toward the home price, and includes a dummy variable in the hedonic model specification to distinguish single and repeat sales.

The MLS® HPI is conceptually similar to the Consumer Price Index (CPI), which measures the value of a “basket” of common goods and services. Similarly, the HPI measures the contribution toward a home’s prices that each attribute or feature makes as part of a “basket” of housing features.

The approach used to construct the MLS® HPI is superior to the Repeat-Sales approach that has gained media attention over the past few years in Canada and the United States:

- The Repeat-Sales approach omits useful information and sample size is reduced because only homes that have been sold at least twice are used.
- The Repeat-Sales approach may be incapable of reliably tracking home prices for sub-areas within a market.
- Price indices calculated using the Repeat-Sales approach may be produced with a considerable time lag due to data collection and availability.
- The Repeat-Sales approach assumes that qualitative and quantitative attributes of homes remain constant; however, the significance of Canadian home renovation expenditure each year makes this assumption unrealistic.

Model specification

Designing a reliable MLS® HPI requires that the regression model be adequately specified. Model misspecification can arise in a number of ways. A rigorous set of statistical tests is used to identify and resolve potential problems arising from model misspecification.

In a linear regression, one of the main assumptions is that there are no remaining multicollinearity⁴ phenomena. Stepwise regression is employed to remove excessive multicollinearity by selecting only those explanatory variables that contribute significantly to explaining price variations. As a diagnostic test, variance inflation factors (VIF) are used to highlight and remove variables with a high degree of multicollinearity.

The Akaike Information Criterion (AIC) allows comparing models that differ with regard to their functional form, variable specification, or both; as such, it can aid in model selection based on how close values predicted by the model are to the real data. The AIC is used to test which of the Linear or Semi-log functional forms provides the best fit. To accommodate nonlinearities, the living area, lot size and age of properties are transformed into non-linear forms. Results of the AIC suggest the use of the semi-log form over the linear form.

Additionally, the Ramsey RESET Test is used to determine if some form of non-linear transformation is required within the model specification (without indicating how to amend the specification).

The RESET test estimates an auxiliary regression using the estimated Y_i from the original regression:

$$\hat{Y}_i = \hat{\beta} + \hat{\beta}_1 X_{i1} + \dots + \hat{\beta}_{ni} X_{ni} + \gamma \hat{Y}_i^2 + \delta \hat{Y}_i^3 + \omega \hat{Y}_i^4 \quad i=1, 2, \dots, N$$

where \hat{Y}_i is raised to the 2nd, 3rd and 4th powers and re-inserted in the initial hedonic equation as additional independent variables. The test then compares the original and the auxiliary regressions via F statistic test. The hedonic function is shown to be non-linear if at least one of these \hat{Y}_i^n added terms emerges as statistically significant.

In cases where the equation fails the Ramsey RESET test, the AIC confirms the functional form. That the age of a property cannot be non-linearly transformed may explain the failure at the third and fourth degree for markets where property age is modelled as a binary variable denoting age range.

Demand for one- and two-storey single family homes is significantly different, as reflected in their sales prices. Accordingly, they are modelled separately, with sufficient sales activity

⁴ Multicollinearity is a statistical phenomenon in which two or more exogenous variables in a multiple regression model are highly correlated.

to maintain separate and statistically valid categories. An aggregate Single Family Home sub-index is calculated using the weighted index of one- and two-storey single family homes. Details on how the Single Family Home sub-index is calculated appear in the *Aggregates and Composites* section below.

Single family homes include both attached and detached structures, since analysis shows that the behaviour of a combined 'detached/attached' index tracks congruently with a 'detached' index (configured by extracting sales records of 'attached' homes while maintaining compliance with test criteria). 'Detached' and combined 'detached/attached' indices are monitored to ensure that the congruency of their respective trends supports a combined index.

New communities within a sales territory are considered as part of an annual review of the MLS® HPI system. When accumulation of Transactional Data results in adjustments to market segmentation of a Sales Territory, MLS® HPI models are re-run to take account of geographic revisions while ensuring that homogeneity is maintained for each grouping.

Variables

All available information and data that describes land, buildings and location amenities is considered in the MLS® HPI model specification. Socio-demographic attributes (namely, Education Level and Average Income) also contribute to the determination of sub-areas and their grouping for sampling purposes. Additionally, a Geographical Information System (GIS) is used to capture additional neighbourhood characteristics (proximity factors) such as those relating to schools, main streets, water and other factors.

Data are validated before being used in the modeling process. Each variable is analyzed (minimum, maximum, distribution, form), resulting measurements are stored, and key variables are monitored on an ongoing basis.

Variables for Living area, Land area, property characteristics and dummy time variables are included in the model, and key variables (e.g. Living Area, Land Area) are transformed to fit the data (a list of variables used in the MLS® HPI appears in *Appendix A*). To capture the marginal contribution of each variable, tests are performed with the square and the cube of variables, as well as with their respective square and cubic roots. Statistical tests show that the square root and cubic root transformations best capture the marginal contribution of each transformed variable, and have greater statistical significance than the square and the cube of the variables. Accordingly, the square root and cubic root of key variables are used.

To maintain homogeneity, outlier records are filtered out so that data include records above 0.5% and below 99.5% of the median for distributions of Sale price, Age, Living Area, Land Area, number of rooms, and number of bathrooms.

A random control sample is then created using 10% of the remaining Transactional Data records to run through the same process as the initial model to validate variables.

Regression

Using a stepwise regression procedure, independent variables are successively forced into the model and then removed from the hedonic equation based on their statistical significance via a Student t-test. Variables kept in the model are fully analyzed and interpreted. It is ensured that time dummy variables are included and that key variables satisfy logical rules (e.g. number of rooms cannot be negative). Also, variables with data occurrence greater than 5% within the database are included in the model specification⁵, and a random control sample is confirmed as valid. Afterwards, Cook's Distance is applied to

⁵ For example, if the number of properties that have parking is greater than 5% but the parameter 'Parking' is not in the model, the parameter is forced into the model.

identify and discard outliers that may exert a deleterious impact on hedonic coefficient estimates.

Diagnostic statistical tests (as below) are then performed to determine if assumptions underlying ordinary least square (OLS) regression modelling are violated. If test results indicate that these assumptions are violated, or that the model is mis-specified (e.g. omission of an important variable) or subject to a functional form design flaw, then the results and the sample are analysed, and corrective actions are taken at the data, scrubber, market delineation or functional level as appropriate.

One of the main assumptions for the (OLS) regression method is that errors have the same variance throughout the sample. If true, the model is said to be homoskedastic. If not, the data are said to be heteroskedastic.

As long as the assumption of homoskedasticity is not violated, OLS is considered to be the best linear unbiased estimator (BLUE). When the assumption is violated, OLS regression estimates are deemed inefficient and OLS is not the best regression method.

One or a combination of additional measures and strategies are used to detect heteroskedasticity, and when required, correct for it (e.g. White test, Weighted Least Squares regression technique, additional data transformations).

Moran's Index Test, often referred to as the Moran's I test, is used to measure the degree of spatial dependence among residuals. A model can be considered adequate if its residuals are not related in space. If they are, this is considered to be evidence of spatial autocorrelation. Like heteroskedasticity, the presence of spatial autocorrelation violates the OLS method assumption that residuals are independent from each other.

The presence of spatial autocorrelation is typically marked by unstable regression parameters and unreliable inference tests. Several solutions are available to correct for the presence of spatial autocorrelation, including Casetti's expansion method, spatial autoregressive techniques and Peer effect models.

The Chow Test is also used to determine whether the coefficients in a regression model are the same in separate subsamples. As a test for structural change, it is mainly used in time series analyses where the assumption of homoskedasticity is valid. Test results for break points each month suggest that a structural change occurred in 2008 (likely due to the global financial and economic crisis).

Benchmark Prices and Sub-Indexes

Following the generation of regression equations, each subarea's benchmark property attributes are inserted in the equation to calculate their respective benchmark prices. Each property type supported in the said subarea is attributed a benchmark property, ignoring other property types. These individual benchmark prices are calculated for each month.

Monthly sub-indexes are calculated using the benchmark price of the reference period (January 2005) as the denominator and prices in other periods as numerators to calculate corresponding monthly sub-indexes.

Aggregate and Composite Benchmark prices

The MLS® HPI System calculates a set of price indexes and sub-indexes, Benchmark Prices and Relative Benchmark Prices.

Aggregate Benchmark prices for areas are based on the weighted⁶ contribution of sales activity in constituent sub-areas for each Benchmark category (1-storey single family, 2-storey single family, townhouse/row unit, and apartment unit), whereby the MLS® HPI model calculates Benchmark home prices for each sub-area using applicable Benchmark home attributes in each sub-area.

$$P_{crea} = \sum_j W_{i,j} * P_{i,j}$$

where 'P' represents HPI category Benchmark price, 'i' represents Benchmark category, 'j' represents constituent sub-area, and 'w' represents the proportion of Benchmark category activity for the sub-area.

Several levels of Aggregation exist and vary from board to board, depending on their specified requirements. The next level is Area and the level above this is the Sales Territory of the Real Estate Board, followed by Province and then the aggregate of participating boards in Canada.

Composite Benchmark prices in each area are based on the weighted contribution of sales activity in constituent sub-areas per benchmark housing category, with the Single Family Benchmark price analogously calculated based on weighted contributions of just 1- and 2-storey sales activity:

$$P_{crea} = \sum_i \sum_j W_{i,j} * P_{i,j}$$

where 'P' represents HPI Composite Benchmark price, 'i' represents Benchmark category, 'j' represents constituent sub-area, and 'w' represents the Benchmark category's proportion of total sales activity for the sub-areas.

Similarly, Metropolitan Composite Benchmark prices are based on the weighted contribution of sales activity in constituent sub-areas per benchmark housing category.

Aggregate and Composite Indexes

Since Benchmarks are the only item in the consumer basket, Paasche, Laspeyres index⁷ values do not change while calculating sub-indexes per Benchmark category, since quantities cancel themselves out.

$$\Delta P_L = \frac{\sum p_{j,i} q_{0,i}}{\sum p_{0,i} q_{0,i}}$$

$$\Delta P_p = \frac{\sum p_{j,i} q_{j,i}}{\sum p_{0,i} q_{j,i}}$$

where 'P_L' and 'P_p' represents Laspeyres and Paasche Index respectively, 'i' represents Benchmark category, 'j' represents the subject period, and '0' represents the reference period.

Since the Fisher index 'P_F' is obtained by taking the geometric mean of Laspeyres and Paasche, quantities also cancel themselves out. It is important to understand that this statement is only true on sub-indexes per type;

⁶ Weights based on proportional values for a moving three-year period of sales activity.

⁷ Research and Innovative Technology Administration, 'Use of the Chained Fisher Ideal Index to produce the Aggregated Transportation Services Index, Economics and Finance, http://www.bts.gov/programs/economics_and_finance/transportation_services_index/methodology/pdf/methodology_chained_fisher_ideal_index.pdf

$$\Delta P_F = \sqrt{\Delta P_L * \Delta P_P}$$

Unlike the Laspeyres Index which overestimates the variation in prices, and the Paasche Index which underestimates it, the Fischer Price Index is more reliable in the estimation of actual price change over time.

The Chained Fisher Index is used to calculate aggregate and composite indexes to conserve the direct month-to-month link that keeps recent sale prices non-obsolete. Accordingly, the results of calculations used in deriving the Metropolitan Composite and Aggregate Composite MLS® HPIs also serve in its calculation:

$$\Delta P_{FC} = \sqrt{\frac{\sum p_{0,i}q_{1,i}}{\sum p_{0,i}q_{0,i}} * \frac{\sum p_{1,i}q_{1,i}}{\sum p_{1,i}q_{0,i}}} * \sqrt{\frac{\sum p_{1,i}q_{2,i}}{\sum p_{1,i}q_{1,i}} * \frac{\sum p_{2,i}q_{2,i}}{\sum p_{2,i}q_{1,i}}} * \dots * \sqrt{\frac{\sum p_{j-1,i}q_{j,i}}{\sum p_{i-1,j}q_{i-1,j}} * \frac{\sum p_{j,i}q_{j,i}}{\sum p_{j,i}q_{j-1,i}}}$$

where 'P_{FC}' represents the HPI Chained Fisher Index, 'i' represents Benchmark category 'j' represents the subject period, and 'j-1' represents the reference period.

Relative Benchmark Prices

Relative Benchmark Prices (RBP) show the percentage by which a Benchmark Price in a particular market and category is above (or below) that for the overall market at any specific point in time.

The RBP is calculated for each Benchmark category, with market aggregations as the numeraire⁸. For the National RBP report, the Benchmark Price for the Aggregate of Metropolitan markets included in the index serves as numeraire for each Metropolitan market.

For example, the RBP for a 1-story single family home in Toronto is calculated by dividing the Benchmark Price for a 1-story single family home in Toronto by the Benchmark Price for 1-story single family home for the aggregate of all Metropolitan markets, with the result multiplied by 100.

This approach is used for each Benchmark housing category, and for composite Benchmark home prices. Analogously, this approach is also used in Metropolitan market reports, with the Benchmark price for the overall Metropolitan market serving as the numeraire.

For example, a typical the RBP report for Toronto would include the RBP for a 1-story single family home in an area of interest, calculated as the area's Benchmark Price for a 1-story single family home divided by the Benchmark Price for 1-story single family home for overall Toronto market, with the result multiplied by 100. This enables Benchmark Prices for an area or sub-area to be compared to those in other areas or sub-areas or for the overall Metropolitan market.

In the national RBP report, the Aggregate RBP for each category at every point in time has a value of 100, since its numeraire is equal to its comparator in the numerator. This enables quick identification of the percentage by which Benchmark home prices are above or below the overall market, and easy calculation of the percentage by which Benchmark home prices in a Metropolitan market are above or below other markets.

⁸ While aggregations are normally used as numeraires, the flexibility of the MLS® HPI System enables the use of other Benchmark price numeraires.

Using RBPs rather than Benchmark Prices to compare Prices between and within Metropolitan markets enables quick identification of the percentage by which prices in Metropolitan markets are above the overall market, and ease of calculation for percentage differences in prices between markets.

Example:

RBP: Townhouse/row unit	All Areas	Area A	Area B
Jan 2011	100	136.3	105.8

The general formula for calculating the percentage difference between X & Y is: $(X/Y - 1) * 100$. According to the above table, in January 2011:

- The Benchmark Price of a townhouse in Area A is 36.3% above the Benchmark Price of a townhouse for the overall market -- i.e. $(136.3/100 - 1) * 100 = 36.3\%$.
- The Benchmark Price of a townhouse in Area A is 28.8% above the Benchmark Price of a townhouse in Area B – i.e. $(136.3/105.8 - 1) * 100 = 28.8\%$

In this example, Areas may be defined as Metropolitan markets, with All Areas representing the aggregation of all Metropolitan markets included in the MLS® HPI. Alternatively, Areas may be defined as sub-markets within a Metropolitan market, with All Areas representing the aggregation of all sub-areas within a Metropolitan market.

Index Maintenance

The MLS® HPI System is reviewed annually. The annual review includes re-testing model specifications with a view to potentially strengthening the model. If reviews result in models being re-specified, historical data are revised. Data exclusions are also reviewed and updated as necessary.

Governance

Policy decisions on the use and circulation of MLS® HPI information are the purview of the MLS® HPI Steering Group, which consists of representatives of CREA, Real Estate Boards and Realtor Associations taking part in the MLS® HPI.

HPI Contact Information

For technical enquiries, or enquires about index operations or business development regarding the MLS® HPI, please contact Gregory Klump, CREA's Chief Economist at gklump@crea.ca

For news media enquiries regarding the MLS® HPI, please contact Pierre Leduc, CREA's Media Relations Officer, pleduc@crea.ca.

Disclaimer

Data and reports regarding the MLS® HPI are provided for informational purposes only. Products and information regarding the MLS® HPI are not intended for investment purposes. The information and any statistical data regarding the MLS® HPI are obtained from sources that CREA believes to be reliable, but does not represent that they are accurate or complete. All estimates and opinions expressed by CREA regarding the MLS® HPI constitute judgments as of the date of this report and are subject to change without notice.

© 2011 The Canadian Real Estate Association. All rights reserved. Unauthorized use, distribution, duplication or disclosure without the prior written permission of CREA is prohibited by law and may result in prosecution.

Appendix A

Variables used in the Model

Parking access
Tangible or intangible benefits that increase attractiveness or value
Property is serviced by municipal aqueduct
Property is near a shopping mall
Method of heating
Source of energy for heating
Flooring type
Foundation material
Property is equipped with a fireplace
Garage has two parking spaces
Property is equipped with geothermal energy
Property building is semi-detached
Land size in square feet
Property siding material
Property has undergone major renovations
Only a part of Property is renovated
Property is equipped with a roughed-in fireplace
Basement is finished
Parking lot has a shelter or carport
Garage is located below main floor
Roofing material
Property has a crawlspace
Property has a view of water
Property has a panoramic view
Number of bathrooms
Number of half-bathrooms
Property is in proximity to an elementary school or a high school
Hydro line neighbours Property lot
Property has a view of power lines
Property is in proximity to a train station
Property is in proximity to a church
Property is in proximity to an airport
Property is in proximity to a boulevard
Property is adjacent to a boulevard
Property in proximity to a sports center
Property is in proximity to a railroad
Property is in proximity to a hospital
Property is in proximity to a police station
Property is in proximity to a prison
Property is in proximity to a golf course
Property is in proximity to a park
Property is adjacent to a park
Basement living area in square feet
Time dummy variable month and year
Number of rooms above basement level
Main living area in square feet
Number of rooms at basement level
Age of property

Appendix B

Property Types Considered in MLS® HPI Models

Legend	
	Used by the Board and modeled
	Analysis of its characteristics determines how property is categorized.
	Used by the Board but not included in MLS® HPI models
	Not used by the Board

	Fraser Valley	Greater Vancouver	Greater Montreal	Calgary	Greater Toronto
Benchmark Category					
Two storey single family home					
Two storey single family home (Attached)					
Two storey single family home (Detached)					
1½ Storey					
Two storey /basement					
2½ storey					
3 Level split					
3 Storey					
3½ storey					
4 Storey					
Multi-storey					
4 Level Split					
5 Level Split					
Backsplit 5					
Multi-level					
Sidesplit 5					
House with Acreage - Two or more Storeys					
Country Residence (mult-storey)					
One storey single family home					
One storey single family home (Attached)					
One storey single family home (Detached)					
Bungalow					
Bungalow w/basement					

	Fraser Valley	Greater Vancouver	Greater Montreal	Calgary	Greater Toronto
Bungaloft					
Bungalow - raised					
Country Residence (one-storey)					
1-Storey, basement entry					
1-storey, split entry					
Bi-level					
Split-level					
2-storey split					
3 level split					
Backsplit					
Backsplit ALL					
Backsplit 3					
Backsplit 4					
Frontsplit					
Sidesplit 3					
Sidesplit 4					
Sidesplit All					
House with Acreage - 1 storey					
Rancher					
Rancher w/basement					
Rancher/Bungalow w/loft					
Hillside Bungalow					
Hillside Split					
Townhouse					
Half duplex					
Apartment					
Bachelor/Studio					
Loft					
Stacked Townhouse					
Multi-level					
Condo (Bungalow)					
Condo (2-Storey)					
Condo (3-Storey)					
Semi-det Condo					
Condo Townhouse					
Detached Condo					
Apartment					
Single level apartment					
Multilevel					
Multilevel apartment					
Loft					

	Fraser Valley	Greater Vancouver	Greater Montreal	Calgary	Greater Toronto
Bachelor/Studio					
Stacked Townhouse					
Studio					
Studio Suite					
Penthouse					
Condo					
Phased Condo					
Leasehold Condo					
Det Condo					
Co-Op Apt					
Co-Ownership Apt					
Comm Element Condo					
Condo Apt					
Duplex					
Triplex					
Quadriplex/Fourplex					
Fiveplex					
Other Property Type					
Manufactured					
Manufactured with Land					
Mobile Home					
Floating Home					
Modular Home					
Carriage/Coach House					
Farm					
Recreational					
Rental					
Timeshare					
Vacant lot					
Other					
Unknown					

Appendix C

Benchmark Home Definitions

Benchmark homes are representative of standardized homes for specific sub areas . Their physical characteristics remain fixed over time. Benchmark property attributes are formulated for each sub area for Benchmark housing categories that have a significant presence in a sub-area. Benchmark properties attributes are determined using the median value for each non-binary field (e.g. living area above ground), and the most frequent (i.e. modal) value for each available field that is a binary.

The following describes general characteristics for each Benchmark housing category:

Two-storey single family homes:

A property with two, or more, above ground floors. This type of property is characterized by the distribution of bedrooms on the upper floor and a kitchen, living room and other day-to-day rooms on the main floor. This category includes Property Styles submitted by Participating Boards labeled as: 4 Level Split, 5 Level Split, One-and-a-Half Storey, Two-Storey, Two-and-a-Half Storey, and Three-Storey.

One-storey single family homes:

A property with one floor above ground. This type of property is characterized by the bedrooms, kitchen and dining rooms being on the same floor; the utility room and laundry room are generally located below ground. Special attention is made to raised bungalows, where the basement is partially above ground and where the room distribution provides criteria for its assignment to the appropriate Benchmark housing category. This includes Property Styles submitted by participating Real Estate Boards labeled as: Back Split, Bi-Level, Bungalow, Hillside Bungalow, Hillside Split, 2 Storey Split and 3 Level Split.

Townhouse/row units:

Townhouses have configurations which lay between apartment units and freehold non strata buildings, such as bungalows and two-storey houses. Owners typically pay co-ownership fees for maintenance and enjoy exclusive access to a part of the lot. This category includes Property Styles submitted by Participating Boards labeled as any of the submitted Styles, with a note that the property is a Townhouse.

Apartment units:

Apartment units are characterized by being part of a multi-unit building. Occupants of apartment units may or may not have direct access to the lot from their units. There are also no parts of the lot whereby access is reserved for only one of the co-owners or apartment occupants. This category includes Property Styles submitted by Participating Boards labeled as: Single Level Apartment, Multi-Level Apartment, Loft, Penthouse and Studio Suite.