

AUXILIARY TUBULAR DEADBOLT & DEADLOCK ENTRY SETS

CONTENTS

This section contains complete auxiliary deadbolt/deadlock sets and trim only auxiliary deadbolt/deadlock sets. Complete sets include bronze trim, tubular deadbolt/deadlock, cylinder(s), fasteners and installation instructions. All complete auxiliary deadbolt/deadlock set part numbers begin with CS. Trim only sets include bronze trim, fasteners, and installation instructions. No locks or cylinder(s) are included. All trim only auxiliary deadbolt/deadlock set part numbers begin with TS. Auxiliary deadbolt/deadlock trim sets can be machined to be compatible with most high quality deadbolts/deadlocks. The manufacturer, model number of lock and cylinder type must be specified when ordering trim only auxiliary deadbolt/deadlock sets.

TABLE OF CONTENTS

Privacy Indicators

Privacy Indicator Sets Page 8-3

Deadbolt Sets

Bevel Edge Auxiliary Tubular Deadbolt Sets	Pages 8-4 – 8-11
Arch Auxiliary Tubular Deadbolt Sets	Pages 8-12 – 8-13
Contemporary Auxiliary Tubular Deadbolt Sets	Pages 8-14 – 8-18
Ridge Auxiliary Tubular Deadbolt Sets	Page 8-19
Hampton Auxiliary Tubular Deadbolt Sets	Page 8-20
Trellis Auxiliary Tubular Deadbolt Sets	Page 8-21
Corrugated Auxiliary Tubular Deadbolt Sets	Page 8-22
Bandbox Auxiliary Tubular Deadbolt Sets	Page 8-23
Corduroy Auxiliary Tubular Deadbolt Sets	Page 8-24
Mesa Auxiliary Tubular Deadbolt Sets	Page 8-25
Burlap Auxiliary Tubular Deadbolt Sets	Page 8-26
Teton Auxiliary Tubular Deadbolt Sets	Page 8-27


continued on next page

ORDERING INSTRUCTIONS:

Complete Sets and Trim Sets: See Ordering Instructions in Binder 1/ Dealer Information.

Custom Sets: See Custom Ordering Instructions in Binder 1/ Dealer Information.

DOOR HANDING GUIDE:



AUXILIARY TUBULAR DEADBOLT & DEADLOCK ENTRY SETS

Bluetooth Smart Deadbolt Sets

Bevel Edge Auxiliary Bluetooth Smart Deadbolt Sets	Pages 8-28 – 8-29
Arch Auxiliary Bluetooth Smart Deadbolt Sets	Page 8-30
Contemporary Auxiliary Bluetooth Smart Deadbolt Sets	Pages 8-31 – 8-32


Deadlock Sets

Bevel Edge Auxiliary Deadlock Sets	Pages 8-33 – 8-38
Arch Auxiliary Deadlock Sets	Pages 8-39 – 8-40
Contemporary Auxiliary Deadlock Sets	Pages 8-41 – 8-49
Ridge Auxiliary Deadlock Sets	Page 8-50
Hampton Auxiliary Deadlock Sets	Page 8-51
Trellis Auxiliary Deadlock Sets	Page 8-52
Corrugated Auxiliary Deadlock Sets	Page 8-53
Bandbox Auxiliary Deadlock Sets	Page 8-54
Corduroy Auxiliary Deadlock Sets	Page 8-55
Minimalist Auxiliary Deadlock Sets	Refer to Section 34, Page 34-9
Mesa Auxiliary Deadlock Sets	Page 8-56
Burlap Auxiliary Deadlock Sets	Page 8-57
Gem Auxiliary Deadlock Sets	Page 8-58
Teton Auxiliary Deadlock Sets	Page 8-59
Eased Edge Auxiliary Deadlock Sets	Page 8-60




I-925 - I-926 PRIVACY INDICATOR AUXILIARY MORTISE BOLT SETS


Illustrations are for demonstration purposes only.




CS-I-925MB
– Complete vacant-occupied indicator set w/mortise bolt.
OR
TS-I-925MB
– Trim set only. No latch.



CS-I-RP925MB
– Complete vacant-occupied indicator set w/mortise bolt.
OR
TS-I-RP926MB
– Trim set only. No latch.



CS-I-926MB
– Complete vacant-occupied indicator set w/mortise bolt.
OR
TS-I-926MB
– Trim set only. No latch.



CS-I-RP926MB
– Complete vacant-occupied indicator set w/mortise bolt.
OR
TS-I-RP926MB
– Trim set only. No latch.

Complete sets with tubular mortise bolt.

CS-I-925MB	2.250" Square privacy indicator bolt. I-925MB (ext) I-925MB-TPC (int)
CS-I-RP925MB	2.250" Round privacy indicator bolt. I-925MB (ext) I-925MB-TPC (int)
CS-I-926MB	2.500" Square privacy indicator bolt. I-926MB (ext) I-926MB-TPC (int)
CS-I-RP926MB	2.500" Round privacy indicator bolt. I-RP926MB (ext) I-RP926MB-TPC (int)

2.375" or 2.750" backset standard. Please specify.

Trim sets with tubular mortise bolt. No mortise bolt included.

TS-I-925MB	2.250" Square privacy indicator bolt. I-925MB (ext) I-925MB-TPC (int)
TS-I-RP925MB	2.250" Round privacy indicator bolt. I-925MB (ext) I-925MB-TPC (int)
TS-I-926MB	2.500" Square privacy indicator bolt. I-926MB (ext) I-926MB-TPC (int)
TS-I-RP926MB	2.500" Round privacy indicator bolt. I-RP926MB (ext) I-RP926MB-TPC (int)


Specify manufacturer of mortise bolt to be used.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




500/501 BEVEL EDGE AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-500/501DB
- Complete set with deadbolt and cylinder.
 - Single cylinder.
 - 1.625" or 2.125" bore.
- OR
- TS-500/501DB
- Trim set only. No lock.



- CS-500DB-DC
- Complete set with deadbolt and cylinders.
 - Double cylinder.
 - 1.625" or 2.125" bore.
- OR
- TS-500DB-DC
- Trim set only. No lock.



- CS-501DB-PF
- Complete set with deadbolt.
 - Patio function.
 - 1.250" bore.
- OR
- TS-501DB-PF
- Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-500/501DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-500 (ext) DB-501TPC (int)
CS-500DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-500 (ext) DB-500 (int)
CS-501DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-501TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-500/501DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-500 (ext) DB-501TPC (int)
TS-500DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-500 (ext) DB-500 (int)
TS-501DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-501TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




502/503 BEVEL EDGE AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-502/503DB**
 – Complete set with deadbolt and cylinder.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-502/503DB
 – Trim set only. No lock.



- CS-502DB-DC**
 – Complete set with deadbolt and cylinders.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-502DB-DC
 – Trim set only. No lock.



- CS-503DB-PF**
 – Complete set with deadbolt.
 – Patio function.
 – 1.250" bore.
 OR
TS-503DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-502/503DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-502 (ext) DB-503TPC (int)
CS-502DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-502 (ext) DB-502 (int)
CS-503DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-503TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-502/503DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-502 (ext) DB-503TPC (int)
TS-502DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-502 (ext) DB-502 (int)
TS-503DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-503TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




504/507 BEVEL EDGE AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-504/507DB**
 – Complete set with deadbolt and cylinder.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-504/507DB
 – Trim set only. No lock.



- CS-504DB-DC**
 – Complete set with deadbolt and cylinders.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-504DB-DC
 – Trim set only. No lock.



- CS-507DB-PF**
 – Complete set with deadbolt.
 – Patio function.
 – 1.250" bore.
 OR
TS-507DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-504/507DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-504 (ext) DB-507TPC (int)
CS-504DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-504 (ext) DB-504 (int)
CS-507DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-507TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

DB-504 cylinder collar is 0.500" thick.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-504/507DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-504 (ext) DB-507TPC (int)
TS-504DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-504 (ext) DB-504 (int)
TS-507DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-507TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.


DB-504 cylinder collar is 0.500" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




505/507 BEVEL EDGE AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-505/507DB
 – Complete set with deadbolt and cylinder.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
 TS-505/507DB
 – Trim set only. No lock.



- CS-505DB-DC
 – Complete set with deadbolt and cylinders.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
 TS-505DB-DC
 – Trim set only. No lock.



- CS-507DB-PF
 – Complete set with deadbolt.
 – Patio function.
 – 1.250" bore.
 OR
 TS-507DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-505/507DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-505 (ext) DB-507TPC (int)
CS-505DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-505 (ext) DB-505 (int)
CS-507DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-507TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

DB-505 cylinder collar is 1.000" thick.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-505/507DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-505 (ext) DB-507TPC (int)
TS-505DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-505 (ext) DB-505 (int)
TS-507DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-507TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.


DB-505 cylinder collar is 1.000" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




506/503 BEVEL EDGE AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-506/503DB**
 – Complete set with deadbolt and cylinder.
 – Single cylinder.
 – 1.625" bore.
 OR
TS-506/503DB
 – Trim set only. No lock.



- CS-506DB-DC**
 – Complete set with deadbolt and cylinders.
 – Double cylinder.
 – 1.625" bore.
 OR
TS-506DB-DC
 – Trim set only. No lock.



- CS-503DB-PF**
 – Complete set with deadbolt.
 – Patio function.
 – 1.250" bore.
 OR
TS-503DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-506/503DB	Single cylinder auxiliary deadbolt set. 1.625" bore. DB-506 (ext) DB-503TPC (int)
CS-506DB-DC	Double cylinder auxiliary deadbolt set. 1.625" bore. DB-506 (ext) DB-506 (int)
CS-503DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-503TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-506/503DB	Single cylinder auxiliary deadbolt set. 1.625" bore. DB-506 (ext) DB-503TPC (int)
TS-506DB-DC	Double cylinder auxiliary deadbolt set. 1.625" bore. DB-506 (ext) DB-506 (int)
TS-503DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-503TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




506/507 BEVEL EDGE AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



CS-506/507DB
 – Complete set with deadbolt and cylinder.
 – Single cylinder.
 – 1.625" bore.
 OR
 TS-506/507DB
 – Trim set only. No lock.



CS-506DB-DC
 – Complete set with deadbolt and cylinders.
 – Double cylinder.
 – 1.625" bore.
 OR
 TS-506DB-DC
 – Trim set only. No lock.



CS-507DB-PF
 – Complete set with deadbolt.
 – Patio function.
 – 1.250" bore.
 OR
 TS-507DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-506/507DB	Single cylinder auxiliary deadbolt set. 1.625" bore. DB-506 (ext) DB-507TPC (int)
CS-506DB-DC	Double cylinder auxiliary deadbolt set. 1.625" bore. DB-506 (ext) DB-506 (int)
CS-507DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-507TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-506/507DB	Single cylinder auxiliary deadbolt set. 1.625" bore. DB-506 (ext) DB-507TPC (int)
TS-506DB-DC	Double cylinder auxiliary deadbolt set. 1.625" bore. DB-506 (ext) DB-506 (int)
TS-507DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-507TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




509/510 BEVEL EDGE AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



CS-509/510DB
 – Complete set with deadbolt and cylinder.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-509/510DB
 – Trim set only. No lock.



CS-509DB-DC
 – Complete set with deadbolt and cylinders.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-509DB-DC
 – Trim set only. No lock.



CS-510DB-PF
 – Complete set with deadbolt.
 – Patio function.
 – 1.625" bore.
 OR
TS-510DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-509/510DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-509 (ext) DB-510TPC (int)
CS-509DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-509 (ext) DB-509 (int)
CS-510DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-510TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-509/510DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-509 (ext) DB-510TPC (int)
TS-509DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-509 (ext) DB-509 (int)
TS-510DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-510TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




509R/510 BEVEL EDGE AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-509R/510DB**
 – Complete set with deadbolt and cylinder.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-509R/510DB
 – Trim set only. No lock.



- CS-509R-DB-DC**
 – Complete set with deadbolt and cylinders.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-509R-DB-DC
 – Trim set only. No lock.



- CS-510DB-PF**
 – Complete set with deadbolt.
 – Patio function.
 – 1.625" bore.
 OR
TS-510DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-509R/510DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-509R (ext) DB-510TPC (int)
CS-509R-DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-509R (ext) DB-509R (int)
CS-510DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-510TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-509R/510DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-509R (ext) DB-510TPC (int)
TS-509R-DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-509R (ext) DB-509R (int)
TS-510DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-510TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




A402/A403 ARCH AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-A402/A403DB**
 – Complete set with deadbolt and cylinder.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-A402/A403DB
 – Trim set only. No lock.



- CS-A402DB-DC**
 – Complete set with deadbolt and cylinders.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-A402DB-DC
 – Trim set only. No lock.



- CS-A403DB-PF**
 – Complete set with deadbolt.
 – Patio function.
 – 1.250" bore.
 OR
TS-A403DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-A402/A403DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-A402 (ext) DB-A403TPC (int)
CS-A402DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-A402 (ext) DB-A402 (int)
CS-A403DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-A403TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-A402/A403DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-A402 (ext) DB-A403TPC (int)
TS-A402DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-A402 (ext) DB-A402 (int)
TS-A403DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-A403TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




A509/A510 ARCH AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-A509/A510DB**
 – Complete set with deadbolt and cylinder.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-A509/A510DB
 – Trim set only. No lock.



- CS-A509DB-DC**
 – Complete set with deadbolt and cylinders.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-A509DB-DC
 – Trim set only. No lock.



- CS-A510DB-PF**
 – Complete set with deadbolt.
 – Patio function.
 – 1.625" bore.
 OR
TS-A510DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-A509/A510DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-A509 (ext) DB-A510TPC (int)
CS-A509DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-A509 (ext) DB-A509 (int)
CS-A510DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-A510TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-A509/A510DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-A509 (ext) DB-A510TPC (int)
TS-A509DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-A509 (ext) DB-A509 (int)
TS-A510DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-A510TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




9502/9503 CONTEMPORARY AUXILIARY TUBULAR DEADBOLT ENTRY SETS

Illustrations are for demonstration purposes only.


SUN VALLEY BRONZE



- CS-9502/9503DB
– Complete set with deadbolt and cylinder.
– Single cylinder.
– 1.625" or 2.125" bore.
OR
TS-9502/9503DB
– Trim set only. No lock.



- CS-9502DB-DC
– Complete set with deadbolt and cylinders.
– Double cylinder.
– 1.625" or 2.125" bore.
OR
TS-9502DB-DC
– Trim set only. No lock.



- CS-9503DB-PF
– Complete set with deadbolt.
– Patio function.
– 1.250" bore.
OR
TS-9503DB-PF
– Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-9502/9503DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9502 (ext) DB-9503TPC (int)
CS-9502DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9502 (ext) DB-9502 (int)
CS-9503DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-9503TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-9502/9503DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9502 (ext) DB-9503TPC (int)
TS-9502DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9502 (ext) DB-9502 (int)
TS-9503DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-9503TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




9504/9507 CONTEMPORARY AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-9504/9507DB
- Complete set with deadbolt and cylinder.
 - Single cylinder.
 - 1.625" or 2.125" bore.
- OR
- TS-9504/9507DB
- Trim set only. No lock.



- CS-9504DB-DC
- Complete set with deadbolt and cylinders.
 - Double cylinder.
 - 1.625" or 2.125" bore.
- OR
- TS-9504DB-DC
- Trim set only. No lock.



- CS-9507DB-PF
- Complete set with deadbolt.
 - Patio function.
 - 1.250" bore.
- OR
- TS-9507DB-PF
- Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-9504/9507DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9504 (ext) DB-9507TPC (int)
CS-9504DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9504 (ext) DB-9504 (int)
CS-9507DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-9507TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-9504/9507DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9504 (ext) DB-9507TPC (int)
TS-9504DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9504 (ext) DB-9504 (int)
TS-9507DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-9507TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




9504KC/9507 CONTEMPORARY AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-9504KC/9507DB
 – Complete set with deadbolt and cylinder.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 – Shown w/KC-1718 (1.975" dia).
 OR
 TS-9504KC/9507DB
 – Trim set only. No lock.



- CS-9504KC-DB-DC
 – Complete set with deadbolt and cylinders.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 – Shown w/KC-1718 (1.975" dia).
 OR
 TS-9504KC-DB-DC
 – Trim set only. No lock.



- CS-9507DB-PF
 – Complete set with deadbolt.
 – Patio function.
 – 1.250" bore.
 OR
 TS-9507DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-9504KC/9507DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9504KC (ext) DB-9507TPC (int)
CS-9504KC-DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9504KC (ext) DB-9504KC (int)
CS-9507DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-9507TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-9504KC/9507DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9504KC (ext) DB-9507TPC (int)
TS-9504KC-DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9504KC (ext) DB-9504KC (int)
TS-9507DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-9507TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




9509/9510 CONTEMPORARY AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-9509/9510DB
- Complete set with deadbolt and cylinder.
 - Single cylinder.
 - 1.625" or 2.125" bore.
- OR
- TS-9509/9510DB
- Trim set only. No lock.



- CS-9509DB-DC
- Complete set with deadbolt and cylinders.
 - Double cylinder.
 - 1.625" or 2.125" bore.
- OR
- TS-9509DB-DC
- Trim set only. No lock.



- CS-9510DB-PF
- Complete set with deadbolt.
 - Patio function.
 - 1.625" bore.
- OR
- TS-9510DB-PF
- Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-9509/9510DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9509 (ext) DB-9510TPC (int)
CS-9509DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9509 (ext) DB-9509 (int)
CS-9510DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-9510TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-9509/9510DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9509 (ext) DB-9510TPC (int)
TS-9509DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9509 (ext) DB-9509 (int)
TS-9510DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-9510TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




SUN VALLEY BRONZE

9511/9512 CONTEMPORARY AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-9511/9512DB
 – Complete set with deadbolt and cylinder.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
 TS-9511/9512DB
 – Trim set only. No lock.



- CS-9511DB-DC
 – Complete set with deadbolt and cylinders.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
 TS-9511DB-DC
 – Trim set only. No lock.



- CS-9512DB-PF
 – Complete set with deadbolt.
 – Patio function.
 – 1.625" bore.
 OR
 TS-9512DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-9511/9512DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9511 (ext) DB-9512TPC (int)
CS-9511DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9511 (ext) DB-9511 (int)
CS-9512DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-9512TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-9511/9512DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9511 (ext) DB-9512TPC (int)
TS-9511DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-9511 (ext) DB-9511 (int)
TS-9512DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-9512TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




511/512 RIDGE AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



CS-511/512DB
 – Complete set with deadbolt and cylinder shown w/KC-300 and TPC-306.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-511/512DB
 – Trim set only. No lock.



CS-511DB-DC
 – Complete set with deadbolt and cylinders shown w/KC-300.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-511DB-DC
 – Trim set only. No lock.



CS-512DB-PF
 – Complete set with deadbolt shown w/TPC-306.
 – Patio function.
 – 1.625" bore.
 OR
TS-512DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-511/512DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-511 (ext) DB-512TPC (int)
CS-511DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-511 (ext) DB-511 (int)
CS-512DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-512TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-511/512DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-511 (ext) DB-512TPC (int)
TS-511DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-511 (ext) DB-511 (int)
TS-512DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-512TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




515/516 HAMPTON AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



CS-515/516DB
 – Complete set with deadbolt and cylinder.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-515/516DB
 – Trim set only. No lock.



CS-515DB-DC
 – Complete set with deadbolt and cylinders.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-515DB-DC
 – Trim set only. No lock.



CS-516DB-PF
 – Complete set with deadbolt.
 – Patio function.
 – 1.625" bore.
 OR
TS-516DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-515/516DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-515 (ext) DB-516TPC (int)
CS-515DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-515 (ext) DB-515 (int)
CS-516DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-516TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-515/516DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-515 (ext) DB-516TPC (int)
TS-515DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-515 (ext) DB-515 (int)
TS-516DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-516TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




521/522 TRELLIS AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-521/522DB**
 – Complete set with deadbolt and cylinder.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-521/522DB
 – Trim set only. No lock.



- CS-521DB-DC**
 – Complete set with deadbolt and cylinders.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-521DB-DC
 – Trim set only. No lock.



- CS-522DB-PF**
 – Complete set with deadbolt.
 – Patio function.
 – 1.625" bore.
 OR
TS-522DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-521/522DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-521 (ext) DB-522TPC (int)
CS-521DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-521 (ext) DB-521 (int)
CS-522DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-522TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-521/522DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-521 (ext) DB-522TPC (int)
TS-521DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-521 (ext) DB-521 (int)
TS-522DB-PF	Patio function auxiliary deadbolt set. 1.250" bore ONLY. DB-522TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




513/514 CORRUGATED AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



CS-513/514DB
– Complete set with deadbolt and cylinder.
– Single cylinder.
– 1.625" or 2.125" bore.
OR
TS-513/514DB
– Trim set only. No lock.



CS-513DB-DC
– Complete set with deadbolt and cylinders.
– Double cylinder.
– 1.625" or 2.125" bore.
OR
TS-513DB-DC
– Trim set only. No lock.



CS-514DB-PF
– Complete set with deadbolt.
– Patio function.
– 1.625" bore.
OR
TS-514DB-PF
– Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-513/514DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-513 (ext) DB-514TPC (int)
CS-513DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-513 (ext) DB-513 (int)
CS-514DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-514TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-513/514DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-513 (ext) DB-514TPC (int)
TS-513DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-513 (ext) DB-513 (int)
TS-514DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-514TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




517/518 BANDBOX AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-517/518DB**
 – Complete set with deadbolt and cylinder.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-517/518DB
 – Trim set only. No lock.



- CS-517DB-DC**
 – Complete set with deadbolt and cylinders.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-517DB-DC
 – Trim set only. No lock.



- CS-518DB-PF**
 – Complete set with deadbolt.
 – Patio function.
 – 1.625" bore.
 OR
TS-518DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-517/518DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-517 (ext) DB-518TPC (int)
CS-517DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-517 (ext) DB-517 (int)
CS-518DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-518TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-517/518DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-517 (ext) DB-518TPC (int)
TS-517DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-517 (ext) DB-517 (int)
TS-518DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-518TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




519/520 CORDUROY AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-519/520DB**
 – Complete set with deadbolt and cylinder shown w/ KC-700.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-519/520DB
 – Trim set only. No lock.



- CS-519DB-DC**
 – Complete set with deadbolt and cylinders shown w/ KC-1900.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-519DB-DC
 – Trim set only. No lock.



- CS-520DB-PF**
 – Complete set with deadbolt.
 – Patio function.
 – 1.625" bore.
 OR
TS-520DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-519/520DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-519 (ext) DB-520TPC (int)
CS-519DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-519 (ext) DB-519 (int)
CS-520DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-520TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

****Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.**

Note: Please specify key cover.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-519/520DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-519 (ext) DB-520TPC (int)
TS-519DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-519 (ext) DB-519 (int)
TS-520DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-520TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.


Note: Please specify key cover.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




523/524 MESA AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-523/524DB**
 – Complete set with deadbolt and cylinder.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-523/524DB
 – Trim set only. No lock.



- CS-523DB-DC**
 – Complete set with deadbolt and cylinders.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-523DB-DC
 – Trim set only. No lock.



- CS-524DB-PF**
 – Complete set with deadbolt.
 – Patio function.
 – 1.625" bore.
 OR
TS-524DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-523/524DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-523(ext) DB-524TPC (int)
CS-523DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-523 (ext) DB-523 (int)
CS-524DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-524TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-523/524DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-523 (ext) DB-524TPC (int)
TS-523DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-523 (ext) DB-523 (int)
TS-524DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-524TPC (int)

Specify manufacturer and function of lock to be used.


1.375" Minimum door thickness.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




525/526 BURLAP AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-525/526DB**
 – Complete set with deadbolt and cylinder shown w/KC-2200.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-525/526DB
 – Trim set only. No lock.



- CS-525DB-DC**
 – Complete set with deadbolt and cylinders shown w/KC-2200.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
TS-525DB-DC
 – Trim set only. No lock.



- CS-526DB-PF**
 – Complete set with deadbolt.
 – Patio function.
 – 1.625" bore.
 OR
TS-526DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-525/526DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-525 (ext) DB-526TPC (int)
CS-525DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-525 (ext) DB-525 (int)
CS-526DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-526TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Note: Please specify key cover.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-525/526DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-525 (ext) DB-526TPC (int)
TS-525DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-525 (ext) DB-525 (int)
TS-526DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-526TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.


Note: Please specify key cover.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




529/530 TETON AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-529/530DB
- Complete set with deadbolt and cylinder.
 - Single cylinder.
 - 1.625" or 2.125" bore.
- OR
- TS-529/530DB
- Trim set only. No lock.



- CS-529DB-DC
- Complete set with deadbolt and cylinders.
 - Double cylinder.
 - 1.625" or 2.125" bore.
- OR
- TS-529DB-DC
- Trim set only. No lock.



- CS-530DB-PF
- Complete set with deadbolt.
 - Patio function.
 - 1.625" bore.
- OR
- TS-530DB-PF
- Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-529/530DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-529 (ext) DB-530TPC (int)
CS-529DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-529 (ext) DB-529 (int)
CS-530DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-530TPC (int)

Baldwin 8208 Series deadbolt 2.375" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

Double cylinder deadbolts NOT available for doors over 2.250" thick.

**Upcharge for doors over 2.688". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-529/530DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-529 (ext) DB-530TPC (int)
TS-529DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-529 (ext) DB-529 (int)
TS-530DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-530TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.

SUN VALLEY BRONZE



LB500/501 BEVEL EDGE Bluetooth SMART DEADBOLT ENTRY SETS

Illustrations are for demonstration purposes only.



CS-LB500/501DB
– Complete set with deadbolt cylinder.
– Single cylinder.
OR
TS-LB500/501DB
– Trim set only. No lock.

Complete sets with deadbolt cylinder(s). Bluetooth smart deadbolt latch provided by other.

CS-LB500/501DB

Single cylinder auxiliary deadbolt set. Includes Baldwin deadbolt cylinder. DB-LB500 (ext) DB-501TPC (int)

Baldwin 8208 Series deadbolt cylinder.

1.750" Minimum door thickness.

Requires 2.125" bore.

DB-LB500 trim 1.000" thick.

**Upcharge for doors over 2.688".

Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-LB500/501DB

Single cylinder auxiliary deadbolt set. Requires 2.125" bore. DB-LB500 (ext) DB-501TPC (int)

Sun Valley Bronze LB Series deadbolt trim is compatible with the Level Bolt® smart lock deadbolt.

Level Bolt® is purchased by the showroom or the customer.


Sun Valley Bronze provides trim only or trim with Baldwin deadbolt cylinder.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



LB509/510 BEVEL EDGE Bluetooth SMART DEADBOLT ENTRY SETS

Illustrations are for demonstration purposes only.



CS-LB509/510DB
– Complete set with deadbolt cylinder.
– Single cylinder.
OR
TS-LB509/510DB
– Trim set only. No lock.

Complete sets with deadbolt cylinder(s). Bluetooth smart deadbolt latch provided by other.

CS-LB509/510DB

Single cylinder auxiliary deadbolt set. Includes Baldwin deadbolt cylinder. DB-LB509 (ext) DB-510TPC (int)

Baldwin 8208 Series deadbolt cylinder.

1.750" Minimum door thickness.

Requires 2.125" bore.

DB-LB509 trim 1.000" thick.

**Upcharge for doors over 2.688".

Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-LB509/510DB

Single cylinder auxiliary deadbolt set. Requires 2.125" bore. DB-LB509 (ext) DB-510TPC (int)

Sun Valley Bronze LB Series deadbolt trim is compatible with the Level Bolt® smart lock deadbolt.

Level Bolt® is purchased by the showroom or the customer.


Sun Valley Bronze provides trim only or trim with Baldwin deadbolt cylinder.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



LB-A402/A403 ARCH Bluetooth SMART DEADBOLT ENTRY SETS

Illustrations are for demonstration purposes only.



CS-LB-A402/A403DB
– Complete set with deadbolt cylinder.
– Single cylinder.
OR
TS-LB-A402/A403DB
– Trim set only. No lock.

Complete sets with deadbolt cylinder(s). Bluetooth smart deadbolt latch provided by other.

CS-LB-A402/A403DB

Single cylinder auxiliary deadbolt set. Includes Baldwin deadbolt cylinder.
DB-LB-A402 (ext) DB-A403TPC (int)

Baldwin 8208 Series deadbolt cylinder.

1.750" Minimum door thickness.

Requires 2.125" bore.

DB-LB-A402 trim 1.000" thick.

**Upcharge for doors over 2.688".

Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-LB-A402/A403DB

Single cylinder auxiliary deadbolt set. Requires 2.125" bore. DB-LB-A402 (ext)
DB-A403TPC (int)

Sun Valley Bronze LB Series deadbolt trim is compatible with the Level Bolt® smart lock deadbolt.

Level Bolt® is purchased by the showroom or the customer.


Sun Valley Bronze provides trim only or trim with Baldwin deadbolt cylinder.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



LB9500/9501 CONTEMPORARY Bluetooth SMART DEADBOLT ENTRY SETS

Illustrations are for demonstration purposes only.



- CS-LB9500/9501DB
– Complete set with deadbolt cylinder.
– Single cylinder.
OR
TS-LB9500/9501DB
– Trim set only. No lock.

Complete sets with deadbolt cylinder(s). Bluetooth smart deadbolt latch provided by other.

CS-LB9500/9501DB	Single cylinder auxiliary deadbolt set. Includes Baldwin deadbolt cylinder. DB-LB9500 (ext) DB-9501TPC (int)
------------------	---

Baldwin 8208 Series deadbolt cylinder.

1.750" Minimum door thickness.

Requires 2.125" bore.

DB-LB9500 trim 1.000" thick.

**Upcharge for doors over 2.688".

Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-LB9500/9501DB	Single cylinder auxiliary deadbolt set. Requires 2.125" bore. DB-LB9500 (ext) DB-9501TPC (int)
------------------	---

Sun Valley Bronze LB Series deadbolt trim is compatible with the Level Bolt® smart lock deadbolt.

Level Bolt® is purchased by the showroom or the customer.


Sun Valley Bronze provides trim only or trim with Baldwin deadbolt cylinder.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



LB9511/9512 CONTEMPORARY Bluetooth SMART DEADBOLT ENTRY SETS

Illustrations are for demonstration purposes only.



CS-LB9511/9512DB
– Complete set with deadbolt cylinder.
– Single cylinder.
OR
TS-LB9511/9512DB
– Trim set only. No lock.

Complete sets with deadbolt cylinder(s). Bluetooth smart deadbolt latch provided by other.

CS-LB9511/9512DB

Single cylinder auxiliary deadbolt set. Includes Baldwin deadbolt cylinder.
DB-LB9511 (ext) DB-9512TPC (int)

Baldwin 8208 Series deadbolt cylinder.

1.750" Minimum door thickness.

Requires 2.125" bore.

DB-LB9511 trim 1.000" thick.

**Upcharge for doors over 2.688".

Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-LB9511/9512DB

Single cylinder auxiliary deadbolt set. Requires 2.125" bore. DB-LB9511 (ext)
DB-9512TPC (int)

Sun Valley Bronze LB Series deadbolt trim is compatible with the Level Bolt® smart lock deadbolt.

Level Bolt® is purchased by the showroom or the customer.


Sun Valley Bronze provides trim only or trim with Baldwin deadbolt cylinder.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




503/503 BEVEL EDGE AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-503/503DL
– Complete set with deadlock and cylinder.
– Single cylinder.
OR
TS-503/503DL
– Trim set only. No lock.



CS-503DL-DC
– Complete set with deadlock and cylinders.
– Double cylinder.
OR
TS-503DL-DC
– Trim set only. No lock.



CS-503DL-PF
– Complete set with deadlock.
– Patio function.
OR
TS-503DL-PF
– Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-503/503DL	Single cylinder auxiliary deadlock set. DL-503 (ext) DL-503TPC (int)
CS-503DL-DC	Double cylinder auxiliary deadlock set. DL-503 (ext) DL-503 (int)
CS-503DL-PF	Patio function auxiliary deadlock set. DL-503TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-503/503DL	Single cylinder auxiliary deadlock set. DL-503 (ext) DL-503TPC (int)
TS-503DL-DC	Double cylinder auxiliary deadlock set. DL-503 (ext) DL-503 (int)
TS-503DL-PF	Patio function auxiliary deadlock set. DL-503TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-503 trim 0.250" thick.

Cylinder Collar

CC-503ML-C	Bevel Edge square mortise cylinder collar. (Not shown)
------------	--

Specify mortise cylinder manufacturer.


CC-503ML-C trim 0.250" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




507/507 BEVEL EDGE AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-507/507DL
– Complete set with deadlock and cylinder.
– Single cylinder.
OR
TS-507/507DL
– Trim set only. No lock.



- CS-507DL-DC
– Complete set with deadlock and cylinders.
– Double cylinder.
OR
TS-507DL-DC
– Trim set only. No lock.



- CS-507DL-PF
– Complete set with deadlock.
– Patio function.
OR
TS-507DL-PF
– Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-507/507DL	Single cylinder auxiliary deadlock set. DL-507 (ext) DL-507TPC (int)
CS-507DL-DC	Double cylinder auxiliary deadlock set. DL-507 (ext) DL-507 (int)
CS-507DL-PF	Patio function auxiliary deadlock set. DL-507TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-507/507DL	Single cylinder auxiliary deadlock set. DL-507 (ext) DL-507TPC (int)
TS-507DL-DC	Double cylinder auxiliary deadlock set. DL-507 (ext) DL-507 (int)
TS-507DL-PF	Patio function auxiliary deadlock set. DL-507TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-507 trim 0.250" thick.

Cylinder Collar

CC-507ML-C	Bevel Edge round mortise cylinder collar. (Not shown)
------------	---

Specify mortise cylinder manufacturer.


CC-507ML-C trim 0.250" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




506/503 BEVEL EDGE AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-506/503DL
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
TS-506/503DL
 – Trim set only. No lock.



CS-506DL-DC
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
TS-506DL-DC
 – Trim set only. No lock.



CS-503DL-PF
 – Complete set with deadlock.
 – Patio function.
 OR
TS-503DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-506/503DL	Single cylinder auxiliary deadlock set. DL-506 (ext) DL-503TPC (int)
CS-506DL-DC	Double cylinder auxiliary deadlock set. DL-506 (ext) DL-506 (int)
CS-503DL-PF	Patio function auxiliary deadlock set. DL-503TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-506/503DL	Single cylinder auxiliary deadlock set. DL-506 (ext) DL-503TPC (int)
TS-506DL-DC	Double cylinder auxiliary deadlock set. DL-506 (ext) DL-506 (int)
TS-503DL-PF	Patio function auxiliary deadlock set. DL-503TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-506 trim 0.500" thick.

Cylinder Collar

CC-506ML-C	Teardrop mortise cylinder collar. (Not shown)
------------	---

Specify mortise cylinder manufacturer.


CC-506ML-C trim 0.500" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




506/507 BEVEL EDGE AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-506/507DL**
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
TS-506/507DL
 – Trim set only. No lock.



- CS-506DL-DC**
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
TS-506DL-DC
 – Trim set only. No lock.



- CS-507DL-PF**
 – Complete set with deadlock.
 – Patio function.
 OR
TS-507DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-506/507DL	Single cylinder auxiliary deadlock set. DL-506 (ext) DL-507TPC (int)
CS-506DL-DC	Double cylinder auxiliary deadlock set. DL-506 (ext) DL-506 (int)
CS-507DL-PF	Patio function auxiliary deadlock set. DL-507TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-506/507DL	Single cylinder auxiliary deadlock set. DL-506 (ext) DL-507TPC (int)
TS-506DL-DC	Double cylinder auxiliary deadlock set. DL-506 (ext) DL-506 (int)
TS-507DL-PF	Patio function auxiliary deadlock set. DL-507TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-506 trim 0.500" thick.

Cylinder Collar

CC-506ML-C	Teardrop mortise cylinder collar. (Not shown)
------------	---

Specify mortise cylinder manufacturer.


CC-506ML-C trim 0.500" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




509/510 BEVEL EDGE AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-509/510DL
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
TS-509/510DL
 – Trim set only. No lock.



CS-509DL-DC
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
TS-509DL-DC
 – Trim set only. No lock.



CS-510DL-PF
 – Complete set with deadlock.
 – Patio function.
 OR
TS-510DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-509/510DL	Single cylinder auxiliary deadlock set. DL-509 (ext) DL-510TPC (int)
CS-509DL-DC	Double cylinder auxiliary deadlock set. DL-509 (ext) DL-509 (int)
CS-510DL-PF	Patio function auxiliary deadlock set. DL-510TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-509/510DL	Single cylinder auxiliary deadlock set. DL-509 (ext) DL-510TPC (int)
TS-509DL-DC	Double cylinder auxiliary deadlock set. DL-509 (ext) DL-509 (int)
TS-510DL-PF	Patio function auxiliary deadlock set. DL-510TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-509 trim 0.500" thick.

Cylinder Collar

CC-509ML-C	Bevel Edge mortise cylinder collar. (Not shown)
-------------------	---

Specify mortise cylinder manufacturer.


CC-509ML-C trim 0.500" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




509R/510 BEVEL EDGE AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-509R/510DL
– Complete set with deadlock and cylinder.
– Single cylinder.
OR
TS-509R/510DL
– Trim set only. No lock.



CS-509R-DL-DC
– Complete set with deadlock and cylinders.
– Double cylinder.
OR
TS-509R-DL-DC
– Trim set only. No lock.



CS-510DL-PF
– Complete set with deadlock.
– Patio function.
OR
TS-510DL-PF
– Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-509R/510DL	Single cylinder auxiliary deadlock set. DL-509R (ext) DL-510TPC (int)
CS-509R-DL-DC	Double cylinder auxiliary deadlock set. DL-509R (ext) DL-509R (int)
CS-510DL-PF	Patio function auxiliary deadlock set. DL-510TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-509R/510DL	Single cylinder auxiliary deadlock set. DL-509R (ext) DL-510TPC (int)
TS-509R-DL-DC	Double cylinder auxiliary deadlock set. DL-509R (ext) DL-509R (int)
TS-510DL-PF	Patio function auxiliary deadlock set. DL-510TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-509R trim 0.500" thick.

Cylinder Collar

CC-509R-ML-C	Bevel Edge mortise cylinder collar. (Not shown)
--------------	---

Specify mortise cylinder manufacturer.


CC-509R-ML-C trim 0.500" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




A403/A403 ARCH AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-A403/A403DL**
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
TS-A403/A403DL
 – Trim set only. No lock.



- CS-A403DL-DC**
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
TS-A403DL-DC
 – Trim set only. No lock.



- CS-A403DL-PF**
 – Complete set with deadlock.
 – Patio function.
 OR
TS-A403DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-A403/A403DL	Single cylinder auxiliary deadlock set. DL-A403 (ext) DL-A403TPC (int)
CS-A403DL-DC	Double cylinder auxiliary deadlock set. DL-A403 (ext) DL-A403 (int)
CS-A403DL-PF	Patio function auxiliary deadlock set. DL-A403TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-A403/A403DL	Single cylinder auxiliary deadlock set. DL-A403 (ext) DL-A403TPC (int)
TS-A403DL-DC	Double cylinder auxiliary deadlock set. DL-A403 (ext) DL-A403 (int)
TS-A403DL-PF	Patio function auxiliary deadlock set. DL-A403TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-A403 trim 0.250" thick.

Cylinder Collar

CC-A403ML-C	Arch mortise cylinder collar. (Not shown)
-------------	---

Specify mortise cylinder manufacturer.


CC-A403ML-C trim 0.250" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




A510/A510 ARCH AUXILIARY DEADLOCK ENTRY SETS

Illustrations are for demonstration purposes only.




CS-A510/A510DL

- Complete set with deadlock and cylinder.
- Single cylinder.
- OR
- TS-A510/A510DL
- Trim set only. No lock.



CS-A510DL-DC

- Complete set with deadlock and cylinders.
- Double cylinder.
- OR
- TS-A510DL-DC
- Trim set only. No lock.



CS-A510DL-PF

- Complete set with deadlock.
- Patio function.
- OR
- TS-A510DL-PF
- Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-A510/A510DL	Single cylinder auxiliary deadlock set. DL-A510 (ext) DL-A510TPC (int)
CS-A510DL-DC	Double cylinder auxiliary deadlock set. DL-A510 (ext) DL-A510 (int)
CS-A510DL-PF	Patio function auxiliary deadlock set. DL-A510TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-A510/A510DL	Single cylinder auxiliary deadlock set. DL-A510 (ext) DL-A510TPC (int)
TS-A510DL-DC	Double cylinder auxiliary deadlock set. DL-A510 (ext) DL-A510 (int)
TS-A510DL-PF	Patio function auxiliary deadlock set. DL-A510TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-A510 trim 0.250" thick.

Cylinder Collar

CC-A510ML-C	Arch mortise cylinder collar. (Not shown)
-------------	---

Specify mortise cylinder manufacturer.


CC-A510ML-C trim 0.250" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




CC405/9497 CONTEMPORARY AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-CC405/9497DL
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
TS-CC405/9497DL
 – Trim set only. No lock.



CS-CC405DL-DC
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
TS-CC405DL-DC
 – Trim set only. No lock.



CS-9497DL-PF
 – Complete set with deadlock.
 – Patio function.
 OR
TS-9497DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-CC405/9497DL	Single cylinder auxiliary deadlock set. DL-CC405 (ext) DL-9497TPC (int)
CS-CC405DL-DC	Double cylinder auxiliary deadlock set. DL-CC405 (ext) DL-CC405 (int)
CS-9497DL-PF	Patio function auxiliary deadlock set. DL-9497TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-CC405/9497DL	Single cylinder auxiliary deadlock set. DL-CC405 (ext) DL-9497TPC (int)
TS-CC405DL-DC	Double cylinder auxiliary deadlock set. DL-CC405 (ext) DL-CC405 (int)
TS-9497DL-PF	Patio function auxiliary deadlock set. DL-9497TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-CC405 trim 0.500" thick.

Cylinder Collar

CC-405ML-C	Square mortise cylinder collar. (Not shown)
------------	---

Specify mortise cylinder manufacturer.


CC-405ML-C trim 0.500" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




CC407/9158 CONTEMPORARY AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-CC407/9158DL-NKC
– Complete set with deadlock and cylinder.
– Single cylinder.
OR
TS-CC407/9158DL-NKC
– Trim set only. No lock.



CS-CC407DL-DC
– Complete set with deadlock and cylinders.
– Double cylinder.
OR
TS-CC407DL-DC
– Trim set only. No lock.



CS-9158DL-PF
– Complete set with deadlock.
– Patio function.
OR
TS-9158DL-PF
– Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-CC407/9158DL	Single cylinder auxiliary deadlock set. DL-CC407NKC (ext) DL-9158TPC (int)
CS-CC407DL-DC	Double cylinder auxiliary deadlock set. DL-CC407 (ext) DL-CC407 (int)
CS-9158DL-PF	Patio function auxiliary deadlock set. DL-9158TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-CC407/9158DL	Single cylinder auxiliary deadlock set. DL-CC407NKC (ext) DL-9158TPC (int)
TS-CC407DL-DC	Double cylinder auxiliary deadlock set. DL-CC407 (ext) DL-CC407 (int)
TS-9158DL-PF	Patio function auxiliary deadlock set. DL-9158TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-CC407 trim 0.313" thick.

Cylinder Collar

CC-407ML-C	Rectangular mortise cylinder collar. (Not shown)
------------	--

Specify mortise cylinder manufacturer.


CC-407ML-C trim 0.313" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




CC400/RP9499 CONTEMPORARY AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-CC400/RP9499DL
– Complete set with deadlock and cylinder.
– Single cylinder.
OR
TS-CC400/RP9499DL
– Trim set only. No lock.



CS-CC400DL-DC
– Complete set with deadlock and cylinders.
– Double cylinder.
OR
TS-CC400DL-DC
– Trim set only. No lock.



CS-RP9499DL-PF
– Complete set with deadlock.
– Patio function.
OR
TS-RP9499DL-PF
– Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-CC400/RP9499DL	Single cylinder auxiliary deadlock set. DL-CC400 (ext) DL-RP9499TPC (int)
CS-CC400DL-DC	Double cylinder auxiliary deadlock set. DL-CC400 (ext) DL-CC400 (int)
CS-RP9499DL-PF	Patio function auxiliary deadlock set. DL-RP9499TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-CC400/RP9499DL	Single cylinder auxiliary deadlock set. DL-CC400 (ext) DL-RP9499TPC (int)
TS-CC400DL-DC	Double cylinder auxiliary deadlock set. DL-CC400 (ext) DL-CC400 (int)
TS-RP9499DL-PF	Patio function auxiliary deadlock set. DL-RP9499TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-CC400 trim 0.375" thick.

Cylinder Collar

CC-400ML-C	Round mortise cylinder collar. (Not shown)
------------	--

Specify mortise cylinder manufacturer.


CC-400ML-C trim 0.375" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




CC401/RP9499 CONTEMPORARY AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-CC401/RP9499DL
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
 TS-CC401/RP9499DL
 – Trim set only. No lock.



CS-CC401DL-DC
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
 TS-CC401DL-DC
 – Trim set only. No lock.



CS-RP9499DL-PF
 – Complete set with deadlock.
 – Patio function.
 OR
 TS-RP9499DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-CC401/RP9499DL	Single cylinder auxiliary deadlock set. DL-CC401 (ext) DL-RP9499TPC (int)
CS-CC401DL-DC	Double cylinder auxiliary deadlock set. DL-CC401 (ext) DL-CC401 (int)
CS-RP9499DL-PF	Patio function auxiliary deadlock set. DL-RP9499TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-CC401/RP9499DL	Single cylinder auxiliary deadlock set. DL-CC401 (ext) DL-RP9499TPC (int)
TS-CC401DL-DC	Double cylinder auxiliary deadlock set. DL-CC401 (ext) DL-CC401 (int)
TS-RP9499DL-PF	Patio function auxiliary deadlock set. DL-RP9499TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-CC401 trim 0.500" thick.

Cylinder Collar

CC-401ML-C	Round mortise cylinder collar. (Not shown)
------------	--

Specify mortise cylinder manufacturer.


CC-401ML-C trim 0.500" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




9503/9503 CONTEMPORARY AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-9503/9503DL
– Complete set with deadlock and cylinder.
– Single cylinder.
OR
TS-9503/9503DL
– Trim set only. No lock.



CS-9503DL-DC
– Complete set with deadlock and cylinders.
– Double cylinder.
OR
TS-9503DL-DC
– Trim set only. No lock.



CS-9503DL-PF
– Complete set with deadlock.
– Patio function.
OR
TS-9503DL-PF
– Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-9503/9503DL	Single cylinder auxiliary deadlock set. DL-9503 (ext) DL-9503TPC (int)
CS-9503DL-DC	Double cylinder auxiliary deadlock set. DL-9503 (ext) DL-9503 (int)
CS-9503DL-PF	Patio function auxiliary deadlock set. DL-9503TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-9503/9503DL	Single cylinder auxiliary deadlock set. DL-9503 (ext) DL-9503TPC (int)
TS-9503DL-DC	Double cylinder auxiliary deadlock set. DL-9503 (ext) DL-9503 (int)
TS-9503DL-PF	Patio function auxiliary deadlock set. DL-9503TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-9503 trim 0.375" thick.

Cylinder Collar

CC-9503ML-C	Contemporary square mortise cylinder collar. (Not shown)
-------------	--

Specify mortise cylinder manufacturer.


CC-9503ML-C trim 0.375" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




9507/9507 CONTEMPORARY AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-9507/9507DL
– Complete set with deadlock and cylinder.
– Single cylinder.
OR
TS-9507/9507DL
– Trim set only. No lock.



CS-9507DL-DC
– Complete set with deadlock and cylinders.
– Double cylinder.
OR
TS-9507DL-DC
– Trim set only. No lock.



CS-9507DL-PF
– Complete set with deadlock.
– Patio function.
OR
TS-9507DL-PF
– Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-9507/9507DL	Single cylinder auxiliary deadlock set. DL-9507 (ext) DL-9507TPC (int)
CS-9507DL-DC	Double cylinder auxiliary deadlock set. DL-9507 (ext) DL-9507 (int)
CS-9507DL-PF	Patio function auxiliary deadlock set. DL-9507TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-9507/9507DL	Single cylinder auxiliary deadlock set. DL-9507 (ext) DL-9507TPC (int)
TS-9507DL-DC	Double cylinder auxiliary deadlock set. DL-9507 (ext) DL-9507 (int)
TS-9507DL-PF	Patio function auxiliary deadlock set. DL-9507TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-9507 trim 0.375" thick.

Cylinder Collar

CC-9507ML-C	Contemporary round mortise cylinder collar. (Not shown)
-------------	---

Specify mortise cylinder manufacturer.


CC-9507ML-C trim 0.375" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




9507-KC1718/9507 CONTEMPORARY AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-9507-KC1718/9507DL
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
 TS-9507-KC1718/9507DL
 – Trim set only. No lock.



CS-9507-KC1718DL-DC
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
 TS-9507-KC1718DL-DC
 – Trim set only. No lock.



CS-9507DL-PF
 – Complete set with deadlock.
 – Patio function.
 OR
 TS-9507DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-9507-KC1718/9507DL	Single cylinder auxiliary deadlock set. DL-9507-KC1718 (ext) DL-9507TPC (int)
CS-9507-KC1718DL-DC	Double cylinder auxiliary deadlock set. DL-9507-KC1718 (ext) DL-9507-KC1718 (int)
CS-9507DL-PF	Patio function auxiliary deadlock set. DL-9507TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-9507-KC1718/9507DL	Single cylinder auxiliary deadlock set. DL-9507-KC1718 (ext) DL-9507TPC (int)
TS-9507-KC1718DL-DC	Double cylinder auxiliary deadlock set. DL-9507-KC1718 (ext) DL-9507-KC1718 (int)
TS-9507DL-PF	Patio function auxiliary deadlock set. DL-9507TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-9507 trim 0.375" thick.

Cylinder Collar

CC-9507-KC1718ML-C	Contemporary round mortise cylinder collar w/KC-1718.
--------------------	---

Specify mortise cylinder manufacturer.


CC-9507-KC1718ML-C trim 0.375" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




9510/9510 CONTEMPORARY AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-9510/9510DL
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
 TS-9510/9510DL
 – Trim set only. No lock.



CS-9510DL-DC
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
 TS-9510DL-DC
 – Trim set only. No lock.



CS-9510DL-PF
 – Complete set with deadlock.
 – Patio function.
 OR
 TS-9510DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-9510/9510DL	Single cylinder auxiliary deadlock set. DL-9510 (ext) DL-9510TPC (int)
CS-9510DL-DC	Double cylinder auxiliary deadlock set. DL-9510 (ext) DL-9510 (int)
CS-9510DL-PF	Patio function auxiliary deadlock set. DL-9510TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-9510/9510DL	Single cylinder auxiliary deadlock set. DL-9510 (ext) DL-9510TPC (int)
TS-9510DL-DC	Double cylinder auxiliary deadlock set. DL-9510 (ext) DL-9510 (int)
TS-9510DL-PF	Patio function auxiliary deadlock set. DL-9510TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-9510 trim 0.375" thick.

Cylinder Collar

CC-9510ML-C	Contemporary rectangular mortise cylinder collar. (Not shown)
-------------	---

Specify mortise cylinder manufacturer.


CC-9510ML-C trim 0.375" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




9512/9512 CONTEMPORARY AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-9512/9512DL
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
 TS-9512/9512DL
 – Trim set only. No lock.



CS-9512DL-DC
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
 TS-9512DL-DC
 – Trim set only. No lock.



CS-9512DL-PF
 – Complete set with deadlock.
 – Patio function.
 OR
 TS-9512DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-9512/9512DL	Single cylinder auxiliary deadlock set. DL-9512 (ext) DL-9512TPC (int)
CS-9512DL-DC	Double cylinder auxiliary deadlock set. DL-9512 (ext) DL-9512 (int)
CS-9512DL-PF	Patio function auxiliary deadlock set. DL-9512TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-9512/9512DL	Single cylinder auxiliary deadlock set. DL-9512 (ext) DL-9512TPC (int)
TS-9512DL-DC	Double cylinder auxiliary deadlock set. DL-9512 (ext) DL-9512 (int)
TS-9512DL-PF	Patio function auxiliary deadlock set. DL-9512TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-9512 trim 0.375" thick.

Cylinder Collar

CC-9512ML-C	Contemporary rectangular mortise cylinder collar. (Not shown)
-------------	---

Specify mortise cylinder manufacturer.


CC-9512ML-C trim 0.375" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




511/512 RIDGE AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-511/512DL
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
 TS-511/512DL
 – Trim set only. No lock.



CS-511DL-DC
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
 TS-511DL-DC
 – Trim set only. No lock.



CS-512DL-PF
 – Complete set with deadlock.
 – Patio function.
 OR
 TS-512DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-511/512DL	Single cylinder auxiliary deadlock set. DL-511 (ext) DL-512TPC (int)
CS-511DL-DC	Double cylinder auxiliary deadlock set. DL-511 (ext) DL-511 (int)
CS-512DL-PF	Patio function auxiliary deadlock set. DL-512TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-511/512DL	Single cylinder auxiliary deadlock set. DL-511 (ext) DL-512TPC (int)
TS-511DL-DC	Double cylinder auxiliary deadlock set. DL-511 (ext) DL-511 (int)
TS-512DL-PF	Patio function auxiliary deadlock set. DL-512TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-511 trim 0.875" thick.

Cylinder Collar

CC-511ML-C	Ridge mortise cylinder collar. (Not shown)
------------	--

Specify mortise cylinder manufacturer.


CC-511ML-C trim 0.875" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




515/516 HAMPTON AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-515/516DL
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
 TS-515/516DL
 – Trim set only. No lock.



CS-515DL-DC
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
 TS-515DL-DC
 – Trim set only. No lock.



CS-516DL-PF
 – Complete set with deadlock.
 – Patio function.
 OR
 TS-516DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-515/516DL	Single cylinder auxiliary deadlock set. DL-515 (ext) DL-516TPC (int)
CS-515DL-DC	Double cylinder auxiliary deadlock set. DL-515 (ext) DL-515 (int)
CS-516DL-PF	Patio function auxiliary deadlock set. DL-516TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-515/516DL	Single cylinder auxiliary deadlock set. DL-515 (ext) DL-516TPC (int)
TS-515DL-DC	Double cylinder auxiliary deadlock set. DL-515 (ext) DL-515 (int)
TS-516DL-PF	Patio function auxiliary deadlock set. DL-516TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-515 trim 0.563" thick.

Cylinder Collar

CC-515ML-C	Hampton mortise cylinder collar. (Not shown)
------------	--

Specify mortise cylinder manufacturer.


CC-515ML-C trim 0.563" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




521/522 TRELLIS AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-521/522DL
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
TS-521/522DL
 – Trim set only. No lock.



CS-521DL-DC
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
TS-521DL-DC
 – Trim set only. No lock.



CS-522DL-PF
 – Complete set with deadlock.
 – Patio function.
 OR
TS-522DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-521/522DL	Single cylinder auxiliary deadlock set. DL-521 (ext) DL-522TPC (int)
CS-521DL-DC	Double cylinder auxiliary deadlock set. DL-521 (ext) DL-521 (int)
CS-522DL-PF	Patio function auxiliary deadlock set. DL-522TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-521/522DL	Single cylinder auxiliary deadlock set. DL-521 (ext) DL-522TPC (int)
TS-521DL-DC	Double cylinder auxiliary deadlock set. DL-521 (ext) DL-521 (int)
TS-522DL-PF	Patio function auxiliary deadlock set. DL-522TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-521 trim 0.750" thick.

Cylinder Collar

CC-521ML-C	Trellis mortise cylinder collar. (Not shown)
------------	--

Specify mortise cylinder manufacturer.


CC-521ML-C trim 0.750" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




513/514 CORRUGATED AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-513/514DL
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
 TS-513/514DL
 – Trim set only. No lock.



CS-513DL-DC
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
 TS-513DL-DC
 – Trim set only. No lock.



CS-514DL-PF
 – Complete set with deadlock.
 – Patio function.
 OR
 TS-514DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-513/514DL	Single cylinder auxiliary deadlock set. DL-513 (ext) DL-514TPC (int)
CS-513DL-DC	Double cylinder auxiliary deadlock set. DL-513 (ext) DL-513 (int)
CS-514DL-PF	Patio function auxiliary deadlock set. DL-514TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-513/514DL	Single cylinder auxiliary deadlock set. DL-513 (ext) DL-514TPC (int)
TS-513DL-DC	Double cylinder auxiliary deadlock set. DL-513 (ext) DL-513 (int)
TS-514DL-PF	Patio function auxiliary deadlock set. DL-514TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-513 trim 0.563" thick.

Cylinder Collar

CC-513ML-C	Corrugated mortise cylinder collar. (Not shown)
------------	---

Specify mortise cylinder manufacturer.


CC-513ML-C trim 0.563" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




517/518 BANDBOX AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-517/518DL
– Complete set with deadlock and cylinder.
– Single cylinder.
OR
TS-517/518DL
– Trim set only. No lock.



CS-517DL-DC
– Complete set with deadlock and cylinders.
– Double cylinder.
OR
TS-517DL-DC
– Trim set only. No lock.



CS-518DL-PF
– Complete set with deadlock.
– Patio function.
OR
TS-518DL-PF
– Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-517/518DL	Single cylinder auxiliary deadlock set. DL-517 (ext) DL-518TPC (int)
CS-517DL-DC	Double cylinder auxiliary deadlock set. DL-517 (ext) DL-517 (int)
CS-518DL-PF	Patio function auxiliary deadlock set. DL-518TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-517/518DL	Single cylinder auxiliary deadlock set. DL-517 (ext) DL-518TPC (int)
TS-517DL-DC	Double cylinder auxiliary deadlock set. DL-517 (ext) DL-517 (int)
TS-518DL-PF	Patio function auxiliary deadlock set. DL-518TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-517 trim 0.500" thick.

Cylinder Collar

CC-517ML-C	Bandbox mortise cylinder collar. (Not shown)
------------	--

Specify mortise cylinder manufacturer.


CC-517ML-C trim 0.500" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




520/520 CORDUROY AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-520/520DL**
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 – Shown w/KC-700.
 OR
TS-520/520DL
 – Trim set only. No lock.



- CS-520DL-DC**
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 – Shown w/KC-1900.
 OR
TS-520DL-DC
 – Trim set only. No lock.



- CS-520DL-PF**
 – Complete set with deadlock.
 – Patio function.
 OR
TS-520DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-520/520DL	Single cylinder auxiliary deadlock set. DL-520 (ext) DL-520TPC (int)
CS-520DL-DC	Double cylinder auxiliary deadlock set. DL-520 (ext) DL-520 (int)
CS-520DL-PF	Patio function auxiliary deadlock set. DL-520TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Note: Please specify key cover.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-520/520DL	Single cylinder auxiliary deadlock set. DL-520 (ext) DL-520TPC (int)
TS-520DL-DC	Double cylinder auxiliary deadlock set. DL-520 (ext) DL-520 (int)
TS-520DL-PF	Patio function auxiliary deadlock set. DL-520TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

Note: Please specify key cover.

DL-520 trim 0.375" thick.

Cylinder Collar

CC-520ML-C	Corduroy mortise cylinder collar. (Not shown)
------------	---

Specify mortise cylinder manufacturer.

Note: Please specify key cover.


CC-520ML-C trim 0.375" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




524/524 MESA AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-524/524DL
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
 TS-524/524DL
 – Trim set only. No lock.



CS-524DL-DC
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
 TS-524DL-DC
 – Trim set only. No lock.



CS-524DL-PF
 – Complete set with deadlock.
 – Patio function.
 OR
 TS-524DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-524/524DL	Single cylinder auxiliary deadlock set. DL-524 (ext) DL-524TPC (int)
CS-524DL-DC	Double cylinder auxiliary deadlock set. DL-524 (ext) DL-524 (int)
CS-524DL-PF	Patio function auxiliary deadlock set. DL-524TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-524/524DL	Single cylinder auxiliary deadlock set. DL-524 (ext) DL-524TPC (int)
TS-524DL-DC	Double cylinder auxiliary deadlock set. DL-524 (ext) DL-524 (int)
TS-524DL-PF	Patio function auxiliary deadlock set. DL-524TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-524 trim 0.375" thick.

Cylinder Collar

CC-524ML-C	Mesa mortise cylinder collar. (Not shown)
------------	---

Specify mortise cylinder manufacturer.


CC-524ML-C trim 0.375" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




526/526 BURLAP AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-526/526DL
- Complete set with deadlock and cylinder.
 - Single cylinder.
 - Shown w/KC-2200.
- OR
- TS-526/526DL
- Trim set only. No lock.



- CS-526DL-DC
- Complete set with deadlock and cylinders.
 - Double cylinder.
 - Shown w/KC-2200.
- OR
- TS-526DL-DC
- Trim set only. No lock.



- CS-526DL-PF
- Complete set with deadlock.
 - Patio function.
- OR
- TS-526DL-PF
- Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-526/526DL	Single cylinder auxiliary deadlock set. DL-526 (ext) DL-526TPC (int)
CS-526DL-DC	Double cylinder auxiliary deadlock set. DL-526 (ext) DL-526 (int)
CS-526DL-PF	Patio function auxiliary deadlock set. DL-526TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Note: Please specify key cover.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-526/526DL	Single cylinder auxiliary deadlock set. DL-526 (ext) DL-526TPC (int)
TS-526DL-DC	Double cylinder auxiliary deadlock set. DL-526 (ext) DL-526 (int)
TS-526DL-PF	Patio function auxiliary deadlock set. DL-526TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

Note: Please specify key cover.

DL-526 trim 0.250" thick.

Cylinder Collar

CC-526ML-C	Burlap mortise cylinder collar. (Not shown)
------------	---

Specify mortise cylinder manufacturer.


CC-526ML-C trim 0.250" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




CC404/23158 GEM AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



- CS-CC404/23158DL
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
 TS-CC404/23158DL
 – Trim set only. No lock.



- CS-CC404DL-DC
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
 TS-CC404DL-DC
 – Trim set only. No lock.



- CS-23158DL-PF
 – Complete set with deadlock.
 – Patio function.
 OR
 TS-23158DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-CC404/23158DL	Single cylinder auxiliary deadlock set. DL-CC404 (ext) DL-23158TPC (int)
CS-CC404DL-DC	Double cylinder auxiliary deadlock set. DL-CC404 (ext) DL-CC404 (int)
CS-23158DL-PF	Patio function auxiliary deadlock set. DL-23158TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-CC404/23158DL	Single cylinder auxiliary deadlock set. DL-CC404 (ext) DL-23158TPC (int)
TS-CC404DL-DC	Double cylinder auxiliary deadlock set. DL-CC404 (ext) DL-CC404 (int)
TS-23158DL-PF	Patio function auxiliary deadlock set. DL-23158TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

L-CC404 trim 0.313" thick.

Cylinder Collar

CC-404ML-C	Gem mortise cylinder collar. (Not shown)
------------	--

Specify mortise cylinder manufacturer.


CC-404ML-C trim 0.313" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




529/530 TETON AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-529/530DL
 – Complete set with deadlock and cylinder.
 – Single cylinder.
 OR
 TS-529/530DL
 – Trim set only. No lock.



CS-529DL-DC
 – Complete set with deadlock and cylinders.
 – Double cylinder.
 OR
 TS-529DL-DC
 – Trim set only. No lock.



CS-530DL-PF
 – Complete set with deadlock.
 – Patio function.
 OR
 TS-530DL-PF
 – Trim set only. No lock.

Complete sets with tubular deadlock and cylinder(s).

CS-529/530DL	Single cylinder auxiliary deadlock set. DL-529 (ext) DL-530TPC (int)
CS-529DL-DC	Double cylinder auxiliary deadlock set. DL-529 (ext) DL-529 (int)
CS-530DL-PF	Patio function auxiliary deadlock set. DL-530TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Note: Please specify key cover.

Trim sets with tubular deadlock. No lock or cylinder(s) included.

TS-529/530DL	Single cylinder auxiliary deadlock set. DL-529 (ext) DL-530TPC (int)
TS-529DL-DC	Double cylinder auxiliary deadlock set. DL-529 (ext) DL-529 (int)
TS-530DL-PF	Patio function auxiliary deadlock set. DL-530TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

Note: Please specify key cover.

DL-529 trim 0.625" thick.

Cylinder Collar

CC-529ML-C	Teton mortise cylinder collar. (Not shown)
------------	--

Specify mortise cylinder manufacturer.

Note: Please specify key cover.


CC-529ML-C trim 0.625" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




E225/E225 EASED EDGE AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only.



CS-E225/E225DL
– Complete set with deadlock and cylinder.
– Single cylinder.
OR
TS-E225/E225DL
– Trim set only. No lock.



CS-E225DL-DC
– Complete set with deadlock and cylinders.
– Double cylinder.
OR
TS-E225DL-DC
– Trim set only. No lock.



CS-E225DL-PF
– Complete set with deadlock.
– Patio function.
OR
TS-E225DL-PF
– Trim set only. No lock.

Complete sets with tubular deadlock and cylinder(s).

CS-E225/E225DL	Single cylinder auxiliary deadlock set. DL-E225 (ext) DL-E225TPC (int)
CS-E225DL-DC	Double cylinder auxiliary deadlock set. DL-E225 (ext) DL-E225 (int)
CS-E225DL-PF	Patio function auxiliary deadlock set. DL-E225TPC (int)

Accurate 9500 Series deadlock 2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Note: Please specify key cover.

Trim sets with tubular deadlock. No lock or cylinder(s) included.

TS-E225/E225DL	Single cylinder auxiliary deadlock set. DL-E225 (ext) DL-E225TPC (int)
TS-E225DL-DC	Double cylinder auxiliary deadlock set. DL-E225 (ext) DL-E225 (int)
TS-E225DL-PF	Patio function auxiliary deadlock set. DL-E225TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

Note: Please specify key cover.

DL-E225 trim 0.250" thick.

Cylinder Collar

CC-E225ML-C	Eased Edge mortise cylinder collar. (Not shown)
-------------	---

Specify mortise cylinder manufacturer.

Note: Please specify key cover.

CC-E225ML-C trim 0.250" thick.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.

