

CONTENTS

This section contains bronze trim sets that retrofit onto US cylinder, European profile cylinder, and lift and slide type sliding doors. Complete slider sets include bronze trim, cylinder(s), spindle, fasteners and installation instructions. No locks or strike plates are included. Solid brass strike plates included on door can be refinished. All complete slider retrofit set part numbers begin with CMP. Please include the name of the door manufacturer at time of ordering.

TABLE OF CONTENTS

Sliding Door Handing Guide	Page	11-2
Sliding Door Grip Handles	Page	11-3
Lift & Slide Levers	Pages	11-4 – 11-5
Bevel Edge Profile Cylinder Slider Sets	Pages	11-6 – 11-7
Arch Profile Cylinder Slider Sets	Pages	11-8 – 11-9
Contemporary Profile Cylinder Slider Sets	Pages	11-10 – 11-11
Bevel Edge US Cylinder Slider Sets	Pages	11-12 – 11-14
Arch US Cylinder Slider Sets	Page	11-15
Contemporary US Cylinder Slider Sets	Pages	11-16 – 11-21
Ridge US Cylinder Slider Sets	Page	11-22
Trellis US Cylinder Slider Sets	Page	11-23
Corrugated US Cylinder Slider Sets	Page	11-24
Lift & Slide Retrofit Sets	Pages	11-25 – 11-34
Folding Lift & Slide Sets	Page	11-35
Bi-fold Sliding Door Sets	Pages	11-36 – 11-37
Sliding Door Flush Pull Sets	Pages	11-38 – 11-40

ORDERING INSTRUCTIONS

Complete Sets: See Ordering Instructions in Binder 1/ Dealer Information.

Custom Sets: See Custom Ordering Instructions in Binder 1/ Dealer Information.



SUN VALLEY BRONZE SLIDING DOOR HANDING SPECIFICATION GUIDE

1. Specify the thickness of the door.

2. Specify the door manufacturer.

3. Specify the lock body manufacturer.

4. Exterior gasket uncharges apply.

Yes - No (circle one)

5. Is the turn piece slot vertical, horizontal or 45° in unlocked position?

Ⓐ Ⓑ Ⓒ Ⓓ (circle one)

6. Is the turn piece:

7mm square with vertical or horizontal slot, 1/4" square with vertical or horizontal slot.


7. Is the TPC above GH or center of GH?

Provide accurate measurement of the following: (hole measurements are from center-to-center)

A. TPC to upper through bolt hole center.

B. Screw center-to-center provided.

Does plate cover existing screw locations in door?



Industry Standard
Door Configuration Line Code

XO - Right
OX - Left

OXO - Right
OXO - Left

XOO - Right
OOX - Left


OXXO - Right
OXXO - Left

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




SLIDING DOOR GRIP HANDLES


Illustrations are for demonstration purposes only.




GH-110SL 6.625" Grip handle.




GH-112SL 7.000" Grip handle.



GH-129SL 6.188" Contemporary grip handle.



GH-130SL 7.000" Contemporary grip handle.



GH-131SL 8.188" Contemporary grip handle.


SUN VALLEY BRONZE

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




LIFT & SLIDE LEVERS


Illustrations are for demonstration purposes only. Any lift & slide lever may be used with any lift & slide backplate.




LS-107 Large Hook lift & slide lever.




LS-111 Flat lift & slide lever.




LS-112 Tube lift & slide lever.




LS-113 Alturas lift & slide lever.




LS-115 Square lift & slide lever.




LS-119 Muldoon lift & slide lever.




LS-122 Metro lift & slide lever.




LS-123 Twist lift & slide lever.




LS-125 Flat lift & slide lever.



LS-127 Hailey lift & slide lever.



LS-128 Stanley lift & slide lever.




LS-129 Della lift & slide lever.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




LIFT & SLIDE LEVERS


Illustrations are for demonstration purposes only. Any lift & slide lever may be used with any lift & slide backplate.




LS-130 Ruby lift & slide lever.




LS-143 Harriman lift & slide lever.




LS-151 Alpen lift & slide lever.




LS-155 White Cloud lift & slide lever.




LS-156 Borah lift & slide lever.




LS-160 Pioneer lift & slide lever.



LS-165SQ Pettit lift & slide lever. *
Square hub for use with Novus.



LS-169 Lolo lift & slide lever.



LS-170 Preston lift & slide lever.


SUN VALLEY BRONZE

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




811 BEVEL EDGE PROFILE CYLINDER SLIDING DOOR RETROFIT SETS

Illustrations are for demonstration purposes only. Any standard lever can be combined with any style or size escutcheon plate.




CMP-811SL

- Complete set with keyed profile cylinder, SVB turn piece and spindle.
- Single cylinder.



CMP-811SL-PF

- Complete set with 1/2 profile cylinder, SVB turn piece and spindle.
- Patio function.



CMP-811SL-FD

- Trim set only.
- Full dummy.

Complete sliding door sets with plates, levers, profile cylinder and spindle. No lock included. Shown with 122mm c-to-c spacing.

CMP-811SL Keyed profile cylinder sliding door set.

CMP-811SL-PF Patio function profile cylinder sliding door set.

CMP-811SL-FD Full dummy set.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify lever design.

Re-keying to other cylinders is available.


*Always specify door manufacturer.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




812 BEVEL EDGE PROFILE CYLINDER SLIDING DOOR RETROFIT SETS

Illustrations are for demonstration purposes only. Any standard lever can be combined with any style or size escutcheon plate.




CMP-812SL

- Complete set with keyed profile cylinder, SVB turn piece and spindle.
- Single cylinder.



CMP-812SL-PF

- Complete set with 1/2 profile cylinder, SVB turn piece and spindle.
- Patio function.



CMP-812SL-FD

- Trim set only.
- Full dummy.

Complete sliding door sets with plates, levers, profile cylinder and spindle. No lock included. Shown with 122mm c-to-c spacing.

CMP-812SL Keyed profile cylinder sliding door set.

CMP-812SL-PF Patio function profile cylinder sliding door set.

CMP-812SL-FD Full dummy set.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify lever design.

Re-keying to other cylinders is available.


*Always specify door manufacturer.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




A811 ARCH PROFILE CYLINDER SLIDING DOOR RETROFIT SETS

Illustrations are for demonstration purposes only. Any standard lever can be combined with any style or size escutcheon plate.




CMP-A811SL

- Complete set with keyed profile cylinder, SVB turn piece and spindle.
- Single cylinder.



CMP-A811SL-PF

- Complete set with 1/2 profile cylinder, SVB turn piece and spindle.
- Patio function.



CMP-A811SL-FD

- Trim set only.
- Full dummy.

Complete sliding door sets with plates, levers, profile cylinder and spindle. No lock included. Shown with 122mm c-to-c spacing.

CMP-A811SL	Keyed profile cylinder sliding door set.
CMP-A811SL-PF	Patio function profile cylinder sliding door set.
CMP-A811SL-FD	Full dummy set.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify lever design.

Re-keying to other cylinders is available.


*Always specify door manufacturer.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




A812 ARCH PROFILE CYLINDER SLIDING DOOR RETROFIT SETS

Illustrations are for demonstration purposes only. Any standard lever can be combined with any style or size escutcheon plate.




CMP-A812SL

- Complete set with keyed profile cylinder, SVB turn piece and spindle.
- Single cylinder.



CMP-A812SL-PF

- Complete set with 1/2 profile cylinder, SVB turn piece and spindle.
- Patio function.



CMP-A812SL-FD

- Trim set only.
- Full dummy.

Complete sliding door sets with plates, levers, profile cylinder and spindle. No lock included. Shown with 122mm c-to-c spacing.

CMP-A812SL Keyed profile cylinder sliding door set.

CMP-A812SL-PF Patio function profile cylinder sliding door set.

CMP-A812SL-FD Full dummy set.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify lever design.

Re-keying to other cylinders is available.


*Always specify door manufacturer.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




980 CONTEMPORARY SLIDING DOOR RETROFIT SETS

Illustrations are for demonstration purposes only. Any standard lever can be combined with any style or size escutcheon plate.




CMP-980SL

- Complete set with keyed profile cylinder, SVB turn piece and spindle.
- Single cylinder.



CMP-980SL-PF

- Complete set with 1/2 profile cylinder, SVB turn piece and spindle.
- Patio function.



CMP-980SL-FD

- Trim set only.
- Full dummy.

Complete sliding door sets with plates, levers, profile cylinder and spindle. No lock included. Shown with 122mm c-to-c spacing.

CMP-980SL	Keyed profile cylinder sliding door set.
CMP-980SL-PF	Patio function cylinder sliding door set.
CMP-980SL-FD	Full dummy set.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify lever design.

Re-keying to other cylinders is available.


*Always specify door manufacturer.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




982 CONTEMPORARY SLIDING DOOR RETROFIT SETS

Illustrations are for demonstration purposes only. Any standard lever can be combined with any style or size escutcheon plate.




CMP-982SL

- Complete set with keyed profile cylinder, SVB turn piece and spindle.
- Single cylinder.



CMP-982SL-PF

- Complete set with 1/2 profile cylinder, SVB turn piece and spindle.
- Patio function.



CMP-982SL-FD

- Trim set only.
- Full dummy.

Complete sliding door sets with plates, levers, profile cylinder and spindle. No lock included. Shown with 122mm c-to-c spacing.

CMP-982SL

Keyed profile cylinder sliding door set.

CMP-982SL-PF

Patio function profile cylinder sliding door set.

CMP-982SL-FD

Full dummy set.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify lever design.

Re-keying to other cylinders is available.


*Always specify door manufacturer.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




816 BEVEL EDGE US CYLINDER SLIDING DOOR RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-3 for grip handle options. See Section 4, page 4-5 for turn piece options.




CMP-US-816SL

- Complete set with keyed US cylinder and SVB turn piece.
- Single cylinder.
- Shown with GH-110SL.



CMP-US-816SL-PF

- Complete set with SVB turn piece.
- Patio function.
- Shown with GH-110SL.



CMP-US-816SL-FD

- Trim set only.
- Full dummy.
- Shown with GH-110SL.

Complete sliding door sets with plates, D handles and US cylinder. No lock included.

CMP-US-816SL

Keyed US cylinder sliding door set.

CMP-US-816SL-PF

Patio function US cylinder sliding door set.

CMP-US-816SL-FD

Full dummy set.

Due to the multiple variations of turn piece spacing, orientation and configurations, please review and complete page 11-2 prior to ordering.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify grip handle design.

All cylinders are 5-pin Schlage C keyways.

Re-keying to other cylinders is available.

*Always specify door and lock manufacturer as tailpiece configurations do vary.


ALL SUN VALLEY BRONZE US CYLINDER SLIDING DOOR RETROFIT SETS REQUIRE THAT THE DOOR MUST BE DRILLED FOR THRU-BOLTING ON SITE. SUN VALLEY BRONZE IS NOT RESPONSIBLE FOR DOORS BORED OR DRILLED IMPROPERLY.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



817 BEVEL EDGE US CYLINDER SLIDING DOOR RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-3 for grip handle options. See Section 4, page 4-5 for turn piece options.



Complete sliding door sets with plates, D handles and US cylinder. No lock included.

CMP-US-817SL	Keyed US cylinder sliding door set.
CMP-US-817SL-PF	Patio function US cylinder sliding door set.
CMP-US-817SL-FD	Full dummy set.

Due to the multiple variations of turn piece spacing, orientation and configurations, please review and complete page 11-2 prior to ordering.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify grip handle design.

All cylinders are 5-pin Schlage C keyways.

Re-keying to other cylinders is available.

*Always specify door and lock manufacturer as tailpiece configurations do vary.


ALL SUN VALLEY BRONZE US CYLINDER SLIDING DOOR RETROFIT SETS REQUIRE THAT THE DOOR MUST BE DRILLED FOR THRU-BOLTING ON SITE. SUN VALLEY BRONZE IS NOT RESPONSIBLE FOR DOORS BORED OR DRILLED IMPROPERLY.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




838 BEVEL EDGE US CYLINDER SLIDING DOOR RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-3 for grip handle options. See Section 4, page 4-5 for turn piece options.




CMP-US-838SL

- Complete set with keyed US cylinder and SVB turn piece.
- Single cylinder.
- Shown with GH-110SL.



CMP-US-838SL-PF

- Complete set with SVB turn piece.
- Patio function.
- Shown with GH-110SL.



CMP-US-838SL-FD

- Trim set only.
- Full dummy.
- Shown with GH-110SL.

Complete sliding door sets with plates, D handles and US cylinder. No lock included.

CMP-US-838SL	Keyed US cylinder sliding door set.
CMP-US-838SL-PF	Patio function US cylinder sliding door set.
CMP-US-838SL-FD	Full dummy set.

Due to the multiple variations of turn piece spacing, orientation and configurations, please review and complete page 11-2 prior to ordering.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify grip handle design.

All cylinders are 5-pin Schlage C keyways.

Re-keying to other cylinders is available.

*Always specify door and lock manufacturer as tailpiece configurations do vary.


ALL SUN VALLEY BRONZE US CYLINDER SLIDING DOOR RETROFIT SETS REQUIRE THAT THE DOOR MUST BE DRILLED FOR THRU-BOLTING ON SITE. SUN VALLEY BRONZE IS NOT RESPONSIBLE FOR DOORS BORED OR DRILLED IMPROPERLY.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




A816 ARCH US CYLINDER SLIDING DOOR RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-3 for grip handle options. See Section 4, page 4-5 for turn piece options.




CMP-US-A816SL

- Complete set with keyed US cylinder and SVB turn piece.
- Single cylinder.
- Shown with GH-110SL.



CMP-US-A816SL-PF

- Complete set with SVB turn piece.
- Patio function.
- Shown with GH-110SL.



CMP-US-A816SL-FD

- Trim set only.
- Full dummy.
- Shown with GH-110SL.

Complete sliding door sets with plates, D handles and US cylinder. No lock included.

CMP-US-A816SL	Keyed US cylinder sliding door set.
CMP-US-A816SL-PF	Patio function US cylinder sliding door set.
CMP-US-A816SL-FD	Full dummy set.

Due to the multiple variations of turn piece spacing, orientation and configurations, please review and complete page 11-2 prior to ordering.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify grip handle design.

All cylinders are 5-pin Schlage C keyways.

Re-keying to other cylinders is available.

*Always specify door and lock manufacturer as tailpiece configurations do vary.


ALL SUN VALLEY BRONZE US CYLINDER SLIDING DOOR RETROFIT SETS REQUIRE THAT THE DOOR MUST BE DRILLED FOR THRU-BOLTING ON SITE. SUN VALLEY BRONZE IS NOT RESPONSIBLE FOR DOORS BORED OR DRILLED IMPROPERLY.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




818 CONTEMPORARY US CYLINDER SLIDING DOOR RETROFIT SETS


Illustrations are for demonstration purposes only. See page 11-3 for grip handle options. See Section 4, page 4-5 for turn piece options.



- CMP-US-818SL**
- Complete set with keyed US cylinder and SVB turn piece.
 - Single cylinder.
 - Shown with GH-130SL.



- CMP-US-818SL-PF**
- Complete set with SVB turn piece.
 - Patio function.
 - Shown with GH-130SL.



- CMP-US-818SL-FD**
- Trim set only.
 - Full dummy.
 - Shown with GH-130SL.

Complete sliding door sets with plates, D handles and US cylinder. No lock included.

CMP-US-818SL	Keyed US cylinder sliding door set.
CMP-US-818SL-PF	Patio function US cylinder sliding door set.
CMP-US-818SL-FD	Full dummy set.

Due to the multiple variations of turn piece spacing, orientation and configurations, please review and complete page 11-2 prior to ordering.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify grip handle design.

All cylinders are 5-pin Schlage C keyways.

Re-keying to other cylinders is available.

*Always specify door and lock manufacturer as tailpiece configurations do vary.


ALL SUN VALLEY BRONZE US CYLINDER SLIDING DOOR RETROFIT SETS REQUIRE THAT THE DOOR MUST BE DRILLED FOR THRU-BOLTING ON SITE. SUN VALLEY BRONZE IS NOT RESPONSIBLE FOR DOORS BORED OR DRILLED IMPROPERLY.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




820 CONTEMPORARY US CYLINDER SLIDING DOOR RETROFIT SETS


Illustrations are for demonstration purposes only. See page 11-3 for grip handle options. See Section 4, page 4-5 for turn piece options.



CMP-US-820SL
 - Complete set with keyed US cylinder and SVB turn piece.
 - Single cylinder.
 - Shown with GH-129SL.



CMP-US-820SL-PF
 - Complete set with SVB turn piece.
 - Patio function.
 - Shown with GH-129SL.



CMP-US-820SL-FD
 - Trim set only.
 - Full dummy.
 - Shown with GH-129SL.

Complete sliding door sets with plates, D handles and US cylinder. No lock included.

CMP-US-820SL	Keyed US cylinder sliding door set.
CMP-US-820SL-PF	Patio function US cylinder sliding door set.
CMP-US-820SL-FD	Full dummy set.

Due to the multiple variations of turn piece spacing, orientation and configurations, please review and complete page 11-2 prior to ordering.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify grip handle design.

All cylinders are 5-pin Schlage C keyways.

Re-keying to other cylinders is available.

*Always specify door and lock manufacturer as tailpiece configurations do vary.


ALL SUN VALLEY BRONZE US CYLINDER SLIDING DOOR RETROFIT SETS REQUIRE THAT THE DOOR MUST BE DRILLED FOR THRU-BOLTING ON SITE. SUN VALLEY BRONZE IS NOT RESPONSIBLE FOR DOORS BORED OR DRILLED IMPROPERLY.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




918 CONTEMPORARY US CYLINDER SLIDING DOOR RETROFIT SETS


Illustrations are for demonstration purposes only. See page 11-3 for grip handle options.



CMP-US-918SL
 – Complete set with keyed US cylinder and SVB turn piece.
 – Single cylinder.
 – Shown with GH-130SL.



CMP-US-918SL-PF
 – Complete set with SVB turn piece.
 – Patio function.
 – Shown with GH-130SL.



CMP-US-918SL-FD
 – Trim set only.
 – Full dummy.
 – Shown with GH-130SL.

Complete sliding door sets with plates, D handles and US cylinder. No lock included.

CMP-US-918SL	Contemporary keyed US cylinder entry set.
CMP-US-918SL-PF	Contemporary patio function US cylinder entry set.
CMP-US-918SL-FD	Contemporary full dummy set.

Due to the multiple variations of turn piece spacing, orientation and configurations, please review and complete page 11-2 prior to ordering.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify grip handle design.

All cylinders are 5-pin Schlage C keyways.

Re-keying to other cylinders is available.

*Always specify door and lock manufacturer as tailpiece configurations do vary.

All exterior trim is available with gasket (upcharge applies).

UC-GASKETING


ALL SUN VALLEY BRONZE US CYLINDER SLIDING DOOR RETROFIT SETS REQUIRE THAT THE DOOR MUST BE DRILLED FOR THRU-BOLTING ON SITE. SUN VALLEY BRONZE IS NOT RESPONSIBLE FOR DOORS BORED OR DRILLED IMPROPERLY.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




919 CONTEMPORARY US CYLINDER SLIDING DOOR RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-3 for grip handle options. See Section 4, page 4-5 for turn piece options.




CMP-US-919SL

- Complete set with keyed US cylinder and SVB turn piece.
- Single cylinder.
- Shown with GH-130SL.



CMP-US-919SL-PF

- Complete set with SVB turn piece.
- Patio function.
- Shown with GH-130SL.



CMP-US-919SL-FD

- Trim set only.
- Full dummy.
- Shown with GH-130SL.

Complete sliding door sets with plates, D handles and US cylinder. No lock included.

CMP-US-919SL Keyed US cylinder entry set.

CMP-US-919SL-PF Patio function US cylinder entry set.

CMP-US-919SL-FD Full dummy set.

Due to the multiple variations of turn piece spacing, orientation and configurations, please review and complete page 11-2 prior to ordering.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify grip handle design.

All cylinders are 5-pin Schlage C keyways.

Re-keying to other cylinders is available.

*Always specify door and lock manufacturer as tailpiece configurations do vary.


ALL SUN VALLEY BRONZE US CYLINDER SLIDING DOOR RETROFIT SETS REQUIRE THAT THE DOOR MUST BE DRILLED FOR THRU-BOLTING ON SITE. SUN VALLEY BRONZE IS NOT RESPONSIBLE FOR DOORS BORED OR DRILLED IMPROPERLY.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




986 CONTEMPORARY US CYLINDER SLIDING DOOR RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-3 for grip handle options. See Section 4, page 4-5 for turn piece options.




CMP-US-986SL

- Complete set with keyed US cylinder and SVB turn piece.
- Single cylinder.
- Shown with GH-112SL.



CMP-US-986SL-PF

- Complete set with SVB turn piece.
- Patio function.
- Shown with GH-112SL.



CMP-US-986SL-FD

- Trim set only.
- Full dummy.
- Shown with GH-112SL.

Complete sliding door sets with plates, D handles and US cylinder. No lock included.

CMP-US-986SL Keyed US cylinder sliding door set.

CMP-US-986SL-PF Patio function US cylinder sliding door set.

CMP-US-986SL-FD Full dummy set.

Due to the multiple variations of turn piece spacing, orientation and configurations, please review and complete page 11-2 prior to ordering.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify grip handle design.

All cylinders are 5-pin Schlage C keyways.

Re-keying to other cylinders is available.

*Always specify door and lock manufacturer as tailpiece configurations do vary.


ALL SUN VALLEY BRONZE US CYLINDER SLIDING DOOR RETROFIT SETS REQUIRE THAT THE DOOR MUST BE DRILLED FOR THRU-BOLTING ON SITE. SUN VALLEY BRONZE IS NOT RESPONSIBLE FOR DOORS BORED OR DRILLED IMPROPERLY.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



987 CONTEMPORARY US CYLINDER SLIDING DOOR RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-3 for grip handle options. See Section 4, page 4-5 for turn piece options.



CMP-US-987SL

- Complete set with keyed US cylinder and SVB turn piece.
- Single cylinder.
- Shown with GH-112SL.

CMP-US-987SL-PF

- Complete set with SVB turn piece.
- Patio function.
- Shown with GH-112SL.

CMP-US-987SL-FD

- Trim set only.
- Full dummy.
- Shown with GH-112SL.

Complete sliding door sets with plates, D-handles and US cylinder. No lock included.

CMP-US-987SL

Keyed US cylinder sliding door set.

CMP-US-987SL-PF

Patio function US cylinder sliding door set.

CMP-US-987SL-FD

Full dummy set.

Due to the multiple variations of turn piece spacing, orientation and configurations, please review and complete page 11-2 prior to ordering.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify grip handle design.

All cylinders are 5-pin Schlage C keyways.

Re-keying to other cylinders is available.

*Always specify door and lock manufacturer as tailpiece configurations do vary.


ALL SUN VALLEY BRONZE US CYLINDER SLIDING DOOR RETROFIT SETS REQUIRE THAT THE DOOR MUST BE DRILLED FOR THRU-BOLTING ON SITE. SUN VALLEY BRONZE IS NOT RESPONSIBLE FOR DOORS BORED OR DRILLED IMPROPERLY.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




828 RIDGE US CYLINDER SLIDING DOOR RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-3 for grip handle options. See Section 4, page 4-5 for turn piece options.




CMP-US-828SL

- Complete set with keyed US cylinder and SVB turn piece.
- Single cylinder.
- Shown with GH-110SL and TPC-306.



CMP-US-828SL-PF

- Complete set with SVB turn piece.
- Patio function.
- Shown with GH-110SL and TPC-306.



CMP-US-828SL-FD

- Trim set only.
- Full dummy.
- Shown with GH-110SL and TPC-306.

Complete sliding door sets with plates.

CMP-US-828SL	Keyed US cylinder sliding door set.
--------------	-------------------------------------

CMP-US-828SL-PF	Patio function US cylinder sliding door set.
-----------------	--

CMP-US-828SL-FD	Full dummy set.
-----------------	-----------------

Due to the multiple variations of turn piece spacing, orientation and configurations, please review and complete page 11-2 prior to ordering.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify grip handle design.

All cylinders are 5-pin Schlage C keyways.

Re-keying to other cylinders is available.

*Always specify door and lock manufacturer as tailpiece configurations do vary.


ALL SUN VALLEY BRONZE US CYLINDER SLIDING DOOR RETROFIT SETS REQUIRE THAT THE DOOR MUST BE DRILLED FOR THRU-BOLTING ON SITE. SUN VALLEY BRONZE IS NOT RESPONSIBLE FOR DOORS BORED OR DRILLED IMPROPERLY.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




4532 TRELLIS US CYLINDER SLIDING DOOR RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-3 for grip handle options.




CMP-US-4532SL

- Complete set with keyed US cylinder and SVB turn piece.
- Single cylinder.
- Shown with GH-130SL.



CMP-US-4532SL-PF

- Complete set with SVB turn piece.
- Patio function.
- Shown with GH-130SL.



CMP-US-4532SL-FD

- Trim set only.
- Full dummy.
- Shown with GH-130SL.

Complete sliding door sets with plates.

CMP-US-4532SL	Keyed US cylinder sliding door set.
CMP-US-4532SL-PF	Patio function US cylinder sliding door set.
CMP-US-4532SL-FD	Full dummy set.

Due to the multiple variations of turn piece spacing, orientation and configurations, please review and complete page 11-2 prior to ordering.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify grip handle design.

All cylinders are 5-pin Schlage C keyways.

Re-keying to other cylinders is available.

*Always specify door and lock manufacturer as tailpiece configurations do vary.


ALL SUN VALLEY BRONZE US CYLINDER SLIDING DOOR RETROFIT SETS REQUIRE THAT THE DOOR MUST BE DRILLED FOR THRU-BOLTING ON SITE. SUN VALLEY BRONZE IS NOT RESPONSIBLE FOR DOORS BORED OR DRILLED IMPROPERLY.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




1430 CORRUGATED US CYLINDER SLIDING DOOR RETROFIT SETS


Illustrations are for demonstration purposes only. See page 11-3 for grip handle options.



CMP-US-1430SL
 – Complete set with keyed US cylinder and SVB turn piece.
 – Single cylinder.
 – Shown with GH-130SL.



CMP-US-1430SL-PF
 – Complete set with SVB turn piece.
 – Patio function.
 – Shown with GH-130SL.



CMP-US-1430SL-FD
 – Trim set only.
 – Full dummy.
 – Shown with GH-130SL.

Complete sliding door sets with plates.

CMP-US-1430SL	Keyed US cylinder sliding door set.
CMP-US-1430SL-PF	Patio function US cylinder sliding door set.
CMP-US-1430SL-FD	Full dummy set.

Due to the multiple variations of turn piece spacing, orientation and configurations, please review and complete page 11-2 prior to ordering.

Door handing and thickness is required for all sliding door retrofit sets.

Always specify grip handle design.

All cylinders are 5-pin Schlage C keyways.

Re-keying to other cylinders is available.

*Always specify door and lock manufacturer as tailpiece configurations do vary.


ALL SUN VALLEY BRONZE US CYLINDER SLIDING DOOR RETROFIT SETS REQUIRE THAT THE DOOR MUST BE DRILLED FOR THRU-BOLTING ON SITE. SUN VALLEY BRONZE IS NOT RESPONSIBLE FOR DOORS BORED OR DRILLED IMPROPERLY.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



BEVEL EDGE LIFT & SLIDE RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-4 – 11-5 for lever options.



- CMP-819LS**
- Complete set with spindle and exterior flush pull.
 - Flush pull bucket 0.625" deep.
 - Inside depth 0.375".
 - 10mm on square.

Complete lift and slide sets with plate, lever, exterior flush pull and spindle. No lock included.

CMP-819LS	Lever x flush pull lift & slide retrofit passage set.
CMP-819LS-PF	Lever x flush pull lift & slide retrofit patio function set.
CMP-819LS-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit passage set.
CMP-819LS-PF-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit patio function set.
CMP-819LS-LxL	Lever x lever lift & slide retrofit passage set.
CMP-819LS-LxL-PF	Lever x lever lift & slide retrofit patio function set.
CMP-819LS-LxL-K	Lever x lever lift & slide retrofit keyed entry set.
MP-819LS	Lever and plate only.

2.250" minimum door thickness required.

10mm square spindle with a 2 point Posi Lock.

Thru bolted to flush pull.

Removable lever available. Please specify.

Always specify lift & slide lever design.

*Always specify door & mechanism manufacturer.

*Always specify location of lock mechanism in door (ex: center, off-set).

Upcharges and Other Options

FP-LS Flush pull only

UC-LS Removable lever option


UC-FM Flush mount option for lift & slide plates

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



ARCH LIFT & SLIDE RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-4 – 11-5 for lever options.



- CMP-A819LS**
- Complete set with spindle and exterior flush pull.
 - Flush pull bucket 0.625" deep.
 - Inside depth 0.375".
 - 10mm on square.

Complete lift and slide sets with plate, lever, exterior flush pull and spindle. No lock included.

CMP-A819LS	Lever x flush pull lift & slide retrofit passage set.
CMP-A819LS-PF	Lever x flush pull lift & slide retrofit patio function set.
CMP-A819LS-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit passage set.
CMP-A819LS-PF-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit patio function set.
CMP-A819LS-LxL	Lever x lever lift & slide retrofit passage set.
CMP-A819LS-LxL-PF	Lever x lever lift & slide retrofit patio function set.
CMP-A819LS-LxL-K	Lever x lever lift & slide retrofit keyed entry set.
MP-A819LS	Lever and plate only.

2.250" minimum door thickness required.

10mm square spindle with a 2 point Posi Lock.

Thru bolted to flush pull.

Removable lever available. Please specify.

Always specify lift & slide lever design.

*Always specify door & mechanism manufacturer.

*Always specify location of lock mechanism in door (ex: center, off-set).

Upcharges and Other Options

FP-LS Flush pull only

UC-LS Removable lever option


UC-FM Flush mount option for lift & slide plates

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



CONTEMPORARY LIFT & SLIDE RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-4 – 11-5 for lever options.



- CMP-989LS**
- Complete set with spindle and exterior flush pull.
 - Flush pull bucket 0.625" deep.
 - Inside depth 0.375".
 - 10mm on square.

Complete lift and slide sets with plate, lever, exterior flush pull and spindle. No lock included.

CMP-989LS	Lever x flush pull lift & slide retrofit passage set.
CMP-989LS-PF	Lever x flush pull lift & slide retrofit patio function set.
CMP-989LS-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit passage set.
CMP-989LS-PF-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit patio function set.
CMP-989LS-LxL	Lever x lever lift & slide retrofit passage set.
CMP-989LS-LxL-PF	Lever x lever lift & slide retrofit patio function set.
CMP-989LS-LxL-K	Lever x lever lift & slide retrofit keyed entry set.
MP-989LS	Lever and plate only.

2.250" minimum door thickness required.

10mm square spindle with a 2 point Posi Lock.

Thru bolted to flush pull.

Removable lever available. Please specify.

Always specify lift & slide lever design.

*Always specify door & mechanism manufacturer.

*Always specify location of lock mechanism in door (ex: center, off-set).

Upcharges and Other Options

FP-LS Flush pull only

UC-LS Removable lever option


UC-FM Flush mount option for lift & slide plates

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



RIDGE LIFT & SLIDE RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-4 – 11-5 for lever options.



CMP-828LS

- Complete set with spindle and exterior flush pull.
- Flush pull bucket 0.625" deep.
- Inside depth 0.375".
- 10mm on square.

Complete lift and slide sets with plate, lever, exterior flush pull and spindle. No lock included.

CMP-828LS	Lever x flush pull lift & slide retrofit passage set.
CMP-828LS-PF	Lever x flush pull lift & slide retrofit patio function set.
CMP-828LS-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit passage set.
CMP-828LS-PF-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit patio function set.
CMP-828LS-LxL	Lever x lever lift & slide retrofit passage set.
CMP-828LS-LxL-PF	Lever x lever lift & slide retrofit patio function set.
CMP-828LS-LxL-K	Lever x lever lift & slide retrofit keyed entry set.
MP-828LS	Lever and plate only.

2.250" minimum door thickness required.

10mm square spindle with a 2 point Posi Lock.

Thru bolted to flush pull.

Removable lever available. Please specify.

Always specify lift & slide lever design.

*Always specify door & mechanism manufacturer.

*Always specify location of lock mechanism in door (ex: center, off-set).

Upcharges and Other Options

FP-LS Flush pull only

UC-LS Removable lever option


UC-FM Flush mount option for lift & slide plates

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



CORRUGATED LIFT & SLIDE RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-4 – 11-5 for lever options.



- CMP-1400LS**
 – Complete set with spindle and exterior flush pull.
 – Flush pull bucket 0.625" deep.
 – Inside depth 0.375".
 – 10mm on square.

Complete lift and slide sets with plate, lever, exterior flush pull and spindle. No lock included.

CMP-1400LS	Lever x flush pull lift & slide retrofit passage set.
CMP-1400LS-PF	Lever x flush pull lift & slide retrofit patio function set.
CMP-1400LS-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit passage set.
CMP-1400LS-PF-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit patio function set.
CMP-1400LS-LxL	Lever x lever lift & slide retrofit passage set.
CMP-1400LS-LxL-PF	Lever x lever lift & slide retrofit patio function set.
CMP-1400LS-LxL-K	Lever x lever lift & slide retrofit keyed entry set.
MP-1400LS	Lever and plate only.

2.250" minimum door thickness required.

10mm square spindle with a 2 point Posi Lock.

Thru bolted to flush pull.

Removable lever available. Please specify.

Always specify lift & slide lever design.

*Always specify door & mechanism manufacturer.

*Always specify location of lock mechanism in door (ex: center, off-set).

Upcharges and Other Options

FP-LS Flush pull only

UC-LS Removable lever option

UC-FM Flush mount option for lift & slide plates

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



UNZUNNVALLEYBRONZE

Technical drawings of the 2 Point Posi-Lock handle assembly, showing front, side, and detail views with dimensions.

Front View Dimensions:

- Overall width: 2.000
- Inner width: 1.125
- Overall height: 6.750
- Inner height: 2.875

Side View Dimensions:

- Top offset: 0.125
- Top offset: 0.438
- Top offset: 1.375
- Bottom offset: 80 mm
- Bottom offset: 4.000

Detail View Dimensions:

- Overall width: 1.500
- Overall height: 6.750
- Inner height: 4.500
- Bottom offset: 0.250
- Top offset: 0.375
- Top offset: 0.188
- Inner diameter: $\varnothing 1.300$
- Bottom offset: 80 mm
- Bottom offset: 0.438 LVR HUB

Assembly Label: 2 Point Posi-Lock

Complete lift and slide sets with plate, lever, exterior flush pull and spindle. No lock included.


2.250" minimum door thickness required.
10mm square spindle with a 2 point Posi Lock.
Thru bolted to flush pull.
Removable lever available. Please specify.
Always specify lift & slide lever design.
*Always specify door & mechanism manufacturer.
*Always specify location of lock mechanism in door (ex: center, off-set).

FP-LS	Flush pull only
UC-LS	Removable lever option
UC-FM	Flush mount option for lift & slide plates



CORDUROY LIFT & SLIDE RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-4 – 11-5 for lever options.



- CMP-1900LS**
 – Complete set with spindle and exterior flush pull.
 – Flush pull bucket 0.625" deep.
 – Inside depth 0.375".
 – 10mm on square.

Complete lift and slide sets with plate, lever, exterior flush pull and spindle. No lock included.

CMP-1900LS	Lever x flush pull lift & slide retrofit passage set.
CMP-1900LS-PF	Lever x flush pull lift & slide retrofit patio function set.
CMP-1900LS-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit passage set.
CMP-1900LS-PF-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit patio function set.
CMP-1900LS-LxL	Lever x lever lift & slide retrofit passage set.
CMP-1900LS-LxL-PF	Lever x lever lift & slide retrofit patio function set.
CMP-1900LS-LxL-K	Lever x lever lift & slide retrofit keyed entry set.
MP-1900LS	Lever and plate only.

2.250" minimum door thickness required.

10mm square spindle with a 2 point Posi Lock.

Thru bolted to flush pull.

Removable lever available. Please specify.

Always specify lift & slide lever design.

*Always specify door & mechanism manufacturer.

*Always specify location of lock mechanism in door (ex: center, off-set).

Upcharges and Other Options

FP-LS Flush pull only

UC-LS Removable lever option


UC-FM Flush mount option for lift & slide plates

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



MESA LIFT & SLIDE RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-3 for grip handle options.



- CMP-2100LS
- Complete set with spindle and exterior flush pull.
 - Flush pull bucket 0.625" deep.
 - Inside depth 0.375".
 - 10mm on square.

Complete lift and slide sets with plate, lever, exterior flush pull and spindle. No lock included.

CMP-2100LS	Lever x flush pull lift & slide retrofit passage set.
CMP-2100LS-PF	Lever x flush pull lift & slide retrofit patio function set.
CMP-2100LS-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit passage set.
CMP-2100LS-PF-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit patio function set.
CMP-2100LS-LxL	Lever x lever lift & slide retrofit passage set.
CMP-2100LS-LxL-PF	Lever x lever lift & slide retrofit patio function set.
CMP-2100LS-LxL-K	Lever x lever lift & slide retrofit keyed entry set.
MP-2100LS	Lever and plate only.

- 2.250" minimum door thickness required.
10mm square spindle with a 2 point Posi Lock.
Thru bolted to flush pull.
Removable lever available. Please specify.
Always specify lift & slide lever design.
*Always specify door & mechanism manufacturer.
*Always specify location of lock mechanism in door (ex: center, off-set).

Upcharges and Other Options

- FP-LS Flush pull only
UC-LS Removable lever option
UC-FM Flush mount option for lift & slide plates


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.

SUN VALLEY BRONZE



NOVUS LIFT & SLIDE RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-3 for grip handle options.



CMP-N989LS

- Complete set with spindle and exterior flush pull.
- Flush pull bucket 0.625" deep.
- Inside depth 0.375".
- 10mm on square.

Complete lift and slide sets with plate, lever, exterior flush pull and spindle. No lock included.

CMP-N989LS	Lever x flush pull lift & slide retrofit passage set.
CMP-N989LS-PF	Lever x flush pull lift & slide retrofit patio function set.
CMP-N989LS-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit passage set.
CMP-N989LS-PF-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit patio function set.
CMP-N989LS-LxL	Lever x lever lift & slide retrofit passage set.
CMP-N989LS-LxL-PF	Lever x lever lift & slide retrofit patio function set.
CMP-N989LS-LxL-K	Lever x lever lift & slide retrofit keyed entry set.
MP-N989LS	Lever and plate only.

2.250" minimum door thickness required.

10mm square spindle with a 2 point Posi Lock.

Thru bolted to flush pull.

Removable lever available. Please specify.

Always specify lift & slide lever design.

*Always specify door & mechanism manufacturer.

*Always specify location of lock mechanism in door (ex: center, off-set).

Upcharges and Other Options

FP-LS Flush pull only

UC-LS Removable lever option


UC-FM Flush mount option for lift & slide plates

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



EASED EDGE LIFT & SLIDE RETROFIT SETS

Illustrations are for demonstration purposes only. See page 11-4 – 11-5 for lever options.



- CMP-E819LS
- Complete set with spindle and exterior flush pull.
 - Flush pull bucket 0.625" deep.
 - Inside depth 0.375".
 - 10mm on square.

Complete lift and slide sets with plate, lever, exterior flush pull and spindle. No lock included.

CMP-E819LS	Lever x flush pull lift & slide retrofit passage set.
CMP-E819LS-PF	Lever x flush pull lift & slide retrofit patio function set.
CMP-E819LS-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit passage set.
CMP-E819LS-PF-SM	Lever x eased-edge surface mount flush pull lift & slide retrofit patio function set.
CMP-E819LS-LxL	Lever x lever lift & slide retrofit passage set.
CMP-E819LS-LxL-PF	Lever x lever lift & slide retrofit patio function set.
CMP-E819LS-LxL-K	Lever x lever lift & slide retrofit keyed entry set.
MP-E819LS	Lever and plate only.

2.250" minimum door thickness required.

10mm square spindle with a 2 point Posi Lock.

Thru bolted to flush pull.

Removable lever available. Please specify.

Always specify lift & slide lever design.

*Always specify door & mechanism manufacturer.

*Always specify location of lock mechanism in door (ex: center, off-set).

Upcharges and Other Options

FP-LS Flush pull only


UC-LS Removable lever option

UC-FM Flush mount option for lift & slide plates

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



Illustrations are for demonstration purposes only.



CMP-1100LS

- Complete set with spindle and exterior flush pull.
- Folding lever is incorporated into the flush pull.
- Exterior flush pull 0.625" overall depth, 0.375" interior depth.
- Interior flush pull 0.750" overall depth, 0.500" interior depth.

Complete sliding door set.

CMP-1100LS	Folding lift & slide set.
MP-1100LS	Interior, mechanism only.
CMP-1100LS-SM	Eased-edge surface mount folding lift & slide set.
MP-1100LS-SM	Eased-edge surface mount interior folding handle.

2.250" minimum door thickness required.

10mm square spindle.

Thru bolted to exterior flush pull.

*Always specify door & mechanism manufacturer.


*Always specify location of lock mechanism in door (ex: center, off-set).

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



BFS-900 RETROFIT BI-FOLD DOOR LATCH

Illustrations are for demonstration purposes only.



BFS-900
– Retrofit bi-fold door latch.
– Shown with L-90 lever.

Retrofit bi-fold door latch. No lock included.

BFS-900

Exterior bi-fold door latch w/L-90 lever.

7mm square spindle.


43mm center-to-center machine screw spacing.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




BFP-1000 BI-FOLD FLUSH PULL SETS

Illustrations are for demonstration purposes only.



BFP-1000RH
 – Bi-fold flush cup pull set.
 – 0.687" Interior depth.
 – Right hand.



BFP-1000LH
 – Bi-fold flush cup pull set.
 – 0.687" Interior depth.
 – Left hand.

Bi-fold flush pull sets.

BFP-1000RH Bi-fold flush pull. Right hand.

BFP-1000LH Bi-fold flush pull. Left hand.


Please note flush pull depth when considering BFP-1000.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




SLIDING DOOR FLUSH PULL SETS

Illustrations are for demonstration purposes only.




CS-FP-SL404ML

- Sliding door exterior flush pull set w/mortise lock, cylinder and strike.
- Single cylinder.
- OR
- TS-FP-SL404ML
- Sliding door exterior flush pull set.
- Single cylinder.
- Trim only. No lock.



CS-FP-SL404ML-DC

- Sliding door exterior flush pull set w/mortise lock, cylinders and strike.
- Double cylinder.
- OR
- TS-FP-SL404ML-DC
- Sliding door exterior flush pull set.
- Double cylinder.
- Trim only. No lock.



CS-FP-SL404ML-PF

- Sliding door exterior flush pull set w/mortise lock and strike.
- Patio function.
- OR
- TS-FP-SL404ML-PF
- Sliding door exterior flush pull set.
- Paio function.
- Trim only. No lock.

Complete sliding door sets.

CS-FP-SL404ML	Single cylinder exterior sliding door set.* FP-404K (ext) FP-404TPC (int)
CS-FP-SL404ML-DC	Double cylinder sliding door set.* FP-404K (ext) FP-404K (int)
CS-FP-SL404ML-PF	Patio function sliding door set.* FP-404 (ext) FP-404TPC (int)

Trim sliding door sets.

TS-FP-SL404ML	Single cylinder exterior sliding door set.* FP-404K (ext) FP-404TPC (int)
TS-FP-SL404ML-DC	Double cylinder sliding door set.* FP-404K (ext) FP-404K (int)
TS-FP-SL404ML-PF	Patio function sliding door set.* FP-404 (ext) FP-404TPC (int)

*404 series sliding door sets require a door thickness of 1.750" or greater.


All above complete sets are priced with Accurate 2001 Series sliding door lock 2.500" or 2.750" standard backsets.
For narrow backsets 2.000" add UC-NB to existing price.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




SLIDING DOOR FLUSH PULL SETS

Illustrations are for demonstration purposes only.



CS-FP-SL404ML-DBL

- Sliding door exterior flush pull set for double doors w/mortise lock, cylinder and strike.
- Single cylinder.
- OR
- TS-FP-SL404ML-DBL
- Sliding door exterior flush pull set for double doors.
- Single cylinder.
- Trim only. No lock.



CS-FP-SL404ML-DBL-DC

- Sliding door exterior flush pull set for double doors w/mortise lock, cylinders and strike.
- Double cylinder.
- OR
- TS-FP-SL404ML-DBL-DC
- Sliding door exterior flush pull set for double doors.
- Double cylinder.
- Trim only. No lock.

Complete sliding door sets.

CS-FP-SL404ML-DBL

Single cylinder double exterior sliding door set. * FP-404K (ext) FP-404TPC (int)/ FP-404 (ext) FP-404 (int)

CS-FP-SL404ML-DBL-DC

Double exterior double cylinder sliding door set. * FP-404K (ext) FP-404K (int)/ FP-404 (ext) FP-404 (int)

Trim sliding door sets.

TS-FP-SL404ML-DBL

Single cylinder double exterior sliding door set. FP-404K (ext) FP-404TPC (int)/ FP-404 (ext) FP-404 (int)

TS-FP-SL404ML-DBL-DC

Double exterior double cylinder sliding door set. FP-404K (ext) FP-404K (int)/ FP-404 (ext) FP-404 (int)

*404 series sliding door sets require a door thickness of 1.750" or greater.


All above complete sets are priced with Accurate 2001 Series sliding door lock 2.500" or 2.750" standard backsets. For narrow backsets 2.000" add UC-NB to existing price.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



SLIDING DOOR FLUSH PULL SETS

Illustrations are for demonstration purposes only.




CS-FP-SL404ML-DBL-PF

- Sliding door exterior flush pull set for patio function double doors w/mortise lock and strike.
- Single cylinder.
- OR

TS-FP-SL404ML-DBL-PF

- Sliding door exterior flush pull set for patio function double doors.
- Single cylinder.
- Trim only. No lock.



TS-FP-SL404IML

- Sliding door passage flush pull set.
- Trim only. No lock.

Complete sliding door sets.

CS-FP-SL404ML-DBL-PF

Double patio function sliding door set. * FP-404 (ext) FP-404TPC (int)/FP-404 (ext) FP-404 (int)

Trim sliding door sets.

TS-FP-SL404ML-DBL-PF

Double patio function sliding door set. FP-404 (ext) FP-404TPC (int)/FP-404 (ext) FP-404 (int)

TS-FP-SL404IML

Passage set. FP-404 (ext) FP-404 (int)

*404 series sliding door sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2001 Series sliding door lock 2.500" or 2.750" standard backsets. For narrow backsets 2.000" add UC-NB to existing price.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.

