

CONTENTS

This section contains complete tubular latch passage and privacy sets and trim only tubular latch passage and privacy sets. Complete sets include bronze trim, tubular latch, spindle, fasteners and installation instructions. All complete tubular latch set part numbers begin with CS. Trim only sets include bronze trim, spindle, fasteners and installation instructions. No latches are included. All trim only tubular latch set part numbers begin with TS. Tubular latch trim sets can be machined to be compatible with most high quality tubular latches. The lock manufacturer, model number and function must be specified when ordering trim only sets.

Note: Escutcheon plates under 2.250" wide will not cover 2.125" bore.

Refer to Section 2 for knob and lever options.

Sun Valley Bronze does not warranty tubular latch set doors 1.875" and thicker.

TABLE OF CONTENTS

Bevel Edge Tubular Latch Passage & Privacy Sets	Pages 15-3 – 15-16
Arch Tubular Latch Passage & Privacy Sets	Pages 15-17 – 15-28
Oval Tubular Latch Passage & Privacy Sets	Pages 15-29 – 15-32
Contemporary Tubular Latch Passage & Privacy Sets	Pages 15-33 – 15-48
Fleur de Lis Tubular Latch Passage & Privacy Sets	Pages 15-49 – 15-51
Ridge Tubular Latch Passage & Privacy Sets	Pages 15-52 – 15-63
Corrugated w/Band Tubular Latch Passage & Privacy Sets	Pages 15-64 – 15-65
Hampton Tubular Latch Passage & Privacy Sets	Pages 15-66 – 15-68
Trellis Tubular Latch Passage & Privacy Sets	Pages 15-69 – 15-71
Deco Tubular Latch Passage & Privacy Sets	Pages 15-72 – 15-73
Corrugated Tubular Latch Passage & Privacy Sets	Pages 15-74 – 15-76
Bandbox Tubular Latch Passage & Privacy Sets	Pages 15-77 – 15-81



continued on next page

ORDERING INSTRUCTIONS

Complete Sets and Trim Sets: See Ordering Instructions in Binder 1/ Dealer Information.

Custom Sets: See Custom Ordering Instructions in Binder 1/ Dealer Information.

DOOR HANDING GUIDE




Circles Tubular Latch Passage & Privacy Sets	Page 15-82
Squares Tubular Latch Passage & Privacy Sets	Page 15-83
Corduroy Tubular Latch Passage & Privacy Sets	Pages 15-84 – 15-90
Mesa Tubular Latch Passage & Privacy Sets	Pages 15-91 – 15-99
Burlap Tubular Latch Passage & Privacy Sets	Pages 15-100 – 15-106
Gem Tubular Latch Passage & Privacy Sets	Pages 15-107 – 15-111
Novus Tubular Latch Passage & Privacy Sets	Pages 15-112 – 15-125
Ridge Burlap Tubular Latch Passage & Privacy Sets	Pages 15-126 – 15-128
Teton Tubular Latch Passage & Privacy Sets	Pages 15-129 – 15-130
Eased Edge Tubular Latch Passage & Privacy Sets	Pages 15-131 – 15-133




225 BEVEL EDGE TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-RP225
– Complete set with latch and spindle.
OR
TS-RP225
– Trim set only. No latch.



CS-225
– Complete set with latch and spindle.
OR
TS-225
– Trim set only. No latch.



CS-225DI
– Complete set with latch and spindle.
OR
TS-225DI
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-RP225	Passage set. RP-225 (ext) RP-225 (int)
CS-RP225PR	Privacy set. RP-225PR (ext) RP-225PR (int)
CS-225	Passage set. P-225 (ext) P-225 (int)
CS-225PR	Privacy set. P-225PR (ext) P-225PR (int)
CS-225DI	Passage set. P-225DI (ext) P-225DI (int)
CS-225DI-PR	Privacy set. P-225DI-PR (ext) P-225DI-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-RP225	Passage set. RP-225 (ext) RP-225 (int)
TS-RP225PR	Privacy set. RP-225PR (ext) RP-225PR (int)
TS-RP225FD	Full dummy. RP-225D (ext) RP-225D (int)
TS-RP225HD	Half dummy. RP-225D
TS-225	Passage set. P-225 (ext) P-225 (int)
TS-225PR	Privacy set. P-225PR (ext) P-225PR (int)
TS-225FD	Full dummy. P-225D (ext) P-225D (int)
TS-225HD	Half dummy. P-225D
TS-225DI	Passage set. P-225DI (ext) P-225DI (int)
TS-225DI-PR	Privacy set. P-225DI-PR (ext) P-225DI-PR (int)
TS-225DI-FD	Full dummy. P-225DI-D (ext) P-225DI-D (int)
TS-225DI-HD	Half dummy. P-225DI-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




402 BEVEL EDGE TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-RP402
– Complete set with latch and spindle.
OR
TS-RP402
– Trim set only. No latch.



CS-402
– Complete set with latch and spindle.
OR
TS-402
– Trim set only. No latch.



CS-402DI
– Complete set with latch and spindle.
OR
TS-402DI
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-RP402	Passage set. RP-402 (ext) RP-402 (int)
CS-RP402PR	Privacy set. RP-402PR (ext) RP-402PR (int)
CS-402	Passage set. P-402 (ext) P-402 (int)
CS-402PR	Privacy set. P-402PR (ext) P-402PR (int)
CS-402DI	Passage set. P-402DI (ext) P-402DI (int)
CS-402DI-PR	Privacy set. P-402DI-PR (ext) P-402DI-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-RP402	Passage set. RP-402 (ext) RP-402 (int)
TS-RP402PR	Privacy set. RP-402PR (ext) RP-402PR (int)
TS-RP402FD	Full dummy. RP-402D (ext) RP-402D (int)
TS-RP402HD	Half dummy. RP-402D
TS-402	Passage set. P-402 (ext) P-402 (int)
TS-402PR	Privacy set. P-402PR (ext) P-402PR (int)
TS-402FD	Full dummy. P-402D (ext) P-402D (int)
TS-402HD	Half dummy. P-402D
TS-402DI	Passage set. P-402DI (ext) P-402DI (int)
TS-402DI-PR	Privacy set. P-402DI-PR (ext) P-402DI-PR (int)
TS-402DI-FD	Full dummy. P-402DI-D (ext) P-402DI-D (int)
TS-402DI-HD	Half dummy. P-402DI-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



403 BEVEL EDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-RP403
– Complete set with latch and spindle.
OR
TS-RP403
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-RP403	Passage set. RP-403 (ext) RP-403 (int)
CS-RP403PR	Privacy set. RP-403PR (ext) RP-403PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-RP403	Passage set. RP-403 (ext) RP-403 (int)
TS-RP403PR	Privacy set. RP-403PR (ext) RP-403PR (int)
TS-RP403FD	Full dummy. RP-403D (ext) RP-403D (int)
TS-RP403HD	Half dummy. RP-403D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



404 BEVEL EDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-RP404
– Complete set with latch and spindle.
OR
TS-RP404
– Trim set only. No latch.

CS-404
– Complete set with latch and spindle.
OR
TS-404
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-RP404	Passage set. RP-404 (ext) RP-404 (int)
CS-RP404PR	Privacy set. RP-404PR (ext) RP-404PR (int)
CS-404	Passage set. P-404 (ext) P-404 (int)
CS-404PR	Privacy set. P-404PR (ext) P-404PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-RP404	Passage set. RP-404 (ext) RP-404 (int)
TS-RP404PR	Privacy set. RP-404PR (ext) RP-404PR (int)
TS-RP404FD	Full dummy. RP-404D (ext) RP-404D (int)
TS-RP404HD	Half dummy. RP-404D
TS-404	Passage set. P-404 (ext) P-404 (int)
TS-404PR	Privacy set. P-404PR (ext) P-404PR (int)
TS-404FD	Full dummy. P-404D (ext) P-404D (int)
TS-404HD	Half dummy. P-404D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




206 BEVEL EDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-206OH
– Complete set with latch and spindle.
OR
TS-206OH
– Trim set only. No latch.



CS-F206OH
– Complete set with latch and spindle.
OR
TS-F206OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-206OH	Passage set. P-206OH (ext) P-206OH (int)
CS-F206OH	Passage set. P-F206OH (ext) P-F206OH (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-206OH	Passage set. P-206OH (ext) P-206OH (int)
TS-206OH-FD	Full dummy. P-206OH-D (ext) P-206OH-D (int)
TS-206OH-HD	Half dummy. P-206OH-D
TS-F206OH	Passage set. P-F206OH (ext) P-F206OH (int)
TS-F206OH-FD	Full dummy. P-F206OH-D (ext) P-F206OH-D (int)
TS-F206OH-HD	Half dummy. P-F206OH-D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




405 BEVEL EDGE TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-405
– Complete set with latch and spindle.
OR
TS-405
– Trim set only. No latch.



CS-405OH
– Complete set with latch and spindle.
OR
TS-405OH
– Trim set only. No latch.



CS-F405OH
– Complete set with latch and spindle.
OR
TS-F405OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-405	Passage set. P-405 (ext) P-405 (int)
CS-405OH	Passage set. P-405OH (ext) P-405OH (int)
CS-F405OH	Passage set. P-F405OH (ext) P-F405OH (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-405	Passage set. P-405 (ext) P-405 (int)
TS-405FD	Full dummy. P-405D (ext) P-405D (int)
TS-405HD	Half dummy. P-405D
TS-405OH	Passage set. P-405OH (ext) P-405OH (int)
TS-405OH-FD	Full dummy. P-405OH-D (ext) P-405OH-D (int)
TS-405OH-HD	Half dummy. P-405OH-D
TS-F405OH	Passage set. P-F405OH (ext) P-F405OH (int)
TS-F405OH-FD	Full dummy. P-F405OH-D (ext) P-F405OH-D (int)
TS-F405OH-HD	Half dummy. P-F405OH-D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




406 BEVEL EDGE TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-406
– Complete set with latch and spindle.
OR
TS-406
– Trim set only. No latch.



CS-406OH
– Complete set with latch and spindle.
OR
TS-406OH
– Trim set only. No latch.



CS-F406OH
– Complete set with latch and spindle.
OR
TS-F406OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-406	Passage set. P-406 (ext) P-406 (int)
CS-406PR	Privacy set. P-406PR (ext) P-406PR (int)
CS-406OH	Passage set. P-406OH (ext) P-406OH (int)
CS-406OH-PR	Privacy set. P-406OH-PR (ext) P-406OH-PR (int)
CS-F406OH	Passage set. P-F406OH (ext) P-F406OH (int)
CS-F406OH-PR	Privacy set. P-F406OH-PR (ext) P-F406OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-406	Passage set. P-406 (ext) P-406 (int)
TS-406PR	Privacy set. P-406PR (ext) P-406PR (int)
TS-406FD	Full dummy. P-406D (ext) P-406D (int)
TS-406HD	Half dummy. P-406D
TS-406OH	Passage set. P-406OH (ext) P-406OH (int)
TS-406OH-PR	Privacy set. P-406OH-PR (ext) P-406OH-PR (int)
TS-406OH-FD	Full dummy. P-406OH-D (ext) P-406OH-D (int)
TS-406OH-HD	Half dummy. P-406OH-D
TS-F406OH	Passage set. P-F406OH (ext) P-F406OH (int)
TS-F406OH-PR	Privacy set. P-F406OH-PR (ext) P-F406OH-PR (int)
TS-F406OH-FD	Full dummy. P-F406OH-D (ext) P-F406OH-D (int)
TS-F406OH-HD	Half dummy. P-F406OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




407 BEVEL EDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-407
– Complete set with latch and spindle.
OR
TS-407
– Trim set only. No latch.



CS-F407
– Complete set with latch and spindle.
OR
TS-F407
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-407	Passage set. P-407 (ext) P-407 (int)
CS-F407	Passage set. P-F407 (ext) P-F407 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-407	Passage set. P-407 (ext) P-407 (int)
TS-407FD	Full dummy. P-407D (ext) P-407D (int)
TS-407HD	Half dummy. P-407D
TS-F407	Passage set. P-F407 (ext) P-F407 (int)
TS-F407FD	Full dummy. P-F407D (ext) P-F407D (int)
TS-F407HD	Half dummy. P-F407D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



408 BEVEL EDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-408	Passage set. P-408 (ext) P-408 (int)
CS-408PR	Privacy set. P-408PR (ext) P-408PR (int)
CS-F408	Passage set. P-F408 (ext) P-F408 (int)
CS-F408PR	Privacy set. P-F408PR (ext) P-F408PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-408	Passage set. P-408 (ext) P-408 (int)
TS-408PR	Privacy set. P-408PR (ext) P-408PR (int)
TS-408FD	Full dummy. P-408D (ext) P-408D (int)
TS-408HD	Half dummy. P-408D
TS-F408	Passage set. P-F408 (ext) P-F408 (int)
TS-F408PR	Privacy set. P-F408PR (ext) P-F408PR (int)
TS-F408FD	Full dummy. P-F408D (ext) P-F408D (int)
TS-F408HD	Half dummy. P-F408D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



409 BEVEL EDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-409	Passage set. P-409 (ext) P-409 (int)
CS-409PR	Privacy set. P-409PR (ext) P-409PR (int)
CS-F409	Passage set. P-F409 (ext) P-F409 (int)
CS-F409PR	Privacy set. P-F409PR (ext) P-F409PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-409	Passage set. P-409 (ext) P-409 (int)
TS-409PR	Privacy set. P-409PR (ext) P-409PR (int)
TS-409FD	Full dummy. P-409D (ext) P-409D (int)
TS-409HD	Half dummy. P-409D
TS-F409	Passage set. P-F409 (ext) P-F409 (int)
TS-F409PR	Privacy set. P-F409PR (ext) P-F409PR (int)
TS-F409FD	Full dummy. P-F409D (ext) P-F409D (int)
TS-F409HD	Half dummy. P-F409D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



410 BEVEL EDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-410	Passage set. P-410 (ext) P-410 (int)
CS-410PR	Privacy set. P-410PR (ext) P-410PR (int)
CS-F410	Passage set. P-F410 (ext) P-F410 (int)
CS-F410PR	Privacy set. P-F410PR (ext) P-F410PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-410	Passage set. P-410 (ext) P-410 (int)
TS-410PR	Privacy set. P-410PR (ext) P-410PR (int)
TS-410FD	Full dummy. P-410D (ext) P-410D (int)
TS-410HD	Half dummy. P-410D
TS-F410	Passage set. P-F410 (ext) P-F410 (int)
TS-F410PR	Privacy set. P-F410PR (ext) P-F410PR (int)
TS-F410FD	Full dummy. P-F410D (ext) P-F410D (int)
TS-F410HD	Half dummy. P-F410D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



601 BEVEL EDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-601	Passage set. P-601 (ext) P-601 (int)
CS-601PR	Privacy set. P-601PR (ext) P-601PR (int)
CS-F601	Passage set. P-F601 (ext) P-F601 (int)
CS-F601PR	Privacy set. P-F601PR (ext) P-F601PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-601	Passage set. P-601 (ext) P-601 (int)
TS-601PR	Privacy set. P-601PR (ext) P-601PR (int)
TS-601FD	Full dummy. P-601D (ext) P-601D (int)
TS-601HD	Half dummy. P-601D
TS-F601	Passage set. P-F601 (ext) P-F601 (int)
TS-F601PR	Privacy set. P-F601PR (ext) P-F601PR (int)
TS-F601FD	Full dummy. P-F601D (ext) P-F601D (int)
TS-F601HD	Half dummy. P-F601D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



602 BEVEL EDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-602	Passage set. P-602 (ext) P-602 (int)
CS-602PR	Privacy set. P-602PR (ext) P-602PR (int)
CS-F602	Passage set. P-F602 (ext) P-F602 (int)
CS-F602PR	Privacy set. P-F602PR (ext) P-F602PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-602	Passage set. P-602 (ext) P-602 (int)
TS-602PR	Privacy set. P-602PR (ext) P-602PR (int)
TS-602FD	Full dummy. P-602D (ext) P-602D (int)
TS-602HD	Half dummy. P-602D
TS-F602	Passage set. P-F602 (ext) P-F602 (int)
TS-F602PR	Privacy set. P-F602PR (ext) P-F602PR (int)
TS-F602FD	Full dummy. P-F602D (ext) P-F602D (int)
TS-F602HD	Half dummy. P-F602D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




811 BEVEL EDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-811
– Complete set with latch and spindle.
OR
TS-811
– Trim set only. No latch.



CS-F811
– Complete set with latch and spindle.
OR
TS-F811
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-811	Passage set. P-811 (ext) P-811 (int)
CS-F811	Passage set. P-F811 (ext) P-F811 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-811	Passage set. P-811 (ext) P-811 (int)
TS-811FD	Full dummy. P-811D (ext) P-811D (int)
TS-811HD	Half dummy. P-811D
TS-F811	Passage set. P-F811 (ext) P-F811 (int)
TS-F811FD	Full dummy. P-F811D (ext) P-F811D (int)
TS-F811HD	Half dummy. P-F811D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



A402 ARCH TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-A402
– Complete set with latch and spindle.
OR
TS-A402
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-A402	Passage set. P-A402 (ext) P-A402 (int)
CS-A402PR	Privacy set. P-A402PR (ext) P-A402PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-A402	Passage set. P-A402 (ext) P-A402 (int)
TS-A402PR	Privacy set. P-A402PR (ext) P-A402PR (int)
TS-A402FD	Full dummy. P-A402D (ext) P-A402D (int)
TS-A402HD	Half dummy. P-A402D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



A403 ARCH TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-A403
– Complete set with latch and spindle.
OR
TS-A403
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-A403	Passage set. P-A403 (ext) P-A403 (int)
---------	--

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-A403	Passage set. P-A403 (ext) P-A403 (int)
TS-A403FD	Full dummy. P-A402D (ext) P-A402D (int)
TS-A403HD	Half dummy. P-A403D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



A404 ARCH TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-A404
– Complete set with latch and spindle.
OR
TS-A404
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-A404	Passage set. P-A404 (ext) P-A404 (int)
CS-A404PR	Privacy set. P-A404PR (ext) P-A404PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-A404	Passage set. P-A404 (ext) P-A404 (int)
TS-A404PR	Privacy set. P-A404PR (ext) P-A404PR (int)
TS-A404FD	Full dummy. P-A404D (ext) P-A404D (int)
TS-A404HD	Half dummy. P-A404D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




A405 ARCH TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-A405
– Complete set with latch and spindle.
OR
TS-A405
– Trim set only. No latch.



CS-A405OH
– Complete set with latch and spindle.
OR
TS-A405OH
– Trim set only. No latch.



CS-F-A405OH
– Complete set with latch and spindle.
OR
TS-F-A405OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-A405	Passage set. P-A405 (ext) P-A405 (int)
CS-A405OH	Passage set. P-A405OH (ext) P-A405OH (int)
CS-F-A405OH	Passage set. P-F-A405OH (ext) P-F-A405OH (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE extended full lip strike 2.250" thick door

UC-EXT-T-STRIKE extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-A405	Passage set. P-A405 (ext) P-A405 (int)
TS-A405FD	Full dummy. P-A405D (ext) P-A405D (int)
TS-A405HD	Half dummy. P-A405D
TS-A405OH	Passage set. P-A405OH (ext) P-A405OH (int)
TS-A405OH-FD	Full dummy. P-A405OH-D (ext) P-A405OH-D (int)
TS-A405OH-HD	Half dummy. P-A405OH-D
TS-F-A405OH	Passage set. P-F-A405OH (ext) P-F-A405OH (int)
TS-F-A405OH-FD	Full dummy. P-F-A405OH-D (ext) P-F-A405OH-D (int)
TS-F-A405OH-HD	Half dummy. P-F-A405OH-D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




A406 ARCH TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-A406
– Complete set with latch and spindle.
OR
TS-A406
– Trim set only. No latch.



CS-A406OH
– Complete set with latch and spindle.
OR
TS-A406OH
– Trim set only. No latch.



CS-F-A406OH
– Complete set with latch and spindle.
OR
TS-F-A406OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-A406	Passage set. P-A406 (ext) P-A406 (int)
CS-A406PR	Privacy set. P-A406PR (ext) P-A406PR (int)
CS-A406OH	Passage set. P-A406OH (ext) P-A406OH (int)
CS-A406OH-PR	Privacy set. P-A406OH-PR (ext) P-A406OH-PR (int)
CS-F-A406OH	Passage set. P-F-A406OH (ext) P-F-A406OH (int)
CS-F-A406OH-PR	Privacy set. P-F-A406OH-PR (ext) P-F-A406OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE extended full lip strike 2.250" thick door

UC-EXT-T-STRIKE extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-A406	Passage set. P-A406 (ext) P-A406 (int)
TS-A406PR	Privacy set. P-A406PR (ext) P-A406PR (int)
TS-A406FD	Full dummy. P-A406D (ext) P-A406D (int)
TS-A406HD	Half dummy. P-A406D
TS-A406OH	Passage set. P-A406OH (ext) P-A406OH (int)
TS-A406OH-PR	Privacy set. P-A406OH-PR (ext) P-A406OH-PR (int)
TS-A406OH-FD	Full dummy. P-A406OH-D (ext) P-A406OH-D (int)
TS-A406OH-HD	Half dummy. P-A406OH-D
TS-F-A406OH	Passage set. P-F-A406OH (ext) P-F-A406OH (int)
TS-F-A406OH-PR	Privacy set. P-F-A406OH-PR (ext) P-F-A406OH-PR (int)
TS-F-A406OH-FD	Full dummy. P-F-A406OH-D (ext) P-F-A406OH-D (int)
TS-F-A406OH-HD	Half dummy. P-F-A406OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




A407 ARCH TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-A407
– Complete set with latch and spindle.
OR
TS-A407
– Trim set only. No latch.



CS-F-A407
– Complete set with latch and spindle.
OR
TS-F-A407
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-A407	Passage set. P-A407 (ext) P-A407 (int)
CS-F-A407	Passage set. P-F-A407 (ext) P-F-A407 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-A407	Passage set. P-A407 (ext) P-A407 (int)
TS-A407FD	Full dummy. P-A407D (ext) P-A407D (int)
TS-A407HD	Half dummy. P-A407D
TS-F-A407	Passage set. P-F-A407 (ext) P-F-A407 (int)
TS-F-A407FD	Full dummy. P-F-A407D (ext) P-F-A407D (int)
TS-F-A407HD	Half dummy. P-F-A407D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



A408 ARCH TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-A408
– Complete set with latch and spindle.
OR
TS-A408
– Trim set only. No latch.

CS-F-A408
– Complete set with latch and spindle.
OR
TS-F-A408
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-A408	Passage set. P-A408 (ext) P-A408 (int)
CS-A408PR	Privacy set. P-A408PR (ext) P-A408PR (int)
CS-F-A408	Passage set. P-F-A408 (ext) P-F-A408 (int)
CS-F-A408PR	Privacy set. P-F-A408PR (ext) P-F-A408PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-A408	Passage set. P-A408 (ext) P-A408 (int)
TS-A408PR	Privacy set. P-A408PR (ext) P-A408PR (int)
TS-A408FD	Full dummy. P-A408D (ext) P-A408D (int)
TS-A408HD	Half dummy. P-A408D
TS-F-A408	Passage set. P-F-A408 (ext) P-F-A408 (int)
TS-F-A408PR	Privacy set. P-F-A408PR (ext) P-F-A408PR (int)
TS-F-A408FD	Full dummy. P-F-A408D (ext) P-F-A408D (int)
TS-F-A408HD	Half dummy. P-F-A408D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



A409 ARCH TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-A409	Passage set. P-A409 (ext) P-A409 (int)
CS-A409PR	Privacy set. P-A409PR (ext) P-A409PR (int)
CS-F-A409	Passage set. P-F-A409 (ext) P-F-A409 (int)
CS-F-A409PR	Privacy set. P-F-A409PR (ext) P-F-A409PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-A409	Passage set. P-A409 (ext) P-A409 (int)
TS-A409PR	Privacy set. P-A409PR (ext) P-A409PR (int)
TS-A409FD	Full dummy. P-A409D (ext) P-A409D (int)
TS-A409HD	Half dummy. P-A409D
TS-F-A409	Passage set. P-F-A409 (ext) P-F-A409 (int)
TS-F-A409PR	Privacy set. P-F-A409PR (ext) P-F-A409PR (int)
TS-F-A409FD	Full dummy. P-F-A409D (ext) P-F-A409D (int)
TS-F-A409HD	Half dummy. P-F-A409D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



A410 ARCH TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-A410	Passage set. P-A410 (ext) P-A410 (int)
CS-A410PR	Privacy set. P-A410PR (ext) P-A410PR (int)
CS-F-A410	Passage set. P-F-A410 (ext) P-F-A410 (int)
CS-F-A410PR	Privacy set. P-F-A410PR (ext) P-F-A410PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-A410	Passage set. P-A410 (ext) P-A410 (int)
TS-A410PR	Privacy set. P-A410PR (ext) P-A410PR (int)
TS-A410FD	Full dummy. P-A410D (ext) P-A410D (int)
TS-A410HD	Half dummy. P-A410D
TS-F-A410	Passage set. P-F-A410 (ext) P-F-A410 (int)
TS-F-A410PR	Privacy set. P-F-A410PR (ext) P-F-A410PR (int)
TS-F-A410FD	Full dummy. P-F-A410D (ext) P-F-A410D (int)
TS-F-A410HD	Half dummy. P-F-A410D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



A601 ARCH TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-A601	Passage set. P-A601 (ext) P-A601 (int)
CS-A601PR	Privacy set. P-A601PR (ext) P-A601PR (int)
CS-F-A601	Passage set. P-F-A601 (ext) P-F-A601 (int)
CS-F-A601PR	Privacy set. P-F-A601PR (ext) P-F-A601PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-A601	Passage set. P-A601 (ext) P-A601 (int)
TS-A601PR	Privacy set. P-A601PR (ext) P-A601PR (int)
TS-A601FD	Full dummy. P-A601D (ext) P-A601D (int)
TS-A601HD	Half dummy. P-A601D
TS-F-A601	Passage set. P-F-A601 (ext) P-F-A601 (int)
TS-F-A601PR	Privacy set. P-F-A601PR (ext) P-F-A601PR (int)
TS-F-A601FD	Full dummy. P-F-A601D (ext) P-F-A601D (int)
TS-F-A601HD	Half dummy. P-F-A601D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



A602 ARCH TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-A602	Passage set. P-A602 (ext) P-A602 (int)
CS-A602PR	Privacy set. P-A602PR (ext) P-A602PR (int)
CS-F-A602	Passage set. P-F-A602 (ext) P-F-A602 (int)
CS-F-A602PR	Privacy set. P-F-A602PR (ext) P-F-A602PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-A602	Passage set. P-A602 (ext) P-A602 (int)
TS-A602PR	Privacy set. P-A602PR (ext) P-A602PR (int)
TS-A602FD	Full dummy. P-A602D (ext) P-A602D (int)
TS-A602HD	Half dummy. P-A602D
TS-F-A602	Passage set. P-F-A602 (ext) P-F-A602 (int)
TS-F-A602PR	Privacy set. P-F-A602PR (ext) P-F-A602PR (int)
TS-F-A602FD	Full dummy. P-F-A602D (ext) P-F-A602D (int)
TS-F-A602HD	Half dummy. P-F-A602D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




A811 ARCH TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-A811
– Complete set with latch and spindle.
OR
TS-A811
– Trim set only. No latch.



CS-F-A811
– Complete set with latch and spindle.
OR
TS-F-A811
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-A811	Passage set. P-A811 (ext) P-A811 (int)
CS-F-A811	Passage set. P-F-A811 (ext) P-F-A811 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-A811	Passage set. P-A811 (ext) P-A811 (int)
TS-A811FD	Full dummy. P-A811D (ext) P-A811D (int)
TS-A811HD	Half dummy. P-A811D
TS-F-A811	Passage set. P-F-A811 (ext) P-F-A811 (int)
TS-F-A811FD	Full dummy. P-F-A811D (ext) P-F-A811D (int)
TS-F-A811HD	Half dummy. P-F-A811D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



OP400 OVAL TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-OP400
– Complete set with latch and spindle.
OR
TS-OP400
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-OP400	Passage set. P-OP400 (ext) P-OP400 (int)
CS-OP400PR	Privacy set. P-OP400PR (ext) P-OP400PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-OP400	Passage set. P-OP400 (ext) P-OP400 (int)
TS-OP400PR	Privacy set. P-OP400PR (ext) P-OP400PR (int)
TS-OP400FD	Full dummy. P-OP400D (ext) P-OP400D (int)
TS-OP400HD	Half dummy. P-OP400D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



OP500 OVAL TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-OP500
– Complete set with latch and spindle.
OR
TS-OP500
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-OP500	Passage set. P-OP500 (ext) P-OP500 (int)
CS-OP500PR	Privacy set. P-OP500PR (ext) P-OP500PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-OP500	Passage set. P-OP500 (ext) P-OP500 (int)
TS-OP500PR	Privacy set. P-OP500PR (ext) P-OP500PR (int)
TS-OP500FD	Full dummy. P-OP500D (ext) P-OP500D (int)
TS-OP500HD	Half dummy. P-OP500D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



OP600 OVAL TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-OP600
– Complete set with latch and spindle.
OR
TS-OP600
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-OP600	Passage set. P-OP600 (ext) P-OP600 (int)
CS-OP600PR	Privacy set. P-OP600PR (ext) P-OP600PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-OP600	Passage set. P-OP600 (ext) P-OP600 (int)
TS-OP600PR	Privacy set. P-OP600PR (ext) P-OP600PR (int)
TS-OP600FD	Full dummy. P-OP600D (ext) P-OP600D (int)
TS-OP600HD	Half dummy. P-OP600D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



OP700 OVAL TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-OP700	Passage set. P-OP700 (ext) P-OP700 (int)
CS-OP700PR	Privacy set. P-OP700PR (ext) P-OP700PR (int)
CS-F-OP700	Passage set. P-F-OP700 (ext) P-F-OP700 (int)
CS-F-OP700PR	Privacy set. P-F-OP700PR (ext) P-F-OP700PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-OP700	Passage set. P-OP700 (ext) P-OP700 (int)
TS-OP700PR	Privacy set. P-OP700PR (ext) P-OP700PR (int)
TS-OP700FD	Full dummy. P-OP700D (ext) P-OP700D (int)
TS-OP700HD	Half dummy. P-OP700D
TS-F-OP700	Passage set. P-F-OP700 (ext) P-F-OP700 (int)
TS-F-OP700PR	Privacy set. P-F-OP700PR (ext) P-F-OP700PR (int)
TS-F-OP700FD	Full dummy. P-F-OP700D (ext) P-F-OP700D (int)
TS-F-OP700HD	Half dummy. P-F-OP700D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




925 CONTEMPORARY TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-RP925
– Complete set with latch and spindle.
OR
TS-RP925
– Trim set only. No latch.



CS-925
– Complete set with latch and spindle.
OR
TS-925
– Trim set only. No latch.



CS-925DI
– Complete set with latch and spindle.
OR
TS-925DI
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-RP925	Passage set. RP-925 (ext) RP-925 (int)
CS-RP925PR	Privacy set. RP-925PR (ext) RP-925PR (int)
CS-925	Passage set. P-925 (ext) P-925 (int)
CS-925PR	Privacy set. P-925PR (ext) P-925PR (int)
CS-925DI	Passage set. P-925DI (ext) P-925DI (int)
CS-925DI-PR	Privacy set. P-925DI-PR (ext) P-925DI-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-RP925	Passage set. RP-925 (ext) RP-925 (int)
TS-RP925PR	Privacy set. RP-925PR (ext) RP-925PR (int)
TS-RP925FD	Full dummy. RP-925D (ext) RP-925D (int)
TS-RP925HD	Half dummy. RP-925D
TS-925	Passage set. P-925 (ext) P-925 (int)
TS-925PR	Privacy set. P-925PR (ext) P-925PR (int)
TS-925FD	Full dummy. P-925D (ext) P-925D (int)
TS-925HD	Half dummy. P-925D
TS-925DI	Passage set. P-925DI (ext) P-925DI (int)
TS-925DI-PR	Privacy set. P-925DI-PR (ext) P-925DI-PR (int)
TS-925DI-FD	Full dummy. P-925DI-D (ext) P-925DI-D (int)
TS-925DI-HD	Half dummy. P-925DI-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




926 CONTEMPORARY TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-RP926
– Complete set with latch and spindle.
OR
TS-RP926
– Trim set only. No latch.



CS-926
– Complete set with latch and spindle.
OR
TS-926
– Trim set only. No latch.



CS-926DI
– Complete set with latch and spindle.
OR
TS-926DI
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-RP926	Passage set. RP-926 (ext) RP-926 (int)
CS-RP926PR	Privacy set. RP-926PR (ext) RP-926PR (int)
CS-926	Passage set. P-926 (ext) P-926 (int)
CS-926PR	Privacy set. P-926PR (ext) P-926PR (int)
CS-926DI	Passage set. P-926DI (ext) P-926DI (int)
CS-926DI-PR	Privacy set. P-926DI-PR (ext) P-926DI-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-RP926	Passage set. RP-926 (ext) RP-926 (int)
TS-RP926PR	Privacy set. RP-926PR (ext) RP-926PR (int)
TS-RP926FD	Full dummy. RP-926D (ext) RP-926D (int)
TS-RP926HD	Half dummy. RP-925D
TS-926	Passage set. P-926 (ext) P-926 (int)
TS-926PR	Privacy set. P-926PR (ext) P-926PR (int)
TS-926FD	Full dummy. P-926D (ext) P-926D (int)
TS-926HD	Half dummy. P-926D
TS-926DI	Passage set. P-926DI (ext) P-926DI (int)
TS-926DI-PR	Privacy set. P-926DI-PR (ext) P-926DI-PR (int)
TS-926DI-FD	Full dummy. P-926DI-D (ext) P-926DI-D (int)
TS-926DI-HD	Half dummy. P-926DI-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



927 CONTEMPORARY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-RP927
– Complete set with latch and spindle.
OR
TS-RP927
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-RP927	Passage set. RP-927 (ext) RP-927 (int)
CS-RP927PR	Privacy set. RP-927PR (ext) RP-927PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-RP927	Passage set. RP-927 (ext) RP-927 (int)
TS-RP927PR	Privacy set. RP-927PR (ext) RP-927PR (int)
TS-RP927FD	Full dummy. RP-927D (ext) RP-927D (int)
TS-RP927HD	Half dummy. RP-927D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



9404 CONTEMPORARY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-9404
– Complete set with latch and spindle.
OR
TS-9404
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-9404	Passage set. P-9404 (ext) P-9404 (int)
CS-9404PR	Privacy set. P-9404PR (ext) P-9404PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-9404	Passage set. P-9404 (ext) P-9404 (int)
TS-9404PR	Privacy set. P-9404PR (ext) P-9404PR (int)
TS-9404FD	Full dummy. P-9404D (ext) P-9404D (int)
TS-9404HD	Half dummy. P-9404D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




949 CONTEMPORARY TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-949
– Complete set with latch and spindle.
OR
TS-949
– Trim set only. No latch.



CS-949OH
– Complete set with latch and spindle.
OR
TS-949OH
– Trim set only. No latch.



CS-F949OH
– Complete set with latch and spindle.
OR
TS-F949OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-949	Passage set. P-949 (ext) P-949 (int)
CS-949OH	Passage set. P-949OH (ext) P-949OH (int)
CS-F949OH	Passage set. P-F949OH (ext) P-F949OH (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE extended full lip strike 2.250" thick door

UC-EXT-T-STRIKE extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-949	Passage set. P-949 (ext) P-949 (int)
TS-949FD	Full dummy. P-949D (ext) P-949D (int)
TS-949HD	Half dummy. P-949D
TS-949OH	Passage set. P-949OH (ext) P-949OH (int)
TS-949OH-FD	Full dummy. P-949OH-D (ext) P-949OH-D (int)
TS-949OH-HD	Half dummy. P-949OH-D
TS-F949OH	Passage set. P-F949OH (ext) P-F949OH (int)
TS-F949OH-FD	Full dummy. P-F949OH-D (ext) P-F949OH-D (int)
TS-F949OH-HD	Half dummy. P-F949OH-D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




950 CONTEMPORARY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-950
– Complete set with latch and spindle.
OR
TS-950
– Trim set only. No latch.



CS-F950
– Complete set with latch and spindle.
OR
TS-F950
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-950	Passage set. P-950 (ext) P-950 (int)
CS-F950	Passage set. P-F950 (ext) P-F950 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-950	Passage set. P-950 (ext) P-950 (int)
TS-950FD	Full dummy. P-950D (ext) P-950D (int)
TS-950HD	Half dummy. P-950D
TS-F950	Passage set. P-F950 (ext) P-F950 (int)
TS-F950FD	Full dummy. P-F950D (ext) P-F950D (int)
TS-F950HD	Half dummy. P-F950D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




951 CONTEMPORARY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-951
– Complete set with latch and spindle.
OR
TS-951
– Trim set only. No latch.



CS-F951
– Complete set with latch and spindle.
OR
TS-F951
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-951	Passage set. P-951 (ext) P-951 (int)
CS-F951	Passage set. P-F951 (ext) P-F951 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-951	Passage set. P-951 (ext) P-951 (int)
TS-951FD	Full dummy. P-951D (ext) P-951D (int)
TS-951HD	Half dummy. P-951D
TS-F951	Passage set. P-F951 (ext) P-F951 (int)
TS-F951FD	Full dummy. P-F951D (ext) P-F951D (int)
TS-F951HD	Half dummy. P-F951D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.

SUN VALLEY BRONZE




952 CONTEMPORARY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-952
– Complete set with latch and spindle.
OR
TS-952
– Trim set only. No latch.



CS-F952
– Complete set with latch and spindle.
OR
TS-F952
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-952	Passage set. P-952 (ext) P-952 (int)
CS-952PR	Privacy set. P-952PR (ext) P-952PR (int)
CS-F952	Passage set. P-F952 (ext) P-F952 (int)
CS-F952PR	Privacy set. P-F952PR (ext) P-F952PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE extended full lip strike 2.250" thick door

UC-EXT-T-STRIKE extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-952	Passage set. P-952 (ext) P-952 (int)
TS-952PR	Privacy set. P-952PR (ext) P-952PR (int)
TS-952FD	Full dummy. P-952D (ext) P-952D (int)
TS-952HD	Half dummy. P-952D
TS-F952	Passage set. P-F952 (ext) P-F952 (int)
TS-F952PR	Privacy set. P-F952PR (ext) P-F952PR (int)
TS-F952FD	Full dummy. P-F952D (ext) P-F952D (int)
TS-F952HD	Half dummy. P-F952D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



953 CONTEMPORARY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-953
– Complete set with latch and spindle.
OR
TS-953
– Trim set only. No latch.

CS-F953
– Complete set with latch and spindle.
OR
TS-F953
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-953	Passage set. P-953 (ext) P-953 (int)
CS-953PR	Privacy set. P-953PR (ext) P-953PR (int)
CS-F953	Passage set. P-F953 (ext) P-F953 (int)
CS-F953PR	Privacy set. P-F953PR (ext) P-F953PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-953	Passage set. P-953 (ext) P-953 (int)
TS-953PR	Privacy set. P-953PR (ext) P-953PR (int)
TS-953FD	Full dummy. P-953D (ext) P-953D (int)
TS-953HD	Half dummy. P-953D
TS-F953	Passage set. P-F953 (ext) P-F953 (int)
TS-F953PR	Privacy set. P-F953PR (ext) P-F953PR (int)
TS-F953FD	Full dummy. P-F953D (ext) P-F953D (int)
TS-F953HD	Half dummy. P-F953D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




954 CONTEMPORARY TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-954
– Complete set with latch and spindle.
OR
TS-954
– Trim set only. No latch.



CS-954OH
– Complete set with latch and spindle.
OR
TS-954OH
– Trim set only. No latch.



CS-F954OH
– Complete set with latch and spindle.
OR
TS-F954OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-954	Passage set. P-954 (ext) P-954 (int)
CS-954PR	Privacy set. P-954PR (ext) P-954PR (int)
CS-954OH	Passage set. P-954OH (ext) P-954OH (int)
CS-954OH-PR	Privacy set. P-954OH-PR (ext) P-954OH-PR (int)
CS-F954OH	Passage set. P-F954OH (ext) P-F954OH (int)
CS-F954OH-PR	Privacy set. P-F954OH-PR (ext) P-F954OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-954	Passage set. P-954 (ext) P-954 (int)
TS-954PR	Privacy set. P-954PR (ext) P-954PR (int)
TS-954FD	Full dummy. P-954D (ext) P-954D (int)
TS-954HD	Half dummy. P-954D
TS-954OH	Passage set. P-954OH (ext) P-954OH (int)
TS-954OH-PR	Privacy set. P-954OH-PR (ext) P-954OH-PR (int)
TS-954OH-FD	Full dummy. P-954OH-D (ext) P-954OH-D (int)
TS-954OH-HD	Half dummy. P-954OH-D
TS-F954OH	Passage set. P-F954OH (ext) P-F954OH (int)
TS-F954OH-PR	Privacy set. P-F954OH-PR (ext) P-F954OH-PR (int)
TS-F954OH-FD	Full dummy. P-F954OH-D (ext) P-F954OH-D (int)
TS-F954OH-HD	Half dummy. P-F954OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



955 CONTEMPORARY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-955	Passage set. P-955 (ext) P-955 (int)
CS-955PR	Privacy set. P-955PR (ext) P-955PR (int)
CS-F955	Passage set. P-F955 (ext) P-F955 (int)
CS-F955PR	Privacy set. P-F955PR (ext) P-F955PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE extended full lip strike 2.250" thick door

UC-EXT-T-STRIKE extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-955	Passage set. P-955 (ext) P-955 (int)
TS-955PR	Privacy set. P-955PR (ext) P-955PR (int)
TS-955FD	Full dummy. P-955D (ext) P-955D (int)
TS-955HD	Half dummy. P-955D
TS-F955	Passage set. P-F955 (ext) P-F955 (int)
TS-F955PR	Privacy set. P-F955PR (ext) P-F955PR (int)
TS-F955FD	Full dummy. P-F955D (ext) P-F955D (int)
TS-F955HD	Half dummy. P-F955D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



957 CONTEMPORARY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-957	Passage set. P-957 (ext) P-957 (int)
CS-957PR	Privacy set. P-957PR (ext) P-957PR (int)
CS-F957	Passage set. P-F957 (ext) P-F957 (int)
CS-F957PR	Privacy set. P-F957PR (ext) P-F957PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-957	Passage set. P-957 (ext) P-957 (int)
TS-957PR	Privacy set. P-957PR (ext) P-957PR (int)
TS-957FD	Full dummy. P-957D (ext) P-957D (int)
TS-957HD	Half dummy. P-957D
TS-F957	Passage set. P-F957 (ext) P-F957 (int)
TS-F957PR	Privacy set. P-F957PR (ext) P-F957PR (int)
TS-F957FD	Full dummy. P-F957D (ext) P-F957D (int)
TS-F957HD	Half dummy. P-F957D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



958 CONTEMPORARY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-958	Passage set. P-958 (ext) P-958 (int)
CS-958PR	Privacy set. P-958PR (ext) P-958PR (int)
CS-F958	Passage set. P-F958 (ext) P-F958 (int)
CS-F958PR	Privacy set. P-F958PR (ext) P-F958PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-958	Passage set. P-958 (ext) P-958 (int)
TS-958PR	Privacy set. P-958PR (ext) P-958PR (int)
TS-958FD	Full dummy. P-958D (ext) P-958D (int)
TS-958HD	Half dummy. P-958D
TS-F958	Passage set. P-F958 (ext) P-F958 (int)
TS-F958PR	Privacy set. P-F958PR (ext) P-F958PR (int)
TS-F958FD	Full dummy. P-F958D (ext) P-F958D (int)
TS-F958HD	Half dummy. P-F958D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




959 CONTEMPORARY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-959
– Complete set with latch and spindle.
OR
TS-959
– Trim set only. No latch.



CS-F959
– Complete set with latch and spindle.
OR
TS-F959
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-959	Passage set. P-959 (ext) P-959 (int)
CS-F959	Passage set. P-F959 (ext) P-F959 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-959	Passage set. P-959 (ext) P-959 (int)
TS-959FD	Full dummy. P-959D (ext) P-959D (int)
TS-959HD	Half dummy. P-959D
TS-F959	Passage set. P-F959 (ext) P-F959 (int)
TS-F959FD	Full dummy. P-F959D (ext) P-F959D (int)
TS-F959HD	Half dummy. P-F959D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy not available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




979 CONTEMPORARY TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-979
– Complete set with latch and spindle.
OR
TS-979
– Trim set only. No latch.



CS-979OH
– Complete set with latch and spindle.
OR
TS-979OH
– Trim set only. No latch.



CS-F979OH
– Complete set with latch and spindle.
OR
TS-F979OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-979	Passage set. P-979 (ext) P-979 (int)
CS-979OH	Passage set. P-979OH (ext) P-979OH (int)
CS-F979OH	Passage set. P-F979OH (ext) P-F979OH (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-979	Passage set. P-979 (ext) P-979 (int)
TS-979FD	Full dummy. P-979D (ext) P-979D (int)
TS-979HD	Half dummy. P-979D
TS-979OH	Passage set. P-979OH (ext) P-979OH (int)
TS-979OH-FD	Full dummy. P-979OH-D (ext) P-979OH-D (int)
TS-979OH-HD	Half dummy. P-979OH-D
TS-F979OH	Passage set. P-F979OH (ext) P-F979OH (int)
TS-F979OH-FD	Full dummy. P-F979OH-D (ext) P-F979OH-D (int)
TS-F979OH-HD	Half dummy. P-F979OH-D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



980 CONTEMPORARY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-980	Passage set. P-980 (ext) P-980 (int)
CS-F980	Passage set. P-F980 (ext) P-F980 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-980	Passage set. P-980 (ext) P-980 (int)
TS-980FD	Full dummy. P-980D (ext) P-980D (int)
TS-980HD	Half dummy. P-980D
TS-F980	Passage set. P-F980 (ext) P-F980 (int)
TS-F980FD	Full dummy. P-F980D (ext) P-F980D (int)
TS-F980HD	Half dummy. P-F980D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



1240 FLEUR DE LIS TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-1240	Passage set. P-1240 (ext) P-1240 (int)
CS-F1240	Passage set. P-F1240 (ext) P-F1240 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1240	Passage set. P-1240 (ext) P-1240 (int)
TS-1240FD	Full dummy. P-1240D (ext) P-1240D (int)
TS-1240HD	Half dummy. P-1240D
TS-F1240	Passage set. P-F1240 (ext) P-F1240 (int)
TS-F1240FD	Full dummy. P-F1240D (ext) P-F1240D (int)
TS-F1240HD	Half dummy. P-F1240D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.

SUN VALLEY BRONZE



1245 FLEUR DE LIS TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-1245	Passage set. P-1245 (ext) P-1245 (int)
CS-1245PR	Privacy set. P-1245PR (ext) P-1245PR (int)
CS-F1245	Passage set. P-F1245 (ext) P-F1245 (int)
CS-F1245PR	Privacy set. P-F1245PR (ext) P-F1245PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE extended full lip strike 2.250" thick door

UC-EXT-T-STRIKE extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1245	Passage set. P-1245 (ext) P-1245 (int)
TS-1245PR	Privacy set. P-1245PR (ext) P-1245PR (int)
TS-1245FD	Full dummy. P-1245D (ext) P-1245D (int)
TS-1245HD	Half dummy. P-1245D
TS-F1245	Passage set. P-F1245 (ext) P-F1245 (int)
TS-F1245PR	Privacy set. P-F1245PR (ext) P-F1245PR (int)
TS-F1245FD	Full dummy. P-F1245D (ext) P-F1245D (int)
TS-F1245HD	Half dummy. P-F1245D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



1250 FLEUR DE LIS TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-1250	Passage set. P-1250 (ext) P-1250 (int)
CS-1250PR	Privacy set. P-1250PR (ext) P-1250PR (int)
CS-F1250	Passage set. P-F1250 (ext) P-F1250 (int)
CS-F1250PR	Privacy set. P-F1250PR (ext) P-F1250PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE extended full lip strike 2.250" thick door

UC-EXT-T-STRIKE extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1250	Passage set. P-1250 (ext) P-1250 (int)
TS-1250PR	Privacy set. P-1250PR (ext) P-1250PR (int)
TS-1250FD	Full dummy. P-1250D (ext) P-1250D (int)
TS-1250HD	Half dummy. P-1250D
TS-F1250	Passage set. P-F1250 (ext) P-F1250 (int)
TS-F1250PR	Privacy set. P-F1250PR (ext) P-F1250PR (int)
TS-F1250FD	Full dummy. P-F1250D (ext) P-F1250D (int)
TS-F1250HD	Half dummy. P-F1250D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



322 RIDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-322
– Complete set with latch and spindle.
OR
TS-322
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-322	Passage set. P-322 (ext) P-322 (int)
CS-322PR	Privacy set. P-322PR (ext) P-322PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-322	Passage set. P-322 (ext) P-322 (int)
TS-322PR	Privacy set. P-322PR (ext) P-322PR (int)
TS-322FD	Full dummy. P-322D (ext) P-322D (int)
TS-322HD	Half dummy. P-322D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



RP323 RIDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-RP323
– Complete set with latch and spindle.
OR
TS-RP323
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-RP323	Passage set. RP-323 (ext) RP-323 (int)
CS-RP323PR	Privacy set. RP-323PR (ext) RP-323PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-RP323	Passage set. RP-323 (ext) RP-323 (int)
TS-RP323PR	Privacy set. RP-323PR (ext) RP-323PR (int)
TS-RP323FD	Full dummy. RP-323D (ext) RP-323D (int)
TS-RP323HD	Half dummy. RP-323D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



324 RIDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-324
– Complete set with latch and spindle.
OR
TS-324
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-324	Passage set. P-324 (ext) P-324 (int)
CS-324PR	Privacy set. P-324PR (ext) P-324PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-324	Passage set. P-324 (ext) P-324 (int)
TS-324PR	Privacy set. P-324PR (ext) P-324PR (int)
TS-324FD	Full dummy. P-324D (ext) P-324D (int)
TS-324HD	Half dummy. P-324D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




325 RIDGE TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-325
– Complete set with latch and spindle.
OR
TS-325
– Trim set only. No latch.



CS-325OH
– Complete set with latch and spindle.
OR
TS-325OH
– Trim set only. No latch.



CS-F325OH
– Complete set with latch and spindle.
OR
TS-F325OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-325	Passage set. P-325 (ext) P-325 (int)
CS-325PR	Privacy set. P-325PR (ext) P-325PR (int)
CS-325OH	Passage set. P-325OH (ext) P-325OH (int)
CS-325OH-PR	Privacy set. P-325OH-PR (ext) P-325OH-PR (int)
CS-F325OH	Passage set. P-F325OH (ext) P-F325OH (int)
CS-F325OH-PR	Privacy set. P-F325OH-PR (ext) P-F325OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-325	Passage set. P-325 (ext) P-325 (int)
TS-325PR	Privacy set. P-325PR (ext) P-325PR (int)
TS-325FD	Full dummy. P-325D (ext) P-325D (int)
TS-325HD	Half dummy. P-325D
TS-325OH	Passage set. P-325OH (ext) P-325OH (int)
TS-325OH-PR	Privacy set. P-325OH-PR (ext) P-325OH-PR (int)
TS-325OH-FD	Full dummy. P-325OH-D (ext) P-325OH-D (int)
TS-325OH-HD	Half dummy. P-325OH-D
TS-F325OH	Passage set. P-F325OH (ext) P-F325OH (int)
TS-F325OH-PR	Privacy set. P-F325OH-PR (ext) P-F325OH-PR (int)
TS-F325OH-FD	Full dummy. P-F325OH-D (ext) P-F325OH-D (int)
TS-F325OH-HD	Half dummy. P-F325OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




326 RIDGE TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-326
– Complete set with latch and spindle.
OR
TS-326
– Trim set only. No latch.



CS-326OH
– Complete set with latch and spindle.
OR
TS-326OH
– Trim set only. No latch.



CS-F326OH
– Complete set with latch and spindle.
OR
TS-F326OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-326	Passage set. P-326 (ext) P-326 (int)
CS-326PR	Privacy set. P-326PR (ext) P-326PR (int)
CS-326OH	Passage set. P-326OH (ext) P-326OH (int)
CS-326OH-PR	Privacy set. P-326OH-PR (ext) P-326OH-PR (int)
CS-F326OH	Passage set. P-F326OH (ext) P-F326OH (int)
CS-F326OH-PR	Privacy set. P-F326OH-PR (ext) P-F326OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-326	Passage set. P-326 (ext) P-326 (int)
TS-326PR	Privacy set. P-326PR (ext) P-326PR (int)
TS-326FD	Full dummy. P-326D (ext) P-326D (int)
TS-326HD	Half dummy. P-326D
TS-326OH	Passage set. P-326OH (ext) P-326OH (int)
TS-326OH-PR	Privacy set. P-326OH-PR (ext) P-326OH-PR (int)
TS-326OH-FD	Full dummy. P-326OH-D (ext) P-326OH-D (int)
TS-326OH-HD	Half dummy. P-326OH-D
TS-F326OH	Passage set. P-F326OH (ext) P-F326OH (int)
TS-F326OH-PR	Privacy set. P-F326OH-PR (ext) P-F326OH-PR (int)
TS-F326OH-FD	Full dummy. P-F326OH-D (ext) P-F326OH-D (int)
TS-F326OH-HD	Half dummy. P-F326OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




420 RIDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-420
– Complete set with latch and spindle.
OR
TS-420
– Trim set only. No latch.



CS-F420
– Complete set with latch and spindle.
OR
TS-F420
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-420	Passage set. P-420 (ext) P-420 (int)
CS-F420	Passage set. P-F420 (ext) P-F420 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-420	Passage set. P-420 (ext) P-420 (int)
TS-420FD	Full dummy. P-420D (ext) P-420D (int)
TS-420HD	Half dummy. P-420D
TS-F420	Passage set. P-F420 (ext) P-F420 (int)
TS-F420FD	Full dummy. P-F420D (ext) P-F420D (int)
TS-F420HD	Half dummy. P-F420D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

*Will not cover 2.125" bore.


**Push pin privacy not available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




421 RIDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-421
– Complete set with latch and spindle.
OR
TS-421
– Trim set only. No latch.



CS-F421
– Complete set with latch and spindle.
OR
TS-F421
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-421	Passage set. P-421 (ext) P-421 (int)
CS-421PR	Privacy set. P-421PR (ext) P-421PR (int)
CS-F421	Passage set. P-F421 (ext) P-F421 (int)
CS-F421PR	Privacy set. P-F421PR (ext) P-F421PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-421	Passage set. P-421 (ext) P-421 (int)
TS-421PR	Privacy set. P-421PR (ext) P-421PR (int)
TS-421FD	Full dummy. P-421D (ext) P-421D (int)
TS-421HD	Half dummy. P-421D
TS-F421	Passage set. P-F421 (ext) P-F421 (int)
TS-F421PR	Privacy set. P-F421PR (ext) P-F421PR (int)
TS-F421FD	Full dummy. P-F421D (ext) P-F421D (int)
TS-F421HD	Half dummy. P-F421D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



422 RIDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-422	Passage set. P-422 (ext) P-422 (int)
CS-422PR	Privacy set. P-422PR (ext) P-422PR (int)
CS-F422	Passage set. P-F422 (ext) P-F422 (int)
CS-F422PR	Privacy set. P-F422PR (ext) P-F422PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-422	Passage set. P-422 (ext) P-422 (int)
TS-422PR	Privacy set. P-422PR (ext) P-422PR (int)
TS-422FD	Full dummy. P-422D (ext) P-422D (int)
TS-422HD	Half dummy. P-422D
TS-F422	Passage set. P-F422 (ext) P-F422 (int)
TS-F422PR	Privacy set. P-F422PR (ext) P-F422PR (int)
TS-F422FD	Full dummy. P-F422D (ext) P-F422D (int)
TS-F422HD	Half dummy. P-F422D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




423 RIDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-423
– Complete set with latch and spindle.
OR
TS-423
– Trim set only. No latch.



CS-F423
– Complete set with latch and spindle.
OR
TS-F423
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-423	Passage set. P-423 (ext) P-423 (int)
CS-423PR	Privacy set. P-423PR (ext) P-423PR (int)
CS-F423	Passage set. P-F423 (ext) P-F423 (int)
CS-F423PR	Privacy set. P-F423PR (ext) P-F423PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-423	Passage set. P-423 (ext) P-423 (int)
TS-423PR	Privacy set. P-423PR (ext) P-423PR (int)
TS-423FD	Full dummy. P-423D (ext) P-423D (int)
TS-423HD	Half dummy. P-423D
TS-F423	Passage set. P-F423 (ext) P-F423 (int)
TS-F423PR	Privacy set. P-F423PR (ext) P-F423PR (int)
TS-F423FD	Full dummy. P-F423D (ext) P-F423D (int)
TS-F423HD	Half dummy. P-F423D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



424 RIDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-424	Passage set. P-424 (ext) P-424 (int)
CS-424PR	Privacy set. P-424PR (ext) P-424PR (int)
CS-F424	Passage set. P-F424 (ext) P-F424 (int)
CS-F424PR	Privacy set. P-F424PR (ext) P-F424PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-424	Passage set. P-424 (ext) P-424 (int)
TS-424PR	Privacy set. P-424PR (ext) P-424PR (int)
TS-424FD	Full dummy. P-424D (ext) P-424D (int)
TS-424HD	Half dummy. P-424D
TS-F424	Passage set. P-F424 (ext) P-F424 (int)
TS-F424PR	Privacy set. P-F424PR (ext) P-F424PR (int)
TS-F424FD	Full dummy. P-F424D (ext) P-F424D (int)
TS-F424HD	Half dummy. P-F424D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



425 RIDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-425	Passage set. P-425 (ext) P-425 (int)
CS-425PR	Privacy set. P-425PR (ext) P-425PR (int)
CS-F425	Passage set. P-F425 (ext) P-F425 (int)
CS-F425PR	Privacy set. P-F425PR (ext) P-F425PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-425	Passage set. P-425 (ext) P-425 (int)
TS-425PR	Privacy set. P-425PR (ext) P-425PR (int)
TS-425FD	Full dummy. P-425D (ext) P-425D (int)
TS-425HD	Half dummy. P-425D
TS-F425	Passage set. P-F425 (ext) P-F425 (int)
TS-F425PR	Privacy set. P-F425PR (ext) P-F425PR (int)
TS-F425FD	Full dummy. P-F425D (ext) P-F425D (int)
TS-F425HD	Half dummy. P-F425D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




426 RIDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-426
– Complete set with latch and spindle.
OR
TS-426
– Trim set only. No latch.



CS-F426
– Complete set with latch and spindle.
OR
TS-F426
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-426	Passage set. P-426 (ext) P-426 (int)
CS-426PR	Privacy set. P-426PR (ext) P-426PR (int)
CS-F426	Passage set. P-F426 (ext) P-F426 (int)
CS-F426PR	Privacy set. P-F426PR (ext) P-F426PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-426	Passage set. P-426 (ext) P-426 (int)
TS-426PR	Privacy set. P-426PR (ext) P-426PR (int)
TS-426FD	Full dummy. P-426D (ext) P-426D (int)
TS-426HD	Half dummy. P-426D
TS-F426	Passage set. P-F426 (ext) P-F426 (int)
TS-F426PR	Privacy set. P-F426PR (ext) P-F426PR (int)
TS-F426FD	Full dummy. P-F426D (ext) P-F426D (int)
TS-F426HD	Half dummy. P-F426D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




336 CORRUGATED w/BAND TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-336
– Complete set with latch and spindle.
OR
TS-336
– Trim set only. No latch.



CS-336OH
– Complete set with latch and spindle.
OR
TS-336OH
– Trim set only. No latch.



CS-F336OH
– Complete set with latch and spindle.
OR
TS-F336OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-336	Passage set. P-336 (ext) P-336 (int)
CS-336PR	Privacy set. P-336PR (ext) P-336PR (int)
CS-336OH	Passage set. P-336OH (ext) P-336OH (int)
CS-336OH-PR	Privacy set. P-336OH-PR (ext) P-336OH-PR (int)
CS-F336OH	Passage set. P-F336OH (ext) P-F336OH (int)
CS-F336OH-PR	Privacy set. P-F336OH-PR (ext) P-F336OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-336	Passage set. P-336 (ext) P-336 (int)
TS-336PR	Privacy set. P-336PR (ext) P-336PR (int)
TS-336FD	Full dummy. P-336D (ext) P-336D (int)
TS-336HD	Half dummy. P-336D
TS-336OH	Passage set. P-336OH (ext) P-336OH (int)
TS-336OH-PR	Privacy set. P-336OH-PR (ext) P-336OH-PR (int)
TS-336OH-FD	Full dummy. P-336OH-D (ext) P-336OH-D (int)
TS-336OH-HD	Half dummy. P-336OH-D
TS-F336OH	Passage set. P-F336OH (ext) P-F336OH (int)
TS-F336OH-PR	Privacy set. P-F336OH-PR (ext) P-F336OH-PR (int)
TS-F336OH-FD	Full dummy. P-F336OH-D (ext) P-F336OH-D (int)
TS-F336OH-HD	Half dummy. P-F336OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



431 CORRUGATED w/BAND TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-431
– Complete set with latch and spindle.
OR
TS-431
– Trim set only. No latch.

CS-F431
– Complete set with latch and spindle.
OR
TS-F431
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-431	Passage set. P-431 (ext) P-431 (int)
CS-431PR	Privacy set. P-431PR (ext) P-431PR (int)
CS-F431	Passage set. P-F431 (ext) P-F431 (int)
CS-F431PR	Privacy set. P-F431PR (ext) P-F431PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-431	Passage set. P-431 (ext) P-431 (int)
TS-431PR	Privacy set. P-431PR (ext) P-431PR (int)
TS-431FD	Full dummy. P-431D (ext) P-431D (int)
TS-431HD	Half dummy. P-431D
TS-F431	Passage set. P-F431 (ext) P-F431 (int)
TS-F431PR	Privacy set. P-F431PR (ext) P-F431PR (int)
TS-F431FD	Full dummy. P-F431D (ext) P-F431D (int)
TS-F431HD	Half dummy. P-F431D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




346 HAMPTON TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-346
– Complete set with latch and spindle.
OR
TS-346
– Trim set only. No latch.



CS-346OH
– Complete set with latch and spindle.
OR
TS-346OH
– Trim set only. No latch.



CS-F346OH
– Complete set with latch and spindle.
OR
TS-F346OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-346	Passage set. P-346 (ext) P-346 (int)
CS-346PR	Privacy set. P-346PR (ext) P-346PR (int)
CS-346OH	Passage set. P-346OH (ext) P-346OH (int)
CS-346OH-PR	Privacy set. P-346OH-PR (ext) P-346OH-PR (int)
CS-F346OH	Passage set. P-F346OH (ext) P-F346OH (int)
CS-F346OH-PR	Privacy set. P-F346OH-PR (ext) P-F346OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-346	Passage set. P-346 (ext) P-346 (int)
TS-346PR	Privacy set. P-346PR (ext) P-346PR (int)
TS-346FD	Full dummy. P-346D (ext) P-346D (int)
TS-346HD	Half dummy. P-346D
TS-346OH	Passage set. P-346OH (ext) P-346OH (int)
TS-346OH-PR	Privacy set. P-346OH-PR (ext) P-346OH-PR (int)
TS-346OH-FD	Full dummy. P-346OH-D (ext) P-346OH-D (int)
TS-346OH-HD	Half dummy. P-346OH-D
TS-F346OH	Passage set. P-F346OH (ext) P-F346OH (int)
TS-F346OH-PR	Privacy set. P-F346OH-PR (ext) P-F346OH-PR (int)
TS-F346OH-FD	Full dummy. P-F346OH-D (ext) P-F346OH-D (int)
TS-F346OH-HD	Half dummy. P-F346OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




440 HAMPTON TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-440
 – Complete set with latch and spindle.
 OR
TS-440
 – Trim set only. No latch.



CS-F440
 – Complete set with latch and spindle.
 OR
TS-F440
 – Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-440	Passage set. P-440 (ext) P-440 (int)
CS-440PR	Privacy set. P-440PR (ext) P-440PR (int)
CS-F440	Passage set. P-F440 (ext) P-F440 (int)
CS-F440PR	Privacy set. P-F440PR (ext) P-F440PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-440	Passage set. P-440 (ext) P-440 (int)
TS-440PR	Privacy set. P-440PR (ext) P-440PR (int)
TS-440FD	Full dummy. P-440D (ext) P-440D (int)
TS-440HD	Half dummy. P-440D
TS-F440	Passage set. P-F440 (ext) P-F440 (int)
TS-F440PR	Privacy set. P-F440PR (ext) P-F440PR (int)
TS-F440FD	Full dummy. P-F440D (ext) P-F440D (int)
TS-F440HD	Half dummy. P-F440D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



441 HAMPTON TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-441	Passage set. P-441 (ext) P-441 (int)
CS-441PR	Privacy set. P-441PR (ext) P-441PR (int)
CS-F441	Passage set. P-F441 (ext) P-F441 (int)
CS-F441PR	Privacy set. P-F441PR (ext) P-F441PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-441	Passage set. P-441 (ext) P-441 (int)
TS-441PR	Privacy set. P-441PR (ext) P-441PR (int)
TS-441FD	Full dummy. P-441D (ext) P-441D (int)
TS-441HD	Half dummy. P-441D
TS-F441	Passage set. P-F441 (ext) P-F441 (int)
TS-F441PR	Privacy set. P-F441PR (ext) P-F441PR (int)
TS-F441FD	Full dummy. P-F441D (ext) P-F441D (int)
TS-F441HD	Half dummy. P-F441D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




355 TRELLIS TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-355
– Complete set with latch and spindle.
OR
TS-355
– Trim set only. No latch.



CS-355OH
– Complete set with latch and spindle.
OR
TS-355OH
– Trim set only. No latch.



CS-F355OH
– Complete set with latch and spindle.
OR
TS-F355OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-355	Passage set. P-355 (ext) P-355 (int)
CS-355OH	Passage set. P-355OH (ext) P-355OH (int)
CS-F355OH	Passage set. P-F355OH (ext) P-F355OH (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-355	Passage set. P-355 (ext) P-355 (int)
TS-355FD	Full dummy. P-355D (ext) P-355D (int)
TS-355HD	Half dummy. P-355D
TS-355OH	Passage set. P-355OH (ext) P-355OH (int)
TS-355OH-FD	Full dummy. P-355OH-D (ext) P-355OH-D (int)
TS-355OH-HD	Half dummy. P-355OH-D
TS-F355OH	Passage set. P-F355OH (ext) P-F355OH (int)
TS-F355OH-FD	Full dummy. P-F355OH-D (ext) P-F355OH-D (int)
TS-F355OH-HD	Half dummy. P-F355OH-D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.


* Not available in privacy function.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




356 TRELLIS TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-356
– Complete set with latch and spindle.
OR
TS-356
– Trim set only. No latch.



CS-356OH
– Complete set with latch and spindle.
OR
TS-356OH
– Trim set only. No latch.



CS-F356OH
– Complete set with latch and spindle.
OR
TS-F356OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-356	Passage set. P-356 (ext) P-356 (int)
CS-356PR	Privacy set. P-356PR (ext) P-356PR (int)
CS-356OH	Passage set. P-356OH (ext) P-356OH (int)
CS-356OH-PR	Privacy set. P-356OH-PR (ext) P-356OH-PR (int)
CS-F356OH	Passage set. P-F356OH (ext) P-F356OH (int)
CS-F356OH-PR	Privacy set. P-F356OH-PR (ext) P-F356OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-356	Passage set. P-356 (ext) P-356 (int)
TS-356PR	Privacy set. P-356PR (ext) P-356PR (int)
TS-356FD	Full dummy. P-356D (ext) P-356D (int)
TS-356HD	Half dummy. P-356D
TS-356OH	Passage set. P-356OH (ext) P-356OH (int)
TS-356OH-PR	Privacy set. P-356OH-PR (ext) P-356OH-PR (int)
TS-356OH-FD	Full dummy. P-356OH-D (ext) P-356OH-D (int)
TS-356OH-HD	Half dummy. P-356OH-D
TS-F356OH	Passage set. P-F356OH (ext) P-F356OH (int)
TS-F356OH-PR	Privacy set. P-F356OH-PR (ext) P-F356OH-PR (int)
TS-F356OH-FD	Full dummy. P-F356OH-D (ext) P-F356OH-D (int)
TS-F356OH-HD	Half dummy. P-F356OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




451 TRELLIS TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-451
– Complete set with latch and spindle.
OR
TS-451
– Trim set only. No latch.



CS-F451
– Complete set with latch and spindle.
OR
TS-F441
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-451	Passage set. P-451 (ext) P-451 (int)
CS-451PR	Privacy set. P-451PR (ext) P-451PR (int)
CS-F451	Passage set. P-F451 (ext) P-F451 (int)
CS-F451PR	Privacy set. P-F451PR (ext) P-F451PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-451	Passage set. P-451 (ext) P-451 (int)
TS-451PR	Privacy set. P-451PR (ext) P-451PR (int)
TS-451FD	Full dummy. P-451D (ext) P-451D (int)
TS-451HD	Half dummy. P-451D
TS-F451	Passage set. P-F451 (ext) P-F451 (int)
TS-F451PR	Privacy set. P-F451PR (ext) P-F451PR (int)
TS-F451FD	Full dummy. P-F451D (ext) P-F451D (int)
TS-F451HD	Half dummy. P-F451D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




366 DECO TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-366
– Complete set with latch and spindle.
OR
TS-366
– Trim set only. No latch.



CS-366OH
– Complete set with latch and spindle.
OR
TS-366OH
– Trim set only. No latch.



CS-F366OH
– Complete set with latch and spindle.
OR
TS-F366OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-366	Passage set. P-366 (ext) P-366 (int)
CS-366PR	Privacy set. P-366PR (ext) P-366PR (int)
CS-366OH	Passage set. P-366OH (ext) P-366OH (int)
CS-366OH-PR	Privacy set. P-366OH-PR (ext) P-366OH-PR (int)
CS-F366OH	Passage set. P-F366OH (ext) P-F366OH (int)
CS-F366OH-PR	Privacy set. P-F366OH-PR (ext) P-F366OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-366	Passage set. P-366 (ext) P-366 (int)
TS-366PR	Privacy set. P-366PR (ext) P-366PR (int)
TS-366FD	Full dummy. P-366D (ext) P-366D (int)
TS-366HD	Half dummy. P-366D
TS-366OH	Passage set. P-366OH (ext) P-366OH (int)
TS-366OH-PR	Privacy set. P-366OH-PR (ext) P-366OH-PR (int)
TS-366OH-FD	Full dummy. P-366OH-D (ext) P-366OH-D (int)
TS-366OH-HD	Half dummy. P-366OH-D
TS-F366OH	Passage set. P-F366OH (ext) P-F366OH (int)
TS-F366OH-PR	Privacy set. P-F366OH-PR (ext) P-F366OH-PR (int)
TS-F366OH-FD	Full dummy. P-F366OH-D (ext) P-F366OH-D (int)
TS-F366OH-HD	Half dummy. P-F366OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



461 DECO TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-461	Passage set. P-461 (ext) P-461 (int)
CS-461PR	Privacy set. P-461PR (ext) P-461PR (int)
CS-F461	Passage set. P-F461 (ext) P-F461 (int)
CS-F461PR	Privacy set. P-F461PR (ext) P-F461PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-461	Passage set. P-461 (ext) P-461 (int)
TS-461PR	Privacy set. P-461PR (ext) P-461PR (int)
TS-461FD	Full dummy. P-461D (ext) P-461D (int)
TS-461HD	Half dummy. P-461D
TS-F461	Passage set. P-F461 (ext) P-F461 (int)
TS-F461PR	Privacy set. P-F461PR (ext) P-F461PR (int)
TS-F461FD	Full dummy. P-F461D (ext) P-F461D (int)
TS-F461HD	Half dummy. P-F461D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




1406 CORRUGATED TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-1406
– Complete set with latch and spindle.
OR
TS-1406
– Trim set only. No latch.



CS-1406OH
– Complete set with latch and spindle.
OR
TS-1406OH
– Trim set only. No latch.



CS-F1406OH
– Complete set with latch and spindle.
OR
TS-F1406OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-1406	Passage set. P-1406 (ext) P-1406 (int)
CS-1406PR	Privacy set. P-1406PR (ext) P-1406PR (int)
CS-1406OH	Passage set. P-1406OH (ext) P-1406OH (int)
CS-1406OH-PR	Privacy set. P-1406OH-PR (ext) P-1406OH-PR (int)
CS-F1406OH	Passage set. P-F1406OH (ext) P-F1406OH (int)
CS-F1406OH-PR	Privacy set. P-F1406OH-PR (ext) P-F1406OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1406	Passage set. P-1406 (ext) P-1406 (int)
TS-1406PR	Privacy set. P-1406PR (ext) P-1406PR (int)
TS-1406FD	Full dummy. P-1406D (ext) P-1406D (int)
TS-1406HD	Half dummy. P-1406D
TS-1406OH	Passage set. P-1406OH (ext) P-1406OH (int)
TS-1406OH-PR	Privacy set. P-1406OH-PR (ext) P-1406OH-PR (int)
TS-1406OH-FD	Full dummy. P-1406OH-D (ext) P-1406OH-D (int)
TS-1406OH-HD	Half dummy. P-1406OH-D
TS-F1406OH	Passage set. P-F1406OH (ext) P-F1406OH (int)
TS-F1406OH-PR	Privacy set. P-F1406OH-PR (ext) P-F1406OH-PR (int)
TS-F1406OH-FD	Full dummy. P-F1406OH-D (ext) P-F1406OH-D (int)
TS-F1406OH-HD	Half dummy. P-F1406OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



1408 CORRUGATED TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-1408
– Complete set with latch and spindle.
OR
TS-1408
– Trim set only. No latch.

CS-F1408
– Complete set with latch and spindle.
OR
TS-F1408
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-1408	Passage set. P-1408 (ext) P-1408 (int)
CS-1408PR	Privacy set. P-1408PR (ext) P-1408PR (int)
CS-F1408	Passage set. P-F1408 (ext) P-F1408 (int)
CS-F1408PR	Privacy set. P-F1408PR (ext) P-F1408PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1408	Passage set. P-1408 (ext) P-1408 (int)
TS-1408PR	Privacy set. P-1408PR (ext) P-1408PR (int)
TS-1408FD	Full dummy. P-1408D (ext) P-1408D (int)
TS-1408HD	Half dummy. P-1408D
TS-F1408	Passage set. P-F1408 (ext) P-F1408 (int)
TS-F1408PR	Privacy set. P-F1408PR (ext) P-F1408PR (int)
TS-F1408FD	Full dummy. P-F1408D (ext) P-F1408D (int)
TS-F1408HD	Half dummy. P-F1408D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



1410 CORRUGATED TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-1410	Passage set. P-1410 (ext) P-1410 (int)
CS-1410PR	Privacy set. P-1410PR (ext) P-1410PR (int)
CS-F1410	Passage set. P-F1410 (ext) P-F1410 (int)
CS-F1410PR	Privacy set. P-F1410PR (ext) P-F1410PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1410	Passage set. P-1410 (ext) P-1410 (int)
TS-1410PR	Privacy set. P-1410PR (ext) P-1410PR (int)
TS-1410FD	Full dummy. P-1410D (ext) P-1410D (int)
TS-1410HD	Half dummy. P-1410D
TS-F1410	Passage set. P-F1410 (ext) P-F1410 (int)
TS-F1410PR	Privacy set. P-F1410PR (ext) P-F1410PR (int)
TS-F1410FD	Full dummy. P-F1410D (ext) P-F1410D (int)
TS-F1410HD	Half dummy. P-F1410D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




1505 BANDBOX TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-1505OH
– Complete set with latch and spindle.
OR
TS-1505OH
– Trim set only. No latch.



CS-F1505OH
– Complete set with latch and spindle.
OR
TS-F1505OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-1505OH	Passage set. P-1505OH (ext) P-1505OH (int)
CS-F1505OH	Passage set. P-F1505OH (ext) P-F1505OH (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1505OH	Passage set. P-1505OH (ext) P-1505OH (int)
TS-1505OH-FD	Full dummy. P-1505OH-D (ext) P-1505OH-D (int)
TS-1505OH-HD	Half dummy. P-1505OH-D
TS-F1505OH	Passage set. P-F1505OH (ext) P-F1505OH (int)
TS-F1505OH-FD	Full dummy. P-F1505OH-D (ext) P-F1505OH-D (int)
TS-F1505OH-HD	Half dummy. P-F1505OH-D

2.375" or 2.750" backset standard. Please specify.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




1506 BANDBOX TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-1506
– Complete set with latch and spindle.
OR
TS-1506
– Trim set only. No latch.



CS-1506OH
– Complete set with latch and spindle.
OR
TS-1506OH
– Trim set only. No latch.



CS-F1506OH
– Complete set with latch and spindle.
OR
TS-F1506OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-1506	Passage set. P-1506 (ext) P-1506 (int)
CS-1506PR	Privacy set. P-1506PR (ext) P-1506PR (int)
CS-1506OH	Passage set. P-1506OH (ext) P-1506OH (int)
CS-1506OH-PR	Privacy set. P-1506OH-PR (ext) P-1506OH-PR (int)
CS-F1506OH	Passage set. P-F1506OH (ext) P-F1506OH (int)
CS-F1506OH-PR	Privacy set. P-F1506OH-PR (ext) P-F1506OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1506	Passage set. P-1506 (ext) P-1506 (int)
TS-1506PR	Privacy set. P-1506PR (ext) P-1506PR (int)
TS-1506FD	Full dummy. P-1506D (ext) P-1506D (int)
TS-1506HD	Half dummy. P-1506D
TS-1506OH	Passage set. P-1506OH (ext) P-1506OH (int)
TS-1506OH-PR	Privacy set. P-1506OH-PR (ext) P-1506OH-PR (int)
TS-1506OH-FD	Full dummy. P-1506OH-D (ext) P-1506OH-D (int)
TS-1506OH-HD	Half dummy. P-1506OH-D
TS-F1506OH	Passage set. P-F1506OH (ext) P-F1506OH (int)
TS-F1506OH-PR	Privacy set. P-F1506OH-PR (ext) P-F1506OH-PR (int)
TS-F1506OH-FD	Full dummy. P-F1506OH-D (ext) P-F1506OH-D (int)
TS-F1506OH-HD	Half dummy. P-F1506OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




1510 BANDBOX TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-1510
– Complete set with latch and spindle.
OR
TS-1510
– Trim set only. No latch.



CS-F1510
– Complete set with latch and spindle.
OR
TS-F1510
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-1510	Passage set. P-1510 (ext) P-1510 (int)
CS-1510PR	Privacy set. P-1510PR (ext) P-1510PR (int)
CS-F1510	Passage set. P-F1510 (ext) P-F1510 (int)
CS-F1510PR	Privacy set. P-F1510PR (ext) P-F1510PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1510	Passage set. P-1510 (ext) P-1510 (int)
TS-1510PR	Privacy set. P-1510PR (ext) P-1510PR (int)
TS-1510FD	Full dummy. P-1510D (ext) P-1510D (int)
TS-1510HD	Half dummy. P-1510D
TS-F1510	Passage set. P-F1510 (ext) P-F1510 (int)
TS-F1510PR	Privacy set. P-F1510PR (ext) P-F1510PR (int)
TS-F1510FD	Full dummy. P-F1510D (ext) P-F1510D (int)
TS-F1510HD	Half dummy. P-F1510D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




1511 BANDBOX TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-1511
– Complete set with latch and spindle.
OR
TS-1511
– Trim set only. No latch.



CS-F1511
– Complete set with latch and spindle.
OR
TS-F1511
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-1511	Passage set. P-1511 (ext) P-1511 (int)
CS-1511PR	Privacy set. P-1511PR (ext) P-1511PR (int)
CS-F1511	Passage set. P-F1511 (ext) P-F1511 (int)
CS-F1511PR	Privacy set. P-F1511PR (ext) P-F1511PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1511	Passage set. P-1511 (ext) P-1511 (int)
TS-1511PR	Privacy set. P-1511PR (ext) P-1511PR (int)
TS-1511FD	Full dummy. P-1511D (ext) P-1511D (int)
TS-1511HD	Half dummy. P-1511D
TS-F1511	Passage set. P-F1511 (ext) P-F1511 (int)
TS-F1511PR	Privacy set. P-F1511PR (ext) P-F1511PR (int)
TS-F1511FD	Full dummy. P-F1511D (ext) P-F1511D (int)
TS-F1511HD	Half dummy. P-F1511D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



1512 BANDBOX TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-1512
– Complete set with latch and spindle.
OR
TS-1512
– Trim set only. No latch.

CS-F1512
– Complete set with latch and spindle.
OR
TS-F1512
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-1512	Passage set. P-1512 (ext) P-1512 (int)
CS-1512PR	Privacy set. P-1512PR (ext) P-1512PR (int)
CS-F1512	Passage set. P-F1512 (ext) P-F1512 (int)
CS-F1512PR	Privacy set. P-F1512PR (ext) P-F1512PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1512	Passage set. P-1512 (ext) P-1512 (int)
TS-1512PR	Privacy set. P-1512PR (ext) P-1512PR (int)
TS-1512FD	Full dummy. P-1512D (ext) P-1512D (int)
TS-1512HD	Half dummy. P-1512D
TS-F1512	Passage set. P-F1512 (ext) P-F1512 (int)
TS-F1512PR	Privacy set. P-F1512PR (ext) P-F1512PR (int)
TS-F1512FD	Full dummy. P-F1512D (ext) P-F1512D (int)
TS-F1512HD	Half dummy. P-F1512D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



1711 CIRCLES TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-1711	Passage set. P-1711 (ext) P-1711 (int)
CS-1711PR	Privacy set. P-1711PR (ext) P-1711PR (int)
CS-F1711	Passage set. P-F1711 (ext) P-F1711 (int)
CS-F1711PR	Privacy set. P-F1711PR (ext) P-F1711PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1711	Passage set. P-1711 (ext) P-1711 (int)
TS-1711PR	Privacy set. P-1711PR (ext) P-1711PR (int)
TS-1711FD	Full dummy. P-1711D (ext) P-1711D (int)
TS-1711HD	Half dummy. P-1711D
TS-F1711	Passage set. P-F1711 (ext) P-F1711 (int)
TS-F1711PR	Privacy set. P-F1711PR (ext) P-F1711PR (int)
TS-F1711FD	Full dummy. P-F1711D (ext) P-F1711D (int)
TS-F1711HD	Half dummy. P-F1711D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




1811 SQUARES TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-1811
– Complete set with latch and spindle.
OR
TS-1811
– Trim set only. No latch.



CS-F1811
– Complete set with latch and spindle.
OR
TS-F1811
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-1811	Passage set. P-1811 (ext) P-1811 (int)
CS-1811PR	Privacy set. P-1811PR (ext) P-1811PR (int)
CS-F1811	Passage set. P-F1811 (ext) P-F1811 (int)
CS-F1811PR	Privacy set. P-F1811PR (ext) P-F1811PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1811	Passage set. P-1811 (ext) P-1811 (int)
TS-1811PR	Privacy set. P-1811PR (ext) P-1811PR (int)
TS-1811FD	Full dummy. P-1811D (ext) P-1811D (int)
TS-1811HD	Half dummy. P-1811D
TS-F1811	Passage set. P-F1811 (ext) P-F1811 (int)
TS-F1811PR	Privacy set. P-F1811PR (ext) P-F1811PR (int)
TS-F1811FD	Full dummy. P-F1811D (ext) P-F1811D (int)
TS-F1811HD	Half dummy. P-F1811D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



1902 CORDUROY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-1902
– Complete set with latch and spindle.
OR
TS-1902
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-1902	Passage set. P-1902 (ext) P-1902 (int)
CS-1902PR	Privacy set. P-1902PR (ext) P-1902PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1902	Passage set. P-1902 (ext) P-1902 (int)
TS-1902PR	Privacy set. P-1902PR (ext) P-1902PR (int)
TS-1902FD	Full dummy. P-1902D (ext) P-1902D (int)
TS-1902HD	Half dummy. P-1902D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



1903 CORDUROY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-1903
 – Complete set with latch and spindle.
 OR
 TS-1903
 – Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-1903	Passage set. P-1903 (ext) P-1903 (int)
CS-1903PR	Privacy set. P-1903PR (ext) P-1903PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1903	Passage set. P-1903 (ext) P-1903 (int)
TS-1903PR	Privacy set. P-1903PR (ext) P-1903PR (int)
TS-1903FD	Full dummy. P-1903D (ext) P-1903D (int)
TS-1903HD	Half dummy. P-1903D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




1906 CORDUROY TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-1906
– Complete set with latch and spindle.
OR
TS-1906
– Trim set only. No latch.



CS-1906OH
– Complete set with latch and spindle.
OR
TS-1906OH
– Trim set only. No latch.



CS-F1906OH
– Complete set with latch and spindle.
OR
TS-F1906OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-1906	Passage set. P-1906 (ext) P-1906 (int)
CS-1906PR	Privacy set. P-1906PR (ext) P-1906PR (int)
CS-1906OH	Passage set. P-1906OH (ext) P-1906OH (int)
CS-1906OH-PR	Privacy set. P-1906OH-PR (ext) P-1906OH-PR (int)
CS-F1906OH	Passage set. P-F1906OH (ext) P-F1906OH (int)
CS-F1906OH-PR	Privacy set. P-F1906OH-PR (ext) P-F1906OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE extended full lip strike 2.250" thick door

UC-EXT-T-STRIKE extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1906	Passage set. P-1906 (ext) P-1906 (int)
TS-1906PR	Privacy set. P-1906PR (ext) P-1906PR (int)
TS-1906FD	Full dummy. P-1906D (ext) P-1906D (int)
TS-1906HD	Half dummy. P-1906D
TS-1906OH	Passage set. P-1906OH (ext) P-1906OH (int)
TS-1906OH-PR	Privacy set. P-1906OH-PR (ext) P-1906OH-PR (int)
TS-1906OH-FD	Full dummy. P-1906OH-D (ext) P-1906OH-D (int)
TS-1906OH-HD	Half dummy. P-1906OH-D
TS-F1906OH	Passage set. P-F1906OH (ext) P-F1906OH (int)
TS-F1906OH-PR	Privacy set. P-F1906OH-PR (ext) P-F1906OH-PR (int)
TS-F1906OH-FD	Full dummy. P-F1906OH-D (ext) P-F1906OH-D (int)
TS-F1906OH-HD	Half dummy. P-F1906OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



1908 CORDUROY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-1908
– Complete set with latch and spindle.
OR
TS-1908
– Trim set only. No latch.

CS-F1908
– Complete set with latch and spindle.
OR
TS-F1908
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-1908	Passage set. P-1908 (ext) P-1908 (int)
CS-1908PR	Privacy set. P-1908PR (ext) P-1908PR (int)
CS-F1908	Passage set. P-F1908 (ext) P-F1908 (int)
CS-F1908PR	Privacy set. P-F1908PR (ext) P-F1908PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1908	Passage set. P-1908 (ext) P-1908 (int)
TS-1908PR	Privacy set. P-1908PR (ext) P-1908PR (int)
TS-1908FD	Full dummy. P-1908D (ext) P-1908D (int)
TS-1908HD	Half dummy. P-1908D
TS-F1908	Passage set. P-F1908 (ext) P-F1908 (int)
TS-F1908PR	Privacy set. P-F1908PR (ext) P-F1908PR (int)
TS-F1908FD	Full dummy. P-F1908D (ext) P-F1908D (int)
TS-F1908HD	Half dummy. P-F1908D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




1910 CORDUROY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-1910
– Complete set with latch and spindle.
OR
TS-1910
– Trim set only. No latch.



CS-F1910
– Complete set with latch and spindle.
OR
TS-F1910
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-1910	Passage set. P-1910 (ext) P-1910 (int)
CS-1910PR	Privacy set. P-1910PR (ext) P-1910PR (int)
CS-F1910	Passage set. P-F1910 (ext) P-F1910 (int)
CS-F1910PR	Privacy set. P-F1910PR (ext) P-F1910PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1910	Passage set. P-1910 (ext) P-1910 (int)
TS-1910PR	Privacy set. P-1910PR (ext) P-1910PR (int)
TS-1910FD	Full dummy. P-1910D (ext) P-1910D (int)
TS-1910HD	Half dummy. P-1910D
TS-F1910	Passage set. P-F1910 (ext) P-F1910 (int)
TS-F1910PR	Privacy set. P-F1910PR (ext) P-F1910PR (int)
TS-F1910FD	Full dummy. P-F1910D (ext) P-F1910D (int)
TS-F1910HD	Half dummy. P-F1910D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



1912 CORDUROY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-1912	Passage set. P-1912 (ext) P-1912 (int)
CS-1912PR	Privacy set. P-1912PR (ext) P-1912PR (int)
CS-F1912	Passage set. P-F1912 (ext) P-F1912 (int)
CS-F1912PR	Privacy set. P-F1912PR (ext) P-F1912PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1912	Passage set. P-1912 (ext) P-1912 (int)
TS-1912PR	Privacy set. P-1912PR (ext) P-1912PR (int)
TS-1912FD	Full dummy. P-1912D (ext) P-1912D (int)
TS-1912HD	Half dummy. P-1912D
TS-F1912	Passage set. P-F1912 (ext) P-F1912 (int)
TS-F1912PR	Privacy set. P-F1912PR (ext) P-F1912PR (int)
TS-F1912FD	Full dummy. P-F1912D (ext) P-F1912D (int)
TS-F1912HD	Half dummy. P-F1912D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



1913 CORDUROY TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-1913	Passage set. P-1913 (ext) P-1913 (int)
CS-1913PR	Privacy set. P-1913PR (ext) P-1913PR (int)
CS-F1913	Passage set. P-F1913 (ext) P-F1913 (int)
CS-F1913PR	Privacy set. P-F1913PR (ext) P-F1913PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-1913	Passage set. P-1913 (ext) P-1913 (int)
TS-1913PR	Privacy set. P-1913PR (ext) P-1913PR (int)
TS-1913FD	Full dummy. P-1913D (ext) P-1913D (int)
TS-1913HD	Half dummy. P-1913D
TS-F1913	Passage set. P-F1913 (ext) P-F1913 (int)
TS-F1913PR	Privacy set. P-F1913PR (ext) P-F1913PR (int)
TS-F1913FD	Full dummy. P-F1913D (ext) P-F1913D (int)
TS-F1913HD	Half dummy. P-F1913D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2100 MESA TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-RP2100
– Complete set with latch and spindle.
OR
TS-RP2100
– Trim set only. No latch.



CS-RP2103
– Complete set with latch and spindle.
OR
TS-RP2103
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-RP2100	Passage set. RP-2100 (ext) RP-2100 (int)
CS-RP2100PR	Privacy set. RP-2100PR (ext) RP-2100PR (int)
CS-RP2103	Passage set. RP-2103 (ext) RP-2103 (int)
CS-RP2103PR	Privacy set. RP-2103PR (ext) RP-2103PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-RP2100	Passage set. RP-2100 (ext) RP-2100 (int)
TS-RP2100PR	Privacy set. RP-2100PR (ext) RP-2100PR (int)
TS-RP2100FD	Full dummy. RP-2100D (ext) RP-2100D (int)
TS-RP2100HD	Half dummy. RP-2100D
TS-RP2103	Passage set. RP-2103 (ext) RP-2103 (int)
TS-RP2103PR	Privacy set. RP-2103PR (ext) RP-2103PR (int)
TS-RP2103FD	Full dummy. RP-2103D (ext) RP-2103D (int)
TS-RP2103HD	Half dummy. RP-2103D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2100 MESA TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2101
– Complete set with latch and spindle.
OR
TS-2101
– Trim set only. No latch.



CS-2101DI
– Complete set with latch and spindle.
OR
TS-2101DI
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2101	Passage set. P-2101 (ext) P-2101 (int)
CS-2101PR	Privacy set. P-2101PR (ext) P-2101PR (int)
CS-2101DI	Passage set. P-2101DI (ext) P-2101DI (int)
CS-2101DI-PR	Privacy set. P-2101DI-PR (ext) P-2101DI-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2101	Passage set. P-2101 (ext) P-2101 (int)
TS-2101PR	Privacy set. P-2101PR (ext) P-2101PR (int)
TS-2101FD	Full dummy. P-2101D (ext) P-2101D (int)
TS-2101HD	Half dummy. P-2101D
TS-2101DI	Passage set. P-2101DI (ext) P-2101DI (int)
TS-2101DI-PR	Privacy set. P-2101DI-PR (ext) P-2101DI-PR (int)
TS-2101DI-FD	Full dummy. P-2101DI-D (ext) P-2101DI-D (int)
TS-2101DI-HD	Half dummy. P-2101DI-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



2104 MESA TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2104
– Complete set with latch and spindle.
OR
TS-2104
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2104	Passage set. P-2104 (ext) P-2104 (int)
CS-2104PR	Privacy set. P-2104PR (ext) P-2104PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2104	Passage set. P-2104 (ext) P-2104 (int)
TS-2104PR	Privacy set. P-2104PR (ext) P-2104PR (int)
TS-2104FD	Full dummy. P-2104D (ext) P-2104D (int)
TS-2104HD	Half dummy. P-2104D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2106 MESA TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2106
– Complete set with latch and spindle.
OR
TS-2106
– Trim set only. No latch.



CS-2106OH
– Complete set with latch and spindle.
OR
TS-2106OH
– Trim set only. No latch.



CS-F2106OH
– Complete set with latch and spindle.
OR
TS-F2106OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2106	Passage set. P-2106 (ext) P-2106 (int)
CS-2106PR	Privacy set. P-2106PR (ext) P-2106PR (int)
CS-2106OH	Passage set. P-2106OH (ext) P-2106OH (int)
CS-2106OH-PR	Privacy set. P-2106OH-PR (ext) P-2106OH-PR (int)
CS-F2106OH	Passage set. P-F2106OH (ext) P-F2106OH (int)
CS-F2106OH-PR	Privacy set. P-F2106OH-PR (ext) P-F2106OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2106	Passage set. P-2106 (ext) P-2106 (int)
TS-2106PR	Privacy set. P-2106PR (ext) P-2106PR (int)
TS-2106FD	Full dummy. P-2106D (ext) P-2106D (int)
TS-2106HD	Half dummy. P-2106D
TS-2106OH	Passage set. P-2106OH (ext) P-2106OH (int)
TS-2106OH-PR	Privacy set. P-2106OH-PR (ext) P-2106OH-PR (int)
TS-2106OH-FD	Full dummy. P-2106OH-D (ext) P-2106OH-D (int)
TS-2106OH-HD	Half dummy. P-2106OH-D
TS-F2106OH	Passage set. P-F2106OH (ext) P-F2106OH (int)
TS-F2106OH-PR	Privacy set. P-F2106OH-PR (ext) P-F2106OH-PR (int)
TS-F2106OH-FD	Full dummy. P-F2106OH-D (ext) P-F2106OH-D (int)
TS-F2106OH-HD	Half dummy. P-F2106OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2107 MESA TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2107
– Complete set with latch and spindle.
OR
TS-2107
– Trim set only. No latch.



CS-F2107
– Complete set with latch and spindle.
OR
TS-F2107
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2107	Passage set. P-2107 (ext) P-2107 (int)
CS-F2107	Passage set. P-F2107 (ext) P-F2107 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2107	Passage set. P-2107 (ext) P-2107 (int)
TS-2107FD	Full dummy. P-2107D (ext) P-2107D (int)
TS-2107HD	Half dummy. P-2107D
TS-F2107	Passage set. P-F2107 (ext) P-F2107 (int)
TS-F2107FD	Full dummy. P-F2107D (ext) P-F2107D (int)
TS-F2107HD	Half dummy. P-F2107D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



2108 MESA TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2108
– Complete set with latch and spindle.
OR
TS-2108
– Trim set only. No latch.

CS-F2108
– Complete set with latch and spindle.
OR
TS-F2108
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2108	Passage set. P-2108 (ext) P-2108 (int)
CS-2108PR	Privacy set. P-2108PR (ext) P-2108PR (int)
CS-F2108	Passage set. P-F2108 (ext) P-F2108 (int)
CS-F2108PR	Privacy set. P-F2108PR (ext) P-F2108PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2108	Passage set. P-2108 (ext) P-2108 (int)
TS-2108PR	Privacy set. P-2108PR (ext) P-2108PR (int)
TS-2108FD	Full dummy. P-2108D (ext) P-2108D (int)
TS-2108HD	Half dummy. P-2108D
TS-F2108	Passage set. P-F2108 (ext) P-F2108 (int)
TS-F2108PR	Privacy set. P-F2108PR (ext) P-F2108PR (int)
TS-F2108FD	Full dummy. P-F2108D (ext) P-F2108D (int)
TS-F2108HD	Half dummy. P-F2108D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2109 MESA TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2109
– Complete set with latch and spindle.
OR
TS-2109
– Trim set only. No latch.



CS-F2109
– Complete set with latch and spindle.
OR
TS-F2109
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2109	Passage set. P-2109 (ext) P-2109 (int)
CS-F2109	Passage set. P-F2109 (ext) P-F2109 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2109	Passage set. P-2109 (ext) P-2109 (int)
TS-2109FD	Full dummy. P-2109D (ext) P-2109D (int)
TS-2109HD	Half dummy. P-2109D
TS-F2109	Passage set. P-F2109 (ext) P-F2109 (int)
TS-F2109FD	Full dummy. P-F2109D (ext) P-F2109D (int)
TS-F2109HD	Half dummy. P-F2109D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



2110 MESA TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-2110	Passage set. P-2110 (ext) P-2110 (int)
CS-2110PR	Privacy set. P-2110PR (ext) P-2110PR (int)
CS-F2110	Passage set. P-F2110 (ext) P-F2110 (int)
CS-F2110PR	Privacy set. P-F2110PR (ext) P-F2110PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2110	Passage set. P-2110 (ext) P-2110 (int)
TS-2110PR	Privacy set. P-2110PR (ext) P-2110PR (int)
TS-2110FD	Full dummy. P-2110D (ext) P-2110D (int)
TS-2110HD	Half dummy. P-2110D
TS-F2110	Passage set. P-F2110 (ext) P-F2110 (int)
TS-F2110PR	Privacy set. P-F2110PR (ext) P-F2110PR (int)
TS-F2110FD	Full dummy. P-F2110D (ext) P-F2110D (int)
TS-F2110HD	Half dummy. P-F2110D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



2111 MESA TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-2111	Passage set. P-2111 (ext) P-2111 (int)
CS-2111PR	Privacy set. P-2111PR (ext) P-2111PR (int)
CS-F2111	Passage set. P-F2111 (ext) P-F2111 (int)
CS-F2111PR	Privacy set. P-F2111PR (ext) P-F2111PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE extended full lip strike 2.250" thick door

UC-EXT-T-STRIKE extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2111	Passage set. P-2111 (ext) P-2111 (int)
TS-2111PR	Privacy set. P-2111PR (ext) P-2111PR (int)
TS-2111FD	Full dummy. P-2111D (ext) P-2111D (int)
TS-2111HD	Half dummy. P-2111D
TS-F2111	Passage set. P-F2111 (ext) P-F2111 (int)
TS-F2111PR	Privacy set. P-F2111PR (ext) P-F2111PR (int)
TS-F2111FD	Full dummy. P-F2111D (ext) P-F2111D (int)
TS-F2111HD	Half dummy. P-F2111D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2200 BURLAP TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-RP2200
– Complete set with latch and spindle.
OR
TS-RP2200
– Trim set only. No latch.



CS-2201
– Complete set with latch and spindle.
OR
TS-2201
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-RP2200	Passage set. RP-2200 (ext) RP-2200 (int)
CS-RP2200PR	Privacy set. RP-2200PR (ext) RP-2200PR (int)
CS-2201	Passage set. P-2201 (ext) P-2201 (int)
CS-2201PR	Privacy set. P-2201PR (ext) P-2201PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-RP2200	Passage set. RP-2200 (ext) RP-2200 (int)
TS-RP2200PR	Privacy set. RP-2200PR (ext) RP-2200PR (int)
TS-RP2200FD	Full dummy. RP-2200D (ext) RP-2200D (int)
TS-RP2200HD	Half dummy. RP-2200D
TS-2201	Passage set. P-2201 (ext) P-2201 (int)
TS-2201PR	Privacy set. P-2201PR (ext) P-2201PR (int)
TS-2201FD	Full dummy. P-2201D (ext) P-2201D (int)
TS-2201HD	Half dummy. P-2201D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



2204 BURLAP TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2204
– Complete set with latch and spindle.
OR
TS-2204
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2204	Passage set. P-2204 (ext) P-2204 (int)
CS-2204PR	Privacy set. P-2204PR (ext) P-2204PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2204	Passage set. P-2204 (ext) P-2204 (int)
TS-2204PR	Privacy set. P-2204PR (ext) P-2204PR (int)
TS-2204FD	Full dummy. P-2204D (ext) P-2204D (int)
TS-2204HD	Half dummy. P-2204D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2205 BURLAP TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2205OH
– Complete set with latch and spindle.
OR
TS-2205OH
– Trim set only. No latch.



CS-F2205OH
– Complete set with latch and spindle.
OR
TS-F2205OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2205OH	Passage set. P-2205OH (ext) P-2205OH (int)
CS-F2205OH	Passage set. P-F2205OH (ext) P-F2205OH (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2205OH	Passage set. P-2205OH (ext) P-2205OH (int)
TS-2205OH-FD	Full dummy. P-2205OH-D (ext) P-2205OH-D (int)
TS-2205OH-HD	Half dummy. P-2205OH-D
TS-F2205OH	Passage set. P-F2205OH (ext) P-F2205OH (int)
TS-F2205OH-FD	Full dummy. P-F2205OH-D (ext) P-F2205OH-D (int)
TS-F2205OH-HD	Half dummy. P-F2205OH-D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.


* Will not cover 2.125" bore.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2206 BURLAP TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2206
– Complete set with latch and spindle.
OR
TS-2206
– Trim set only. No latch.



CS-2206OH
– Complete set with latch and spindle.
OR
TS-2206OH
– Trim set only. No latch.



CS-F2206OH
– Complete set with latch and spindle.
OR
TS-F2206OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2206	Passage set. P-2206 (ext) P-2206 (int)
CS-2206PR	Privacy set. P-2206PR (ext) P-2206PR (int)
CS-2206OH	Passage set. P-2206OH (ext) P-2206OH (int)
CS-2206OH-PR	Privacy set. P-2206OH-PR (ext) P-2206OH-PR (int)
CS-F2206OH	Passage set. P-F2206OH (ext) P-F2206OH (int)
CS-F2206OH-PR	Privacy set. P-F2206OH-PR (ext) P-F2206OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE extended full lip strike 2.250" thick door

UC-EXT-T-STRIKE extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2206	Passage set. P-2206 (ext) P-2206 (int)
TS-2206PR	Privacy set. P-2206PR (ext) P-2206PR (int)
TS-2206FD	Full dummy. P-2206D (ext) P-2206D (int)
TS-2206HD	Half dummy. P-2206D
TS-2206OH	Passage set. P-2206OH (ext) P-2206OH (int)
TS-2206OH-PR	Privacy set. P-2206OH-PR (ext) P-2206OH-PR (int)
TS-2206OH-FD	Full dummy. P-2206OH-D (ext) P-2206OH-D (int)
TS-2206OH-HD	Half dummy. P-2206OH-D
TS-F2206OH	Passage set. P-F2206OH (ext) P-F2206OH (int)
TS-F2206OH-PR	Privacy set. P-F2206OH-PR (ext) P-F2206OH-PR (int)
TS-F2206OH-FD	Full dummy. P-F2206OH-D (ext) P-F2206OH-D (int)
TS-F2206OH-HD	Half dummy. P-F2206OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



2208 BURLAP TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2208
– Complete set with latch and spindle.
OR
TS-2208
– Trim set only. No latch.

CS-F2208
– Complete set with latch and spindle.
OR
TS-F2208
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2208	Passage set. P-2208 (ext) P-2208 (int)
CS-2208PR	Privacy set. P-2208PR (ext) P-2208PR (int)
CS-F2208	Passage set. P-F2208 (ext) P-F2208 (int)
CS-F2208PR	Privacy set. P-F2208PR (ext) P-F2208PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2208	Passage set. P-2208 (ext) P-2208 (int)
TS-2208PR	Privacy set. P-2208PR (ext) P-2208PR (int)
TS-2208FD	Full dummy. P-2208D (ext) P-2208D (int)
TS-2208HD	Half dummy. P-2208D
TS-F2208	Passage set. P-F2208 (ext) P-F2208 (int)
TS-F2208PR	Privacy set. P-F2208PR (ext) P-F2208PR (int)
TS-F2208FD	Full dummy. P-F2208D (ext) P-F2208D (int)
TS-F2208HD	Half dummy. P-F2208D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



2210 BURLAP TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-2210	Passage set. P-2210 (ext) P-2210 (int)
CS-2210PR	Privacy set. P-2210PR (ext) P-2210PR (int)
CS-F2210	Passage set. P-F2210 (ext) P-F2210 (int)
CS-F2210PR	Privacy set. P-F2210PR (ext) P-F2210PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2210	Passage set. P-2210 (ext) P-2210 (int)
TS-2210PR	Privacy set. P-2210PR (ext) P-2210PR (int)
TS-2210FD	Full dummy. P-2210D (ext) P-2210D (int)
TS-2210HD	Half dummy. P-2210D
TS-F2210	Passage set. P-F2210 (ext) P-F2210 (int)
TS-F2210PR	Privacy set. P-F2210PR (ext) P-F2210PR (int)
TS-F2210FD	Full dummy. P-F2210D (ext) P-F2210D (int)
TS-F2210HD	Half dummy. P-F2210D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



2214 BURLAP TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-2214	Passage set. P-2214 (ext) P-2214 (int)
CS-2214PR	Privacy set. P-2214PR (ext) P-2214PR (int)
CS-F2214	Passage set. P-F2214 (ext) P-F2214 (int)
CS-F2214PR	Privacy set. P-F2214PR (ext) P-F2214PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2214	Passage set. P-2214 (ext) P-2214 (int)
TS-2214PR	Privacy set. P-2214PR (ext) P-2214PR (int)
TS-2214FD	Full dummy. P-2214D (ext) P-2214D (int)
TS-2214HD	Half dummy. P-2214D
TS-F2214	Passage set. P-F2214 (ext) P-F2214 (int)
TS-F2214PR	Privacy set. P-F2214PR (ext) P-F2214PR (int)
TS-F2214FD	Full dummy. P-F2214D (ext) P-F2214D (int)
TS-F2214HD	Half dummy. P-F2214D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



2301 GEM TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2301
– Complete set with latch and spindle.
OR
TS-2301
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2301	Passage set. P-2301 (ext) P-2301 (int)
CS-2301PR	Privacy set. P-2301PR (ext) P-2301PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2301	Passage set. P-2301 (ext) P-2301 (int)
TS-2301PR	Privacy set. P-2301PR (ext) P-2301PR (int)
TS-2301FD	Full dummy. P-2301D (ext) P-2301D (int)
TS-2301HD	Half dummy. P-2301D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



2304 GEM TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2304
 – Complete set with latch and spindle.
 OR
 TS-2304
 – Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2304	Passage set. P-2304 (ext) P-2304 (int)
CS-2304PR	Privacy set. P-2304PR (ext) P-2304PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2304	Passage set. P-2304 (ext) P-2304 (int)
TS-2304PR	Privacy set. P-2304PR (ext) P-2304PR (int)
TS-2304FD	Full dummy. P-2304D (ext) P-2304D (int)
TS-2304HD	Half dummy. P-2304D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2306OH GEM TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2306OH
– Complete set with latch and spindle.
OR
TS-2306OH
– Trim set only. No latch.



CS-F2306OH
– Complete set with latch and spindle.
OR
TS-F2306OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2306OH	Passage set. P-2306OH (ext) P-2306OH (int)
CS-2306OH-PR	Privacy set. P-2306OH-PR (ext) P-2306OH-PR (int)
CS-F2306OH	Passage set. P-F2306OH (ext) P-F2306OH (int)
CS-F2306OH-PR	Privacy set. P-F2306OH-PR (ext) P-F2306OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2306OH	Passage set. P-2306OH (ext) P-2306OH (int)
TS-2306OH-PR	Privacy set. P-2306OH-PR (ext) P-2306OH-PR (int)
TS-2306OH-FD	Full dummy. P-2306OH-D (ext) P-2306OH-D (int)
TS-2306OH-HD	Half dummy. P-2306OH-D
TS-F2306OH	Passage set. P-F2306OH (ext) P-F2306OH (int)
TS-F2306OH-PR	Privacy set. P-F2306OH-PR (ext) P-F2306OH-PR (int)
TS-F2306OH-FD	Full dummy. P-F2306OH-D (ext) P-F2306OH-D (int)
TS-F2306OH-HD	Half dummy. P-F2306OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2308 GEM TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2308
– Complete set with latch and spindle.
OR
TS-2308
– Trim set only. No latch.



CS-F2308
– Complete set with latch and spindle.
OR
TS-F2308
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2308	Passage set. P-2308 (ext) P-2308 (int)
CS-2308PR	Privacy set. P-2308PR (ext) P-2308PR (int)
CS-F2308	Passage set. P-F2308 (ext) P-F2308 (int)
CS-F2308-PR	Privacy set. P-F2308PR (ext) P-F2308PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2308	Passage set. P-2308 (ext) P-2308 (int)
TS-2308-PR	Privacy set. P-2308PR (ext) P-2308PR (int)
TS-2308-FD	Full dummy. P-2308D (ext) P-2308D (int)
TS-2308-HD	Half dummy. P-2308D
TS-F2308	Passage set. P-F2308 (ext) P-F2308 (int)
TS-F2308-PR	Privacy set. P-F2308PR (ext) P-F2308PR (int)
TS-F2308-FD	Full dummy. P-F2308D (ext) P-F2308D (int)
TS-F2308-HD	Half dummy. P-F2308D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



2309 GEM TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-2309	Passage set. P-2309 (ext) P-2309 (int)
CS-2309PR	Privacy set. P-2309PR (ext) P-2309PR (int)
CS-F2309	Passage set. P-F2309 (ext) P-F2309 (int)
CS-F2309-PR	Privacy set. P-F2309PR (ext) P-F2309PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2309	Passage set. P-2309 (ext) P-2309 (int)
TS-2309-PR	Privacy set. P-2309PR (ext) P-2309PR (int)
TS-2309-FD	Full dummy. P-2309D (ext) P-2309D (int)
TS-2309-HD	Half dummy. P-2309D
TS-F2309	Passage set. P-F2309 (ext) P-F2309 (int)
TS-F2309-PR	Privacy set. P-F2309PR (ext) P-F2309PR (int)
TS-F2309-FD	Full dummy. P-F2309D (ext) P-F2309D (int)
TS-F2309-HD	Half dummy. P-F2309D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




N925 NOVUS TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-RP-N925
– Complete set with latch and spindle.
OR
TS-RP-N925
– Trim set only. No latch.



CS-N925
– Complete set with latch and spindle.
OR
TS-N925
– Trim set only. No latch.



CS-N925DI
– Complete set with latch and spindle.
OR
TS-N925DI
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-RP-N925	Passage set. RP-N925 (ext) RP-N925 (int)
CS-RP-N925PR	Privacy set. RP-N925PR (ext) RP-N925PR (int)
CS-N925	Passage set. P-N925 (ext) P-N925 (int)
CS-N925PR	Privacy set. P-N925PR (ext) P-N925PR (int)
CS-N925DI	Passage set. P-N925DI (ext) P-N925DI (int)
CS-N925DI-PR	Privacy set. P-N925DI-PR (ext) P-N925DI-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-RP-N925	Passage set. RP-N925 (ext) RP-N925 (int)
TS-RP-N925PR	Privacy set. RP-N925PR (ext) RP-N925PR (int)
TS-RP-N925FD	Full dummy. RP-N925D (ext) RP-N925D (int)
TS-RP-N925HD	Half dummy. RP-N925D
TS-N925	Passage set. P-N925 (ext) P-N925 (int)
TS-N925PR	Privacy set. P-N925PR (ext) P-N925PR (int)
TS-N925FD	Full dummy. P-N925D (ext) P-N925D (int)
TS-N925HD	Half dummy. P-N925D
TS-N925DI	Passage set. P-N925DI (ext) P-N925DI (int)
TS-N925DI-PR	Privacy set. P-N925DI-PR (ext) P-N925DI-PR (int)
TS-N925DI-FD	Full dummy. P-N925DI-D (ext) P-N925DI-D (int)
TS-N925DI-HD	Half dummy. P-N925DI-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




N926 NOVUS TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-RP-N926
– Complete set with latch and spindle.
OR
TS-RP-N926
– Trim set only. No latch.



CS-N926
– Complete set with latch and spindle.
OR
TS-N926
– Trim set only. No latch.



CS-N926DI
– Complete set with latch and spindle.
OR
TS-N926DI
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-RP-N926	Passage set. RP-N926 (ext) RP-N926 (int)
CS-RP-N926PR	Privacy set. RP-N926PR (ext) RP-N926PR (int)
CS-N926	Passage set. P-N926 (ext) P-N926 (int)
CS-N926PR	Privacy set. P-N926PR (ext) P-N926PR (int)
CS-N926DI	Passage set. P-N926DI (ext) P-N926DI (int)
CS-N926DI-PR	Privacy set. P-N926DI-PR (ext) P-N926DI-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-RP-N926	Passage set. RP-N926 (ext) RP-N926 (int)
TS-RP-N926PR	Privacy set. RP-N926PR (ext) RP-N926PR (int)
TS-RP-N926FD	Full dummy. RP-N926D (ext) RP-N926D (int)
TS-RP-N926HD	Half dummy. RP-N925D
TS-N926	Passage set. P-N926 (ext) P-N926 (int)
TS-N926PR	Privacy set. P-N926PR (ext) P-N926PR (int)
TS-N926FD	Full dummy. P-N926D (ext) P-N926D (int)
TS-N926HD	Half dummy. P-N926D
TS-N926DI	Passage set. P-N926DI (ext) P-N926DI (int)
TS-N926DI-PR	Privacy set. P-N926DI-PR (ext) P-N926DI-PR (int)
TS-N926DI-FD	Full dummy. P-N926DI-D (ext) P-N926DI-D (int)
TS-N926DI-HD	Half dummy. P-N926DI-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



N927 NOVUS TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-RP-N927
– Complete set with latch and spindle.
OR
TS-RP-N927
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-RP-N927	Passage set. RP-N927 (ext) RP-N927 (int)
CS-RP-N927PR	Privacy set. RP-N927PR (ext) RP-N927PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-RP-N927	Passage set. RP-N927 (ext) RP-N927 (int)
TS-RP-N927PR	Privacy set. RP-N927PR (ext) RP-N927PR (int)
TS-RP-N927FD	Full dummy. RP-N927D (ext) RP-N927D (int)
TS-RP-N927HD	Half dummy. RP-N927D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



N9404 NOVUS TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-N9404
– Complete set with latch and spindle.
OR
TS-N9404
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-N9404	Passage set. P-N9404 (ext) P-N9404 (int)
CS-N9404PR	Privacy set. P-N9404PR (ext) P-N9404PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-N9404	Passage set. P-N9404 (ext) P-N9404 (int)
TS-N9404PR	Privacy set. P-N9404PR (ext) P-N9404PR (int)
TS-N9404FD	Full dummy. P-N9404D (ext) P-N9404D (int)
TS-N9404HD	Half dummy. P-N9404D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




N949 NOVUS TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-N949
– Complete set with latch and spindle.
OR
TS-N949
– Trim set only. No latch.



CS-N949OH
– Complete set with latch and spindle.
OR
TS-N949OH
– Trim set only. No latch.



CS-F-N949OH
– Complete set with latch and spindle.
OR
TS-F-N949OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-N949	Passage set. P-N949 (ext) P-N949 (int)
CS-N949OH	Passage set. P-N949OH (ext) P-N949OH (int)
CS-F-N949OH	Passage set. P-F-N949OH (ext) P-F-N949OH (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-N949	Passage set. P-N949 (ext) P-N949 (int)
TS-N949FD	Full dummy. P-N949D (ext) P-N949D (int)
TS-N949HD	Half dummy. P-N949D
TS-N949OH	Passage set. P-N949OH (ext) P-N949OH (int)
TS-N949OH-FD	Full dummy. P-N949OH-D (ext) P-N949OH-D (int)
TS-N949OH-HD	Half dummy. P-N949OH-D
TS-F-N949OH	Passage set. P-F-N949OH (ext) P-F-N949OH (int)
TS-F-N949OH-FD	Full dummy. P-F-N949OH-D (ext) P-F-N949OH-D (int)
TS-F-N949OH-HD	Half dummy. P-F-N949OH-D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




N950 NOVUS TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-N950
– Complete set with latch and spindle.
OR
TS-N950
– Trim set only. No latch.



CS-F-N950
– Complete set with latch and spindle.
OR
TS-F-N950
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-N950	Passage set. P-N950 (ext) P-N950 (int)
CS-F-N950	Passage set. P-F-N950 (ext) P-F-N950 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-N950	Passage set. P-N950 (ext) P-N950 (int)
TS-N950FD	Full dummy. P-N950D (ext) P-N950D (int)
TS-N950HD	Half dummy. P-N950D
TS-F-N950	Passage set. P-F-N950 (ext) P-F-N950 (int)
TS-F-N950FD	Full dummy. P-F-N950D (ext) P-F-N950D (int)
TS-F-N950HD	Half dummy. P-F-N950D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




N951 NOVUS TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-N951
– Complete set with latch and spindle.
OR
TS-N951
– Trim set only. No latch.



CS-F-N951
– Complete set with latch and spindle.
OR
TS-F-N951
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-N951	Passage set. P-N951 (ext) P-N951 (int)
CS-F-N951	Passage set. P-F-N951 (ext) P-F-N951 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-N951	Passage set. P-N951 (ext) P-N951 (int)
TS-N951FD	Full dummy. P-N951D (ext) P-N951D (int)
TS-N951HD	Half dummy. P-N951D
TS-F-N951	Passage set. P-F-N951 (ext) P-F-N951 (int)
TS-F-N951FD	Full dummy. P-F-N951D (ext) P-F-N951D (int)
TS-F-N951HD	Half dummy. P-F-N951D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



N952 NOVUS TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-N952	Passage set. P-N952 (ext) P-N952 (int)
CS-N952PR	Privacy set. P-N952PR (ext) P-N952PR (int)
CS-F-N952	Passage set. P-F-N952 (ext) P-F-N952 (int)
CS-F-N952PR	Privacy set. P-F-N952PR (ext) P-F-N952PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-N952	Passage set. P-N952 (ext) P-N952 (int)
TS-N952PR	Privacy set. P-N952PR (ext) P-N952PR (int)
TS-N952FD	Full dummy. P-N952D (ext) P-N952D (int)
TS-N952HD	Half dummy. P-N952D
TS-F-N952	Passage set. P-F-N952 (ext) P-F-N952 (int)
TS-F-N952PR	Privacy set. P-F-N952PR (ext) P-F-N952PR (int)
TS-F-N952FD	Full dummy. P-F-N952D (ext) P-F-N952D (int)
TS-F-N952HD	Half dummy. P-F-N952D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



N953 NOVUS TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-N953	Passage set. P-N953 (ext) P-N953 (int)
CS-N953PR	Privacy set. P-N953PR (ext) P-N953PR (int)
CS-F-N953	Passage set. P-F-N953 (ext) P-F-N953 (int)
CS-F-N953PR	Privacy set. P-F-N953PR (ext) P-F-N953PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-N953	Passage set. P-N953 (ext) P-N953 (int)
TS-N953PR	Privacy set. P-N953PR (ext) P-N953PR (int)
TS-N953FD	Full dummy. P-N953D (ext) P-N953D (int)
TS-N953HD	Half dummy. P-N953D
TS-F-N953	Passage set. P-F-N953 (ext) P-F-N953 (int)
TS-F-N953PR	Privacy set. P-F-N953PR (ext) P-F-N953PR (int)
TS-F-N953FD	Full dummy. P-F-N953D (ext) P-F-N953D (int)
TS-F-N953HD	Half dummy. P-F-N953D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




N954 NOVUS TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-N954
– Complete set with latch and spindle.
OR
TS-N954
– Trim set only. No latch.



CS-N954OH
– Complete set with latch and spindle.
OR
TS-N954OH
– Trim set only. No latch.



CS-F-N954OH
– Complete set with latch and spindle.
OR
TS-F-N954OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-N954	Passage set. P-N954 (ext) P-N954 (int)
CS-N954PR	Privacy set. P-N954PR (ext) P-N954PR (int)
CS-N954OH	Passage set. P-N954OH (ext) P-N954OH (int)
CS-N954OH-PR	Privacy set. P-N954OH-PR (ext) P-N954OH-PR (int)
CS-F-N954	Passage set. P-F-N954OH (ext) P-F-N954OH (int)
CS-F-N954PR	Privacy set. P-F-N954OH-PR (ext) P-F-N954OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE extended full lip strike 2.250" thick door

UC-EXT-T-STRIKE extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-N954	Passage set. P-N954 (ext) P-N954 (int)
TS-N954PR	Privacy set. P-N954PR (ext) P-N954PR (int)
TS-N954FD	Full dummy. P-N954D (ext) P-N954D (int)
TS-N954HD	Half dummy. P-N954D
TS-N954OH	Passage set. P-N954OH (ext) P-N954OH (int)
TS-N954OH-PR	Privacy set. P-N954OH-PR (ext) P-N954OH-PR (int)
TS-N954OH-FD	Full dummy. P-N954OH-D (ext) P-N954OH-D (int)
TS-N954OH-HD	Half dummy. P-N954OH-D
TS-F-N954	Passage set. P-F-N954OH (ext) P-F-N954OH (int)
TS-F-N954PR	Privacy set. P-F-N954OH-PR (ext) P-F-N954OH-PR (int)
TS-F-N954FD	Full dummy. P-F-N954OH-D (ext) P-F-N954OH-D (int)
TS-F-N954HD	Half dummy. P-F-N954OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



N955 NOVUS TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-N955
– Complete set with latch and spindle.
OR
TS-N955
– Trim set only. No latch.

CS-F-N955
– Complete set with latch and spindle.
OR
TS-F-N955
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-N955	Passage set. P-N955 (ext) P-N955 (int)
CS-N955PR	Privacy set. P-N955PR (ext) P-N955PR (int)
CS-F-N955	Passage set. P-F-N955 (ext) P-F-N955 (int)
CS-F-N955PR	Privacy set. P-F-N955PR (ext) P-F-N955PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-N955	Passage set. P-N955 (ext) P-N955 (int)
TS-N955PR	Privacy set. P-N955PR (ext) P-N955PR (int)
TS-N955FD	Full dummy. P-N955D (ext) P-N955D (int)
TS-N955HD	Half dummy. P-N955D
TS-F-N955	Passage set. P-F-N955 (ext) P-F-N955 (int)
TS-F-N955PR	Privacy set. P-F-N955PR (ext) P-F-N955PR (int)
TS-F-N955FD	Full dummy. P-F-N955D (ext) P-F-N955D (int)
TS-F-N955HD	Half dummy. P-F-N955D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



N957 NOVUS TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



Complete sets with tubular latch and spindle.

CS-N957	Passage set. P-N957 (ext) P-N957 (int)
CS-N957PR	Privacy set. P-N957PR (ext) P-N957PR (int)
CS-F-N957	Passage set. P-F-N957 (ext) P-F-N957 (int)
CS-F-N957PR	Privacy set. P-F-N957PR (ext) P-F-N957PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-N957	Passage set. P-N957 (ext) P-N957 (int)
TS-N957PR	Privacy set. P-N957PR (ext) P-N957PR (int)
TS-N957FD	Full dummy. P-N957D (ext) P-N957D (int)
TS-N957HD	Half dummy. P-N957D
TS-F-N957	Passage set. P-F-N957 (ext) P-F-N957 (int)
TS-F-N957PR	Privacy set. P-F-N957PR (ext) P-F-N957PR (int)
TS-F-N957FD	Full dummy. P-F-N957D (ext) P-F-N957D (int)
TS-F-N957HD	Half dummy. P-F-N957D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




N979 NOVUS TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-N979
– Complete set with latch and spindle.
OR
TS-N979
– Trim set only. No latch.



CS-N979OH
– Complete set with latch and spindle.
OR
TS-N979OH
– Trim set only. No latch.



CS-F-N979OH
– Complete set with latch and spindle.
OR
TS-F-N979OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-N979	Passage set. P-N979 (ext) P-N979 (int)
CS-N979OH	Passage set. P-N979OH (ext) P-N979OH (int)
CS-F-N979	Passage set. P-F-N979OH (ext) P-F-N979OH (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-N979	Passage set. P-N979 (ext) P-N979 (int)
TS-N979FD	Full dummy. P-N979D (ext) P-N979D (int)
TS-N979HD	Half dummy. P-N979D
TS-N979OH	Passage set. P-N979OH (ext) P-N979OH (int)
TS-N979OH-FD	Full dummy. P-N979OH-D (ext) P-N979OH-D (int)
TS-N979OH-HD	Half dummy. P-N979OH-D
TS-F-N979	Passage set. P-F-N979OH (ext) P-F-N979OH (int)
TS-F-N979FD	Full dummy. P-F-N979OH-D (ext) P-F-N979OH-D (int)
TS-F-N979HD	Half dummy. P-F-N979OH-D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




N980 NOVUS TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-N980
– Complete set with latch and spindle.
OR
TS-N980
– Trim set only. No latch.



CS-F-N980
– Complete set with latch and spindle.
OR
TS-F-N980
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-N980	Passage set. P-N980 (ext) P-N980 (int)
CS-F-N980	Passage set. P-F-N980 (ext) P-F-N980 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-N980FD	Full dummy. P-N980D (ext) P-N980D (int)
TS-N980HD	Half dummy. P-N980D
TS-F-N980	Passage set. P-F-N980 (ext) P-F-N980 (int)
TS-F-N980FD	Full dummy. P-F-N980D (ext) P-F-N980D (int)
TS-F-N980HD	Half dummy. P-F-N980D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2406 RIDGE BURLAP TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2406
– Complete set with latch and spindle.
OR
TS-2406
– Trim set only. No latch.



CS-2406OH
– Complete set with latch and spindle.
OR
TS-2406OH
– Trim set only. No latch.



CS-F2406OH
– Complete set with latch and spindle.
OR
TS-F2406OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2406	Passage set. P-2406 (ext) P-2406 (int)
CS-2406PR	Privacy set. P-2406PR (ext) P-2406PR (int)
CS-2406OH	Passage set. P-2406OH (ext) P-2406OH (int)
CS-2406OH-PR	Privacy set. P-2406OH-PR (ext) P-2406OH-PR (int)
CS-F2406OH	Passage set. P-F2406OH (ext) P-F2406OH (int)
CS-F2406OH-PR	Privacy set. P-F2406OH-PR (ext) P-F2406OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2406	Passage set. P-2406 (ext) P-2406 (int)
TS-2406PR	Privacy set. P-2406PR (ext) P-2406PR (int)
TS-2406FD	Full dummy. P-2406D (ext) P-2406D (int)
TS-2406HD	Half dummy. P-2406D
TS-2406OH	Passage set. P-2406OH (ext) P-2406OH (int)
TS-2406OH-PR	Privacy set. P-2406OH-PR (ext) P-2406OH-PR (int)
TS-2406OH-FD	Full dummy. P-2406OH-D (ext) P-2406OH-D (int)
TS-2406OH-HD	Half dummy. P-2406OH-D
TS-F2406OH	Passage set. P-F2406OH (ext) P-F2406OH (int)
TS-F2406OH-PR	Privacy set. P-F2406OH-PR (ext) P-F2406OH-PR (int)
TS-F2406OH-FD	Full dummy. P-F2406OH-D (ext) P-F2406OH-D (int)
TS-F2406OH-HD	Half dummy. P-F2406OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2408 RIDGE BURLAP TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2408
– Complete set with latch and spindle.
OR
TS-2408
– Trim set only. No latch.



CS-F2408
– Complete set with latch and spindle.
OR
TS-F2408
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2408	Passage set. P-2408 (ext) P-2408 (int)
CS-2408PR	Privacy set. P-2408PR (ext) P-2408PR (int)
CS-F2408	Passage set. P-F2408 (ext) P-F2408 (int)
CS-F2408PR	Privacy set. P-F2408PR (ext) P-F2408PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2408	Passage set. P-2408 (ext) P-2408 (int)
TS-2408PR	Privacy set. P-2408PR (ext) P-2408PR (int)
TS-2408FD	Full dummy. P-2408D (ext) P-2408D (int)
TS-2408HD	Half dummy. P-2408D
TS-F2408	Passage set. P-F2408 (ext) P-F2408 (int)
TS-F2408PR	Privacy set. P-F2408PR (ext) P-F2408PR (int)
TS-F2408FD	Full dummy. P-F2408D (ext) P-F2408D (int)
TS-F2408HD	Half dummy. P-F2408D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2410 RIDGE BURLAP TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2410
– Complete set with latch and spindle.
OR
TS-2410
– Trim set only. No latch.



CS-F2410
– Complete set with latch and spindle.
OR
TS-F2410
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2410	Passage set. P-2410 (ext) P-2410 (int)
CS-2410PR	Privacy set. P-2410PR (ext) P-2410PR (int)
CS-F2410	Passage set. P-F2410 (ext) P-F2410 (int)
CS-F2410PR	Privacy set. P-F2410PR (ext) P-F2410PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2410	Passage set. P-2410 (ext) P-2410 (int)
TS-2410PR	Privacy set. P-2410PR (ext) P-2410PR (int)
TS-2410FD	Full dummy. P-2410D (ext) P-2410D (int)
TS-2410HD	Half dummy. P-2410D
TS-F2410	Passage set. P-F2410 (ext) P-F2410 (int)
TS-F2410PR	Privacy set. P-F2410PR (ext) P-F2410PR (int)
TS-F2410FD	Full dummy. P-F2410D (ext) P-F2410D (int)
TS-F2410HD	Half dummy. P-F2410D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2506 TETON TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2506
– Complete set with latch and spindle.
OR
TS-2506
– Trim set only. No latch.



CS-2506OH
– Complete set with latch and spindle.
OR
TS-2506OH
– Trim set only. No latch.



CS-F2506OH
– Complete set with latch and spindle.
OR
TS-F2506OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2506	Passage set. P-2506 (ext) P-2506 (int)
CS-2506PR	Privacy set. P-2506PR (ext) P-2506PR (int)
CS-2506OH	Passage set. P-2506OH (ext) P-2506OH (int)
CS-2506OH-PR	Privacy set. P-2506OH-PR (ext) P-2506OH-PR (int)
CS-F2506OH	Passage set. P-F2506OH (ext) P-F2506OH (int)
CS-F2506OH-PR	Privacy set. P-F2506OH-PR (ext) P-F2506OH-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2506	Passage set. P-2506 (ext) P-2506 (int)
TS-2506PR	Privacy set. P-2506PR (ext) P-2506PR (int)
TS-2506FD	Full dummy. P-2506D (ext) P-2506D (int)
TS-2506HD	Half dummy. P-2506D
TS-2506OH	Passage set. P-2506OH (ext) P-2506OH (int)
TS-2506OH-PR	Privacy set. P-2506OH-PR (ext) P-2506OH-PR (int)
TS-2506OH-FD	Full dummy. P-2506OH-D (ext) P-2506OH-D (int)
TS-2506OH-HD	Half dummy. P-2506OH-D
TS-F2506OH	Passage set. P-F2506OH (ext) P-F2506OH (int)
TS-F2506OH-PR	Privacy set. P-F2506OH-PR (ext) P-F2506OH-PR (int)
TS-F2506OH-FD	Full dummy. P-F2506OH-D (ext) P-F2506OH-D (int)
TS-F2506OH-HD	Half dummy. P-F2506OH-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2510 TETON TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-2510
– Complete set with latch and spindle.
OR
TS-2510
– Trim set only. No latch.



CS-F2510
– Complete set with latch and spindle.
OR
TS-F2510
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-2510	Passage set. P-2510 (ext) P-2510 (int)
CS-2510PR	Privacy set. P-2510PR (ext) P-2510PR (int)
CS-F2510	Passage set. P-F2510 (ext) P-F2510 (int)
CS-F2510PR	Privacy set. P-F2510PR (ext) P-F2510PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-2510	Passage set. P-2510 (ext) P-2510 (int)
TS-2510PR	Privacy set. P-2510PR (ext) P-2510PR (int)
TS-2510FD	Full dummy. P-2510D (ext) P-2510D (int)
TS-2510HD	Half dummy. P-2510D
TS-F2510	Passage set. P-F2510 (ext) P-F2510 (int)
TS-F2510PR	Privacy set. P-F2510PR (ext) P-F2510PR (int)
TS-F2510FD	Full dummy. P-F2510D (ext) P-F2510D (int)
TS-F2510HD	Half dummy. P-F2510D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




E225 EASED EDGE TUBULAR LATCH SETS


Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-RP-E225
– Complete set with latch and spindle.
OR
TS-RP-E225
– Trim set only. No latch.



CS-E225
– Complete set with latch and spindle.
OR
TS-E225
– Trim set only. No latch.



CS-E225DI
– Complete set with latch and spindle.
OR
TS-E225DI
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-RP-E225	Passage set. RP-E225 (ext) RP-E225 (int)
CS-RP-E225PR	Privacy set. RP-E225PR (ext) RP-E225PR (int)
CS-E225	Passage set. P-E225 (ext) P-E225 (int)
CS-E225PR	Privacy set. P-E225PR (ext) P-E225PR (int)
CS-E225DI	Passage set. P-E225DI (ext) P-E225DI (int)
CS-E225DI-PR	Privacy set. P-E225DI-PR (ext) P-E225DI-PR (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-RP-E225	Passage set. RP-E225 (ext) RP-E225 (int)
TS-RP-E225PR	Privacy set. RP-E225PR (ext) RP-E225PR (int)
TS-RP-E225FD	Full dummy. RP-E225D (ext) RP-E225D (int)
TS-RP-E225HD	Half dummy. RP-E225D
TS-E225	Passage set. P-E225 (ext) P-E225 (int)
TS-E225PR	Privacy set. P-E225PR (ext) P-E225PR (int)
TS-E225FD	Full dummy. P-E225D (ext) P-E225D (int)
TS-E225HD	Half dummy. P-E225D
TS-E225DI	Passage set. P-E225DI (ext) P-E225DI (int)
TS-E225DI-PR	Privacy set. P-E225DI-PR (ext) P-E225DI-PR (int)
TS-E225DI-FD	Full dummy. P-E225DI-D (ext) P-E225DI-D (int)
TS-E225DI-HD	Half dummy. P-E225DI-D

Specify manufacturer, model number and function of latch to be used.


Always specify lever/knob design.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




E206 EASED EDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-E206OH
– Complete set with latch and spindle.
OR
TS-E206OH
– Trim set only. No latch.



CS-F-E206OH
– Complete set with latch and spindle.
OR
TS-F-E206OH
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-E206OH	Passage set. P-E206OH (ext) P-E206OH (int)
CS-F-E206OH	Passage set. P-F-E206OH (ext) P-F-E206OH (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-E206OH	Passage set. P-E206OH (ext) P-E206OH (int)
TS-E206OH-FD	Full dummy. P-E206OH-D (ext) P-E206OH-D (int)
TS-E206OH-HD	Half dummy. P-E206OH-D
TS-F-E206OH	Passage set. P-F-E206OH (ext) P-F-E206OH (int)
TS-F-E206OH-FD	Full dummy. P-F-E206OH-D (ext) P-F-E206OH-D (int)
TS-F-E206OH-HD	Half dummy. P-F-E206OH-D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.


** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




E407 EASED EDGE TUBULAR LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size escutcheon plate.



CS-E407
– Complete set with latch and spindle.
OR
TS-E407
– Trim set only. No latch.



CS-F-E407
– Complete set with latch and spindle.
OR
TS-F-E407
– Trim set only. No latch.

Complete sets with tubular latch and spindle.

CS-E407	Passage set. P-E407 (ext) P-E407 (int)
CS-F-E407	Passage set. P-F-E407 (ext) P-F-E407 (int)

Baldwin 5500 Series tubular latch 2.375" or 2.750" backset standard. Please specify.

Includes t-strike & full lip strike for doors up to 1.750" thick.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

UC-EXT-FULL-LIP-STRIKE	extended full lip strike 2.250" thick door
UC-EXT-T-STRIKE	extended t-strike 2.250" thick door

Trim sets for tubular latch with spindle, no latch included.

TS-E407	Passage set. P-E407 (ext) P-E407 (int)
TS-E407FD	Full dummy. P-E407D (ext) P-E407D (int)
TS-E407HD	Half dummy. P-E407D
TS-F-E407	Passage set. P-F-E407 (ext) P-F-E407 (int)
TS-F-E407FD	Full dummy. P-F-E407D (ext) P-F-E407D (int)
TS-F-E407HD	Half dummy. P-F-E407D

Specify manufacturer, model number and function of latch to be used.

Always specify lever/knob design.

* Will not cover 2.125" bore.

** Push pin privacy NOT available for escutcheons 2.000" wide or less.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.

