

CONTENTS

This section contains complete pocket door sets, flush pulls and bi-pass door guides. Complete sets include bronze trim, mortise lock(s), spindle, fasteners and installation instructions. All complete pocket door set part numbers begin with CS-FP. All trim pocket door set part numbers begin with TS-FP.

TABLE OF CONTENTS

Bi-pass Door Guides	Page	17-2
200 Series Pocket Door Sets	Page	17-3
300 Series Pocket Door Sets	Pages	17-4 – 17-6
400 Series Pocket Door Sets	Pages	17-7 – 17-20
2525 Series Pocket Door Sets	Page	17-21
Arch Series Pocket Door Sets	Pages	17-22 – 17-25
Oval Series Pocket Door Sets	Pages	17-26 – 17-27
Ridge Series Pocket Door Sets	Page	17-28
Bandbox Series Pocket Door Sets	Pages	17-29 – 17-31
Gem Series Pocket Door Sets	Page	17-32
RP100 & 200 Series Flush Pulls	Page	17-33
300 Series Flush Pulls	Pages	17-34 – 17-39
400 Series Flush Pulls	Pages	17-40 – 17-49
500 Series Flush Pulls	Pages	17-50 – 17-52
1100 & 2500 Series Flush Pulls	Page	17-53
2525 Series Flush Pulls	Page	17-54
Arch Series Flush Pulls	Pages	17-55 – 17-57
Oval Series Flush Pulls	Page	17-58
Ridge Series Flush Pulls	Pages	17-59 – 17-60
Corrugated Series Flush Pulls	Page	17-61
Bandbox Series Flush Pulls	Pages	17-62 – 17-63
Gem Series Flush Pulls	Page	17-64
Squash Court Flush Pulls	Page	17-65
Fold Out Grip Handle	Page	17-66
Edge Pulls	Pages	17-67 – 17-68
Pop Out Latch	Page	17-69
Edge Flush Pulls	Pages	17-70 – 17-72


ORDERING INSTRUCTIONS

Complete Sets and Trim Sets: See Ordering Instructions in Binder 1/ Dealer Information.


Custom Sets: See Custom Ordering Instructions in Binder 1/ Dealer Information.




Illustrations are for demonstration purposes only.



BPG-134
– 1.750" thick doors.



BPG-138
– 1.376" thick doors.



BPG-214
– 2.250" thick doors.

Bi-pass door guide.


BPG-134	6.2500" Bi-pass door guide.
BPG-138	5.500" Bi-pass door guide.
BPG-214	7.376" Bi-pass door guide.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



200 SERIES POCKET DOOR SETS

Illustrations are for demonstration purposes only.



CS-FP200IML
– Complete passage set.
OR
TS-FP200IML
– Trim set only.

CS-FP202IML
– Complete passage set.
OR
TS-FP202IML
– Trim set only.

CS-FP203IML-PR
– Complete privacy set.
OR
TS-FP203IML-PR
– Trim set only.

CS-FP203IML-DBL-PR
– Complete double privacy set.
OR
TS-FP203IML-DBL-PR
– Trim set only.

Passage pocket door set.

CS-FP200IML	Passage set. FP-200 (ext) FP-200 (int)
TS-FP200IML	Passage set (trim only). FP-200 (ext) FP-200 (int)
CS-FP202IML	Passage set. FP-202 (ext) FP-202 (int)
TS-FP202IML	Passage set (trim only). FP-202 (ext) FP-202 (int)

Privacy pocket door set.

CS-FP203IML-PR	Privacy set. FP-203ER (ext) FP-203FK (int)
TS-FP203IML-PR	Privacy set (trim only). FP-203ER (ext) FP-203FK (int)

Double pocket door privacy set.

CS-FP203IML-DBL-PR	Double pocket privacy set. (1) FP-203ER (ext) (1) FP-203FK (int) (2) FP-202 (ext/int)
TS-FP203IML-DBL-PR	Double pocket privacy set (trim only). (1) FP-203ER (ext) (1) FP-203FK (int) (2) FP-202 (ext/int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

ER-12 PLUG add UC-ER-12 PLUG


ER-13 PLUG add UC-ER-13 PLUG

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




300 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP303IML
– Complete passage set.
OR
TS-FP303IML
– Trim set only.



CS-FP303IML-PR
– Complete privacy set.
OR
TS-FP303IML-PR
– Trim set only.



CS-FP303IML-DBL-PR
– Complete double privacy set.
OR
TS-FP303IML-DBL-PR
– Trim set only.

Passage pocket door set. #6 wood screws mount in bucket (no surface screws).

CS-FP303IML	Passage set. FP-303 (ext) FP-303 (int)
TS-FP303IML	Passage set (trim only). FP-303 (ext) FP-303 (int)

Privacy pocket door set. #6 wood screws mount in bucket (no surface screws).

CS-FP303IML-PR	Privacy set shown w/RC-4. FP-303ERC (ext) FP-303TPC (int)
TS-FP303IML-PR	Privacy set shown w/RC-4 (trim only). FP-303ERC (ext) FP-303TPC (int)

Double pocket door privacy set. #6 wood screws mount in bucket (no surface screws).

CS-FP303IML-DBL-PR	Double pocket privacy set shown w/RC-4. (1) FP-303ERC (ext) (1) FP-303TPC (int) (2) FP-303 (ext/int)
TS-FP303IML-DBL-PR	Double pocket privacy set shown w/RC-4 (trim only). (1) FP-303ERC (ext) (1) FP-303TPC (int) (2) FP-303 (ext/int)

All FP-303 flush pull sets require a door thickness of 2.250" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

Replace RC-4 w/RC-9; **RC-7 NOT AVAILABLE**

ER-12 PLUG add UC-ER-12 PLUG


ER-13 PLUG add UC-ER-13 PLUG

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



300 SERIES POCKET DOOR SETS

Illustrations are for demonstration purposes only.



CS-FP309-7/16IML
– Complete passage set.
OR
TS-FP309-7/16IML
– Trim set only.

CS-FP309-7/16IML-PR
– Complete privacy set.
OR
TS-FP309-7/16IML-PR
– Trim set only.

CS-FP309-7/16IML-DBL-PR
– Complete double privacy set.
OR
TS-FP309-7/16IML-DBL-PR
– Trim set only.

Passage pocket door set.

CS-FP309-7/16IML	Passage set. FP-309-7/16 (ext) FP-309-7/16 (int)
TS-FP309-7/16IML	Passage set (trim only). FP-309-7/16 (ext) FP-309-7/16 (int)

Privacy pocket door set.

CS-FP309-7/16IML-PR	Privacy set shown w/ER-13PLUG-FP-309-7/16ER-13PLUG (ext) FP-309-7/16FK (int)
TS-FP309-7/16IML-PR	Privacy set shown w/ER-13PLUG (trim only). FP-309-7/16ER-13PLUG (ext) FP-309-7/16FK (int)

Double pocket door privacy set.

CS-FP309-7/16IML-DBL-PR	Double pocket privacy set shown w/ER-13PLUG. (1) FP-309-7/16ER-13PLUG (ext) (1) FP-309-7/16FK (int) (2) FP-309-7/16 (ext/int)
TS-FP309-7/16IML-DBL-PR	Double pocket privacy set shown w/ER-13PLUG (trim only). (1) FP-309-7/16ER-13PLUG (ext) (1) FP-309-7/16FK (int) (2) FP-309-7/16 (ext/int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.


Replace ER-13 PLUG w/ER-12 PLUG

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




300 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP358-3/8-IML
– Complete passage set.
OR
TS-FP358-3/8-IML
– Trim set only.



CS-FP358-3/8-IML-PR
– Complete privacy set.
OR
TS-FP358-3/8-IML-PR
– Trim set only.



CS-FP358-3/8-IML-DBL-PR
– Complete double privacy set.
OR
TS-FP358-3/8-IML-DBL-PR
– Trim set only.

Passage pocket door set.

CS-FP358-3/8-IML	Passage set. FP-358-3/8 (ext) FP-358-3/8 (int)
TS-FP358-3/8-IML	Passage set (trim only). FP-358-3/8 (ext) FP-358-3/8 (int)

Privacy pocket door set.

CS-FP358-3/8-IML-PR	Privacy set shown w/RC-7. FP-358-3/8-RC-7 (ext) FP-358-3/8-TPC (int)
TS-FP358-3/8-IML-PR	Privacy set shown w/RC-7 (trim only). FP-358-3/8-RC-7 (ext) FP-358-3/8-TPC (int)

Double pocket door privacy set.

CS-FP358-3/8-IML-DBL-PR	Double pocket privacy set shown w/RC-7. (1) FP-358-3/8-RC-7 (ext) (1) FP-358-3/8-TPC (int) (2) FP-358-3/8 (ext/int)
TS-FP358-3/8-IML-DBL-PR	Double pocket privacy set shown w/RC-7 (trim only). (1) FP-358-3/8-RC-7 (ext) (1) FP-358-3/8-TPC (int) (2) FP-358-3/8 (ext/int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

Replace RC-7 w/RC-4 or RC-9

ER-12 PLUG add UC-ER-12 PLUG


ER-13 PLUG add UC-ER-13 PLUG

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP400IML
– Complete passage set.
OR
TS-FP400IML
– Trim set only.



CS-FP401IML-PR
– Complete privacy set.
OR
TS-FP401IML-PR
– Trim set only.



CS-FP401IML-DBL-PR
– Complete double privacy set.
OR
TS-FP401IML-DBL-PR
– Trim set only.

Passage pocket door set.

CS-FP400IML	Passage set. FP-400 (ext) FP-400 (int)
TS-FP400IML	Passage set (trim only). FP-400 (ext) FP-400 (int)

Privacy pocket door set.

CS-FP401IML-PR	Privacy set. FP-401ERC (ext) FP-401FR (int)
TS-FP401IML-PR	Privacy set (trim only). FP-401ERC (ext) FP-401FR (int)

Double pocket door privacy set.

CS-FP401IML-DBL-PR	Double pocket privacy set. (1) FP-401ERC (ext) (1) FP-401FR (int) (2) FP-400 (ext/int)
TS-FP401IML-DBL-PR	Double pocket privacy set (trim only). (1) FP-401ERC (ext) (1) FP-401FR (int) (2) FP-400 (ext/int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

Replace RC-4 w/RC-7 or RC-9

ER-12 PLUG add UC-ER-12 PLUG


ER-13 PLUG add UC-ER-13 PLUG

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP404IML
– Complete passage set.
OR
TS-FP404IML
– Trim set only.



CS-FP404IML-PR
– Complete privacy set.
OR
TS-FP404IML-PR
– Trim set only.



CS-FP404IML-DBL-PR
– Complete double privacy set.
OR
TS-FP404IML-DBL-PR
– Trim set only.

Passage pocket door set.

CS-FP404IML	Passage set. FP-404 (ext) FP-404 (int)
TS-FP404IML	Passage set (trim only). FP-404 (ext) FP-404 (int)

Privacy pocket door set.

CS-FP404IML-PR	Privacy set. FP-404ERC (ext) FP-404TPC (int)
TS-FP404IML-PR	Privacy set (trim only). FP-404ERC (ext) FP-404TPC (int)

Double pocket door privacy set.

CS-FP404IML-DBL-PR	Double pocket privacy set. (1) FP-404ERC (ext) (1) FP-404TPC (int) (2) FP-404 (ext/int)
TS-FP404IML-DBL-PR	Double pocket privacy set (trim only). (1) FP-404ERC (ext) (1) FP-404TPC (int) (2) FP-404 (ext/int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

Replace RC-4 w/RC-7 or RC-9

ER-12 PLUG add UC-ER-12 PLUG


ER-13 PLUG add UC-ER-13 PLUG

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP404ML
– Complete single cylinder set.
OR
TS-FP404ML
– Trim set only.



CS-FP404ML-DC
– Complete double cylinder set.
OR
TS-FP404ML-DC
– Trim set only.



CS-FP404ML-PF
– Complete patio function set.
OR
TS-FP404ML-PF
– Trim set only.

Locking pocket door set.

CS-FP404ML	Single cylinder pocket door set. FP-404K (ext) FP-404TPC (int)
TS-FP404ML	Single cylinder pocket door set (trim only). FP-404K (ext) FP-404TPC (int)

Locking pocket door set. Double cylinder.

CS-FP404ML-DC	Double cylinder pocket door set. FP-404K (ext) FP-404K (int)
TS-FP404ML-DC	Double cylinder pocket door set (trim only). FP-404K (ext) FP-404K (int)

Locking pocket door set. Patio function.

CS-FP404ML-PF	Patio function pocket door set. FP-404 (ext) FP-404TPC (int)
TS-FP404ML-PF	Patio function pocket door set (trim only). FP-404 (ext) FP-404TPC (int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.


Accurate 2002Q Series add UC-2002Q to existing price.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP404ML-DBL
– Complete single cylinder set.
OR
TS-FP404ML-DBL
– Trim set only.



CS-FP404ML-DBL-DC
– Complete double cylinder set.
OR
TS-FP404ML-DBL-DC
– Trim set only.



CS-FP404ML-DBL-PF
– Complete patio function set.
OR
TS-FP404ML-DBL-PF
– Trim set only.

Locking pocket door set.

CS-FP404ML-DBL

Single cylinder pocket door sets for double doors. (2) FP-404K (ext) (1) FP-404TPC (int) (1) FP-404 (int)

TS-FP404ML-DBL

Single cylinder pocket door sets for double doors (trim only). (2) FP-404K (ext) (1) FP-404TPC (int) (1) FP-404 (int)

Locking pocket door set. Double cylinder.

CS-FP404ML-DBL-DC

Double cylinder pocket door sets for double doors. (2) FP-404K (ext) (2) FP-404K (int)

TS-FP404ML-DBL-DC

Double cylinder pocket door sets for double doors (trim only). (2) FP-404K (ext) (2) FP-404K (int)

Locking pocket door set. Patio function.

CS-FP404ML-DBL-PF

Patio function pocket door sets for double doors. (2) FP-404 (ext) (1) FP-404TPC (int) (1) FP-404 (int)

TS-FP404ML-DBL-PF

Patio function pocket door sets for double doors (trim only). (2) FP-404 (ext) (1) FP-404TPC (int) (1) FP-404 (int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.


Accurate 2002Q Series add UC-2002Q to existing price.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP405IML
– Complete passage set.
OR
TS-FP405IML
– Trim set only.



CS-FP405IML-PR
– Complete privacy set.
OR
TS-FP405IML-PR
– Trim set only.



CS-FP405IML-DBL-PR
– Complete double privacy set.
OR
TS-FP405IML-DBL-PR
– Trim set only.

Passage pocket door set.

CS-FP405IML	Passage set. FP-405 (ext) FP-405 (int)
TS-FP405IML	Passage set (trim only). FP-405 (ext) FP-405 (int)

Privacy pocket door set.

CS-FP405IML-PR	Privacy set. FP-405ERC (ext) FP-405TPC (int)
TS-FP405IML-PR	Privacy set (trim only). FP-405ERC (ext) FP-405TPC (int)

Double pocket door privacy set.

CS-FP405IML-DBL-PR	Double pocket privacy set. (1) FP-405ERC (ext) (1) FP-405TPC (int) (2) FP-405 (ext/int)
TS-FP405IML-DBL-PR	Double pocket privacy set (trim only). (1) FP-405ERC (ext) (1) FP-405TPC (int) (2) FP-405 (ext/int)

All flush pull sets require a door thickness of 2.250" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

Replace RC-4 w/RC-7 or RC-9

ER-12 PLUG add UC-ER-12 PLUG


ER-13 PLUG add UC-ER-13 PLUG

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP405ML
– Complete single cylinder set.
OR
TS-FP405ML
– Trim set only.



CS-FP405ML-DC
– Complete double cylinder set.
OR
TS-FP405ML-DC
– Trim set only.



CS-FP405ML-PF
– Complete patio function set.
OR
TS-FP405ML-PF
– Trim set only.

Locking pocket door set.

CS-FP405ML

Single cylinder pocket door set. FP-405K (ext) FP-405TPC (int)

TS-FP405ML

Single cylinder pocket door set (trim only). FP-405K (ext) FP-405TPC (int)

Locking pocket door set. Double cylinder.

CS-FP405ML-DC

Double cylinder pocket door set. FP-405K (ext) FP-405K (int)

TS-FP405ML-DC

Double cylinder pocket door set (trim only). FP-405K (ext) FP-405K (int)

Locking pocket door set. Patio function.

CS-FP405ML-PF

Patio function pocket door set. FP-405 (ext) FP-405TPC (int)

TS-FP405ML-PF

Patio function pocket door set (trim only). FP-405 (ext) FP-405TPC (int)

All flush pull sets require a door thickness of 2.250" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.


Accurate 2002Q Series add UC-2002Q to existing price.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP405ML-DBL
– Complete single cylinder set.
OR
TS-FP405ML-DBL
– Trim set only.



CS-FP405ML-DBL-DC
– Complete double cylinder set.
OR
TS-FP405ML-DBL-DC
– Trim set only.



CS-FP405ML-DBL-PF
– Complete patio function set.
OR
TS-FP405ML-DBL-PF
– Trim set only.

Locking pocket door set.

CS-FP405ML-DBL

Single cylinder pocket door sets for double doors. (2) FP-405K (ext) (1) FP-405TPC (int) (1) FP-405 (int)

TS-FP405ML-DBL

Single cylinder pocket door sets for double doors (trim only). (2) FP-405K (ext) (1) FP-405TPC (int) (1) FP-405 (int)

Locking pocket door set. Double cylinder.

CS-FP405ML-DBL-DC

Double cylinder pocket door sets for double doors. (2) FP-405K (ext) (2) FP-405K (int)

TS-FP405ML-DBL-DC

Double cylinder pocket door sets for double doors (trim only). (2) FP-405K (ext) (2) FP-405K (int)

Locking pocket door set. Patio function.

CS-FP405ML-DBL-PF

Patio function pocket door sets for double doors. (2) FP-405 (ext) (1) FP-405TPC (int) (1) FP-405 (int)

TS-FP405ML-DBL-PF

Patio function pocket door sets for double doors (trim only). (2) FP-405 (ext) (1) FP-405TPC (int) (1) FP-405 (int)

All flush pull sets require a door thickness of 2.250" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.


Accurate 2002Q Series add UC-2002Q to existing price.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP450IML
– Complete passage set.
OR
TS-FP450IML
– Trim set only.



CS-FP450IML-PR
– Complete privacy set.
OR
TS-FP450IML-PR
– Trim set only.



CS-FP450IML-DBL-PR
– Complete double privacy set.
OR
TS-FP450IML-DBL-PR
– Trim set only.

Passage pocket door set.

CS-FP450IML	Passage set. FP-450 (ext) FP-450 (int)
TS-FP450IML	Passage set (trim only). FP-450 (ext) FP-450 (int)

Privacy pocket door set.

CS-FP450IML-PR	Privacy set. FP-450ERC (ext) FP-450TPC (int)
TS-FP450IML-PR	Privacy set (trim only). FP-450ERC (ext) FP-450TPC (int)

Double pocket door privacy set.

CS-FP450IML-DBL-PR	Double pocket privacy set. (1) FP-450ERC (ext) (1) FP-450TPC (int) (2) FP-450 (ext/int)
TS-FP450IML-DBL-PR	Double pocket privacy set (trim only). (1) FP-450ERC (ext) (1) FP-450TPC (int) (2) FP-450 (ext/int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

Replace RC-4 w/RC-7 or RC-9

ER-12 PLUG add UC-ER-12 PLUG


ER-13 PLUG add UC-ER-13 PLUG

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP450-138IML
– Complete passage set.
OR
TS-FP450-138IML
– Trim set only.



CS-FP450-138IML-PR
– Complete privacy set.
OR
TS-FP450-138IML-PR
– Trim set only.



CS-FP450-138IML-DBL-PR
– Complete double privacy set.
OR
TS-FP450-138IML-DBL-PR
– Trim set only.

Passage pocket door set.

CS-FP450-138IML

Passage set. FP-450-138 (ext) FP-450-138 (int)

TS-FP450-138IML

Passage set (trim only). FP-450-138 (ext) FP-450-138 (int)

Privacy pocket door set.

CS-FP450-138IML-PR

Privacy set. FP-450-138ERC (ext) FP-450-138TPC (int)

TS-FP450-138IML-PR

Privacy set (trim only). FP-450-138ERC (ext) FP-450-138TPC (int)

Double pocket door privacy set.

CS-FP450-138IML-DBL-PR

Double pocket privacy set. (1) FP-450-138ERC (ext) (1) FP-450-138TPC (int) (2) FP-450-138 (ext/int)

TS-FP450-138IML-DBL-PR

Double pocket privacy set (trim only). (1) FP-450-138ERC (ext) (1) FP-450-138TPC (int) (2) FP-450-138 (ext/int)

All flush pull sets require a door thickness of 1.375" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

Replace RC-4 w/RC-7 or RC-9

ER-12 PLUG add UC-ER-12 PLUG


ER-13 PLUG add UC-ER-13 PLUG

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP450ML
– Complete single cylinder set.
OR
TS-FP450ML
– Trim set only.



CS-FP450ML-DC
– Complete double cylinder set.
OR
TS-FP450ML-DC
– Trim set only.



CS-FP450ML-PF
– Complete patio function set.
OR
TS-FP450ML-PF
– Trim set only.

Locking pocket door set.

CS-FP450ML	Single cylinder pocket door set. FP-450K (ext) FP-450TPC (int)
TS-FP450ML	Single cylinder pocket door set (trim only). FP-450K (ext) FP-450TPC (int)

Locking pocket door set. Double cylinder.

CS-FP450ML-DC	Double cylinder pocket door set. FP-450K (ext) FP-450K (int)
TS-FP450ML-DC	Double cylinder pocket door set (trim only). FP-450K (ext) FP-450K (int)

Locking pocket door set. Patio function.

CS-FP450ML-PF	Patio function pocket door set. FP-450 (ext) FP-450TPC (int)
TS-FP450ML-PF	Patio function pocket door set (trim only). FP-450 (ext) FP-450TPC (int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.


Accurate 2002Q Series add UC-2002Q to existing price.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP450ML-DBL
– Complete single cylinder set.
OR
TS-FP450ML-DBL
– Trim set only.



CS-FP450ML-DBL-DC
– Complete double cylinder set.
OR
TS-FP450ML-DBL-DC
– Trim set only.



CS-FP450ML-DBL-PF
– Complete patio function set.
OR
TS-FP450ML-DBL-PF
– Trim set only.

Locking pocket door set.

CS-FP450ML-DBL

Single cylinder pocket door sets for double doors. (2) FP-450K (ext) (1) FP-450TPC (int) (1) FP-450 (int)

TS-FP450ML-DBL

Single cylinder pocket door sets for double doors (trim only). (2) FP-450K (ext) (1) FP-450TPC (int) (1) FP-450 (int)

Locking pocket door set. Double cylinder.

CS-FP450ML-DBL-DC

Double cylinder pocket door sets for double doors. (2) FP-450K (ext) (2) FP-450K (int)

TS-FP450ML-DBL-DC

Double cylinder pocket door sets for double doors (trim only). (2) FP-450K (ext) (2) FP-450K (int)

Locking pocket door set. Patio function.

CS-FP450ML-DBL-PF

Patio function pocket door sets for double doors. (2) FP-450 (ext) (1) FP-450TPC (int) (1) FP-450 (int)

TS-FP450ML-DBL-PF

Patio function pocket door sets for double doors (trim only). (2) FP-450 (ext) (1) FP-450TPC (int) (1) FP-450 (int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.


Accurate 2002Q Series add UC-2002Q to existing price.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP451IML
– Complete passage set.
OR
TS-FP451IML
– Trim set only.



CS-FP451IML-PR
– Complete privacy set.
OR
TS-FP451IML-PR
– Trim set only.



CS-FP451IML-DBL-PR
– Complete double privacy set.
OR
TS-FP451IML-DBL-PR
– Trim set only.

Passage pocket door set.

CS-FP451IML	Passage set. FP-451 (ext) FP-451 (int)
TS-FP451IML	Passage set (trim only). FP-451 (ext) FP-451 (int)

Privacy pocket door set.

CS-FP451IML-PR	Privacy set. FP-451ERC (ext) FP-451TPC (int)
TS-FP451IML-PR	Privacy set (trim only). FP-451ERC (ext) FP-451TPC (int)

Double pocket door privacy set.

CS-FP451IML-DBL-PR	Double pocket privacy set. (1) FP-451ERC (ext) (1) FP-451TPC (int) (2) FP-451 (ext/int)
TS-FP451IML-DBL-PR	Double pocket privacy set (trim only). (1) FP-451ERC (ext) (1) FP-451TPC (int) (2) FP-451 (ext/int)

All 451 Series flush pull sets require a door thickness of 2.250" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

Replace RC-4 w/RC-7 or RC-9

ER-12 PLUG add UC-ER-12 PLUG

ER-13 PLUG add UC-ER-13 PLUG


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.

SUN VALLEY BRONZE




400 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP451ML
– Complete single cylinder set.
OR
TS-FP451ML
– Trim set only.



CS-FP451ML-DC
– Complete double cylinder set.
OR
TS-FP451ML-DC
– Trim set only.



CS-FP451ML-PF
– Complete patio function set.
OR
TS-FP451ML-PF
– Trim set only.

Locking pocket door set.

CS-FP451ML	Single cylinder pocket door set. FP-451K (ext) FP-451TPC (int)
TS-FP451ML	Single cylinder pocket door set (trim only). FP-451K (ext) FP-451TPC (int)

Locking pocket door set. Double cylinder.

CS-FP451ML-DC	Double cylinder pocket door set. FP-451K (ext) FP-451K (int)
TS-FP451ML-DC	Double cylinder pocket door set (trim only). FP-451K (ext) FP-451K (int)

Locking pocket door set. Patio function.

CS-FP451ML-PF	Patio function pocket door set. FP-451 (ext) FP-451TPC (int)
TS-FP451ML-PF	Patio function pocket door set (trim only). FP-451 (ext) FP-451TPC (int)

All 451 Series flush pull sets require a door thickness of 2.250" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.


Accurate 2002Q Series add UC-2002Q to existing price.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP451ML-DBL
– Complete single cylinder set.
OR
TS-FP451ML-DBL
– Trim set only.



CS-FP451ML-DBL-DC
– Complete double cylinder set.
OR
TS-FP451ML-DBL-DC
– Trim set only.



CS-FP451ML-DBL-PF
– Complete patio function set.
OR
TS-FP451ML-DBL-PF
– Trim set only.

Locking pocket door set.

CS-FP451ML-DBL

Single cylinder pocket door sets for double doors. (2) FP-451K (ext) (1) FP-451TPC (int) (1) FP-451 (int)

TS-FP451ML-DBL

Single cylinder pocket door sets for double doors (trim only). (2) FP-451K (ext) (1) FP-451TPC (int) (1) FP-451 (int)

Locking pocket door set. Double cylinder.

CS-FP451ML-DBL-DC

Double cylinder pocket door sets for double doors. (2) FP-451K (ext) (2) FP-451K (int)

TS-FP451ML-DBL-DC

Double cylinder pocket door sets for double doors (trim only). (2) FP-451K (ext) (2) FP-451K (int)

Locking pocket door set. Patio function.

CS-FP451ML-DBL-PF

Patio function pocket door sets for double doors. (2) FP-451 (ext) (1) FP-451TPC (int) (1) FP-451 (int)

TS-FP451ML-DBL-PF

Patio function pocket door sets for double doors (trim only). (1) FP-451 (ext) (1) FP-451TPC (int) (1) FP-451 (int)

All 451 Series flush pull sets require a door thickness of 2.250" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.


Accurate 2002Q Series add UC-2002Q to existing price.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2525 SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP2525IML
– Complete passage set.
OR
TS-FP2525IML
– Trim set only.



CS-FP2525IML-PR
– Complete privacy set.
OR
TS-FP2525IML-PR
– Trim set only.



CS-FP2525IML-DBL-PR
– Complete double privacy set.
OR
TS-FP2525IML-DBL-PR
– Trim set only.

Passage pocket door set.

CS-FP2525IML	Passage set. FP-2525 (ext) FP-2525 (int)
TS-FP2525IML	Passage set (trim only). FP-2525 (ext) FP-2525 (int)

Privacy pocket door set.

CS-FP2525IML-PR	Privacy set. FP-2525RC (ext) FP-2525WTPC (int)
TS-FP2525IML-PR	Privacy set (trim only). FP-2525RC (ext) FP-2525WTPC (int)

Double pocket door privacy set.

CS-FP2525IML-DBL-PR	Double pocket privacy set. (1) FP-2525RC (ext) (1) FP-2525WTPC (int) (2) FP-2525 (ext/int)
TS-FP2525IML-DBL-PR	Double pocket privacy set (trim only). (1) FP-2525RC (ext) (1) FP-2525WTPC (int) (2) FP-2525 (ext/int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

Replace RC-4 w/RC-7 or RC-9

ER-12 PLUG add UC-ER-12 PLUG


ER-13 PLUG add UC-ER-13 PLUG

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



ARCH SERIES POCKET DOOR SETS

Illustrations are for demonstration purposes only.



CS-FP-A400IML
– Complete passage set.
OR
TS-FP-A400IML
– Trim set only.

CS-FP-A401IML-PR
– Complete privacy set.
OR
TS-FP-A401IML-PR
– Trim set only.

CS-FP-A401IML-DBL-PR
– Complete double privacy set.
OR
TS-FP-A401IML-DBL-PR
– Trim set only.

Passage pocket door set.

CS-FP-A400IML	Passage set. FP-A400 (ext) FP-A400 (int)
TS-FP-A400IML	Passage set (trim only). FP-A400 (ext) FP-A400 (int)

Privacy pocket door set.

CS-FP-A401IML-PR	Privacy set. FP-A401ERC (ext) FP-A401FR (int)
TS-FP-A401IML-PR	Privacy set (trim only). FP-A401ERC (ext) FP-A401FR (int)

Double pocket door privacy set.

CS-FP-A401IML-DBL-PR	Double pocket privacy set. (1) FP-A401ERC (ext) (1) FP-A401FR (int) (2) FP-A400 (ext/int)
TS-FP-A401IML-DBL-PR	Double pocket privacy set (trim only). (1) FP-A401ERC (ext) (1) FP-A401FR (int) (2) FP-A400 (ext/int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

Replace RC-4 w/RC-7 or RC-9

ER-12 PLUG add UC-ER-12 PLUG


ER-13 PLUG add UC-ER-13 PLUG

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




ARCH SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP-A402IML
– Complete passage set.
OR
TS-FP-A402IML
– Trim set only.



CS-FP-A402IML-PR
– Complete privacy set.
OR
TS-FP-A402IML-PR
– Trim set only.



CS-FP-A402IML-DBL-PR
– Complete double privacy set.
OR
TS-FP-A402IML-DBL-PR
– Trim set only.

Passage pocket door set.

CS-FP-A402IML	Passage set. FP-A402 (ext) FP-A402 (int)
TS-FP-A402IML	Passage set (trim only). FP-A402 (ext) FP-A402 (int)

Privacy pocket door set.

CS-FP-A402IML-PR	Privacy set. FP-A402ERC (ext) FP-A402TPC (int)
TS-FP-A402IML-PR	Privacy set (trim only). FP-A402ERC (ext) FP-A402TPC (int)

Double pocket door privacy set.

CS-FP-A402IML-DBL-PR	Double pocket privacy set. (1) FP-A402ERC (ext) (1) FP-A402TPC (int) (2) FP-A402 (ext/int)
TS-FP-A402IML-DBL-PR	Double pocket privacy set (trim only). (1) FP-A402ERC (ext) (1) FP-A402TPC (int) (2) FP-A402 (ext/int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

Replace RC-4 w/RC-7 or RC-9

ER-12 PLUG add UC-ER-12 PLUG


ER-13 PLUG add UC-ER-13 PLUG

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




ARCH SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP-A402ML
– Complete single cylinder set.
OR
TS-FP-A402ML
– Trim set only.



CS-FP-A402ML-DC
– Complete double cylinder set.
OR
TS-FP-A402ML-DC
– Trim set only.



CS-FP-A402ML-PF
– Complete patio function set.
OR
TS-FP-A402ML-PF
– Trim set only.

Passage pocket door set.

CS-FP-A402ML

Single cylinder pocket door set. FP-A402K (ext) FP-A402TPC (int)

TS-FP-A402ML

Single cylinder pocket door set (trim only). FP-A402K (ext) FP-A402TPC (int)

Locking pocket door set. Double cylinder.

CS-FP-A402ML-DC

Double cylinder pocket door set. FP-A402K (ext) FP-A402K (int)

TS-FP-A402ML-DC

Double cylinder pocket door set (trim only). FP-A402K (ext) FP-A402K (int)

Locking pocket door set. Patio function.

CS-FP-A402ML-PF

Patio function pocket door set. FP-A402 (ext) FP-A402TPC (int)

TS-FP-A402ML-PF

Patio function pocket door set (trim only). FP-A402 (ext) FP-A402TPC (int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.


Accurate 2002Q Series add UC-2002Q to existing price.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




ARCH SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP-A402ML-DBL
– Complete single cylinder set.
OR
TS-FP-A402ML-DBL
– Trim set only.



CS-FP-A402ML-DBL-DC
– Complete double cylinder set.
OR
TS-FP-A402ML-DBL-DC
– Trim set only.



CS-FP-A402ML-DBL-PF
– Complete patio function set.
OR
TS-FP-A402ML-DBL-PF
– Trim set only.

Locking pocket door set.

CS-FP-A402ML-DBL

Single cylinder pocket door sets for double doors. (2) FP-A402K (ext)
(1) FP-A402TPC (int) (1) FP-A402 (int)

TS-FP-A402ML-DBL

Single cylinder pocket door sets for double doors (trim only). (2)
FP-A402K (ext) (1) FP-A402TPC (int) (1) FP-A402 (int)

Locking pocket door set. Double cylinder.

CS-FP-A402ML-DBL-DC

Double cylinder pocket door sets for double doors. (2) FP-A402K (ext)
(1) FP-A402K (int) (1) FP-A402 (int)

TS-FP-A402ML-DBL-DC

Double cylinder pocket door sets for double doors (trim only). (2)
FP-A402K (ext) (1) FP-A402K (int) (1) FP-A402 (int)

Locking pocket door set. Patio function.

CS-FP-A402ML-DBL-PF

Patio function pocket door sets for double doors. (2) FP-A402 (ext)
(1) FP-A402TPC (int) (1) FP-A402 (int)

TS-FP-A402ML-DBL-PF

Patio function pocket door sets for double doors (trim only). (2)
FP-A402 (ext) (1) FP-A402TPC (int) (1) FP-A402 (int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.


Accurate 2002Q Series add UC-2002Q to existing price.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



OVAL SERIES POCKET DOOR SETS

Illustrations are for demonstration purposes only.



CS-FP-OP200IML
 – Complete passage set.
 OR
 TS-FP-OP200IML
 – Trim set only.

Passage pocket door set.

CS-FP-OP200IML	Passage set. FP-OP200 (ext) FP-OP200 (int)
TS-FP-OP200IML	Passage set (trim only). FP-OP200 (ext) FP-OP200 (int)


Surface mount requires a door thickness of 1.750” or greater.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




OVAL SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP-OP700IML
– Complete passage set.
OR
TS-FP-OP700IML
– Trim set only.



CS-FP-OP700IML-PR
– Complete privacy set.
OR
TS-FP-OP700IML-PR
– Trim set only.



CS-FP-OP700IML-DBL-PR
– Complete double privacy set.
OR
TS-FP-OP700IML-DBL-PR
– Trim set only.

Passage pocket door set.

CS-FP-OP700IML	Passage set. FP-OP700 (ext) FP-OP700 (int)
TS-FP-OP700IML	Passage set (trim only). FP-OP700 (ext) FP-OP700 (int)

Privacy pocket door set.

CS-FP-OP700IML-PR	Privacy set. FP-OP700ERC (ext) FP-OP700TPC (int)
TS-FP-OP700IML-PR	Privacy set (trim only). FP-OP700ERC (ext) FP-OP700TPC (int)

Double pocket door privacy set.

CS-FP-OP700IML-DBL-PR	Double pocket privacy set. (1) FP-OP700ERC (ext) (1) FP-OP700TPC (int) (2) FP-OP700 (ext/int)
TS-FP-OP700IML-DBL-PR	Double pocket privacy set (trim only). (1) FP-OP700ERC (ext) (1) FP-OP700TPC (int) (2) FP-OP700 (ext/int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

Replace RC-4 w/RC-7 or RC-9

ER-12 PLUG add UC-ER-12 PLUG


ER-13 PLUG add UC-ER-13 PLUG

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



RIDGE SERIES POCKET DOOR SETS

Illustrations are for demonstration purposes only.



Passage pocket door set.

CS-FP423IML	Passage set. FP-423 (ext) FP-423 (int)
TS-FP423IML	Passage set (trim only). FP-423 (ext) FP-423 (int)

Privacy pocket door set.

CS-FP423IML-PR	Privacy set. FP-423ER-13PLUG (ext) FP-423FK (int)
TS-FP423IML-PR	Privacy set (trim only). FP-423-13PLUG (ext) FP-423FK (int)

Double pocket door privacy set.

CS-FP423IML-DBL-PR	Double pocket privacy set. (1) FP-423-13PLUG (ext) (1) FP-423FK (int) (2) FP-423 (ext/int)
TS-FP423IML-DBL-PR	Double pocket privacy set (trim only). (1) FP-423-13PLUG (ext) (1) FP-423FK (int) (2) FP-423 (ext/int)

All flush pull sets require a door thickness of 2.250" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

Replace ER-13 PLUG w/ER-12 PLUG


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.

SUN VALLEY BRONZE




BANDBOX SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP1516IML
– Complete passage set.
OR
TS-FP1516IML
– Trim set only.



CS-FP1516IML-PR
– Complete privacy set.
OR
TS-FP1516IML-PR
– Trim set only.



CS-FP1516IML-DBL-PR
– Complete double privacy set.
OR
TS-FP1516IML-DBL-PR
– Trim set only.

Passage pocket door set.

CS-FP1516IML	Passage set. FP-1516 (ext) FP-1516 (int)
TS-FP1516IML	Passage set (trim only). FP-1516 (ext) FP-1516 (int)

Privacy pocket door set.

CS-FP1516IML-PR	Privacy set. FP-1516ERC (ext) FP-1516TPC (int)
TS-FP1516IML-PR	Privacy set (trim only). FP-1516ERC (ext) FP-1516TPC (int)

Double pocket door privacy set.

CS-FP1516IML-DBL-PR	Double pocket privacy set. (1) FP-1516ERC (ext) (1) FP-1516TPC (int) (2) FP-1516 (ext/int)
TS-FP1516IML-DBL-PR	Double pocket privacy set (trim only). (1) FP-1516ERC (ext) (1) FP-1516TPC (int) (2) FP-1516 (ext/int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

Replace RC-4 w/RC-7 or RC-9

ER-12 PLUG add UC-ER-12 PLUG


ER-13 PLUG add UC-ER-13 PLUG

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



BANDBOX SERIES POCKET DOOR SETS

Illustrations are for demonstration purposes only.



Locking pocket door set.

CS-FP1516ML	Single cylinder pocket door set. FP-1516K (ext) FP-1516TPC (int)
TS-FP1516ML	Single cylinder pocket door set (trim only). FP-1516K (ext) FP-1516TPC (int)

Locking pocket door set. Double cylinder.

CS-FP1516ML-DC	Double cylinder pocket door set. FP-1516K (ext) FP-1516K (int)
TS-FP1516ML-DC	Double cylinder pocket door set (trim only). FP-1516K (ext) FP-1516K (int)

Locking pocket door set. Patio function.

CS-FP1516ML-PF	Patio function pocket door set. FP-1516 (ext) FP-1516TPC (int)
TS-FP1516ML-PF	Patio function pocket door set (trim only). FP-1516 (ext) FP-1516TPC (int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.


Accurate 2002Q Series add UC-2002Q to existing price.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



BANDBOX SERIES POCKET DOOR SETS

Illustrations are for demonstration purposes only.



Locking pocket door set.

CS-FP1516ML-DBL

Single cylinder pocket door sets for double doors. (2) FP-1516K (ext) (1) FP-1516TPC (int) (1) FP-1516 (int)

TS-FP1516ML-DBL

Single cylinder pocket door sets for double doors (trim only). (2) FP-1516K (ext) (1) FP-1516TPC (int) (1) FP-1516 (int)

Locking pocket door set. Double cylinder.

CS-FP1516ML-DBL-DC

Double cylinder pocket door sets for double doors. (2) FP-1516K (ext) (1) FP-1516K (int) (1) FP-1516 (int)

TS-FP1516ML-DBL-DC

Double cylinder pocket door sets for double doors (trim only). (2) FP-1516K (ext) (1) FP-1516K (int) (1) FP-1516 (int)

Locking pocket door set. Patio function.

CS-FP1516ML-DBL-PF

Patio function pocket door sets for double doors. (2) FP-1516 (ext) (1) FP-1516TPC (int) (1) FP-1516 (int)

TS-FP1516ML-DBL-PF

Patio function pocket door sets for double doors (trim only). (2) FP-1516 (ext) (1) FP-1516TPC (int) (1) FP-1516 (int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.


Accurate 2002Q Series add UC-2002Q to existing price.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




GEM SERIES POCKET DOOR SETS


Illustrations are for demonstration purposes only.



CS-FP2351IML
– Complete passage set.
OR
TS-FP2351IML
– Trim set only.



CS-FP2351IML-PR
– Complete privacy set.
OR
TS-FP2351IML-PR
– Trim set only.



CS-FP2351IML-DBL-PR
– Complete double privacy set.
OR
TS-FP2351IML-DBL-PR
– Trim set only.

Passage pocket door set.

CS-FP2351IML

Passage set. FP-2351 (ext) FP-2351 (int)

TS-FP2351IML

Passage set (trim only). FP-2351 (ext) FP-2351 (int)

Privacy pocket door set.

CS-FP2351IML-PR

Privacy set. FP-2351ER (ext) FP-2351TPC (int)

TS-FP2351IML-PR

Privacy set (trim only). FP-2351ER (ext) FP-2351TPC (int)

Double pocket door privacy set.

CS-FP2351IML-DBL-PR

Double pocket privacy set. (1) FP-2351ER (ext) (1) FP-2351TPC (int)
(2) FP-2351 (ext/int)

TS-FP2351IML-DBL-PR

Double pocket privacy set (trim only). (1) FP-2351ER (ext) (1)
FP-2351TPC (int) (2) FP-2351 (ext/int)

All flush pull sets require a door thickness of 1.750" or greater.

All above complete sets are priced with Accurate 2002 Series pocket door lock and edge pull 2.500" or 2.750" standard backsets.

For narrow backsets 2.000" add UC-2002-NB to existing price.

Accurate 2002Q Series add UC-2002Q to existing price.

Refer to Section 4, Page 3 for specifications.

ER-12 PLUG add UC-ER-12 PLUG


ER-13 PLUG add UC-ER-13 PLUG

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




RP100 & 200 SERIES FLUSH PULLS


Illustrations are for demonstration purposes only.




FP-RP150
– 2.000" round x 0.750" thick.
– 0.600" interior depth.




FP-200
– 2.000" x 4.375" x 0.360" thick.
– 0.210" interior depth.




FP-202
– 2.000" x 4.375" x 0.360" thick.
– 0.230" interior depth.




FP-203FK
– 2.000" x 4.375" x 0.350" thick.
– 0.210" interior depth.



FP-203ER
– 2.000" x 4.375" x 0.350" thick.
– 0.210" interior depth.



FP-205
– 1.500" x 6.750" x 0.580" thick.
– 0.438" interior depth.



FP-206
– 0.9375" x 4.000" x 0.500" thick.
– 0.400" interior depth.
– Machine screws into back of flush pull.

RP100 & 200 series flush pulls.


FP-RP150	2.000" Round flush pull.
FP-200	2.000" x 4.375" Flush pull.
FP-202	2.000" x 4.375" Flush pull.
FP-203FK	2.000" x 4.375" Flush pull w/flap key.
FP-203ER	2.000" x 4.375" Flush pull w/release hole.
FP-205	1.500" x 6.750" Flush pull.
FP-206	0.9375" x 4.000" Flush pull. Machine screws into back of flush pull at 3.750" c-c.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




300 SERIES FLUSH PULLS


Illustrations are for demonstration purposes only.




FP-300
– 2.250" x 5.750" x 0.725" thick.
– 0.535" interior depth.



FP-304
– 2.500" x 8.000" x 0.625" thick.
– 0.450" interior depth.



FP-304-3/8
– 2.500" x 8.000" x 0.375" thick.
– 0.160" interior depth.



FP-307
– 1.750" x 10.500" x 0.625" thick.
– 0.500" interior depth.

300 series flush pulls.


FP-300	2.250" x 5.750" Flush cup pull.
FP-304	2.500" x 8.000" Flush pull.
FP-304-3/8	2.500" x 8.000" Flush pull.
FP-307	1.750" x 10.500" Flush pull.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




300 SERIES FLUSH PULLS


Illustrations are for demonstration purposes only.



FP-303
– 2.500" x 5.500" x 0.625" thick.
– 0.440" interior depth.



FP-303TPC
– 2.500" x 5.500" x 0.625" thick.
– 0.440" interior depth.



FP-303ERC
– 2.500" x 5.500" x 0.625" thick.
– 0.440" interior depth.

300 series flush pulls. #6 wood screws mount in bucket (no surface screws).

FP-303	2.500" x 5.500" Flush pull.
FP-303TPC	2.500" x 5.500" Flush pull with turn piece.
FP-303ERC	2.500" x 5.500" Flush pull w/RC-7 release cover.

All FP-303 flush pull sets require a door thickness of 2.250" or greater.
Available with RC-4 (shown) & RC-9.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




SUN VALLEY BRONZE

300 SERIES FLUSH PULLS


Illustrations are for demonstration purposes only.



FP-358-3/8
 – 3.625" x 3.625" x 0.375" thick.
 – 0.250" interior depth.



FP-358-3/8-TPC
 – 3.625" x 3.625" x 0.375" thick.
 – 0.250" interior depth.



FP-358-3/8-RC-7
 – 3.625" x 3.625" x 0.375" thick.
 – 0.250" interior depth.

300 series flush pulls.


FP-358-3/8	3.625" x 3.625" Flush pull.
FP-358-3/8-TPC	3.625" x 3.625" Flush pull with turn piece.
FP-358-3/8-RC-7	3.625" x 3.625" Flush pull w/RC-7 release cover.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




300 SERIES FLUSH PULLS

Illustrations are for demonstration purposes only.



FP-308
– 1.875" x 13.500" x 0.640" thick.
– 0.480" interior depth.



FP-309
– 2.000" x 8.750" x 0.625" thick.
– 0.425" interior depth.

300 series flush pulls.


FP-308	1.875" x 13.500" Surface mount flush pull w/Bevel Edge.
FP-309	2.000" x 8.750" Flush pull.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



300 SERIES FLUSH PULLS

Illustrations are for demonstration purposes only.



FP-309-7/16
– 2.000" x 8.750" x 0.438" thick.
– 0.285" interior depth.

300 series flush pulls.


FP-309-7/16

2.000" x 8.750" Flush pull.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




Illustrations are for demonstration purposes only.




FP-310
 – 2.000" x 10.000" x 0.375" thick.
 – 0.250" interior depth.



FP-310-5/8
 – 2.000" x 10.000" x 0.625" thick.
 – 0.438" interior depth.



FP-311
 – 2.500" x 10.000" x 0.625" thick.
 – 0.440" interior depth.



FP-312
 – 2.500" x 11.938" x 0.625" thick.
 – 0.440" interior depth.

300 series flush pulls.


FP-310	2.000" x 10.000" Flush pull.
FP-310-5/8	2.000" x 10.000" Flush pull.
FP-311	2.500" x 10.000" Flush pull.
FP-312	2.500" x 12.000" Flush pull.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




300 SERIES FLUSH PULLS


Illustrations are for demonstration purposes only.




FP-316
– 2.500" x 16.000" x 0.625" thick.
– 0.500" interior depth.



FP-358-3/8
– 3.625" x 3.625" x 0.375" thick.
– 0.250" interior depth.



FP-358-75
– 3.625" x 3.625" x 0.750" thick.
– 0.563" interior depth.



FP-399
– 2.876" x 5.750" x 0.376" thick.
– 0.250" interior depth.

300 series flush pulls.


FP-316	2.500" x 16.000" Flush pull.
FP-358-3/8	3.625" x 3.625" Flush pull.
FP-358-75	3.625" x 3.625" Flush pull.
FP-399	2.875" x 5.750" Flush pull.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES FLUSH PULLS


Illustrations are for demonstration purposes only.



FP-400
– 2.875" x 5.750" x 0.500" thick.
– 0.313" interior depth.



FP-401FR
– 2.875" x 5.750" x 0.500" thick.
– 0.313" interior depth.



FP-401ERC
– 2.875" x 5.750" x 0.500" thick.
– 0.313" interior depth.

400 series flush pulls.


FP-400	2.875" x 5.750" Flush pull.
FP-401FR	2.875" x 5.750" Flush pull with flap ring.
FP-401ERC	2.875" x 5.750" Flush pull w/release cover.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES FLUSH PULLS


Illustrations are for demonstration purposes only.




FP-404
– 2.750" x 6.750" x 0.420" thick.
– 0.250" interior depth.



FP-404K
– 2.750" x 6.750" x 0.420" thick.
– 0.250" interior depth.



FP-404TPC
– 2.750" x 6.750" x 0.420" thick.
– 0.250" interior depth.



FP-404ERC
– 2.750" x 6.750" x 0.420" thick.
– 0.250" interior depth.

400 series flush pulls.


FP-404	2.750" x 6.750" Flush pull.
FP-404K	2.750" x 6.750" Flush pull w/cylinder.
FP-404TPC	2.750" x 6.750" Flush pull w/turn piece.
FP-404ERC	2.750" x 6.750" Flush pull w/release cover.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




SUN VALLEY BRONZE


Illustrations are for demonstration purposes only.




FP-405
– 2.750" x 6.750" x 0.625" thick.
– 0.475" interior depth.



FP-405K
– 2.750" x 6.750" x 0.625" thick.
– 0.475" interior depth.



FP-405TPC
– 2.750" x 6.750" x 0.625" thick.
– 0.475" interior depth.



FP-405ERC
– 2.750" x 6.750" x 0.625" thick.
– 0.475" interior depth.


400 series flush pulls.

FP-405	2.750" x 6.750" Flush pull.
FP-405K	2.750" x 6.750" Flush pull w/cylinder.
FP-405TPC	2.750" x 6.750" Flush pull w/turn piece.
FP-405ERC	2.750" x 6.750" Flush pull w/release cover.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



Illustrations are for demonstration purposes only.



FP-407
– 2.750" x 6.750" x 1.160" thick.
– 1.000" interior depth.



FP-445
– 2.500" x 8.750" x 0.750" thick.
– 0.625" interior depth.

400 series flush pulls.


FP-407	2.750" x 6.750" Flush pull.
FP-445	2.500" x 8.750" Flush pull.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES FLUSH PULLS


Illustrations are for demonstration purposes only.




FP-450
– 2.750" x 8.750" x 0.420" thick.
– 0.270" interior depth.



FP-450ERC
– 2.750" x 8.750" x 0.420" thick.
– 0.270" interior depth.



FP-450K
– 2.750" x 8.750" x 0.420" thick.
– 0.270" interior depth.



FP-450TPC
– 2.750" x 8.750" x 0.420" thick.
– 0.270" interior depth.

400 series flush pulls.


FP-450	2.750" x 8.750" Flush pull.
FP-450ERC	2.750" x 8.750" Flush pull w/release cover.
FP-450K	2.750" x 8.750" Flush pull w/cylinder.
FP-450TPC	2.750" x 8.750" Flush pull w/turn piece.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES FLUSH PULLS


Illustrations are for demonstration purposes only.




FP-451
– 2.750" x 8.750" x 0.650" thick.
– 0.500" interior depth.



FP-451K
– 2.750" x 8.750" x 0.650" thick.
– 0.500" interior depth.



FP-451TPC
– 2.750" x 8.750" x 0.650" thick.
– 0.500" interior depth.



FP-451ERC
– 2.750" x 8.750" x 0.650" thick.
– 0.500" interior depth.

400 series flush pulls.


FP-451	2.750" x 8.750" Flush pull.
FP-451K	2.750" x 8.750" Flush pull w/cylinder.
FP-451TPC	2.750" x 8.750" Flush pull w/turn piece.
FP-451ERC	2.750" x 8.750" Flush pull w/release cover.

All 451 Series flush pull sets require a door thickness of 2.250" or greater.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



Illustrations are for demonstration purposes only.



FP-452
– 2.750" x 8.750" x 0.900" thick.
– 0.700" interior depth.

400 series flush pulls.


FP-452	2.750" x 8.750" Flush pull.
--------	-----------------------------

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




400 SERIES FLUSH PULLS


Illustrations are for demonstration purposes only.



FP-454-12
– 2.750" x 12.000" x 0.563" thick.
– 0.313" interior depth.



FP-454-18
– 2.750" x 18.000" x 0.563" thick.
– 0.313" interior depth.



FP-454-18-1
– 2.750" x 18.000" x 1.000" thick.
– 0.790" interior depth.

400 series flush pulls.


FP-454-12	2.750" x 12.000" x 0.563" Thick flush pull.
FP-454-18	2.750" x 18.000" x 0.563" Thick flush pull.
FP-454-18-1	2.750" x 18.000" x 1.000" Thick flush pull.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



400 SERIES FLUSH PULLS

Illustrations are for demonstration purposes only.



FP-475
– 1.750" x 8.750" x 0.438" thick.
– 0.300" interior depth.

400 series flush pulls.


FP-475

1.750" x 8.750" Flush pull.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




Illustrations are for demonstration purposes only.




FP-500
– 3.000" x 5.250" x 0.750" thick.
– 0.525" interior depth.



FP-502
– 2.250" x 3.250" x 0.700" thick.
– 0.560" interior depth.



FP-504
– 2.500" x 5.813" x 0.750" thick.
– 0.563" interior depth.



FP-505 (rolled edge)
– 3.300" x 4.850" x 0.550" thick.
– 0.430" interior depth.

500 series flush pulls.


FP-500	3.000" x 5.250" Flush cup pull.
FP-502	2.250" x 3.250" Flush cup pull.
FP-504	2.500" x 5.813" Surface mount cup pull w bevel edge.
FP-505	3.300" x 4.850" Surface mount flush pull w/rolled edge.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



500 SERIES FLUSH PULLS

Illustrations are for demonstration purposes only.



FP-509
– 4.125" x 9.750" x 1.077" thick.
– 0.875" interior depth.

500 series flush pulls.

FP-509


4.125" x 9.750" Surface mount flush pull.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




500 SERIES FLUSH PULLS


Illustrations are for demonstration purposes only.




FP-510
– 3.250" x 10.125" x 0.750" thick.
– 0.525" interior depth.



FP-511
– 2.500" x 10.125" x 0.800" thick.
– 0.585" interior depth.



FP-512
– 3.000" x 8.750" x 0.800" thick.
– 0.585" interior depth.



FP-514
– 4.000" x 14.000" x 1.250" thick.
– 1.000" interior depth.

500 series flush pulls.


FP-510	3.250" x 10.125" Flush cup pull.
FP-511	2.500" x 10.125" Flush cup pull.
FP-512	3.000" x 8.750" Flush cup pull.
FP-514	4.000" x 14.000" Flush cup pull.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




1100 & 2500 SERIES FLUSH PULLS

Illustrations are for demonstration purposes only.



FP-1100
– 2.000" x 11.000" x 0.720" thick.
– 0.525" interior depth.



FP-2500
– 2.000" x 22.000" x 0.750" thick.
– 0.590" interior depth.

1100 & 2500 series flush pulls.


FP-1100	2.000" x 11.000" Flush pull.
FP-2500	2.000" x 22.000" Flush pull.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




2525 SERIES FLUSH PULLS


Illustrations are for demonstration purposes only.



FP-2525
– 2.500" x 2.500" x 0.375" thick.
– 0.250" interior depth.



FP-2525WTPC
– 2.500" x 2.500" x 0.375" thick.
– 0.250" interior depth.



FP-2525RC
– 2.500" x 2.500" x 0.375" thick.
– 0.250" interior depth.


2525 series flush pulls.

FP-2525	2.500" x 2.500" Flush pull.
FP-2525WTPC	2.500" x 2.500" Flush pull w/wing nut.
FP-2525RC	2.500" x 2.500" Flush pull w/RC-4.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



Illustrations are for demonstration purposes only.



FP-A309
 – 2.000" x 10.563" x 0.500" thick.
 – 0.350" interior depth.


Arch series flush pulls.

FP-A309	2.000" x 10.563" Arch flush pull.
---------	-----------------------------------


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




Illustrations are for demonstration purposes only.




FP-A400
– 2.875" x 6.700" x 0.500" thick.
– 0.320" interior depth.



FP-A401FR
– 2.875" x 6.700" x 0.500" thick.
– 0.320" interior depth.



FP-A401ERC
– 2.875" x 6.700" x 0.500" thick.
– 0.320" interior depth.



FP-A407
– 2.000" x 7.500" x 0.500" thick.
– 0.320" interior depth.


Arch series flush pulls.

FP-A400	2.875" x 6.700" Arch flush pull.
FP-A401FR	2.875" x 6.700" Arch flush pull w/flap ring.
FP-A401ERC	2.875" x 6.700" Arch flush pull w/release cover.
FP-A407	2.000" x 7.500" Arch flush pull.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




Illustrations are for demonstration purposes only.




FP-A402
– 2.875" x 9.250" x 0.535" thick.
– 0.340" interior depth.



FP-A402ERC
– 2.875" x 9.250" x 0.535" thick.
– 0.340" interior depth.



FP-A402K
– 2.875" x 9.250" x 0.535" thick.
– 0.340" interior depth.



FP-A402TPC
– 2.875" x 9.250" x 0.535" thick.
– 0.340" interior depth.

Arch series flush pulls.


FP-A402	2.875" x 9.250" Arch flush pull.
FP-A402ERC	2.875" x 9.250" Arch flush pull w/release cover.
FP-A402K	2.875" x 9.250" Arch flush pull w/cylinder.
FP-A402TPC	2.875" x 9.250" Arch flush pull w/turn piece.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




OVAL SERIES FLUSH PULLS

Illustrations are for demonstration purposes only.



FP-OP200
– 2 1/8" x 4 1/2" x 5/8" thick.
– 3/8" interior depth.



FP-OP700
– 3" x 8 3/4" x 1/2" thick.
– 3/8" interior depth.

Oval series flush pulls.


FP-OP200	2.125" x 4.500" Oval surface mount flush pull.
FP-OP700	3.000" x 8.750" Oval surface mount flush pull.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




RIDGE SERIES FLUSH PULLS


Illustrations are for demonstration purposes only.



FP-421
 – 2.250" x 5.750" x 0.735" thick.
 – 0.150" interior depth.
 – Ridge 0.63" high.



FP-424
 – 2.750" x 10.000" x 0.535" thick.
 – 0.250" interior depth.
 – Ridge 0.63" high.



FP-425
 – 3.000" x 14.000" x 0.975" thick.
 – 0.625" interior depth.
 – Ridge 0.63" high.

Ridge series flush pulls.


FP-421	2.250" x 5.750" Ridge flush cup pull.
FP-424	2.750" x 10.000" Ridge flush pull.
FP-425	3.000" x 14.000" Ridge flush cup pull.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




RIDGE SERIES FLUSH PULLS


Illustrations are for demonstration purposes only.



FP-423
 – 2.500" x 12.000" x 0.490" thick.
 – 0.318" interior depth.
 – Ridge 0.63" high.



FP-423ER-13PLUG
 – 2.500" x 12.000" x 0.490" thick.
 – 0.318" interior depth.
 – Ridge 0.63" high.



FP-423TPC
 – 2.500" x 12.000" x 0.490" thick.
 – 0.318" interior depth.
 – Ridge 0.63" high.

Ridge series flush pulls.


FP-423	2.500" x 12.000" Ridge surface mount flush pull.
FP-423ER-13PLUG	2.500" x 12.000" Ridge flush pull w/ER-13PLUG.
FP-423FK	2.500" x 12.000" Ridge flush pull w/flap key turn piece.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



CORRUGATED SERIES FLUSH PULLS

Illustrations are for demonstration purposes only.



FP-1406
– 2.500" x 6.000" x 0.563" thick.
– 0.375" interior depth.

Corrugated series flush pulls.

FP-1406


2.500" x 6.000" Corrugated flush pull.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




BANDBOX SERIES FLUSH PULLS

Illustrations are for demonstration purposes only.



FP-1513
– 3.125" x 9.625" x 0.500" thick.
– 0.313" interior depth.



FP-1519
– 2.500" x 10.000" x 0.500" thick.
– 0.250" interior depth.

Bandbox series flush pulls.

FP-1513	3.125" x 9.625" Bandbox surface mount flush pull.
FP-1519	2.500" x 10.000" Bandbox Corduroy flush pull.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




SUN VALLEY BRONZE

BANDBOX SERIES FLUSH PULLS


Illustrations are for demonstration purposes only.




FP-1516
– 3.063" x 11.563" x 0.500" thick.
– 0.313" interior depth.



FP-1516ERC
– 3.063" x 11.563" x 0.500" thick.
– 0.313" interior depth.



FP-1516K
– 3.063" x 11.563" x 0.500" thick.
– 0.313" interior depth.



FP-1516TPC
– 3.063" x 11.563" x 0.500" thick.
– 0.313" interior depth.


Bandbox series flush pulls.

FP-1516	3.063" x 11.563" Bandbox surface mount flush pull.
FP-1516ERC	3.063" x 11.563" Bandbox flush pull w/release cover.
FP-1516K	3.063" x 11.563" Bandbox flush pull w/cylinder.
FP-1516TPC	3.063" x 11.563" Bandbox flush pull w/turn piece.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




Illustrations are for demonstration purposes only.



FP-2351
– 2.500" x 8.750" x 0.560" thick.
– 0.455" interior depth.



FP-2351ER
– 2.500" x 8.750" x 0.560" thick.
– 0.455" interior depth.



FP-2351TPC
– 2.500" x 8.750" x 0.560" thick.
– 0.455" interior depth.


Gem series flush pulls.

FP-2351	2.500" x 8.750" Surface mount flush pull.
FP-2351ER	2.500" x 8.750" Surface mount flush pull w/release hole.
FP-2351TPC	2.500" x 8.750" Surface mount flush pull w/turn piece.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



Illustrations are for demonstration purposes only.



SQFP-358
– Squash court flush pull.
– Eased edge.
– Surface mount.

Squash court flush pulls.


SQFP-358	3.750" x 3.750" Eased Edge surface mount squash court flush pull.
----------	---

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




FOLD OUT GRIP HANDLES


Illustrations are for demonstration purposes only.



FP-FOGH
 – Fold out grip handle.
 – 4.000" x 14.000" x 1.250" thick.
 – 1.000" interior depth.



FP-407FOGH
 – Fold out grip handle.
 – 2.750" x 6.750" x 1.150" thick.
 – 1.000" interior depth.



FP-409FOGH
 – Fold out grip handle.
 – 2.750" x 8.750" x 1.150" thick.
 – 1.000" interior depth.


Fold out grip handles.

FP-FOGH	4.000" x 14.000" Fold out grip handle.
FP-407FOGH	2.750" x 6.750" Fold out grip handle.
FP-409FOGH	2.750" x 8.750" Fold out grip handle.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




Illustrations are for demonstration purposes only.




EDG-100
– 4.063" edge pull.



EDG-150
– 6.000" edge pull.



EDG-200
– 8.000" edge pull.



EDG-300
– 12.000" edge pull.

Edge pulls (shown).

EDG-100	4.063" edge pull.
EDG-150	6.000" edge pull.
EDG-200	8.000" edge pull.
EDG-300	12.000" edge pull.


Edge pulls with spring return.

EDG-100S	4.063" edge pull w/spring return.
EDG-150S	6.000" edge pull w/spring return.
EDG-200S	8.000" edge pull w/spring return.
EDG-300S	12.000" edge pull w/spring return.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



Illustrations are for demonstration purposes only.



EDG-155
– 5.500" edge pull w/hook.

Edge pulls with hook.


EDG-155

5.500" edge pull w/hook.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



Illustrations are for demonstration purposes only.



POL-01-12
 – 3.500" Pop out latch w/strike.
 – Includes ER-12.

Pop out latch.


POL-01-12

3.500" pop out latch w/strike & ER-12.



PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



Illustrations are for demonstration purposes only.



FEP-T4-175
– Edge flush pull w/tab.
– Requires a door thickness of 1.750”.



FEP-T4-2
– Edge flush pull w/tab.
– Requires a door thickness of 2.000”.

Edge flush pulls.

FEP-T4-175	4.000” x 2.000”x 1.750” Edge flush pull w/tab.
FEP-T4-2	4.000” x 2.000”x 2.000” Edge flush pull w/tab.
FEP-T4-214	4.000” x 2.000”x 2.250” Edge flush pull w/tab.

#6 screws included.
Call for door thickness options and pricing.
Not available in polished finishes.


Installation Instructions:
FEP-T4-175 Installation #102
FEP-T4-200 Installation #103

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



BLIND MOUNT FLUSH EDGE PULLS

Illustrations are for demonstration purposes only.



FEP-210BM
– Blind mount flush edge pull.

Blind mount flush edge pulls.

FEP-210BM

10.000" x 2.000" x 0.750" Blind mount flush edge pull.

#8 wood screws included.

Call for door thickness options and pricing.

Installation Instructions:


FEP-210BM Installation #114

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




EDGE FLUSH PULL DOUBLE w/T-PULL

Illustrations are for demonstration purposes only.



FEP-210DBL-T-1 3/4
– Edge flush pull w/T-tab back-to-back.
– Requires a door thickness of 1.750".



FEP-212DBL-T-1 3/4
– Edge flush pull w/T-tab back-to-back.
– Requires a door thickness of 1.750".

Edge flush pull double w/T-Pull.

FEP-210DBL-T-1 3/4	10.000" x 2.625" x 1.750" Edge flush pull double w/T-pull.
FEP-210DBL-T-2	10.000" x 2.625" x 2.000" Edge flush pull double w/T-pull.
FEP-210DBL-T-2 1/4	10.000" x 2.625" x 2.250" Edge flush pull double w/T-pull.
FEP-212DBL-T-1 3/4	12.000" x 2.625" x 1.750" Edge flush pull double w/T-pull.
FEP-212DBL-T-2	12.000" x 2.625" x 2.000" Edge flush pull double w/T-pull.
FEP-212DBL-T-2 1/4	12.000" x 2.625" x 2.250" Edge flush pull double w/T-pull.

#6 screws included.

Call for door thickness options and pricing.

Installation Instructions:

FEP-210DBL-T-1 3/4 Installation #113

FEP-210DBL-T-2 Installation #113

FEP-210DBL-T-2 1/4 Installation #113

FEP-212DBL-T-1 3/4 Installation #124

FEP-212DBL-T-2 Installation #124

FEP-212DBL-T-2 1/4 Installation #124

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.

