

CONTENTS

This section contains complete gate latch sets. Complete sets include bronze trim, spindle, fasteners and installation instructions. All complete gate latch set part numbers begin with CS-GL.

Gate Latch orders do NOT qualify for return and are NON-REFUNDABLE.

DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.


TABLE OF CONTENTS

Gate Latch Handling Guides	Pages	18-2 – 18-3
Gate/Door Stops	Page	18-4
Passage & Privacy Gate Latch Sets	Pages	18-5 – 18-12
Reverse Bevel Passage & Privacy Gate Latch Sets	Pages	18-13 – 18-20
BAGL Gate Latch	Page	18-21
Orca Gate Latch	Page	18-22
Sliding Gate Latch Sets	Pages	18-23 – 18-26
Reverse Sliding Gate Latch Sets	Pages	18-27 – 18-30
Slide Bolt Gate Latch Sets	Pages	18-31 – 18-32
Passage & Privacy Gate Latch Sets	Pages	18-33 – 18-46
Lever/Knob x Gate Latch Entry Sets	Pages	18-47 – 18-50
Combination Thumb Latch x Gate Latch Entry Sets	Pages	18-51 – 18-61
Gate Latch Series Deadbolt Sets	Page	18-62
Gate Latch Series Deadlock Sets	Pages	18-63 – 18-64
Gate Latch Parts	Page	18-65
Cannon Ball Gate Closer	Page	18-66

ORDERING INSTRUCTIONS

Complete Sets and Trim Sets: See Ordering Instructions in Binder 1/ Dealer Information.


Custom Sets: See Custom Ordering Instructions in Binder 1/ Dealer Information.




GATE LATCH HANDING GUIDE GL-100 / GL-200 / GL-300

- Active inswing
- Gate latch lift bar always interior side
- J-strike is mortised into jamb
- Lift bar latches into j-strike to secure door when closed

LEFT HAND (LH) SHOWN




RIGHT HAND (RH) SHOWN




- Active outswing
- Gate latch lift bar always interior side
- ** Lift bar exterior side of door options: contact sales team member**
- Reverse bevel strike is mortised flush into jamb
- Lift bar rides up reverse bevel ramp & latches into reverse bevel strike to secure door when closed

LEFT HAND REVERSE (LHR) SHOWN




RIGHT HAND REVERSE (RHR) SHOWN




GATE LATCH HANDING GUIDE GL-900 / GL-905

- Active inswing
- Gate latch slide bar always interior side
- T-strike is mortised into jamb
- Slide bar latches into t-strike to secure door when closed

LEFT HAND (LH) SHOWN




RIGHT HAND (RH) SHOWN




- Active outswing
- Gate latch slide bar always interior side
- ** Slide bar exterior side of door options: contact sales team member**
- Reverse bevel strike is mortised flush into jamb
- Slide bar latches into reverse bevel strike to secure door when closed

LEFT HAND REVERSE (LHR) SHOWN




RIGHT HAND REVERSE (RHR) SHOWN





GATE LATCH/DOOR STOPS


Illustrations are for demonstration purposes only.



GL-STOP-1
-Gate latch stop.



GL-STOP-2
-Gate latch stop.



GL-STOP-3
-Gate latch stop.

Gate latch/door stops.

GL-STOP-1	2.000" x 3.375" Gate latch/door stop. Fasten stop to jamb lining up w/P-125, P-150, P-175, P-900 & P-905.
GL-STOP-2	2.000" x 2.000" Gate latch/door stop. 2 stops required per gate/door.
GL-STOP-3	3.000" x 1.125" Gate latch/door stop. 2 stops required per gate/door.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL100 PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL100/P-125
 – Complete set w/spindle.
 – Passage set.
 – 2.375" backset.
 – Left hand shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL100/P-125	Passage set. P-125 (ext) GL-100 (int)
TS-P-125/P-125FD	Full dummy set. P-125D (ext) P-125D (int)

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

*Any tubular latch passage set escutcheon plate 2.500" or narrower may be substituted for the P-125 exterior plate listed above. Upcharges may apply.

Half active P-125. No spindle.

P-125LH	Exterior escutcheon w/lever. 4.500" x 3.375" (ext). Lever points left (shown).
P-125RH	Exterior escutcheon w/lever. 4.500" x 3.375" (ext). Lever points right.

2.375" backset.

Handing determined by lever direction.

Always specify lever/knob design.

Half active GL-100 w/bar latch & receiver strike. No spindle.

GL-100LH	Interior gate latch w/lever & strike. 5.000" x 3.375" (int). Lever points left.
GL-100RH	Interior gate latch w/lever & strike. 5.000" x 3.375" (int). Lever points right (shown).

2.375" backset.

Handing determined by lever direction.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL100PR PRIVACY GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL100-PR/P-125PR
– Complete set w/spindle.
– Privacy set.
– 2.375" backset.
– Left hand shown.

Complete privacy & patio function sets with bar latch, receiver strike and spindle.

CS-GL100PR/P-125PR

Privacy set. P-125ERC (ext) GL-100PR (int)

CS-GL100PF/P-125

Patio function set. P-125 (ext) GL-100PR (int) (not shown)

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL200 PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL200/P-150
 – Complete set w/spindle.
 – Passage set.
 – 2.875" backset.
 – Left hand shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL200/P-150	Passage set. P-150 (ext) GL-200 (int)
TS-P-150/P-150FD	Full dummy set. P-150D (ext) P-150D (int)

2.875" backset.

Door handing and thickness is required.

Always specify lever/knob design.

*Any tubular latch passage set escutcheon plate 2.500" or narrower may be substituted for the P-150 exterior plate listed above. Upcharges may apply.

Half active P-150. No spindle.

P-150LH	Exterior escutcheon w/lever. 4.500" x 3.375" (ext). Lever points left (shown).
P-150RH	Exterior escutcheon w/lever. 4.500" x 3.375" (ext). Lever points right.

2.875" backset.

Handing determined by lever direction.

Always specify lever/knob design.

Half active GL-200 w/bar latch & receiver strike. No spindle.

GL-200LH	Interior gate latch w/lever & strike. 5.000" x 3.375" (int). Lever points left.
GL-200RH	Interior gate latch w/lever & strike. 5.000" x 3.375" (int). Lever points right (shown).

2.875" backset.

Handing determined by lever direction.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL200PR PRIVACY GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL200-PR/P-150PR
– Complete set w/spindle.
– Privacy set.
– 2.875" backset.
– Left hand shown.

Complete privacy & patio function sets with bar latch, receiver strike and spindle.

CS-GL200PR/P-150PR

Privacy set. P-150ERC (ext) GL-200PR (int)

CS-GL200PF/P-150

Patio function set. P-150 (ext) GL-200PR (int) (not shown)

2.875" backset.

Door handing and thickness is required.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL300 PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL300/P-175
 – Complete set w/spindle.
 – Passage set.
 – 4.625" backset.
 – Left hand shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL300/P-175	Passage set. P-175 (ext) GL-300 (int)
TS-P-175/P-175FD	Full dummy set. P-175D (ext) P-175D (int)

4.625" backset.
 Door handing and thickness is required.
 Always specify lever/knob design.
 *Any tubular latch passage set escutcheon plate may be substituted for the P-175 exterior plate listed above.
 Upcharges may apply.

Half active P-175. No spindle.

P-175LH	Exterior escutcheon w/lever. 6.125" x 3.375" (ext). Lever points left (shown).
P-175RH	Exterior escutcheon w/lever. 6.125" x 3.375" (ext). Lever points right.

4.625" backset.
 Handing determined by lever direction.
 Always specify lever/knob design.

Half active GL-300 w/bar latch & receiver strike. No spindle.

GL-300LH	Interior gate latch w/lever & strike. 6.625" x 3.375" (int). Lever points left.
GL-300RH	Interior gate latch w/lever & strike. 6.625" x 3.375" (int). Lever points right (shown).

4.625" backset.
 Handing determined by lever direction.
 Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL300PR PRIVACY GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL300-PR/P-175PR
 – Complete set w/spindle.
 – Privacy set.
 – 4.625" backset.
 – Left hand shown.

Complete privacy & patio function sets with bar latch, receiver strike and spindle.

CS-GL300PR/P-175PR

Privacy set. P-175ERC (ext) GL-300PR (int)

CS-GL300PF/P-175

Patio function set. P-175 (ext) GL-300PR (int) (not shown)

4.625" backset.

Door handing and thickness is required.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL400 PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL400/P-115
 – Complete set w/spindle.
 – Passage set.
 – 2.375" backset.
 – Left hand shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL400/P-115	Passage set. P-115 (ext) GL-400 (int)
TS-P-115/P-115FD	Full dummy set. P-115D (ext) P-115D (int)

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

*Any tubular latch passage set escutcheon plate 2.500" or narrower may be substituted for the P-115 exterior plate listed above. Upcharges may apply.

Half active P-115. No spindle.

P-115LH	Exterior escutcheon w/lever. 3.500" x 3.187" (ext). Lever points left (shown).
P-115RH	Exterior escutcheon w/lever. 3.500" x 3.187" (ext). Lever points right.

2.375" backset.

Handing determined by lever direction.

Always specify lever/knob design.

Half active GL-400 w/bar latch & receiver strike. No spindle.

GL-400LH	Interior gate latch w/lever & strike. 4.000" x 3.187" (int). Lever points left.
GL-400RH	Interior gate latch w/lever & strike. 4.000" x 3.187" (int). Lever points right (shown).

2.375" backset.

Handing determined by lever direction.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL400PR PRIVACY GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL400-PR/P-115PR
– Complete set w/spindle.
– Privacy set.
– 2.375" backset.
– Left hand shown.

Complete privacy & patio function sets with bar latch, receiver strike and spindle.

CS-GL400PR/P-115PR

Privacy set. P-115ERC (ext) GL-400PR (int)

CS-GL400PF/P-115

Patio function set. P-115 (ext) GL-400PR (int) (not shown)

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL100RB REVERSE PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL100RB/P-125
- Complete set w/spindle.
 - Passage set.
 - 2.375" backset.
 - Left hand reverse shown.
 - Shown w/RB strike for 1.75" thick door.

Complete reverse passage sets with bar latch, receiver strike and spindle.

CS-GL100RB/P-125

Passage set, reverse bevel. P-125 (ext) GL-100RB (int)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

*Any tubular latch passage set escutcheon plate 2.500" or narrower may be substituted for the P-125 exterior plate listed above. Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL100RB-PR REVERSE PRIVACY GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL100RB-PR/P-125PR
- Complete set w/spindle.
 - Privacy set.
 - 2.375" backset.
 - Left hand reverse shown.
 - Shown w/RB strike for 1.75" thick door.

Complete reverse privacy sets with bar latch, receiver strike and spindle.

CS-GL100RB-PR/P-125PR

Privacy set, reverse bevel. P-125ERC (ext) GL-100RB-PR (int)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

Complete reverse patio function sets with bar latch, receiver strike and spindle.

CS-GL100RB-PF/P-125

Patio function set, reverse bevel. P-125 (ext) GL-100RB-PR (int) (not shown)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL200RB REVERSE PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL200RB/P-150
- Complete set w/spindle.
 - Passage set.
 - 2.875" backset.
 - Left hand reverse shown.
 - Shown w/RB strike for 1.75" thick door.

Complete reverse passage sets with bar latch, receiver strike and spindle.

CS-GL200RB/P-150

Passage set, reverse bevel. P-150 (ext) GL-200RB (int)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

2.875" backset.

Door handing and thickness is required.

Always specify lever/knob design.

*Any tubular latch passage set escutcheon plate 2.500" or narrower may be substituted for the P-150 exterior plate listed above. Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL200RB-PR REVERSE PRIVACY GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL200RB-PR/P-150PR
- Complete set w/spindle.
 - Privacy set.
 - 2.875" backset.
 - Left hand reverse shown.
 - Shown w/RB strike for 1.75" thick door.

Complete reverse privacy sets with bar latch, receiver strike and spindle.

CS-GL200RB-PR/P-150PR

Privacy set, reverse bevel. P-150ERC (ext) GL-200RB-PR (int)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

2.875" backset.

Door handing and thickness is required.

Always specify lever/knob design.

Complete reverse patio function sets with bar latch, receiver strike and spindle.

CS-GL200RB-PF/P-150

Patio function set, reverse bevel. P-150 (ext) GL-200RB-PR (int) (not shown)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

2.875" backset.

Door handing and thickness is required.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL300RB REVERSE PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL300RB/P-175
- Complete set w/spindle.
 - Passage set.
 - 4.625" backset.
 - Left hand reverse shown.
 - Shown w/RB strike for 1.75" thick door.

Complete reverse passage sets with bar latch, receiver strike and spindle.

CS-GL300RB/P-175

Passage set, reverse bevel. P-175 (ext) GL-300RB (int)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

4.625" backset.

Door handing and thickness is required.

Always specify lever/knob design.

*Any tubular latch passage set escutcheon plate may be substituted for the P-175 exterior plate listed above. Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL300RB-PR REVERSE PRIVACY GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL300RB-PR/P-175PR

- Complete set w/spindle.
- Privacy set.
- 4.625" backset.
- Left hand reverse shown.
- Shown w/RB strike for 1.75" thick door.

Complete reverse privacy sets with bar latch, receiver strike and spindle.

CS-GL300RB-PR/P-175PR

Privacy set, reverse bevel. P-175ERC (ext) GL-300RB-PR (int)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

4.625" backset.

Door handing and thickness is required.

Always specify lever/knob design.

Complete reverse patio function sets with bar latch, receiver strike and spindle.

CS-GL300RB-PF/P-175

Patio function set, reverse bevel. P-175 (ext) GL-300RB-PR (int) (not shown)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

4.625" backset.

Door handing and thickness is required.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL400RB REVERSE PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL400RB/P-115
- Complete set w/spindle.
 - Passage set.
 - 2.375" backset.
 - Left hand reverse shown.
 - Shown w/RB strike for 1.75" thick door.

Complete reverse passage sets with bar latch, receiver strike and spindle.

CS-GL400RB/P-115

Passage set, reverse bevel. P-115 (ext) GL-400RB (int)

Reverse bevel is used when gate latch is on the inside of an out-swing door.

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

*Any tubular latch passage set escutcheon plate 2.500" or narrower may be substituted for the P-115 exterior plate listed above.

Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL400RB-PR REVERSE PRIVACY GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL400RB-PR/P-115PR
- Complete set w/spindle.
 - Privacy set.
 - 2.375" backset.
 - Left hand reverse shown.
 - Shown w/RB strike for 1.75" thick door.

Complete reverse privacy sets with bar latch, receiver strike and spindle.

CS-GL400RB-PR/P-115PR

Privacy set, reverse bevel. P-115ERC (ext) GL-400RB-PR (int)

Reverse bevel is used when gate latch is on the inside of an out-swing door.

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

Complete reverse patio function sets with bar latch, receiver strike and spindle.

CS-GL400RB-PF/P-115

Patio function set, reverse bevel. P-115 (ext) GL-400RB-PR (int) (not shown)

Reverse bevel is used when gate latch is on the inside of an out-swing door.

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



BAGL3000 PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-BAGL3000/P-2995
- Complete set w/spindle.
 - Passage set.
 - 5.875" backset.
 - Left hand shown.

Complete passage sets w/bar latch, receiver strike and spindle.

CS-BAGL3000/P-2995

Passage set. P-2995 (ext) GL-3000 (int)

TS-BAGL-P-2995/P-2995FD

Full dummy set. P-2995D (ext) GL-2995D (int)

5.875" backset.

Door handing and thickness is required.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



ORCA PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



ORCA-CS-GL-LH
– Complete passage set.
– Left hand.

ORCA-CS-GL-RH
– Complete passage set.
– Right hand.

Complete passage sets w/receiver strike.

ORCA-CS-GL-LH Passage set. Left hand.

ORCA-CS-GL-RH Passage set. Right hand.

Door handing and thickness is required.

Doors must be 1.750" to 2.250" thick. Please specify


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL900 PASSAGE SLIDING GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL900/P-900

- Sliding gate latch w/hidden cam.
- Complete set w/spindle.
- Passage set.
- 2.375" backset.
- Left hand shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL900/P-900	Passage set. P-900 (ext) GL-900 (int)
GL-900	Interior gate latch w/lever & strike. 5" x 3 1/2" (int)
TS-P-900/P-900FD	Full dummy set. P-900D (ext) P-900D (int)

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

*Any tubular latch passage set escutcheon plate 2.500" or narrower may be substituted for the P-900 exterior plate listed above. Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL900-PR PRIVACY SLIDING GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL900-PR/P-900PR

- Sliding gate latch w/hidden cam.
- Complete set w/spindle.
- Privacy set.
- 2.375" backset.
- Left hand shown.

Complete privacy sets with bar latch, receiver strike and spindle.

CS-GL900PR/P-900PR

Privacy set. P-900ER (ext) GL-900PR (int)

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

Upcharges may apply.

Complete patio function sets with bar latch, receiver strike and spindle.

CS-GL900PF/P-900

Patio function set. P-900 (ext) GL-900PR (int)

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL905 PASSAGE SLIDING GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL905/P-900

- Sliding gate latch w/exposed cam.
- Complete set w/spindle.
- Passage set.
- 2.375" backset.
- Left hand shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL905/P-900	Passage set w/exposed cam. P-900 (ext) GL-905 (int)
GL-905	Interior gate latch w/exposed cam, lever & strike. 5" x 3 1/2" (int)
TS-P-900/P-900FD	Full dummy set. P-900D (ext) GL-900D (int)

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

*Any tubular latch passage set escutcheon plate 2.500" or narrower may be substituted for the P-900 exterior plate listed above. Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL905PR PRIVACY SLIDING GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL905-PR/P-900PR

- Sliding gate latch w/exposed cam.
- Complete set w/spindle.
- Privacy set.
- 2.375" backset.
- Left hand shown.

Complete privacy sets with bar latch, receiver strike and spindle.

CS-GL905PR/P-900PR

Privacy set w/exposed cam. P-900ER (ext) GL-905PR (int)

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

Upcharges may apply.

Complete patio function sets with bar latch, receiver strike and spindle.

CS-GL905PF/P-900

Patio function set. P-900 (ext) GL-905PR (int)

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL900RB PASSAGE REVERSE SLIDING GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL900RB/P-900

- Sliding gate latch w/hidden cam.
- Complete set w/spindle.
- Passage set.
- 2.375" backset.
- Left hand reverse shown.

Complete reverse passage sets with bar latch, receiver strike and spindle.

CS-GL900RB/P-900

Passage set, reverse bevel. P-900 (ext) GL-900RB (int)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

*Any tubular latch passage set escutcheon plate 2.500" or narrower may be substituted for the P-900 exterior plate listed above.

Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL900RB-PR PRIVACY REVERSE SLIDING GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL900RB-PR/P-900

- Sliding gate latch w/hidden cam.
- Complete set w/spindle.
- Privacy set.
- 2.375" backset.
- Left hand reverse shown.

Complete reverse privacy sets with bar latch, receiver strike and spindle.

CS-GL900RB-PR/P-900PR

Privacy set, reverse bevel. P-900ER (ext) GL-900RB-PR (int)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

Complete reverse patio function sets with bar latch, receiver strike and spindle.

CS-GL900RB-PF/P-900

Patio function set, reverse bevel. P-900 (ext) GL-900RB-PR (int)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL905RB PASSAGE REVERSE SLIDING GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL905RB/P-900

- Sliding gate latch w/exposed cam.
- Complete set w/spindle.
- Passage set.
- 2.375" backset.
- Left hand reverse shown.

Complete reverse passage sets with bar latch, receiver strike and spindle.

CS-GL905RB/P-900

Passage set w/exposed cam, reverse bevel. P-900 (ext) GL-905RB (int)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

*Any tubular latch passage set escutcheon plate 2.500" or narrower may be substituted for the P-900 exterior plate listed above.

Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL905RB-PR PRIVACY REVERSE SLIDING GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL905RB-PR/P-900

- Sliding gate latch w/exposed cam.
- Complete set w/spindle.
- Privacy set.
- 2.375" backset.
- Left hand reverse shown.

Complete reverse privacy sets with bar latch, receiver strike and spindle.

CS-GL905RB-PR/P-900PR

Privacy set w/exposed cam, reverse bevel. P-900ER (ext) GL-905RB-PR (int)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.

Complete reverse patio function sets with bar latch, receiver strike and spindle.

CS-GL905RB-PF/P-900

Patio function set, reverse bevel. P-900 (ext) GL-905RB-PR (int)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

2.375" backset.

Door handing and thickness is required.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL9000 SLIDE BOLT GATE LATCH SETS w/HIDDEN CAM

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL9024/P9024
- Slide bolt w/hidden cam.
 - Complete set w/spindle.
 - 12.000" backset (one half of width) shown.
 - Right hand shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL9024/P-9024	Passage set w/hidden cam. P-9024 (ext) GL-9024 (int) (shown)
CS-GL9030/P-9030	Passage set w/hidden cam. P-9030 (ext) GL-9030 (int)
CS-GL9036/P-9036	Passage set w/hidden cam. P-9036 (ext) GL-9036 (int)
CS-GL9042/P-9042	Passage set w/hidden cam. P-9042 (ext) GL-9042 (int)

These gate latches can be made to any custom width to accommodate door width.

Any backset is available. Can be centered or offset.

Gate latch is self latching.

Any escutcheon plate can be used opposite the gate latch.

Door handing and thickness is required.

Always specify lever/knob design.

Also available in privacy function. Call for pricing.

Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL9500 SLIDE BOLT GATE LATCH SETS w/EXPOSED CAM

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL9524/P-9024
- Slide bolt w/exposed cam.
 - Complete set w/spindle.
 - 12.000" backset (one half of width) shown.
 - Right hand shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL9524/P-9024	Passage set w/exposed cam. P-9524 (ext) GL-9024 (int) (shown)
CS-GL9530/P-9030	Passage set w/exposed cam. P-9530 (ext) GL-9030 (int)
CS-GL9536/P-9036	Passage set w/exposed cam. P-9536 (ext) GL-9036 (int)
CS-GL9542/P-9042	Passage set w/exposed cam. P-9542 (ext) GL-9042 (int)

These gate latches can be made to any custom width to accommodate door width.

Any backset is available. Can be centered or offset.

Gate latch is self latching.

Any escutcheon plate can be used opposite the gate latch.

Door handing and thickness is required.

Always specify lever/knob design.

Also available in privacy function. Call for pricing.

Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL9000RB REVERSE SLIDE BOLT GATE LATCH SETS w/HIDDEN CAM

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL9024RB/P-9024

- Slide bolt w/hidden cam.
- Complete set w/spindle.
- 12.000" backset (one half of width) shown.
- Right hand reverse shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL9024RB/P-9024	Passage set w/cam, reverse bevel. P-9024 (ext) GL-9024RB (int) (shown)
CS-GL9030RB/P-9030	Passage set w/cam, reverse bevel. P-9030 (ext) GL-9030RB (int)
CS-GL9036RB/P-9036	Passage set w/cam, reverse bevel. P-9036 (ext) GL-9036RB (int)
CS-GL9042RB/P-9042	Passage set w/cam, reverse bevel. P-9042 (ext) GL-9042RB (int)

These gate latches can be made to any custom width to accommodate door width.

Any backset is available. Can be centered or offset.

Gate latch is self latching.

Any escutcheon plate can be used opposite the gate latch.

Door handing and thickness is required.

Always specify lever/knob design.

Also available in privacy function. Call for pricing.

Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL9500RB REVERSE SLIDE BOLT GATE LATCH SETS w/EXPOSED CAM

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL9524RB/P-9024
- Slide bolt w/exposed cam.
 - Complete set w/spindle.
 - 12.000" backset (one half of width) shown.
 - Right hand reverse shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL9524RB/P-9024	Passage set w/exposed cam, reverse bevel. P-9024 (ext) GL-9524RB (int) (shown)
CS-GL9530RB/P-9030	Passage set w/exposed cam, reverse bevel. P-9030 (ext) GL-9530RB (int)
CS-GL9536RB/P-9036	Passage set w/exposed cam, reverse bevel. P-9036 (ext) GL-9536RB (int)
CS-GL9542RB/P-9042	Passage set w/exposed cam, reverse bevel. P-9042 (ext) GL-9542RB (int)

These gate latches can be made to any custom width to accommodate door width.

Any backset is available. Can be centered or offset.

Gate latch is self latching.

Any escutcheon plate can be used opposite the gate latch.

Door handing and thickness is required.

Always specify lever/knob design.

Also available in privacy function. Call for pricing.

Upcharges may apply.



DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL550 PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL550/P-135
 – Complete set w/spindle.
 – Passage set.
 – 1.500" backset.
 – Left hand shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL550/P-135	Passage set. P-135 (ext) GL-550 (int)
TS-P-135/P-135FD	Full dummy set. P-135D (ext) P-135D (int)

1.500" backset shown. Please specify backset.
 Door handing and thickness is required.
 Always specify lever/knob design.

Half active P-135. No spindle.

P-135LH	Exterior escutcheon w/lever. 2.000" x 6.000" (ext). Lever points left (shown).
P-135RH	Exterior escutcheon w/lever. 2.000" x 6.000" (ext). Lever points right.

1.500" backset.
 Handing determined by lever direction.
 Always specify lever/knob design.

Half active GL-550 w/bar latch & receiver strike. No spindle.

GL-550LH	Interior gate latch w/lever & strike. 2.750" x 6.000". Lever points left.
GL-550RH	Interior gate latch w/lever & strike. 2.750" x 6.000". Lever points right (shown).

1.500" backset.
 Handing determined by lever direction.
 Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL550PR PRIVACY GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL550PR/P-135PR
– Complete set w/spindle.
– Privacy set.
– 1.500" backset.
– Left hand shown.

Complete privacy sets with bar latch, receiver strike and spindle.

CS-GL550PR/P-135PR	Privacy set. P-135ERC (ext) GL-550PR (int)
CS-GL550/P-135PF	Patio function set. P-135 (ext) GL-550PR (int) (not shown)

1.500" backset shown. Please specify backset.
Door handing and thickness is required.
Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL550RB REVERSE PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL550RB/P-135

- Complete set w/spindle.
- Passage set.
- 1.500" backset.
- Shown w/RB strike for 1.750" thick door.
- Left hand reverse shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL550RB/P-135

Passage set, reverse bevel. P-135 (ext) GL-550RB (int)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

1.500" backset shown. Please specify backset.

Door handing and thickness is required.

Always specify lever/knob design.



DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL550RB-PR REVERSE PRIVACY GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL550RB-PR/P-135PR

- Complete set w/spindle.
- Privacy set.
- 1.500" backset.
- Shown w/RB strike for 1.750" thick door.
- Left hand reverse shown.

Complete privacy sets with bar latch, receiver strike and spindle.

CS-GL550RB/P-135PR

Privacy set, reverse bevel. P-135ERC (ext) GL-550RB-PR (int)

CS-GL550RB/P-135PF

Patio function set, reverse bevel. P-135 (ext) GL-550RB-PR (int) (not shown)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

1.500" backset shown. Please specify backset.

Door handing and thickness is required.

Always specify lever/knob design.



DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL940 CONTEMPORARY PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL940/P-934
- Complete set w/spindle.
 - Passage set.
 - 1.375" backset.
 - Left hand shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL940/P-934	Passage set. P-934 (ext) GL-940 (int)
TS-P-934/P-934FD	Full dummy set. P-934D (ext) P-934D (int)

1.375" backset shown. Please specify backset.
Door handing and thickness is required.
Always specify lever/knob design.

Half active P-934. No spindle.

P-934LH	Exterior escutcheon w/lever. 1.625" x 5.750" (ext). Lever points left (shown).
P-934RH	Exterior escutcheon w/lever. 1.625" x 5.750" (ext). Lever points right.

1.375" backset.
Handing determined by lever direction.
Always specify lever/knob design.

Half active GL-940 w/bar latch & receiver strike. No spindle.

GL-940LH	Interior gate latch w/lever & strike. 2 1/2" x 5 3/4". Lever points left.
GL-940RH	Interior gate latch w/lever & strike. 2 1/2" x 5 3/4". Lever points right (shown).

1.375" backset.
Handing determined by lever direction.
Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL940-PR CONTEMPORARY PRIVACY GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL940PR/P-934PR
- Complete set w/spindle.
 - Privacy set.
 - 1.375" backset.
 - Left hand shown.

Complete privacy sets with bar latch, receiver strike and spindle.

CS-GL940PR/P-934PR	Privacy set. P-934ERC (ext) GL-940PR (int)
CS-GL940/P-934PF	Patio function set. P-934 (ext) GL-940PR (int) (not shown)

1.375" backset shown. Please specify backset.
Door handing and thickness is required.
Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL940RB CONTEMPORARY REVERSE PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL940RB/P-934

- Complete set w/spindle.
- Passage set.
- 1.375" backset.
- Shown w/RB strike for 1.750" thick door.
- Left hand reverse shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL940RB/P-934

Passage set, reverse bevel. P-934 (ext) GL-940RB (int)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

1.375" backset shown. Please specify backset.

Door handing and thickness is required.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL940RB-PR CONTEMPORARY REVERSE PRIVACY GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL940RB-PR/P-934PR

- Complete set w/spindle.
- Privacy set.
- 1.375" backset.
- Shown w/RB strike for 1.750" thick door.
- Left hand reverse shown.

Complete privacy sets with bar latch, receiver strike and spindle.

CS-GL940RB/P-934PR

Privacy set, reverse bevel. P-934ERC (ext) GL-940RB-PR (int)

CS-GL940RB/P-934PF

Patio function set, reverse bevel. P-934 (ext) GL-940RB-PR (int) (not shown)

****Reverse bevel is used when gate latch is on the inside of an out-swing door.****

1.375" backset shown. Please specify backset.

Door handing and thickness is required.

Always specify lever/knob design.



DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL950 CONTEMPORARY PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL950/P-935

- Complete set w/spindle.
- Passage set.
- 1.500" backset.
- Left hand shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL950/P-935

Passage set. P-935 (ext) GL-950 (int)

TS-P-935/P-935FD

Full dummy set. P-935D (ext) P-935D (int)

1.500" backset shown. Please specify backset.

Door handing and thickness is required.

Always specify lever/knob design.

Half active P-935. No spindle.

P-935LH

Exterior escutcheon w/lever. 2.000" x 6.000" (ext). Lever points left (shown).

P-935RH

Exterior escutcheon w/lever. 2.000" x 6.000" (ext). Lever points right.

1.500" backset.

Handing determined by lever direction.

Always specify lever/knob design.

Half active GL-950 w/bar latch & receiver strike. No spindle.

GL-950LH

Interior gate latch w/lever & strike. 2.750" x 6.000". Lever points left.

GL-950RH

Interior gate latch w/lever & strike. 2.750" x 6.000". Lever point right (shown).

1.500" backset.

Handing determined by lever direction.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL950-PR CONTEMPORARY PRIVACY GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL950PR/P-935PR
– Complete set w/spindle.
– Privacy set.
– 1.500" backset.
– Left hand shown.

Complete privacy sets with bar latch, receiver strike and spindle.

CS-GL950PR/P-935PR	Privacy set. P-935ERC (ext) GL-950PR (int)
CS-GL950/P-935PF	Patio function set. P-935 (ext) GL-950PR (int) (not shown)

1.500" backset shown. Please specify backset.
Door handing and thickness is required.
Always specify lever/knob design.



DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL950RB CONTEMPORARY REVERSE PASSAGE GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL950RB/P-935
- Complete set w/spindle.
 - Passage set.
 - 1.500" backset.
 - Shown w/RB strike for 1.750" thick door.
 - Left hand reverse shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL950RB/P-935

Passage set, reverse bevel. P-935 (ext) GL-950RB (int)

Reverse bevel is used when gate latch is on the inside of an out-swing door.

1.500" backset shown. Please specify backset.

Door handing and thickness is required.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL950RB-PR CONTEMPORARY REVERSE PRIVACY GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL950RB-PR/P-935PR

- Complete set w/spindle.
- Passage set.
- 1.500" backset.
- Shown w/RB strike for 1.750" thick door.
- Left hand reverse shown.

Complete privacy sets with bar latch, receiver strike and spindle.

CS-GL950RB/P-935PR	Privacy set, reverse bevel. P-935ERC (ext) GL-950RB-PR (int)
CS-GL950RB/P-935PF	Patio function set, reverse bevel. P-935 (ext) GL-950RB-PR (int)

Reverse bevel is used when gate latch is on the inside of an out-swing door.

1.500" backset shown. Please specify backset.

Door handing and thickness is required.

Always specify lever/knob design.



DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL600 GATE LATCH x LEVER/KNOB ENTRY SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL600PLD

- Complete set w/deadbolt, receiver strike & spindle.
- Entry set.
- 2.750" backset.
- Left hand shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL600	Passage set. 3.500" x 10.000"
CS-GL600PLD	Single cylinder deadbolt gate latch entry set. 3.500" x 10.000"
CS-GL600PLD-DC	Double cylinder deadbolt gate latch entry set. 3.500" x 10.000"
CS-GL600PLD-PF	Patio function deadbolt gate latch entry set. 3.500" x 10.000"

2.375" or 2.750" backset available. Please specify.

Door handing and thickness is required.

Always specify lever/knob design.

Trim sets with bar latch, receiver strike and spindle.

TS-GL600PLD	Single cylinder deadbolt gate latch entry trim set. 3.500" x 10.000"
TS-GL600PLD-DC	Double cylinder deadbolt gate latch entry trim set. 3.500" x 10.000"
TS-GL600PLD-PF	Patio function deadbolt gate latch entry set. 3.500" x 10.000"
TS-GL600FD	Full dummy set. 3.500" x 10.000"

2.375" or 2.750" backset available. Please specify.

Door handing and thickness is required.

Always specify lever/knob design.



DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GL600RB REVERSE GATE LATCH x LEVER/KNOB ENTRY SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL600RB-PLD

- Complete set w/deadbolt, receiver strike & spindle.
- Entry set.
- 2.750" backset.
- Shown w/RB strike for 1.750
- Left hand reverse shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GL600RB	Passage set, reverse bevel. 3.500" x 10.000"
CS-GL600RB-PLD	Single cylinder deadbolt gate latch entry set, reverse bevel. 3.500" x 10.000"
CS-GL600RB-PLD-DC	Double cylinder deadbolt gate latch entry set, reverse bevel. 3.500" x 10.000"
CS-GL600RB-PLD-PF	Patio function deadbolt gate latch entry set, reverse bevel. 3.500" x 10.000"

Reverse bevel is used when gate latch is on the inside of an out-swing door.

2.375" or 2.750" backset available. Please specify.

Door handing and thickness is required.

Always specify lever/knob design.

Trim sets with bar latch, receiver strike and spindle.

TS-GL600RB-PLD	Single cylinder deadbolt gate latch entry trim set, reverse bevel. 3.500" x 10.000"
TS-GL600RB-PLD-DC	Double cylinder deadbolt gate latch entry trim set, reverse bevel. 3.500" x 10.000"
TS-GL600RB-PLD-PF	Patio function deadbolt gate latch entry set, reverse bevel. 3.500" x 10.000"
TS-GL600FD	Full dummy set. 3.500" x 10.000"

Reverse bevel is used when gate latch is on the inside of an out-swing door.

2.375" or 2.750" backset available. Please specify.

Door handing and thickness is required.

Always specify lever/knob design.



DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GLA600 ARCH GATE LATCH x LEVER/KNOB ENTRY SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GLA600PLD
 – Complete set w/deadbolt, receiver strike & spindle.
 – Entry set.
 – 2.750" backset.
 – Left hand shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GLA600	Passage set. 3.500" x 13.000"
CS-GLA600PLD	Single cylinder deadbolt gate latch entry set. 3.500" x 13.000"
CS-GLA600PLD-DC	Double cylinder deadbolt gate latch entry set. 3.500" x 13.000"
CS-GLA600PLD-PF	Patio function deadbolt gate latch entry set. 3.500" x 13.000"

2.375" or 2.750" backset available. Please specify.
 Door handing and thickness is required.
 Always specify lever/knob design.

Trim sets with bar latch, receiver strike and spindle.

TS-GLA600PLD	Single cylinder deadbolt gate latch entry trim set. 3.500" x 13.000"
TS-GLA600PLD-DC	Double cylinder deadbolt gate latch entry trim set. 3.500" x 13.000"
TS-GLA600PLD-PF	Patio function deadbolt gate latch entry set. 3.500" x 13.000"
TS-GLA600FD	Full dummy set. 3.500" x 13.000"

2.375" or 2.750" backset available. Please specify.
 Door handing and thickness is required.
 Always specify lever/knob design.



DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GLA600RB ARCH REVERSE GATE LATCH x LEVER/KNOB ENTRY SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL600RB-PLD
 – Complete set w/deadbolt, receiver strike & spindle.
 – Entry set.
 – 2.750" backset.
 – Shown w/RB strike for 1.750
 – Left hand reverse shown.

Complete passage sets with bar latch, receiver strike and spindle.

CS-GLA600RB	Passage set, reverse bevel. 3.500" x 13.000"
CS-GLA600RB-PLD	Single cylinder deadbolt gate latch entry set, reverse bevel. 3.500" x 13.000"
CS-GLA600RB-PLD-DC	Double cylinder deadbolt gate latch entry set, reverse bevel. 3.500" x 13.000"
CS-GLA600RB-PLD-PF	Patio function deadbolt gate latch entry set, reverse bevel. 3.500" x 13.000"

Reverse bevel is used when gate latch is on the inside of an out-swing door.

2.375" or 2.750" backset available. Please specify.

Door handing and thickness is required.

Always specify lever/knob design.

Trim sets with bar latch, receiver strike and spindle.

TS-GLA600RB-PLD	Single cylinder deadbolt gate latch entry trim set, reverse bevel. 3.500" x 13.000"
TS-GLA600RB-PLD-DC	Double cylinder deadbolt gate latch entry trim set, reverse bevel. 3.500" x 13.000"
TS-GLA600RB-PLD-PF	Patio function deadbolt gate latch entry set, reverse bevel. 3.500" x 13.000"
TS-GLA600FD	Full dummy set. 3.500" x 13.000"

Reverse bevel is used when gate latch is on the inside of an out-swing door.

2.375" or 2.750" backset available. Please specify.

Door handing and thickness is required.

Always specify lever/knob design.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



COMBINATION THUMB LATCH x GATE LATCH ENTRY SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL700/GL-200 w/DB-GL501TPC
 – Complete set w/single cylinder deadbolt.
 – 2.750" thumb latch backset.
 – 2.750" lever backset.
 – Shown w/std GH-700.
 – Left hand shown.
 OR
 TS-700/GL-200 w/ DB-GL501TPC
 – Trim set only. No Lock.

Complete passage sets with bar latch, receiver strike and spindle.

CS-700/GL-200

Thumb latch x gate latch entry set. Single cylinder. EP-700DB-KC (ext)
 GL-200/DB-GL501TPC (int)

2.750" backset exterior thumb latch trim.
 2.750" backset interior gate latch trim.
 Door handing and thickness is required.
 Always specify lever/knob design.

Trim sets with bar latch, receiver strike and spindle.

TS-700/GL-200

Thumb latch x gate latch entry trim set. Single cylinder. EP-700DB-KC (ext)
 GL-200/DB-GL501TPC (int)

TS-700/GL-200FD

Thumb latch x gate latch full dummy set. EP-700D (ext) GL-200D (int)

2.750" backset exterior thumb latch trim.
 2.750" backset interior gate latch trim.
 Door handing and thickness is required.
 Always specify lever/knob design.

DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



COMBINATION THUMB LATCH x GATE LATCH ENTRY SETS

SUN VALLEY BRONZE

CS-700/GL-300	Thumb latch x gate latch entry set. Single cylinder. EP-700DB-KC (ext) GL-300/DB-GL501TPC (int)
TS-700/GL-300	Thumb latch x gate latch entry trim set. Single cylinder. EP-700DB-KC (ext) GL-300/DB-GL501TPC (int)
TS-700/GL-300FD	Thumb latch x gate latch full dummy set. EP-700D (ext) GL-300D (int)
CS-701/GL-200	Thumb latch x gate latch entry set. Single cylinder. EP-701DB-KC (ext) GL-200/DB-GL501TPC (int)
TS-701/GL-200	Thumb latch x gate latch entry trim set. Single cylinder. EP-701DB-KC (ext) GL-200/DB-GL501TPC (int)
TS-701/GL-200FD	Thumb latch x gate latch full dummy set. EP-701D (ext) GL-200D (int)
CS-701/GL-300	Thumb latch x gate latch entry set. Single cylinder. EP-701DB-KC (ext) GL-300/DB-GL501TPC (int)
TS-701/GL-300	Thumb latch x gate latch entry trim set. Single cylinder. EP-701DB-KC (ext) GL-300/DB-GL501TPC (int)
TS-701/GL-300FD	Thumb latch x gate latch full dummy set. EP-701D (ext) GL-300D (int)
CS-702/GL-200	Thumb latch x gate latch entry set. Single cylinder. EP-702DB-KC (ext) GL-200/DB-GL501TPC (int)
TS-702/GL-200	Thumb latch x gate latch entry trim set. Single cylinder. EP-702DB-KC (ext) GL-200/DB-GL501TPC (int)
TS-702/GL-200FD	Thumb latch x gate latch full dummy set. EP-702D (ext) GL-200D (int)
CS-702/GL-300	Thumb latch x gate latch entry set. Single cylinder. EP-702DB-KC (ext) GL-300/DB-GL501TPC (int)
TS-702/GL-300	Thumb latch x gate latch entry trim set. Single cylinder. EP-702DB-KC (ext) GL-300/DB-GL501TPC (int)
TS-702/GL-300FD	Thumb latch x gate latch full dummy set. EP-702D (ext) GL-300D (int)
CS-801/GL-200	Thumb latch x gate latch entry set. Single cylinder. EP-801DB-KC (ext) GL-200/DB-GL501TPC (int)
TS-801/GL-200	Thumb latch x gate latch entry trim set. Single cylinder. EP-801DB-KC (ext) GL-200/DB-GL501TPC (int)
TS-801/GL-200FD	Thumb latch x gate latch full dummy set. EP-801D (ext) GL-200D (int)
CS-801/GL-300	Thumb latch x gate latch entry set. Single cylinder. EP-801DB-KC (ext) GL-300/DB-GL501TPC (int)
TS-801/GL-300	Thumb latch x gate latch entry trim set. Single cylinder. EP-801DB-KC (ext) GL-300/DB-GL501TPC (int)
TS-801/GL-300FD	Thumb latch x gate latch full dummy set. EP-801D (ext) GL-300D (int)
CS-802/GL-200	Thumb latch x gate latch entry set. Single cylinder. EP-802DB-KC (ext) GL-200/DB-GL501TPC (int)
TS-802/GL-200	Thumb latch x gate latch entry trim set. Single cylinder. EP-802DB-KC (ext) GL-200/DB-GL501TPC (int)
TS-802/GL-200FD	Thumb latch x gate latch full dummy set. EP-802D (ext) GL-200D (int)
CS-802/GL-300	Thumb latch x gate latch entry set. Single cylinder. EP-802DB-KC (ext) GL-300/DB-GL501TPC (int)
TS-802/GL-300	Thumb latch x gate latch entry trim set. Single cylinder. EP-802DB-KC (ext) GL-300/DB-GL501TPC (int)
TS-802/GL-300FD	Thumb latch x gate latch full dummy set. EP-802D (ext) GL-300D (int)


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



COMBINATION REVERSE THUMB LATCH x GATE LATCH ENTRY SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL700/GL-200RB w/DB-GL501TPC
 – Complete set w/single cylinder deadbolt.
 – 2.750" thumb latch backset.
 – 2.750" lever backset.
 – Shown w/std GH-700.
 – Shown w/RB strike for 2.250" thick door.
 – Left hand reverse shown.
 OR
 TS-700/GL-200 w/ DB-GL501TPC
 – Trim set only. No Lock.

Complete passage sets with bar latch, receiver strike and deadbolt cylinder.

CS-700/GL-200RB

Thumb latch x gate latch reverse bevel entry set. Single cylinder.
 EP-700DB-KC (ext) GL-200RB/DB-GL501TPC (int)

**Reverse bevel is used when gate latch is on the inside of an out-swing door.

2.750" backset exterior thumb latch trim.

2.750" backset interior gate latch trim.

Door handing and thickness is required.

Always specify lever/knob design.

Trim sets with bar latch and receiver strike. No deadbolt.

TS-700/GL-200RB

Thumb latch x gate latch reverse bevel entry trim set. Single cylinder.
 EP-700DB-KC (ext) GL-200RB/DB-GL501TPC (int)

**Reverse bevel is used when gate latch is on the inside of an out-swing door.

2.750" backset exterior thumb latch trim.

2.750" backset interior gate latch trim.

Door handing and thickness is required.

Always specify lever/knob design.

DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



COMBINATION REVERSE THUMB LATCH x GATE LATCH ENTRY SETS

CS-700/GL-300RB	Thumb latch x gate latch reverse bevel entry set. Single cylinder. EP-700DB-KC (ext) GL-300RB/DB-GL501TPC (int)
TS-700/GL-300RB	Thumb latch x gate latch reverse bevel entry trim set. Single cylinder. EP-700DB-KC (ext) GL-300RB/DB-GL501TPC (int)
CS-701/GL-200RB	Thumb latch x gate latch reverse bevel entry set. Single cylinder. EP-701DB-KC (ext) GL-200RB/DB-GL501TPC (int)
TS-701/GL-200RB	Thumb latch x gate latch reverse bevel entry trim set. Single cylinder. EP-701DB-KC (ext) GL-200RB/DB-GL501TPC (int)
CS-701/GL-300RB	Thumb latch x gate latch reverse bevel entry set. Single cylinder. EP-701DB-KC (ext) GL-300RB/DB-GL501TPC (int)
TS-701/GL-300RB	Thumb latch x gate latch reverse bevel entry trim set. Single cylinder. EP-701DB-KC (ext) GL-300RB/DB-GL501TPC (int)
CS-702/GL-200RB	Thumb latch x gate latch reverse bevel entry set. Single cylinder. EP-702DB-KC (ext) GL-200RB/DB-GL501TPC (int)
TS-702/GL-200RB	Thumb latch x gate latch reverse bevel entry trim set. Single cylinder. EP-702DB-KC (ext) GL-200RB/DB-GL501TPC (int)
CS-702/GL-300RB	Thumb latch x gate latch reverse bevel entry set. Single cylinder. EP-702DB-KC (ext) GL-300RB/DB-GL501TPC (int)
TS-702/GL-300RB	Thumb latch x gate latch reverse bevel entry trim set. Single cylinder. EP-702DB-KC (ext) GL-300RB/DB-GL501TPC (int)
CS-801/GL-200RB	Thumb latch x gate latch reverse bevel entry set. Single cylinder. EP-801DB-KC (ext) GL-200RB/DB-GL501TPC (int)
TS-801/GL-200RB	Thumb latch x gate latch reverse bevel entry trim set. Single cylinder. EP-801DB-KC (ext) GL-200RB/DB-GL501TPC (int)
CS-801/GL-300RB	Thumb latch x gate latch reverse bevel entry set. Single cylinder. EP-801DB-KC (ext) GL-300RB/DB-GL501TPC (int)
TS-801/GL-300RB	Thumb latch x gate latch reverse bevel entry trim set. Single cylinder. EP-801DB-KC (ext) GL-300RB/DB-GL501TPC (int)
CS-802/GL-200RB	Thumb latch x gate latch reverse bevel entry set. Single cylinder. EP-802DB-KC (ext) GL-200RB/DB-GL501TPC (int)
TS-802/GL-200RB	Thumb latch x gate latch reverse bevel entry trim set. Single cylinder. EP-802DB-KC (ext) GL-200RB/DB-GL501TPC (int)
CS-802/GL-300RB	Thumb latch x gate latch reverse bevel entry set. Single cylinder. EP-802DB-KC (ext) GL-300RB/DB-GL501TPC (int)
TS-802/GL-300RB	Thumb latch x gate latch reverse bevel entry trim set. Single cylinder. EP-802DB-KC (ext) GL-300RB/DB-GL501TPC (int)


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



SECTIONAL COMBINATION THUMB LATCH x GATE LATCH ENTRY SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL704/GL-200 w/DB-GL501TPC
 – Complete set w/single cylinder deadbolt.
 – 2.750" thumb latch backset.
 – 2.750" lever backset.
 – Shown w/std GH-700.
 – Left hand shown.
 OR
 TS-704/GL-200 w/ DB-GL501TPC
 – Trim set only. No Lock.

Complete passage sets with bar latch, receiver strike and deadbolt cylinder.

CS-704/GL-200

Sectional thumb latch x gate latch entry set. Single cylinder. EP-704DB-KC (ext)
 GL-200/DB-GL501TPC (int)

2.750" backset exterior thumb latch trim.
 2.750" backset interior gate latch trim.
 Door handing and thickness is required.
 Always specify lever/knob design.

Trim sets with bar latch and receiver strike. No deadbolt.

TS-704/GL-200

Sectional thumb latch x gate latch entry trim set. Single cylinder. EP-704DB-KC
 (ext) GL-200/DB-GL501TPC (int)

TS-704/GL-200FD

Sectional thumb latch x gate latch full dummy set. EP-704D (ext) GL-200D (int)

2.750" backset exterior thumb latch trim.
 2.750" backset interior gate latch trim.
 Door handing and thickness is required.
 Always specify lever/knob design.

DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



SECTIONAL COMBINATION THUMB LATCH x GATE LATCH ENTRY SETS

CS-704/GL-300	Sectional thumb latch x gate latch entry set. Single cylinder. EP-704DB-KC (ext) GL-300/DB-GL501TPC (int)
TS-704/GL-300	Sectional thumb latch x gate latch entry trim set. Single cylinder. EP-704DB-KC (ext) GL-300/DB-GL501TPC (int)
TS-704/GL-300FD	Sectional thumb latch x gate latch full dummy set. EP-704D (ext) GL-300D (int)
CS-704/GL-200RB	Sectional thumb latch x gate latch reverse bevel entry set. Single cylinder. EP-704DB-KC (ext) GL-200RB/DB-GL501TPC (int)
TS-704/GL-200RB	Sectional thumb latch x gate latch reverse bevel entry trim set. Single cylinder. EP-704DB-KC (ext) GL-200RB/DB-GL501TPC (int)
CS-704/GL-300RB	Sectional thumb latch x gate latch entry set. Single cylinder. EP-704DB-KC (ext) GL-300RB/DB-GL501TPC (int)
TS-704/GL-300RB	Sectional thumb latch x gate latch reverse bevel entry trim set. Single cylinder. EP-704DB-KC (ext) GL-300RB/DB-GL501TPC (int)

SUN VALLEY BRONZE


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



SECTIONAL COMBINATION REVERSE THUMB LATCH x GATE LATCH ENTRY SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL705/GL-200RB w/DB-GL501TPC
 – Complete set w/single cylinder deadbolt.
 – 2.750" thumb latch backset.
 – 2.750" lever backset.
 – Shown w/std GH-700.
 – Shown w/RB strike for 1.750" thick door.
 – Left hand reverse shown.
 OR
 TS-700/GL-200 w/ DB-GL501TPC
 – Trim set only. No Lock.

Complete passage sets with bar latch, receiver strike and deadbolt cylinder.

CS-705/GL-200RB

Sectional thumb latch x gate latch reverse bevel entry set. Single cylinder.
 EP-705DB-KC (ext) GL-200RB/DB-GL501TPC (int)

**Reverse bevel is used when gate latch is on the inside of an out-swing door.

2.750" backset exterior thumb latch trim.

2.750" backset interior gate latch trim.

Door handing and thickness is required.

Always specify lever/knob design.

Trim sets with bar latch and receiver strike. No deadbolt.

TS-705/GL-200RB

Sectional thumb latch x gate latch reverse bevel entry trim set. Single
 cylinder. EP-705DB-KC (ext) GL-200RB/DB-GL501TPC (int)

**Reverse bevel is used when gate latch is on the inside of an out-swing door.

2.750" backset exterior thumb latch trim.

2.750" backset interior gate latch trim.

Door handing and thickness is required.

Always specify lever/knob design.

DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



SECTIONAL COMBINATION REVERSE THUMB LATCH x GATE LATCH ENTRY SETS

CS-705/GL-200	Sectional thumb latch x gate latch entry set. Single cylinder. EP-705DB-KC (ext) GL-200/DB-GL501TPC (int)
TS-705/GL-200	Sectional thumb latch x gate latch entry trim set. Single cylinder. EP-705DB-KC (ext) GL-200/DB-GL501TPC (int)
TS-705/GL-200FD	Sectional thumb latch x gate latch full dummy set. EP-705D (ext) GL-200D
CS-705/GL-300	Sectional thumb latch x gate latch entry set. Single cylinder. EP-705DB-KC (ext) GL-300/DB-GL501TPC (int)
TS-705/GL-300	Sectional thumb latch x gate latch entry trim set. Single cylinder. EP-705DB-KC (ext) GL-300/DB-GL501TPC (int)
TS-705/GL-300FD	Sectional thumb latch x gate latch full dummy set. EP-705D (ext) GL-300D (int)
CS-705/GL-300RB	Sectional thumb latch x gate latch reverse bevel entry set. Single cylinder. EP-705DB-KC (ext) GL-300RB/DB-GL501TPC (int)
TS-705/GL-300RB	Sectional thumb latch x gate latch reverse bevel entry trim set. Single cylinder. EP-705DB-KC (ext) GL-300RB/DB-GL501TPC (int)


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



ASPEN LEAF COMBINATION THUMB LATCH x GATE LATCH SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



- CS-GL712/GL-200
 - Complete passage set.
 - 1.625" thumb latch backset.
 - 2.750" lever backset.
 - Shown w/std GH-699.
 - Left hand shown.
 - No Lock.

Complete passage sets with bar latch and receiver strike.

CS-712P/GL-200	Aspen Leaf thumb latch x gate latch passage set. EP-712P (ext) GL-200 (int)
TS-712/GL-200FD	Aspen Leaf thumb latch x gate latch full dummy set. EP-712D (ext) GL-200D (int)

1.625" backset exterior thumb latch trim.

2.750" backset interior gate latch trim.

Door handing and thickness is required.

Always specify lever/knob design.

*Any handle entry trim style may be substituted for the exterior plate listed above.

Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



ASPEN LEAF COMBINATION THUMB LATCH x GATE LATCH ENTRY SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL712/GL-300 w/DB-GL501TPC
 – Complete set w/single cylinder deadbolt.
 – 2.750" thumb latch backset.
 – 4.625" lever backset.
 – Shown w/std GH-699.
 – Left hand shown.
 OR
 TS-GL712/GL-300 w/DB-GL501TPC
 – Trim set only. No lock.

Complete passage sets with bar latch, receiver strike and deadbolt cylinder.

CS-712/GL-300

Aspen Leaf thumb latch x gate latch entry set. Single cylinder. EP-712DB-KC (ext) GL-300/DB-GL501TPC (int)

CS-712P/GL-300

Aspen Leaf thumb latch x gate latch passage set. EP-712P (ext) GL-300 (int)

2.750" backset exterior thumb latch trim.

4.625" backset interior gate latch trim.

Door handing and thickness is required.

Always specify lever/knob design.

*Any handle entry trim style may be substituted for the exterior plate listed above.

Upcharges may apply.

Trim sets with bar latch and receiver strike. No deadbolt.

TS-712/GL-300

Aspen Leaf thumb latch x gate latch entry trim set. Single cylinder. EP-712DB-KC (ext) GL-300/DB-GL501TPC (int)

TS-712/GL-300FD

Aspen Leaf thumb latch x gate latch full dummy set. EP-712D (ext) GL-300D (int)

2.750" backset exterior thumb latch trim.

4.625" backset interior gate latch trim.

Door handing and thickness is required.

Always specify lever/knob design.

*Any handle entry trim style may be substituted for the exterior plate listed above.

Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



ASPEN LEAF COMBINATION THUMB LATCH x GATE LATCH ENTRY SETS

Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.



CS-GL713/GL-300 w/DB-GL501TPC
 - Complete set w/single cylinder deadbolt.
 - 2.750" thumb latch backset.
 - 4.625" lever backset.
 - Shown w/std GH-700.
 - Left hand shown.
 OR
 TS-GL713/GL-300 w/DB-GL501TPC
 - Trim set only. No lock.

Complete passage sets with bar latch, receiver strike and deadbolt cylinder.

CS-713/GL-300

Aspen Leaf thumb latch x gate latch entry set. Single cylinder. EP-713DB-KC (ext) GL-300/DB-GL501TPC (int)

CS-713P/GL-300

Aspen Leaf thumb latch x gate latch passage set. EP-713P (ext) GL-300 (int)

2.750" backset exterior thumb latch trim.

4.625" backset interior gate latch trim.

Door handing and thickness is required.

Always specify lever/knob design.

*Any handle entry trim style may be substituted for the exterior plate listed above.

Upcharges may apply.

Trim sets with bar latch and receiver strike. No deadbolt.

TS-713/GL-300

Aspen Leaf thumb latch x gate latch entry trim set. Single cylinder. EP-713DB-KC (ext) GL-300/DB-GL501TPC (int)

TS-713/GL-300FD

Aspen Leaf thumb latch x gate latch full dummy set. EP-713D (ext) GL-300D (int)

2.750" backset exterior thumb latch trim.

4.625" backset interior gate latch trim.

Door handing and thickness is required.

Always specify lever/knob design.

*Any handle entry trim style may be substituted for the exterior plate listed above.

Upcharges may apply.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




GL9509/GL501 CONTEMPORARY AUXILIARY TUBULAR DEADBOLT ENTRY SETS


Illustrations are for demonstration purposes only. For more deadbolt options, refer to Section 8.



CS-GL9509/GL501DB
 – Complete set w/deadbolt & cylinder.
 – Single cylinder.
 – 1.625" or 2.125" bore.
 OR
 TS-GL9509/GL501DB
 – Trim set only. No lock.



CS-GL9509DBL-DC
 – Complete set w/deadbolt & cylinders.
 – Double cylinder.
 – 1.625" or 2.125" bore.
 OR
 TS-GL9509DBL-DC
 – Trim set only. No lock.



CS-501DB-PF
 – Complete set w/deadbolt & cylinder.
 – Patio function.
 – 1.625" bore.
 OR
 TS-501DB-PF
 – Trim set only. No lock.

Complete sets with tubular deadbolt and cylinder(s).

CS-GL9509/GL501DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-GL9509 (ext) DB-GL501TPC (int)
CS-GL9509DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-GL9509 (ext) DB-GL9509 (int)
CS-GL501DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-GL501TPC (int)

2.375" or 2.750" backset standard. Please specify.

1.750" Minimum door thickness.

**Upcharge for doors over 2.687". Refer to Parts, Miscellaneous Upcharges UC-5.

Trim sets with tubular deadbolt. No lock or cylinder(s) included.

TS-GL9509/GL501DB	Single cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-GL9509 (ext) DB-GL501TPC (int)
TS-GL9509DB-DC	Double cylinder auxiliary deadbolt set. 1.625" or 2.125" bore. DB-GL9509 (ext) DB-GL9509 (int)
TS-GL501DB-PF	Patio function auxiliary deadbolt set. 1.625" bore ONLY. DB-GL501TPC (int)

Specify manufacturer and function of lock to be used.

1.750" Minimum door thickness.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




GL9510/GL9497 CONTEMPORARY AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only. For more deadlock options, refer to Section 8.



CS-GL9510/GL9497DL
– Complete set w/deadlock & cylinder.
– Single cylinder.
OR
TS-GL9510/GL9497DL
– Trim set only. No lock.



CS-GL9510DL-DC
– Complete set w/deadlock & cylinders.
– Doublecylinder.
OR
TS-GL9510DL-DC
– Trim set only. No lock.



CS-9497DL-PF
– Complete set w/deadlock & cylinder.
– Patio function.
OR
TS-9497DL-PF
– Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-GL9510/GL9497DL	Single cylinder auxiliary deadlock set. 1.625" or 2.125" bore. DL-GL9510 (ext) DL-GL9497TPC (int)
CS-GL9510DL-DC	Double cylinder auxiliary deadlock set. 1.625" or 2.125" bore. DL-GL9510 (ext) DL-GL9510 (int)
CS-GL9497DL-PF	Patio function auxiliary deadlock set. 1.625" bore ONLY. DL-GL9497TPC (int)

2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-GL9510/GL9497DL	Single cylinder auxiliary deadlock set. 1.625" or 2.125" bore. DL-GL9510 (ext) DL-GL9497TPC (int)
TS-GL9510DL-DC	Double cylinder auxiliary deadlock set. 1.625" or 2.125" bore. DL-GL9510 (ext) DL-GL9510 (int)
TS-GL9497DL-PF	Patio function auxiliary deadlock set. 1.625" bore ONLY. DL-GL9497TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-9510 trim 3/8" thick.

Cylinder Collar

CC-GL9510ML-C	Contemporary regular mortise cylinder collar.
---------------	---

Specify mortise cylinder manufacturer.

CC-GL9510ML-C 3/8" thick.


DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




GL9510/GL501 CONTEMPORARY AUXILIARY DEADLOCK ENTRY SETS


Illustrations are for demonstration purposes only. For more deadlock options, refer to Section 8.



CS-GL9510/GL501DL
 – Complete set w/deadlock & cylinder.
 – Single cylinder.
 OR
 TS-GL9510/GL501DL
 – Trim set only. No lock.



CS-GL9510DL-DC
 – Complete set w/deadlock & cylinders.
 – Doublecylinder.
 OR
 TS-GL9510DL-DC
 – Trim set only. No lock.



CS-501DL-PF
 – Complete set w/deadlock & cylinder.
 – Patio function.
 OR
 TS-501DL-PF
 – Trim set only. No lock.

Complete sets with mortise deadlock and cylinder(s).

CS-GL9510/GL501DL	Single cylinder auxiliary deadlock set. 1.625" or 2.125" bore. DL-GL9510 (ext) DL-GL501TPC (int)
CS-GL9510DL-DC	Double cylinder auxiliary deadlock set. 1.625" or 2.125" bore. DL-GL9510 (ext) DL-GL9510 (int)
CS-GL501DL-PF	Patio function auxiliary deadlock set. 1.625" bore ONLY. DL-GL501TPC (int)

2.500" or 2.750" backset standard. Please specify.

1.375" Minimum door thickness.

*Upcharge for doors over 2.250" thick. Refer to Parts, Miscellaneous Upcharges UC-2 through UC-4.

Trim sets for mortise deadlock. No lock or cylinder(s) included.

TS-GL9510/GL501DL	Single cylinder auxiliary deadlock set. 1.625" or 2.125" bore. DL-GL9510 (ext) DL-GL501TPC (int)
TS-GL9510DL-DC	Double cylinder auxiliary deadlock set. 1.625" or 2.125" bore. DL-GL9510 (ext) DL-GL9510 (int)
TS-GL501DL-PF	Patio function auxiliary deadlock set. 1.625" bore ONLY. DL-GL501TPC (int)

Specify manufacturer and function of lock to be used.

1.375" Minimum door thickness.

DL-9510 trim 3/8" thick.

Cylinder Collar

CC-GL9510ML-C	Contemporary regular mortise cylinder collar.
---------------	---

Specify mortise cylinder manufacturer.


CC-GL9510ML-C 3/8" thick.

DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




Illustrations are for demonstration purposes only. Any knob, lever or ring pull can be combined with any style or size gate latch.




GL-J-STRIKE
– Left hand shown.




GL-RB-STRIKE
– Left hand reverse shown.



GL-900-STRIKE
– Left hand shown.



GL-900RB-STRIKE
– Left hand reverse shown.



GL-TPC
– Turn piece.

Gate latch parts.

GL-J-STRIKE	Specify handing (left hand shown).
GL-RB-STRIKE	Specify handing and door thickness (left hand reverse shown).
GL-LIFTBAR	All types. Specify .
GL-SLIDEBAR	All types. Specify .
GL-CBAR	Lift bar keeper all types. Specify .
GL-900STRIKE	Specify handing (left hand shown).
GL-900RB-STRIKE	Specify handing (left hand reverse shown).
GL-TPC	Turn piece.




DISCLAIMER: All gate latches require a stop on the door jamb to prevent the door from swinging past the stop point. This will prevent damage to the gate latch bar. Sun Valley Bronze is not responsible for damaged gate latches if a stop has not been installed.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



GC-100 CANNONBALL GATE CLOSER

Illustrations are for demonstration purposes only.



GC-100

- Cannonball gate closer.
- Includes six PR-1-8 (8") chain links.
- Includes two PR-4 surface mounts.
- Includes two PR-2 S-hooks.

1 1/4" wood screws provided.

The canonball gate closer is designed for use on the inside of a gate, which opens outwardly.

The mount can be installed on an auxilliary post as shown or on a hinged fence post. The mount on the post should be approximately 36" from the ground.

Open the gate 90 degrees and extend the chain, cannonball and S-hooks to the mount location on the gate. Make sure the cannonball is at least 3" from the ground when the gate is fully closed. One may need to place the mount higher on the gate, add or subtract a link to adjust the ball swing height.

A stop block (door stop) will need to be installed on the latch post.

Cannonball gate closer complete with ball, 6 chain links and 2 surface mounts.

GC-100

3.875" Cannonball gate closer with six 8.000" PR-1 chain links and two PR-4 surface mounts. Includes two PR-2 S-hooks.

PR-1-8

Additional 8.000" cannonball chain link.

If more than (6) PR-1-8 are required, please specify.

* Cannonball is 3.875" diameter and weighs 9.5 pounds.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.

