

CONTENTS

This section contains standard size and wide throw hinges. The Sun Valley Bronze lift-off ball bearing adjustable hinge is a unique patented design. It is vertically adjustable for wear and equal load bearing. Sand cast in the same alloy as all Sun Valley Bronze hardware the ball bearing hinge is available in all of our standard finishes. All Sun Valley Bronze hinges are made in-house. Slight variations may result from the sand-casting process.

Sun Valley Bronze hinges modified by others voids warranty.

TABLE OF CONTENTS


Door Hinge Finials	Page	21-2
Standard Hinges	Pages	21-3 – 21-7
Square Knuckle Hinges	Pages	21-8 – 21-10
Wide Throw Hinges	Pages	21-11 – 21-14
BH Series Electrified Hinges	Page	21-15
Hinge Cozy	Page	21-16
Bi-Fold Door Hinges	Page	21-17
Active Strap Hinges	Pages	21-18 – 21-26
Dummy Strap Hinges	Pages	21-27 – 21-38
Cabinet Hinge Finials	Page	21-39
Cabinet Hinges	Page	21-40
Cabinet Strap Hinges	Page	21-41

ORDERING INSTRUCTIONS

Hinges: See Ordering Instructions in Binder 1/ Dealer Information.

Custom Hinges: See Custom Ordering Instructions in Binder 1/ Dealer Information.


DOOR HANDING GUIDE




PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




Illustrations are for demonstration purposes only.




BHF-ACRN Acorn finial.




BHF-BALL Ball finial.




BHF-BUTN Button finial.




BHF-DOME Dome finial.




BHF-FDL Fleur de Lis finial.




BHF-FLAT Flat finial.




BHF-FREN French finial.




BHF-RDG Ridge finial.



BHF-STPL Steeple finial



BHF-URN Urn finial.




BHF-BRL Barrel finial.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




3000 SERIES STANDARD DOOR HINGES

Illustrations are for demonstration purposes only.



- BH-3030**
 – 3.000" x 3.000" hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.165".
 – Hinge gap when closed 0.0940".



- BH-3535**
 – 3.500" x 3.500" hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.165".
 – Hinge gap when closed 0.0940".

Adjustable ball-bearing hinges.

BH-3030	3.000" x 3.000" Standard door hinge w/finial.
BH-3535	3.500" x 3.500" Standard door hinge w/finial.

Door handing is required.

Finial style must be specified.

Custom sizes are available.

Each hinge comes with #12 x 1 1/2 slotted wood screws.

Machine screws available upon request.

Slight variations may result from the sand-casting process.

Recommended hinge screws are not pre-drilled.

Call for engineering specifications, if needed.

Additional Hinge Screws

BH-SCREWS-REG	1.500"
BH-SCREWS-LG	2.500"

Non-Removeable Pin

NRP	each
-----	------

Re-Size Any Standard Hinge

Custom hinge machining	per hinge
------------------------	-----------

Custom Hinge Screw Location Upcharge


UC-HINGE-SCREW-PROGRAM	per program
------------------------	-------------

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




4000 SERIES STANDARD DOOR HINGES

Illustrations are for demonstration purposes only.



- BH-4040**
 – 4.000" x 4.000" hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.165".
 – Hinge gap when closed 0.0940".



- BH-4545**
 – 4.500" x 4.500" hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.210".
 – Hinge gap when closed 0.0940".

Adjustable ball-bearing hinges.

BH-4030	4.000" x 3.000" Door hinge w/finial.
BH-4035	4.000" x 3.500" Door hinge w/finial.
BH-4040	4.000" x 4.000" Standard door hinge w/finial.
BH-4535	4.500" x 3.500" Door hinge w/finial.
BH-4540	4.500" x 4.000" Door hinge w/finial.
BH-4545	4.500" x 4.500" Standard door hinge w/finial.

Door handing is required.

Finial style must be specified.

Custom sizes are available.

Each hinge comes with #12 x 1 1/2 slotted wood screws.

Machine screws available upon request.

Slight variations may result from the sand-casting process.

Recommended hinge screws are not pre-drilled.

Call for engineering specifications, if needed.

Additional Hinge Screws

BH-SCREWS-REG 1.500"

BH-SCREWS-LG 2.500"

Non-Removeable Pin

NRP each

Re-Size Any Standard Hinge

Custom hinge machining per hinge

Custom Hinge Screw Location Upcharge


UC-HINGE-SCREW-PROGRAM per program

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




4000 SERIES STANDARD DOOR HINGES

Illustrations are for demonstration purposes only.



- BHT-4040-2K**
 – 4.000" x 4.000" standard hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.130" +/- 0.015.
 – Hinge gap when closed 0.0940" +/- 0.015.



- BHT-4545-2K**
 – 4.500" x 4.500" standard hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.135" +/- 0.015.
 – Hinge gap when closed 0.0940" +/- 0.015.

Adjustable ball-bearing standard gauge door hinges.

Slight variations may result from the sand-casting process, making Sun Valley Bronze hinges non-compliant with ANSI standards of +/-.

BHT-4040-2K	4.000" x 4.000" Standard gauge door hinge w/finial.
BHT-4545-2K	4.500" x 4.500" Standard gauge door hinge w/finial.

Door handing is required.

Finial style must be specified.

Each hinge comes with #12 x 1 1/2 slotted wood screws.

Machine screws available upon request.

Slight variations may result from the sand-casting process.

Recommended hinge screws are not pre-drilled.

Additional Hinge Screws

BH-SCREWS-REG	1.500"
BH-SCREWS-LG	2.500"

Non-Removeable Pin

NRP	each
-----	------

Custom Hinge Screw Location Upcharge


UC-HINGE-SCREW-PROGRAM	per program
------------------------	-------------

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




5000 SERIES STANDARD DOOR HINGES


Illustrations are for demonstration purposes only.



BH-5035
 – 5.000" x 3.500" hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.210".
 – Hinge gap when closed 0.0940".



BH-5050
 – 5.000" x 5.000" hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.210".
 – Hinge gap when closed 0.0940".



BH-5555
 – 5.500" x 5.500" hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.210".
 – Hinge gap when closed 0.0940".

Adjustable ball-bearing hinges.

BH-5035	5.000" x 3.500" Door hinge w/finial.
BH-5040	5.000" x 4.000" Door hinge w/finial.
BH-5050	5.000" x 5.000" Standard door hinge w/finial.
BH-5555	5.500" x 5.500" Standard door hinge w/finial.

Door handing is required.

Finial style must be specified.

Custom sizes are available.

Each hinge comes with #12 x 1 1/2 slotted wood screws.

Machine screws available upon request.

Slight variations may result from the sand-casting process.

Recommended hinge screws are not pre-drilled.

Call for engineering specifications, if needed.

Additional Hinge Screws

BH-SCREWS-REG	1.500"
BH-SCREWS-LG	2.500"

Non-Removeable Pin

NRP	each
-----	------

Re-Size Any Standard Hinge

Custom hinge machining	per hinge
------------------------	-----------

Custom Hinge Screw Location Upcharge


UC-HINGE-SCREW-PROGRAM	per program
------------------------	-------------

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




6000 SERIES STANDARD DOOR HINGES


Illustrations are for demonstration purposes only.



BH-6040
 – 6.000" x 4.000" hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.210".
 – Hinge gap when closed 0.0940".



BH-6045
 – 6.000" x 4.500" hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.210".
 – Hinge gap when closed 0.0940".



BH-6060
 – 6.000" x 6.000" hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.210".
 – Hinge gap when closed 0.0940".

Adjustable ball-bearing hinges.

BH-6040	6.000" x 4.000" Door hinge w/finial.
BH-6045	6.000" x 4.500" Door hinge w/finial.
BH-6050	6.000" x 5.000" Door hinge w/finial.
BH-6055	6.000" x 5.500" Door hinge w/finial.
BH-6060	6.000" x 6.000" Standard door hinge w/finial.

Door handing is required.

Finial style must be specified.

Custom sizes are available.

Each hinge comes with #12 x 1 1/2 slotted wood screws.

Machine screws available upon request.

Slight variations may result from the sand-casting process.

Recommended hinge screws are not pre-drilled.

Call for engineering specifications, if needed.

Additional Hinge Screws

BH-SCREWS-REG	1.500"
BH-SCREWS-LG	2.500"

Non-Removeable Pin

NRP	each
-----	------

Re-Size Any Standard Hinge

Custom hinge machining	per hinge
------------------------	-----------

Custom Hinge Screw Location Upcharge


UC-HINGE-SCREW-PROGRAM	per program
------------------------	-------------

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




4000 SERIES SQUARE KNUCKLE HINGES

Illustrations are for demonstration purposes only.



BH-SQ4040

- 4.000" x 4.000" square knuckle hinge.
- No finial.
- Leaf thickness 0.210".
- Hinge gap when closed 0.0940".



BH-SQ4545

- 4.500" x 4.500" square knuckle hinge.
- No finial.
- Leaf thickness 0.210".
- Hinge gap when closed 0.0940".

Square knuckle hinges.

BH-SQ4040 4.000" x 4.000" Square knuckle door hinge. No finial.

BH-SQ4545 4.500" x 4.500" Square knuckle door hinge. No finial.

Door handing is required.

Custom sizes are available.

Each hinge comes with #12 x 1 1/2 slotted wood screws.

Machine screws available upon request.

Slight variations may result from the sand-casting process.

Recommended hinge screws are not pre-drilled.

Call for engineering specifications, if needed.

Additional Hinge Screws

BH-SCREWS-REG 1.500"

BH-SCREWS-LG 2.500"

Non-Removeable Pin

NRP each

Re-Size Any Standard Hinge

Custom hinge machining per hinge

Custom Hinge Screw Location Upcharge


UC-HINGE-SCREW-PROGRAM per program

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



5000 SERIES SQUARE KNUCKLE HINGES

Illustrations are for demonstration purposes only.



- BH-SQ5050
- 5.000" x 5.000" square knuckle hinge.
 - No finial.
 - Leaf thickness 0.210".
 - Hinge gap when closed 0.0940".

Square knuckle hinges.

BH-SQ5050 5.000" x 5.000" Square knuckle door hinge. No finial.

Door handing is required.

Custom sizes are available.

Each hinge comes with #12 x 1 1/2 slotted wood screws.

Machine screws available upon request.

Slight variations may result from the sand-casting process.

Recommended hinge screws are not pre-drilled.

Call for engineering specifications, if needed.

Additional Hinge Screws

BH-SCREWS-REG 1.500"

BH-SCREWS-LG 2.500"

Non-Removeable Pin

NRP each

Re-Size Any Standard Hinge

Custom hinge machining per hinge

Custom Hinge Screw Location Upcharge


UC-HINGE-SCREW-PROGRAM per program

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




6000 SERIES SQUARE KNUCKLE HINGES


Illustrations are for demonstration purposes only.



BH-SQ6040
 – 6.000" x 4.000" square knuckle hinge.
 – No finial.
 – Leaf thickness 0.210".
 – Hinge gap when closed 0.0940".



BH-SQ6045
 – 6.000" x 4.500" square knuckle hinge.
 – No finial.
 – Leaf thickness 0.210".
 – Hinge gap when closed 0.0940".



BH-SQ6060
 – 6.000" x 6.000" square knuckle hinge.
 – No finial.
 – Leaf thickness 0.210".
 – Hinge gap when closed 0.0940".

Square knuckle hinges.

BH-SQ6040	6.000" x 4.000" Square knuckle door hinge. No finial.
BH-SQ6045	6.000" x 4.500" Square knuckle door hinge. No finial.
BH-SQ6060	6.000" x 6.000" Square knuckle door hinge. No finial.

Door handing is required.

Custom sizes are available.

Each hinge comes with #12 x 1 1/2 slotted wood screws.

Machine screws available upon request.

Slight variations may result from the sand-casting process.

Recommended hinge screws are not pre-drilled.

Call for engineering specifications, if needed.

Additional Hinge Screws

BH-SCREWS-REG	1.500"
BH-SCREWS-LG	2.500"

Non-Removeable Pin

NRP	each
-----	------

Re-Size Any Standard Hinge

Custom hinge machining	per hinge
------------------------	-----------

Custom Hinge Screw Location Upcharge


UC-HINGE-SCREW-PROGRAM	per program
------------------------	-------------

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



3000 SERIES WIDE THROW DOOR HINGES

Illustrations are for demonstration purposes only.



BH-3540

- 3.500" x 4.000" wide throw hinge.
- Shown w/flat finial.
- Leaf thickness 0.165".
- Hinge gap when closed 0.0940".

Adjustable ball-bearing hinges.

BH-3540	3.500" x 4.000" Wide throw door hinge w/finial.
---------	---

Door handing is required.

Finial style must be specified.

Custom sizes are available.

Each hinge comes with #12 x 1 1/2 slotted wood screws.

Machine screws available upon request.

Slight variations may result from the sand-casting process.

Recommended hinge screws are not pre-drilled.

Call for engineering specifications, if needed.

Additional Hinge Screws

BH-SCREWS-REG	1.500"
BH-SCREWS-LG	2.500"

Non-Removeable Pin

NRP	each
-----	------

Re-Size Any Standard Hinge

Custom hinge machining	per hinge
------------------------	-----------

Custom Hinge Screw Location Upcharge


UC-HINGE-SCREW-PROGRAM	per program
------------------------	-------------

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




4000 SERIES WIDE THROW DOOR HINGES


Illustrations are for demonstration purposes only.



BH-4050
 – 4.000" x 5.000" wide throw hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.210".
 – Hinge gap when closed 0.0940".



BH-4555
 – 4.500" x 5.500" wide throw hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.210".
 – Hinge gap when closed 0.0940".



BH-4590
 – 4.500" x 9.000" wide throw hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.210".
 – Hinge gap when closed 0.0940".

Adjustable ball-bearing hinges.

BH-4045	4.000" x 4.500" Wide throw door hinge w/finial.
BH-4050	4.000" x 5.000" Wide throw door hinge w/finial.
BH-4550	4.500" x 5.000" Wide throw door hinge w/finial.
BH-4555	4.500" x 5.500" Wide throw door hinge w/finial.
BH-4560	4.500" x 6.000" Wide throw door hinge w/finial.
BH-4570	4.500" x 7.000" Wide throw door hinge w/finial.
BH-4590	4.500" x 9.000" Wide throw door hinge w/finial.

Door handing is required.

Finial style must be specified.

Custom sizes are available.

Each hinge comes with #12 x 1 1/2 slotted wood screws.

Machine screws available upon request.

Slight variations may result from the sand-casting process.

Recommended hinge screws are not pre-drilled.

Call for engineering specifications, if needed.

Additional Hinge Screws

BH-SCREWS-REG	1.500"
BH-SCREWS-LG	2.500"

Non-Removeable Pin

NRP	each
-----	------

Re-Size Any Standard Hinge

Custom hinge machining	per hinge
------------------------	-----------

Custom Hinge Screw Location Upcharge


UC-HINGE-SCREW-PROGRAM	per program
------------------------	-------------

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



5000 SERIES WIDE THROW DOOR HINGES

Illustrations are for demonstration purposes only.



BH-5060

- 5.000" x 6.000" wide throw hinge.
- Shown w/flat finial.
- Leaf thickness 0.210".
- Hinge gap when closed 0.0940".

Adjustable ball-bearing hinges.

BH-5060	5.000" x 6.000" Wide throw door hinge w/finial.
---------	---

Door handing is required.

Finial style must be specified.

Custom sizes are available.

Each hinge comes with #12 x 1 1/2 slotted wood screws.

Machine screws available upon request.

Slight variations may result from the sand-casting process.

Recommended hinge screws are not pre-drilled.

Call for engineering specifications, if needed.

Additional Hinge Screws

BH-SCREWS-REG	1.500"
BH-SCREWS-LG	2.500"

Non-Removeable Pin

NRP	each
-----	------

Re-Size Any Standard Hinge

Custom hinge machining	per hinge
------------------------	-----------

Custom Hinge Screw Location Upcharge


UC-HINGE-SCREW-PROGRAM	per program
------------------------	-------------

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



6000 SERIES WIDE THROW DOOR HINGES

Illustrations are for demonstration purposes only.



- BH-6090**
 – 6.000" x 9.000" hinge.
 – Shown w/flat finial.
 – Leaf thickness 0.210".
 – Hinge gap when closed 0.0940".

Adjustable ball-bearing hinges.

BH-6090	6.000" x 9.000" Wide throw door hinge w/finial.
---------	---

Door handing is required.

Finial style must be specified.

Custom sizes are available.

Each hinge comes with #12 x 1 1/2 slotted wood screws.

Machine screws available upon request.

Slight variations may result from the sand-casting process.

Recommended hinge screws are not pre-drilled.

Call for engineering specifications, if needed.

Additional Hinge Screws

BH-SCREWS-REG	1.500"
BH-SCREWS-LG	2.500"

Non-Removeable Pin

NRP	each
-----	------

Re-Size Any Standard Hinge

Custom hinge machining	per hinge
------------------------	-----------

Custom Hinge Screw Location Upcharge

UC-HINGE-SCREW-PROGRAM	per program
------------------------	-------------

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



BH SERIES ELECTRIFIED HINGES

BH Series electrified hinges.

Any BH Series hinge 0.165 or thicker can be electrified.
4 or 8 wire must be specified.

Upcharges

UC-BH-4WIRE

UC-BH-8WIRE

UC-BH-4/8WIRE-TEMPLATE

Pricing includes shipping to and from ACSI.

Sun Valley Bronze electrified hinges are non-load bearing, and must be mounted in a center location.

Sun Valley Bronze hinges will be finished and sent to Architectural Control Systems, Inc., ACSI.

ACSI warranty is 2 years. If wiring fails before 2 years, contact Sun Valley Bronze for a PO#. Ship the failed hinge to ACSI referencing the PO# as the RMA.

Sun Valley Bronze hinges that have been modified by other voids all warranty.

Listed hinges have custom templates made by ACSI.

Templates are approved for both 4 & 8 wire hinge modifications.

Hinges **not** listed will require UC-BH-4/8-WIRE-TEMPLATE net upcharge

BH-4040 4.0 x 4.0 LH

BH-4040 4.0 x 4.0 RH

BH-4050 4.0 x 5.0 LH

BH-4050 4.0 x 5.0 RH

BH-4545 4.5 x 4.5 LH

BH-4545 4.5 x 4.5 RH

BH-5050 5.0 x 5.0 LH

BH-5050 5.0 x 5.0 RH

BH-5555 5.5 x 5.5 LH

BH-5555 5.5 x 5.5 RH


BH-6045 6.0 x 4.5 LH

BH-6045 6.0 x 4.5 RH

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



Illustrations are for demonstration purposes only.



BH-COZY-1
– Hinge cozy.
– Shown w/Button finial.

Hinge cozy.


BH-COZY-1	Hinge cozy w/finial.
-----------	----------------------

Hinge size is required.
Finial style must be specified.
Custom sizes are available.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



Illustrations are for demonstration purposes only.



BH-4040BFP
 – Bi-fold door hinge.
 – Shown w/ball finial.

Adjustable ball-bearing hinges.

BH-4040BFP 4.000" x 4.500" Bi-fold door hinge w/finial.

Door handing is required.

Finial style must be specified.

Slight variations may result from the sand-casting process.

Additional Hinge Screws

BH-SCREWS-REG	1.500"
BH-SCREWS-LG	2.500"

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



SUN VALLEY BRONZE

Technical drawing of a mechanical part with dimensions:

- Overall length: 15.000
- Overall width: 3.063
- Overall height: 4.000
- Left hole diameter: $\varnothing 1.000$
- Left hole depth: 4.000
- Distance from left face to start of taper: 6.063
- Distance from left face to end of taper: 1.250
- Distance from left face to center of right hole: 1.938
- Distance from left face to end of right hole: 6.063
- Distance from left face to end of right hole (alternative dimension): 1.125
- Distance from left face to end of right hole (alternative dimension): 1.375
- Distance from left face to end of right hole (alternative dimension): 0.250
- Right hole diameter: $\varnothing 1.000$
- Right hole depth: 3.063

Technical drawing of a cylinder. The diameter is labeled as $\phi 0.875$ and the height is labeled as 0.438.


Diagram of a trapezoidal prism. The top width is labeled 0.500. The bottom width is labeled 1.000SQ.

A 3D perspective drawing of a cylinder. A vertical dimension line to the left of the cylinder indicates a height of 0.375. A horizontal dimension line at the base of the cylinder indicates a diameter of $\varnothing 0.875$.




ACTIVE BEAN SURFACE MOUNT STRAP HINGES


Illustrations are for demonstration purposes only.




SH-S-B13ACT
 – 13.250" Active Bean mortise mount strap hinge.
 – Shown w/button finial.
 – 1.313" Heel.
 – Right hand shown.




SH-S-B15ACT
 – 15.000" Active Bean mortise mount strap hinge.
 – Shown w/button finial.
 – 2.000" Heel.
 – Right hand shown.



SH-S-B18ACT
 – 18.125" Active Bean mortise mount strap hinge.
 – Shown w/button finial.
 – 2.688" Heel.
 – Right hand shown.



SH-S-B23ACT
 – 23.000" Active Bean mortise mount strap hinge.
 – Shown w/button finial.
 – 2.625" Heel.
 – Right hand shown.



SH-S-B33ACT
 – 33.125" Active Bean mortise mount strap hinge.
 – Shown w/button finial.
 – 3.000" Heel.
 – Right hand shown.

Active Bean surface mount strap hinges. Adjustable ball-bearings.

SH-S-B13ACT	13.250" Active Bean surface mount strap hinge.
SH-S-B15ACT	15.000" Active Bean surface mount strap hinge.
SH-S-B18ACT	18.125" Active Bean surface mount strap hinge.
SH-S-B23ACT	23.000" Active Bean surface mount strap hinge.
SH-S-B33ACT	33.125" Active Bean surface mount strap hinge.
SH-S-B33ACT-45	33.125" Active Bean surface mount strap hinge w/4 1/2" hinge leaf.

Door handing is required.

Finial style must be specified.

Custom sizes are available.

Provided with 5/16" x 1 1/2" lags.

Slight variations may result from the sand-casting process.




Additional Hinge Screws

BH-SCREWS-REG 1.500"

BH-SCREWS-LG

2.500"

Additional Lag Bolt Covers




PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




ACTIVE FLEUR DE LIS MORTISE MOUNT STRAP HINGES


Illustrations are for demonstration purposes only.



SH-M-FDL18-ACT
 – 18.000" Active Fleur de Lis mortise mount strap hinge.
 – Shown w/flat finial.
 – 3.500" heel.
 – Right hand shown.



SH-M-FDL30-ACT
 – 30.000" Active Fleur de Lis mortise mount strap hinge.
 – Shown w/flat finial.
 – 3.563" heel.
 – Right hand shown.



SH-M-FDL32-ACT
 – 32.125" Active Fleur de Lis mortise mount strap hinge.
 – Shown w/flat finial.
 – 3.625" heel.
 – Right hand shown.

Active Fleur de Lis mortise mount strap hinges. Adjustable ball-bearings.

SH-M-FDL18ACT	18.125" Active Fleur de Lis mortise mount strap hinge.
SH-M-FDL30ACT	30.000" Active Fleur de Lis mortise mount strap hinge.
SH-M-FDL32ACT	32.125" Active Fleur de Lis mortise mount strap hinge.
SH-M-FDL32ACT-45	32.125" Active Fleur de Lis mortise mount strap hinge w/4 1/2" hinge leaf.

Door handing is required.

Finial style must be specified.

Custom sizes are available.


Provided with 5/16" x 1 1/2" lags.

Slight variations may result from the sand-casting process.


Additional Hinge Screws

BH-SCREWS-REG	1.500"
BH-SCREWS-LG	2.500"


Additional Lag Bolt Covers



LAG-1
 – 0.875" x 0.438" Dome.



LAG-2
 – 1.000" x 0.500" Square.




LAG-3
 – 0.875" x 0.375" Cylindrical.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




ACTIVE FLEUR DE LIS SURFACE MOUNT STRAP HINGES


Illustrations are for demonstration purposes only.



SH-S-FDL18-ACT
 - 18.000" Active Fleur de Lis surface mount strap hinge.
 - Shown w/flat finial.
 - 3.500" heel.
 - Right hand shown.



SH-S-FDL30-ACT
 - 30.000" Active Fleur de Lis surface mount strap hinge.
 - Shown w/flat finial.
 - 3.563" heel.
 - Right hand shown.



SH-S-FDL32-ACT
 - 32.125" Active Fleur de Lis surface mount strap hinge.
 - Shown w/flat finial.
 - 3.625" heel.
 - Right hand shown.

Active Fleur de Lis surface mount strap hinges. Adjustable ball-bearings.

SH-S-FDL18ACT	18.125" Active Fleur de Lis surface mount strap hinge.
SH-S-FDL30ACT	30.000" Active Fleur de Lis surface mount strap hinge.
SH-S-FDL32ACT	32.125" Active Fleur de Lis surface mount strap hinge.
SH-S-FDL32ACT-45	32.125" Active Fleur de Lis surface mount strap hinge w/4 1/2" hinge leaf.

Door handing is required.

Finial style must be specified.

Custom sizes are available.


Provided with 5/16" x 1 1/2" lags.

Slight variations may result from the sand-casting process.


Additional Hinge Screws

BH-SCREWS-REG	1.500"
BH-SCREWS-LG	2.500"


Additional Lag Bolt Covers



LAG-1
 - 0.875" x 0.438" Dome.



LAG-2
 - 1.000" x 0.500" Square.




LAG-3
 - 0.875" x 0.375" Cylindrical.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



ACTIVE SQUARE MORTISE MOUNT STRAP HINGES

Illustrations are for demonstration purposes only.



SH-M-F16ACT
 – 16.625" Active Square mortise mount strap hinge.
 – Shown w/flat finial.
 – Right hand shown.

Active Square mortise mount strap hinges. Adjustable ball-bearings.

SH-M- 16.625" Active Square mortise mount strap hinge.

Door handing is required.

Custom sizes are available.

Specify finial.

Provided with 5/16" x 1 1/2" lags.


Slight variations may result from the sand-casting process.

Additional Hinge Screws


BH-SCREWS-REG 1.500"

BH-SCREWS-LG 2.500"


Additional Lag Bolt Covers



LAG-1
 – 0.875" x 0.438" Dome.



LAG-2
 – 1.000" x 0.500" Square.




LAG-3
 – 0.875" x 0.375" Cylindrical.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



ACTIVE SQUARE SURFACE MOUNT STRAP HINGES

Illustrations are for demonstration purposes only.



SH-S-F16ACT
 – 16.625" Active Square surface mount strap hinge.
 – Shown w/flat finial.
 – Right hand shown.

Active Square surface mount strap hinges. Adjustable ball-bearings.

SH-S-F16ACT

16.625" Active Square surface mount strap hinge.

Door handing is required.

Custom sizes are available.

Specify finial.

Provided with 5/16" x 1 1/2" lags.


Slight variations may result from the sand-casting process.

Additional Hinge Screws


BH-SCREWS-REG 1.500"

BH-SCREWS-LG 2.500"


Additional Lag Bolt Covers



LAG-1
 – 0.875" x 0.438" Dome.



LAG-2
 – 1.000" x 0.500" Square.




LAG-3
 – 0.875" x 0.375" Cylindrical.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




ACTIVE ARCH SURFACE MOUNT STRAP HINGES

Illustrations are for demonstration purposes only.



SH-S-ARCH6-ACT
– 6.375" Active Arch surface mount strap hinge.
– Provided w/button finial.
– Right hand shown.



SH-S-ARCH20-ACT
– 12.188" Active Arch surface mount strap hinge.
– Provided w/button finial.
– Right hand shown.

Active Arch surface mount strap hinges.

SH-S-ARCH6-ACT 6.375" Active Arch surface mount strap hinge.

SH-S-ARCH20-ACT 20.187" Active Arch surface mount strap hinge.

Door handing is required.

Custom sizes are available.

Provided with 5/16" x 1 1/2" lags.




Slight variations may result from the sand-casting process.

Additional Hinge Screws

BH-SCREWS-REG 1.500"

BH-SCREWS-LG 2.500"

Additional Lag Bolt Covers




PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




ACTIVE SQUARE SURFACE MOUNT STRAP HINGES


Illustrations are for demonstration purposes only.



SH-S-T-SM20
 – 19.813" Active Square surface strap mount hinge.
 – 0.313" thick hinge leaf.
 – Right hand shown.



SH-S-T-SM32
 – 31.938" Active Square surface strap mount hinge.
 – 0.313" thick hinge leaf.
 – Right hand shown.



SH-S-T-SM35
 – 34.750" Active Square surface strap mount hinge.
 – 0.313" thick hinge leaf.
 – Right hand shown.

Active Square surface mount strap hinges. Adjustable ball-bearings.

SH-S-T-SM20	19.812" Active Square surface mount strap hinge.
SH-S-T-SM32	31.937" Active Square surface mount strap hinge.
SH-S-T-SM35	34.375" Active Square surface mount strap hinge.

Door handing is required.

Custom sizes are available.


Provided with 5/16" x 1 1/2" lags.

Slight variations may result from the sand-casting process.


Additional Hinge Screws

BH-SCREWS-REG	1.500"
BH-SCREWS-LG	2.500"


Additional Lag Bolt Covers



LAG-1
 – 0.875" x 0.438" Dome.



LAG-2
 – 1.000" x 0.500" Square.




LAG-3
 – 0.875" x 0.375" Cylindrical.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



Illustrations are for demonstration purposes only.



SH-160ACT
– 16.500" Active strap hinge.
– Right hand shown.

Active strap hinges.

SH-160ACT 16.375" Active strap hinge.

Door handing is required.


Custom sizes are available.

Provided with 5/16" x 1 1/2" lags.


Attaches to jamb/post with 5/16" - 18 x 2" hanger bolt.

Slight variations may result from the sand-casting process.


Additional Lag Bolt Covers



LAG-1
– 0.875" x 0.438" Dome.



LAG-2
– 1.000" x 0.500" Square.




LAG-3
– 0.875" x 0.375" Cylindrical.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




DUMMY BEAN STRAP HINGES


Illustrations are for demonstration purposes only.




SH-B13
– 13.000" Dummy Bean strap hinge.




SH-B14
– 14.000" Dummy Bean strap hinge.



SH-B15
– 15.000" Dummy Bean strap hinge.



SH-B18
– 18.000" Dummy Bean strap hinge.



SH-B23
– 23.000" Dummy Bean strap hinge.


Dummy Bean strap hinges.

SH-B13	13.000" Dummy Bean strap hinge.
SH-B14	14.000" Dummy Bean strap hinge.
SH-B15	15.000" Dummy Bean strap hinge.
SH-B18	18.000" Dummy Bean strap hinge.
SH-B23	23.000" Dummy Bean strap hinge.


Custom sizes are available.

Provided with 5/16" x 1 1/4" lags.


Additional Lag Bolt Covers



LAG-1
– 0.875" x 0.438" Dome.



LAG-2
– 1.000" x 0.500" Square.




LAG-3
– 0.875" x 0.375" Cylindrical.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




DUMMY BEAN STRAP HINGES


Illustrations are for demonstration purposes only.



SH-B33
– 33.000" Dummy Bean strap hinge.



SH-B36
– 36.000" Dummy Bean strap hinge.




SH-B40
– 40.000" Dummy Bean strap hinge.

Dummy Bean strap hinges.


SH-B33	33.000" Dummy Bean strap hinge.
SH-B36	36.000" Dummy Bean strap hinge.
SH-B40	40.000" Dummy Bean strap hinge.

Custom sizes are available.
Provided with 5/8" x 1 1/4" lags.


Additional Lag Bolt Covers



LAG-1
– 0.875" x 0.438" Dome.



LAG-2
– 1.000" x 0.500" Square.




LAG-3
– 0.875" x 0.375" Cylindrical.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




DUMMY NARROW FLEUR DE LIS STRAP HINGES


Illustrations are for demonstration purposes only.



SH-FDL-N12
– 12.000" Dummy Narrow Fleur de Lis strap hinge.



SH-FDL-N14
– 14.000" Dummy Narrow Fleur de Lis strap hinge.



SH-FDL-N18
– 18.000" Dummy Narrow Fleur de Lis strap hinge.

Dummy Narrow Fleur de Lis strap hinges.

SH-FDL-N12	12.000" Dummy Narrow Fleur de Lis strap hinge.
SH-FDL-N14	14.000" Dummy Narrow Fleur de Lis strap hinge.
SH-FDL-N18	18.000" Dummy Narrow Fleur de Lis strap hinge.

Custom sizes are available.


Provided with #8 x 1 1/4" oval wood screws.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




DUMMY SMALL FLEUR DE LIS STRAP HINGES


Illustrations are for demonstration purposes only.




SH-FDL-S12
– 12.000" Dummy Small Fleur de Lis strap hinge.




SH-FDL-S14
– 14.000" Dummy Small Fleur de Lis strap hinge.



SH-FDL-S18
– 18.000" Dummy Small Fleur de Lis strap hinge.



SH-FDL-S24
– 24.000" Dummy Small Fleur de Lis strap hinge.



SH-FDL-S275
– 27.500" Dummy Small Fleur de Lis strap hinge.

Dummy Small Fleur de Lis strap hinges.

SH-FDL-S12	12.000" Dummy Small Fleur de Lis strap hinge.
SH-FDL-S14	14.000" Dummy Small Fleur de Lis strap hinge.
SH-FDL-S18	18.000" Dummy Small Fleur de Lis strap hinge.
SH-FDL-S24	24.000" Dummy Small Fleur de Lis strap hinge.
SH-FDL-S275	27.500" Dummy Small Fleur de Lis strap hinge.

Custom sizes are available.


Provided with #8 x 1 1/4" oval wood screws.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




DUMMY FLEUR DE LIS STRAP HINGES


Illustrations are for demonstration purposes only.




SH-FDL-18
– 18.000" Dummy Fleur de Lis strap hinge.




SH-FDL-24
– 24.000" Dummy Fleur de Lis strap hinge.




SH-FDL-30
– 30.000" Dummy Fleur de Lis strap hinge.



SH-FDL-32
– 32.000" Dummy Fleur de Lis strap hinge.



SH-FDL-36
– 36.000" Dummy Fleur de Lis strap hinge.




SH-FDL-42
– 42.000" Dummy Fleur de Lis strap hinge.

Dummy Fleur de Lis strap hinges.


SH-FDL18	18.000" Dummy Fleur de Lis strap hinge.
SH-FDL24	24.000" Dummy Fleur de Lis strap hinge.
SH-FDL30	30.000" Dummy Fleur de Lis strap hinge.
SH-FDL32	32.000" Dummy Fleur de Lis strap hinge.
SH-FDL36	36.000" Dummy Fleur de Lis strap hinge.
SH-FDL42	42.000" Dummy Fleur de Lis strap hinge.

Custom sizes are available.
Provided with 5/16" x 1 1/4" lags.


Additional Lag Bolt Covers



LAG-1
– 0.875" x 0.438" Dome.



LAG-2
– 1.000" x 0.500" Square.




LAG-3
– 0.875" x 0.375" Cylindrical.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




DUMMY FLEUR DE LIS STRAP HINGES


Illustrations are for demonstration purposes only.



SH-FDL2-18
– 18.3125" Dummy Fleur de Lis strap hinge.
– Provided w/#8 x 1 1/4" oval wood screws.



SH-FDL2-24
– 24.000" Dummy Fleur de Lis strap hinge.



SH-FDL2-33
– 33.000" Dummy Fleur de Lis strap hinge.

SH-FDL2-39
– 39.000" Dummy Fleur de Lis strap hinge.

SH-FDL2-45
– 45.000" Dummy Fleur de Lis strap hinge.


Dummy Fleur de Lis strap hinges.

SH-FDL2-18	18.000" Dummy Fleur de Lis strap hinge.
SH-FDL2-24	24.000" Dummy Fleur de Lis strap hinge.
SH-FDL2-33	33.000" Dummy Fleur de Lis strap hinge.
SH-FDL2-39	39.000" Dummy Fleur de Lis strap hinge.
SH-FDL2-45	45.000" Dummy Fleur de Lis strap hinge.


Custom sizes are available.

Provided with 5/16" x 1 1/4" lags.


Additional Lag Bolt Covers



LAG-1
– 0.875" x 0.438" Dome.



LAG-2
– 1.000" x 0.500" Square.




LAG-3
– 0.875" x 0.375" Cylindrical.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



DUMMY DECORATIVE STRAP HINGES

Illustrations are for demonstration purposes only.



SH-G16
– 15.625" Dummy decorative strap hinge.

Dummy Decorative strap hinges.

SH-G16	15.625" Dummy Decorative strap hinge.
--------	---------------------------------------

Custom sizes are available.


Provided with #8 x 1 1/4" oval wood screws.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




DUMMY ORNATE STRAP HINGES


Illustrations are for demonstration purposes only.




SH-OD22
– 22.000" Dummy Ornate strap hinge.
– Left shown.



SH-OD32
– 32.000" Dummy Ornate strap hinge.
– Left shown.



SH-OD34
– 34.000" Dummy Ornate strap hinge.
– Left shown.



SH-OD36
– 36.000" Dummy Ornate strap hinge.
– Left shown.

Dummy Ornate strap hinges.

SH-OD22	22.000" Dummy Ornate strap hinge.
SH-OD32	32.000" Dummy Ornate strap hinge.
SH-OD34	34.000" Dummy Ornate strap hinge.
SH-OD36	36.000" Dummy Ornate strap hinge.

Custom sizes are available.


Provided with #10 x 1 1/2" oval wood screws.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




DUMMY SPADE STRAP HINGES

Illustrations are for demonstration purposes only.



SH-D16
– 16.000" Dummy Spade strap hinge.



SH-D27
– 27.250" Dummy Spade strap hinge.

Dummy Spade strap hinges.

SH-D16 16.000" Dummy Spade strap hinge.

SH-D27 27.250" Dummy Spade strap hinge.

Custom sizes are available.


Provided with #10 x 1 1/2 oval wood screws.

SUN VALLEY BRONZE


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




Illustrations are for demonstration purposes only.



SH-RT18
– 18.000" Dummy strap hinge.



SH-RT24
– 24.000" Dummy strap hinge.



SH-RT33
– 33.000" Dummy strap hinge.


Dummy strap hinges.

SH-RT18	18.000" Dummy strap hinge.
SH-RT24	24.000" Dummy strap hinge.
SH-RT33	33.000" Dummy strap hinge.


Custom sizes are available.

Provided with 5/16" x 1 1/4" lags.


Additional Lag Bolt Covers



LAG-1
– 0.875" x 0.438" Dome.



LAG-2
– 1.000" x 0.500" Square.




LAG-3
– 0.875" x 0.375" Cylindrical.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




DUMMY SQUARE STRAP HINGES

Illustrations are for demonstration purposes only.



SH-SQ18
– 18.000" Dummy Square strap hinge.



SH-SQ24
– 24.000" Dummy Square strap hinge.

Dummy Square strap hinges.

SH-SQ18	18.000" Dummy Square strap hinge.
SH-SQ24	24.000" Dummy Square strap hinge.


Custom sizes are available.
Provided with #10 x 1 1/2 oval wood screws.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



DUMMY ARROW STRAP HINGES

Illustrations are for demonstration purposes only.




SH-ARW-24
– 24.000" Dummy Arrow strap hinge.

Dummy Arrow strap hinges.


SH-ARW-24	24.000" Dummy Arrow strap hinge.
-----------	----------------------------------

Custom sizes are available.
Provided with 5/16" x 1 1/4" lags.


Additional Lag Bolt Covers



LAG-1
– 0.875" x 0.438" Dome.



LAG-2
– 1.000" x 0.500" Square.




LAG-3
– 0.875" x 0.375" Cylindrical.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




CABINET HINGE FINIALS


Illustrations are for demonstration purposes only.




BHCf-ACRN Acorn cabinet finial.




BHCf-BALL Ball cabinet finial.




BHCf-BUTN Button cabinet finial.




BHCf-DOME Dome cabinet finial.




BHCf-FDL Fleur de Lis finial.




BHCf-FLAT Flat cabinet finial.




BHCf-FREN French cabinet finial.



BHCf-RDG Ridge cabinet finial.



BHCf-STPL Steeple cabinet finial.



BHCf-URN Urn cabinet finial.


SUN VALLEY BRONZE

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



25000 SERIES CABINET HINGES

Illustrations are for demonstration purposes only.



BHC-25150

- 2.5000" x 1.5000" cabinet hinge.
- Shown w/flat finial.
- Leaf thickness 0.0980".
- Hinge gap when closed 0.0938".

BHC-25175

- 2.5000" x 1.7500" cabinet hinge.
- Shown w/flat finial.
- Leaf thickness 0.0980".
- Hinge gap when closed 0.0938".

BHC-25200

- 2.5000" x 2.0000" cabinet hinge.
- Shown w/flat finial.
- Leaf thickness 0.0980".
- Hinge gap when closed 0.0938".

Adjustable ball-bearing cabinet hinges.

BHC-25150	2.5000" x 1.5000" Cabinet hinge w/finial.
BHC-25175	2.5000" x 1.7500" Cabinet hinge w/finial.
BHC-25200	2.5000" x 2.0000" Cabinet hinge w/finial.

Call for handing options.

Cabinet handing is required.

Finial style must be specified.


Custom sizes are available.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



ACTIVE CABINET STRAP HINGES

Illustrations are for demonstration purposes only.



SH-B-12-ACT-CK
– 12.563" Active cabinet strap hinge.
– 1.438" Heel.
– Left shown.

Adjustable ball-bearing cabinet strap hinges.

SH-B12ACT-CK	12.562" Active cabinet strap hinge w/finial.
--------------	--

**** Cabinet strap hinges surface mount to face of cabinet stile and door.**

Provided with #8 wood screws for other options. Please call.

Call for handing options.

Cabinet door handing is required.

Finial style must be specified.

Custom sizes are available.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.

