

CONTENTS

This section contains saddle door hardware.

TABLE OF CONTENTS



Novus Saddle Entry Sets	Pages 29-2 – 29-5
Novus Saddle Interior Mortise Lock Sets	Pages 29-6 – 29-9
Saddle Flush Pull Passage Sets	Pages 29-10 – 29-23

ORDERING INSTRUCTIONS

Saddle Hardware: See Ordering Instructions in Binder 1/ Dealer Information.


Custom Saddle Hardware: See Custom Ordering Instructions in Binder 1/ Dealer Information.

DOOR HANDING GUIDE:




N2500 NOVUS SADDLE ENTRY SETS


Illustrations are for demonstration purposes only. Available knob or lever high or low. Illustrations are for demonstration purposes only. Any Sun Valley Bronze lever or knob may be specified.




CS-N2500ML
 - Complete set with mortise lock, cylinder and spindle.
 - Single cylinder.
 - No key cover.



CS-N2500ML-DC
 - Complete set with mortise lock, cylinder and spindle.
 - Double cylinder.
 - No key cover.



CS-N2500ML-PF
 - Complete patio function set with mortise lock and spindle.
 - Patio function.



TS-N2500ML-FD
 - Trim set only.
 - Full dummy.

Complete Novus sets with cylinder(s), spindle and emergency egress mortise lock (except where noted non-egress). Shown with 5.000" backset.

CS-N2500ML	Novus single cylinder. Knob x knob or lever x lever entry set. Face plate included.
CS-N2500ML-DC	Novus double cylinder. Knob x knob or lever x lever entry set. Face plate included.
CS-N2500ML-PF	Novus patio function. Knob x knob or lever x lever entry set. Face plate included.
TS-N2500ML-FD	Novus full dummy. Knob x knob or lever x lever dummy set. Face plate included.

Flush mount entry set.

Requires 2.250" minimum door thickness.

Additional functions and custom backsets available. Call for options and pricing.

Always specify lever/knob.

Before Production Begins:

Sun Valley Bronze requires handing, backset, thickness, door bevel/angle.

Technical drawing will be provided for approved signature.


Due to multiple variations in door prep per set mortise specifications are made specific to each project.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




F-N2500 NOVUS SADDLE ENTRY SETS


Illustrations are for demonstration purposes only. Available knob or lever high or low. Illustrations are for demonstration purposes only. Any Sun Valley Bronze lever or knob may be specified.




CS-FN2500ML
– Complete set with mortise lock, cylinder and spindle.
– Single cylinder.
– No key cover.



CS-FN2500ML-DC
– Complete set with mortise lock, cylinder and spindle.
– Double cylinder.
– No key cover.



CS-FN2500ML-PF
– Complete patio function set with mortise lock and spindle.
– Patio function.



TS-FN2500ML-FD
– Trim set only.
– Full dummy.

Complete Novus sets with cylinder(s), spindle and emergency egress mortise lock (except where noted non-egress). Shown with 5.000" backset.

CS-F-N2500ML	Novus single cylinder. Knob x knob or lever x lever entry set. Face plate included.
CS-F-N2500ML-DC	Novus double cylinder. Knob x knob or lever x lever entry set. Face plate included.
CS-F-N2500ML-PF	Novus patio function. Knob x knob or lever x lever entry set. Face plate included.
TS-F-N2500ML-FD	Novus full dummy. Knob x knob or lever x lever dummy set. Face plate included.

Flush mount entry set.

UC-F included in pricing.

Requires 2.250" minimum door thickness.

Additional functions and custom backsets available. Call for options and pricing.

Always specify lever/knob.

Before Production Begins:

Sun Valley Bronze requires handing, backset, thickness, door bevel/angle.

Technical drawing will be provided for approved signature.

Due to multiple variations in door prep per set mortise specifications are made specific to each project.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.

SUN VALLEY BRONZE




N2085.5 NOVUS MORTISE LOCK SADDLE ENTRY SETS


Illustrations are for demonstration purposes only. Any lever or knob may be substituted for lever or knob shown. Additional functions available.




CS-N2085.5ML
 - Complete set with mortise lock, cylinder and spindle.
 - Single cylinder.
 - No key cover.



CS-N2085.5ML-DC
 - Complete set with mortise lock, cylinder and spindle.
 - Double cylinder.
 - No key cover.



CS-N2085.5ML-PF
 - Complete patio function set with mortise lock and spindle.
 - Patio function.



TS-N2085.5ML-FD
 - Trim set only.
 - Full dummy.

Complete Novus sets with cylinder(s), spindle and emergency egress mortise lock (except where noted non-egress). Shown with 2.750" backset.

CS-N2085.5ML	Novus saddle single cylinder. Knob x knob or lever x lever entry set. Face plate included.
CS-N2085.5ML-DC	Novus saddle double cylinder. Knob x knob or lever x lever entry set. Face plate included.
CS-N2085.5ML-PF	Novus saddle patio function. Knob x knob or lever x lever entry set. Face plate included.
TS-N2085.5ML-FD	Novus saddle full dummy. Knob x knob or lever x lever dummy set. Face plate included.

Flush mount entry set.

Requires 2.250" minimum door thickness.


Always specify lever/knob.

Before Production Begins:

Sun Valley Bronze requires handing, backset, thickness, door bevel/angle.

Technical drawing will be provided for approved signature.

Due to multiple variations in door prep per set mortise specifications are made specific to each project.




PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




F-N2085.5 NOVUS MORTISE LOCK SADDLE ENTRY SETS


Illustrations are for demonstration purposes only. Any lever or knob may be substituted for lever or knob shown. Additional functions available.




CS-FN2085.5ML
– Complete set with mortise lock, cylinder and spindle.
– Single cylinder.
– No key cover.



CS-FN2085.5ML-DC
– Complete set with mortise lock, cylinder and spindle.
– Double cylinder.
– No key cover.



CS-FN2085.5ML-PF
– Complete patio function set with mortise lock and spindle.
– Patio function.



TS-FN2085.5ML-FD
– Trim set only.
– Full dummy.

Complete Novus sets with cylinder(s), spindle and emergency egress mortise lock (except where noted non-egress). Shown with 2.750" backset.

CS-F-N2085.5ML	Novus saddle single cylinder. Knob x knob or lever x lever entry set. Face plate included.
CS-F-N2085.5ML-DC	Novus saddle double cylinder. Knob x knob or lever x lever entry set. Face plate included.
CS-F-N2085.5ML-PF	Novus saddle patio function. Knob x knob or lever x lever entry set. Face plate included.
TS-F-N2085.5ML-FD	Novus saddle full dummy. Knob x knob or lever x lever dummy set. Face plate included.

Flush mount entry set.

UC-F included in pricing.

Requires 2.250" minimum door thickness.


Always specify lever/knob.

Before Production Begins:

Sun Valley Bronze requires handing, backset, thickness, door bevel/angle.

Technical drawing will be provided for approved signature.

Due to multiple variations in door prep per set mortise specifications are made specific to each project.




PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




N2065 NOVUS SADDLE INTERIOR MORTISE LOCK PASSAGE & PRIVACY SETS


Illustrations are for demonstration purposes only. Any lever or knob may be substituted for lever or knob shown. Additional functions available.




CS-N2065-8IML
– Complete passage set w/interior mortise lock,
2.500" backset & spindle.



CS-N2065-8IML-PR
– Complete privacy set w/interior mortise lock,
2.500" backset & spindle.



TS-N2065IML-FD
– Full dummy.
– Trim set only.



TS-N2065IML-HD
– Half dummy.
– Trim set only.

Complete sets with Accurate 9800 Series interior mortise lock and spindle. 2.875" center-to-center.

CS-N2065-8IML	Novus saddle knob x knob or lever x lever passage set. Face plate included.
CS-N2065-8IML-PR	Novus saddle knob x knob or lever x lever privacy set. Face plate included.
TS-N2065IML-FD	Novus saddle knob x knob or lever x lever full dummy set. Face plate included.
TS-N2065IML-HD	Novus saddle knob x knob or lever x lever half dummy set.

Flush mount interior mortise set.

Requires 1.750" minimum door thickness.


Always specify lever/knob.

Before Production Begins:

Sun Valley Bronze requires handing, backset, thickness, door bevel/angle.

Technical drawing will be provided for approved signature.

Due to multiple variations in door prep per set mortise specifications are made specific to each project.




PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




F-N2065 NOVUS SADDLE INTERIOR MORTISE LOCK PASSAGE & PRIVACY SETS


Illustrations are for demonstration purposes only. Any lever or knob may be substituted for lever or knob shown. Additional functions available.




CS-F-N2065-8IML
– Complete passage set w/interior mortise lock,
2.500" backset & spindle.



CS-F-N2065-8IML-PR
– Complete privacy set w/interior mortise lock,
2.500" backset & spindle.



TS-F-N2065IML-FD
– Full dummy.
– Trim set only.



TS-F-N2065IML-HD
– Half dummy.
– Trim set only.

Complete sets with Accurate 9800 Series interior mortise lock and spindle. 2.875" center-to-center.

CS-F-N2065-8IML	Novus saddle knob x knob or lever x lever passage set. Face plate included.
CS-F-N2065-8IML-PR	Novus saddle knob x knob or lever x lever privacy set. Face plate included.
TS-F-N2065IML-FD	Novus saddle knob x knob or lever x lever full dummy set. Face plate included.
TS-F-N2065IML-HD	Novus saddle knob x knob or lever x lever half dummy set.

Flush mount interior mortise set.

Requires 1.750" minimum door thickness.


Always specify lever/knob.

Before Production Begins:

Sun Valley Bronze requires handing, backset, thickness, door bevel/angle.

Technical drawing will be provided for approved signature.

Due to multiple variations in door prep per set mortise specifications are made specific to each project.




PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




N2085.5 NOVUS SADDLE INTERIOR MORTISE LOCK PASSAGE & PRIVACY SETS


Illustrations are for demonstration purposes only. Any lever or knob may be substituted for lever or knob shown. Additional functions available.




CS-N2085.5-8IML
— Complete passage set w/interior mortise lock,
2.750" backset & spindle.



CS-N2085.5-8IML-PR
— Complete privacy set w/interior mortise lock,
2.750" backset & spindle.



TS-N2085.5IML-FD
— Full dummy.
— Trim set only.



TS-N2085.5IML-HD
— Half dummy.
— Trim set only.

Complete sets with Accurate 9800 Series interior mortise lock and spindle. 2.875" center-to-center.

CS-N2085.5-8IML	Novus saddle knob x knob or lever x lever passage set. Face plate included.
CS-N2085.5-8IML-PR	Novus saddle knob x knob or lever x lever privacy set. Face plate included.
TS-N2085.5IML-FD	Novus saddle knob x knob or lever x lever full dummy set. Face plate included.
TS-N2085.5IML-HD	Novus saddle knob x knob or lever x lever half dummy set.

Flush mount interior mortise set.

Requires 1.750" minimum door thickness.


Always specify lever/knob.

Before Production Begins:

Sun Valley Bronze requires handing, backset, thickness, door bevel/angle.

Technical drawing will be provided for approved signature.

Due to multiple variations in door prep per set mortise specifications are made specific to each project.




PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




F-N2085.5 NOVUS SADDLE INTERIOR MORTISE LOCK PASSAGE & PRIVACY SETS


Illustrations are for demonstration purposes only. Any lever or knob may be substituted for lever or knob shown. Additional functions available.




CS-F-N2085-8IML
— Complete passage set w/interior mortise lock,
2.750" backset & spindle.



CS-F-N2085-8IML-PR
— Complete privacy set w/interior mortise lock,
2.750" backset & spindle.



TS-F-N2085.5IML-FD
— Full dummy.
— Trim set only.



TS-F-N2085.5IML-HD
— Half dummy.
— Trim set only.

Complete sets with Accurate 9800 Series interior mortise lock and spindle. 2.875" center-to-center.

CS-F-N2085.5-8IML

Novus saddle knob x knob or lever x lever passage set. Face plate included.

CS-F-N2085.5-8IML-PR

Novus saddle knob x knob or lever x lever privacy set. Face plate included.

TS-F-N2085.5IML-FD

Novus saddle knob x knob or lever x lever full dummy set. Face plate included.

TS-F-N2085.5IML-HD

Novus saddle knob x knob or lever x lever half dummy set.

Flush mount interior mortise set.

Requires 1.750" minimum door thickness.


Always specify lever/knob.

Before Production Begins:

Sun Valley Bronze requires handing, backset, thickness, door bevel/angle.

Technical drawing will be provided for approved signature.

Due to multiple variations in door prep per set mortise specifications are made specific to each project.




PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



38 SERIES SADDLE FLUSH PULL PASSAGE SETS

Illustrations are for demonstration purposes only.



TS-SFP-38-134
– Saddle flush pull passage set.

Saddle flush pull passage set.

TS-SFP-38-134	3.625" x 8.750" Saddle flush pull passage set for 1.750" thick door.
TS-SFP-38-200	3.625" x 8.750" Saddle flush pull passage set for 2.000" thick door.
TS-SFP-38-214	3.625" x 8.750" Saddle flush pull passage set for 2.250" thick door.

Interior saddle flush pull screws into exterior saddle flush pull. No visible screws on the exterior.

Installation Instructions:


#82

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




58 SERIES SADDLE FLUSH PULL PASSAGE SETS

Illustrations are for demonstration purposes only.



TS-SFP-58-134
– Saddle flush pull passage set.
– Bucket depth 0.500”.



TS-SFP-58-138
– Saddle flush pull passage set.
– Bucket depth 0.375”.

Saddle flush pull passage set.

TS-SFP-58-138	5.375" x 8.375" Saddle flush pull passage set for 1.375" thick door.
---------------	--

Saddle flush pull passage set.

TS-SFP-58-134	5.375" x 8.375" Saddle flush pull passage set for 1.750" thick door.
---------------	--

TS-SFP-58-200	5.375" x 8.375" Saddle flush pull passage set for 2.000" thick door.
---------------	--

TS-SFP-58-214	5.375" x 8.375" Saddle flush pull passage set for 2.250" thick door.
---------------	--

TS-SFP-58-134 is available for doors up to 3.25" thick. Call for product number and pricing.

Interior saddle flush pull screws into exterior saddle flush pull. No visible screws on the exterior.

Installation Instructions:

#79 TS-SFP-58-138


#80 TS-SFP-58-134-214

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



58 SERIES SADDLE FLUSH PULL w/EDGE PULL

Illustrations are for demonstration purposes only.



TS-SFP-EDG58-134
– Saddle flush pull w/edge pull.

Saddle flush pull w/edge pull.

TS-SFP-EDG58-134	5.375" x 8.375" Saddle flush pull w/edge pull for 1.750" thick door.
TS-SFP-EDG58-200	5.375" x 8.375" Saddle flush pull w/edge pull for 2.000" thick door.
TS-SFP-EDG58-214	5.375" x 8.375" Saddle flush pull w/edge pull for 2.250" thick door.

Interior saddle flush pull screws into exterior saddle flush pull. No visible screws on the exterior.

Doors thicker than 2.250" please call for pricing.

Installation Instructions:


#81

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



48 SERIES SADDLE FLUSH PULL w/INTERIOR MORTISE PASSAGE PULL LOCK

Illustrations are for demonstration purposes only.



CS-SFP-48-2002IML
– Complete passage set.
– Handing not required.

Saddle flush pull passage set.


CS-SFP-48-2002IML

Complete passage set w/Accurate 2002CPDPSD. Handing not required.

All sets provided with Accurate 2002CPDPSD 2.000" backset and face plate to accommodate door thickness.
1.750" minimum door thickness.


Installation Instructions:

#86-Passage



Left Hand

Standing on the exterior side of the door, the door slides left into the pocket when opening.



Right Hand


Standing on the exterior side of the door, the door slides right into the pocket when opening.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



48 SERIES SADDLE FLUSH PULL w/INTERIOR MORTISE PRIVACY PULL LOCK - LEFT HAND

Illustrations are for demonstration purposes only. Any lever or knob may be substituted for lever or knob shown.



CS-SFP-48-2002IML-PR-LH
 – Complete privacy set.
 – Left hand.

Saddle flush pull w/interior mortise privacy pull lock.

CS-SFP-48-2002IML-PR-LH

Complete privacy set. Left hand.

CS-SFP-48-2002IML-DBL-PR-LH

Complete double door privacy set. Includes passage w/strike.
 Left hand.

All sets are handed. Please specify.

Available with ER-12 or ER-13. Please specify.

Privacy sets provided with Accurate 2002CPDLSD 2.000" backset & face plate to accommodate door thickness.


Double door sets provided with Accurate 2002CPDLSD 2.000" backset, 2002CPDSSD & face plate to accommodate door thickness.

1.750" minimum door thickness.

Installation Instructions:

#86-Privacy

#86-Privacy / #86-DbI-Door Strike/Pull



Left Hand


Standing on the exterior side of the door, the door slides left into the pocket when opening.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



48 SERIES SADDLE FLUSH PULL w/INTERIOR MORTISE PRIVACY PULL LOCK - RIGHT HAND

Illustrations are for demonstration purposes only.



CS-SFP-48-2002IML-PR-RH
 – Complete privacy set.
 – Right hand.

Saddle flush pull w/interior mortise privacy pull lock.

CS-SFP-48-2002IML-PR-RH

Complete privacy set. Right hand.

CS-SFP-48-2002IML-DBL-PR-RH

Complete double door privacy set. Includes passage w/strike.
 Right hand.

All sets are handed. Please specify.

Available with ER-12 or ER-13. Please specify.

Privacy sets provided with Accurate 2002CPDLS 2.000" backset & face plate to accommodate door thickness.


Double door sets provided with Accurate 2002CPDLS 2.000" backset, 2002CPDSS & face plate to accommodate door thickness.

1.750" minimum door thickness.

Installation Instructions:

#86-Privacy

#86-Privacy / #86-DBL-Door Strike/Pull



Right Hand


Standing on the exterior side of the door, the door slides right into the pocket when opening.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




48 SERIES SADDLE FLUSH PULL MORTISE PULL LOCK – LEFT HAND

Illustrations are for demonstration purposes only. Any lever or knob may be substituted for lever or knob shown.



CS-SFP-48-2002ML-LH
– Keyed set.
– Left hand.



CS-SFP-48-2002ML-PF-LH
– Patio function.
– Left hand.

Saddle flush pull w/mortise pull lock.

CS-SFP-48-2002ML-LH	Complete single cylinder set. Left hand.
CS-SFP-48-2002ML-DBL-LH	Complete double door single cylinder set. Includes passage w/ strike. Left hand.
CS-SFP-48-2002ML-PF-LH	Complete patio function set. Left hand.
CS-SFP-48-2002ML-PF-DBL-LH	Complete double door patio function set. Includes passage w/ strike. Left hand.

All sets are handed. Please specify.

Keyed & patio function sets provided with Accurate 2002CPDLSD 2.000" backset & face plate to accommodate door thickness. Double door sets provided with Accurate 2002CPDLSD 2.000" backset, 2002CPDSSD & face plate to accommodate door thickness.

1.750" minimum door thickness.


Installation Instructions:

#86-Keyed

#86-Keyed / #86-DBL-Door Strike/Pull

#86-Patio

#86-Patio / #86-DBL-Door Strike/Pull



Left Hand


Standing on the exterior side of the door, the door slides left into the pocket when opening.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




48 SERIES SADDLE FLUSH PULL MORTISE PULL LOCK – RIGHT HAND

Illustrations are for demonstration purposes only. Any lever or knob may be substituted for lever or knob shown.



CS-SFP-48-2002ML-RH
– Keyed set.
– Right hand.



CS-SFP-48-2002ML-PF-RH
– Patio function.
– Right hand.

Saddle flush pull w/mortise pull lock.

CS-SFP-48-2002ML-RH	Complete single cylinder set. Right hand.
CS-SFP-48-2002ML-DBL-RH	Complete double door single cylinder set. Includes passage w/ strike. Right hand.
CS-SFP-48-2002ML-PF-RH	Complete patio function set. Right hand.
CS-SFP-48-2002ML-PF-DBL-RH	Complete double door patio function set. Includes passage w/ strike. Right hand.


All sets are handed. Please specify.

Keyed & patio function sets provided with Accurate 2002CPDLSD 2.000" backset & face plate to accommodate door thickness. Double door sets provided with Accurate 2002CPDLSD 2.000" backset, 2002CPDSSD & face plate to accommodate door thickness.

1.750" minimum door thickness.

Installation Instructions:

- #86-Keyed
- #86-Keyed / #86-Dbl-Door Strike/Pull
- #86-Patio
- #86-Patio / #86-Dbl-Door Strike/Pull



Right Hand


Standing on the exterior side of the door, the door slides right into the pocket when opening.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



58 SERIES SADDLE FLUSH PULL w/INTERIOR MORTISE PASSAGE PULL LOCK - LEFT HAND

Illustrations are for demonstration purposes only.



CS-SFP-58-2002IML-LH
– Complete passage set.
– Left hand.

Saddle flush pull w/interior mortise passage pull lock.

CS-SFP-58-2002IML-LH

Complete passage set w/Accurate 2002CPDPSD. Left hand.

No visible fasteners on exterior.


All sets are handed. Please specify.

All sets provided with Accurate 2002CPDPSD 2.000" backset and face plate to accommodate door thickness.

1.750" minimum door thickness.

Installation Instructions:

#83LH-Passage



Left Hand


Standing on the exterior side of the door, the door slides left into the pocket when opening.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



58 SERIES SADDLE FLUSH PULL w/INTERIOR MORTISE PASSAGE PULL LOCK - RIGHT HAND

Illustrations are for demonstration purposes only. Any lever or knob may be substituted for lever or knob shown. Additional functions available.



CS-SFP-58-2002IML-RH
– Complete passage set.
– Right hand.

Saddle flush pull w/interior mortise passage pull lock.

CS-SFP-58-2002IML-RH

Complete passage set w/Accurate 2002CPDPSD. Right hand.

No visible fasteners on exterior.


All sets are handed. Please specify.

All sets provided with Accurate 2002CPDPSD 2.000" backset and face plate to accommodate door thickness.

1.750" minimum door thickness.

Installation Instructions:

#83RH-Passage



Right Hand


Standing on the exterior side of the door, the door slides right into the pocket when opening.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



58 SERIES SADDLE FLUSH PULL w/INTERIOR MORTISE PRIVACY PULL LOCK - LEFT HAND

Illustrations are for demonstration purposes only. Any lever or knob may be substituted for lever or knob shown. Additional functions available.



CS-SFP-58-2002IML-PR-LH
 – Complete privacy set.
 – Left hand.

Saddle flush pull w/interior mortise privacy pull lock.

CS-SFP-58-2002IML-PR-LH

Complete privacy set. Left hand.

CS-SFP-58-2002IML-DBL-PR-LH

Complete double door privacy set. Left hand.

No visible fasteners on exterior.

All sets are handed. Please specify.

Available with ER-12 or ER-13. Please specify.

ER-12 & ER-13 project 0.125" from the face of saddle flush pull.


Privacy sets provided with Accurate 2002CPDLS 2.000" backset & face plate to accommodate door thickness.

Double door sets provided with Accurate 2002CPDLS 2.000" backset, 2002CPDSSD & face plate to accommodate door thickness.

1.750" minimum door thickness.

Installation Instructions:

#84LH-Privacy



Left Hand


Standing on the exterior side of the door, the door slides left into the pocket when opening.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.



58 SERIES SADDLE FLUSH PULL w/INTERIOR MORTISE PRIVACY PULL LOCK - RIGHT HAND

Illustrations are for demonstration purposes only.



CS-SFP-58-2002IML-PR-RH
 – Complete privacy set.
 – Right hand.

Saddle flush pull w/interior mortise privacy pull lock.

CS-SFP-58-2002IML-PR-RH

Complete privacy set. Right hand.

CS-SFP-58-2002IML-DBL-PR-RH

Complete double door privacy set. Right hand.

No visible fasteners on exterior.

All sets are handed. Please specify.

Available with ER-12 or ER-13. Please specify.

ER-12 & ER-13 project 0.125" from the face of saddle flush pull.


Privacy sets provided with Accurate 2002CPDLS 2.000" backset & face plate to accommodate door thickness.

Double door sets provided with Accurate 2002CPDLS 2.000" backset, 2002CPDSSD & face plate to accommodate door thickness.

1.750" minimum door thickness.

Installation Instructions:

#84RH-Privacy



Right Hand

Standing on the exterior side of the door, the door slides right into the pocket when opening.


PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




58 SERIES SADDLE FLUSH PULL w/MORTISE PULL LOCK - LEFT HAND

Illustrations are for demonstration purposes only. Any lever or knob may be substituted for lever or knob shown. Additional functions available.

SUN VALLEY BRONZE



CS-SFP-58-2002ML-LH
– Keyed set.
– Left hand.



CS-SFP-58-2002ML-PF-LH
– Patio function.
– Left hand.

Saddle flush pull w/mortise pull lock.

CS-SFP-58-2002ML-LH	Complete single cylinder set. Left hand.
CS-SFP-58-2002ML-DBL-LH	Complete double door single cylinder set. Left hand.
CS-SFP-58-2002ML-PF-LH	Complete patio function set. Left hand.
CS-SFP-58-2002ML-PF-DBL-LH	Complete double door patio function set. Left hand.

No visible fasteners on exterior.

All sets are handed. Please specify.


Keyed & patio sets provided with Accurate 2002CPDLSD 2.000" backset & face plate to accommodate door thickness.

Double door sets provided with Accurate 2002CPDLSD 2.000" backset, 2002CPDSSD & face plate to accommodate door thickness.

1.750" minimum door thickness.

Installation Instructions:

#85LH-Keyed



Left Hand


Standing on the exterior side of the door, the door slides left into the pocket when opening.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.




58 SERIES SADDLE FLUSH PULL w/MORTISE PULL LOCK - RIGHT HAND

Illustrations are for demonstration purposes only.



CS-SFP-58-2002ML-RH
– Keyed set.
– Right hand.



CS-SFP-58-2002ML-PF-RH
– Patio function.
– Right hand.

Saddle flush pull w/mortise pull lock.

CS-SFP-58-2002ML-RH	Complete single cylinder set. Right hand.
CS-SFP-58-2002ML-DBL-RH	Complete double door single cylinder set. Right hand.
CS-SFP-58-2002ML-PF-RH	Complete patio function set. Right hand.
CS-SFP-58-2002ML-PF-DBL-RH	Complete double door patio function set. Right hand.

No visible fasteners on exterior.

All sets are handed. Please specify.


Keyed & patio sets provided with Accurate 2002CPDLSD 2.000" backset & face plate to accommodate door thickness.

Double door sets provided with Accurate 2002CPDLSD 2.000" backset, 2002CPDSSD & face plate to accommodate door thickness.

1.750" minimum door thickness.

Installation Instructions:

#85RH-Keyed



Right Hand

Standing on the exterior side of the door, the door slides right into the pocket when opening.

PROPRIETARY AND CONFIDENTIAL: The information contained in this drawing is the sole property of Sun Valley Bronze. Any reproduction in part or as a whole without the written permission of Sun Valley Bronze is prohibited.

