

## AS1000-AS1009 Series

Thank you for purchasing your new Eureka Vacuum! Thank you lui Para de su nueva aspiradora Eureka!

Thank you lui Para de su nueva aspiradora Eureka!

Gracias por la compra de nouvel aspirateur Filler

Gracias por la compra de su nueva aspirateur Filler

Gracias por la compra de su nueva aspirateur Filler Gracias por la contre nouvel aspirateur Eureka!

Before F.

Antes de la contre nouvel aspirateur Eureka!

Antes de la contre nouvel aspirateur Eureka!

Avant de le retourner, appelez le service à la clientèle Eureka

# HELPLINE LÍNEA DE AYUDA LIGNE D'AIDE



1-800-282-2886

8 a.m. to 7:30 p.m. (CST), Monday - Friday 10 a.m. to 6:30 p.m. (CST), Saturday - Sunday

> 8 a.m. a 7:30 p.m. (CST), de lunes a viernes 10 a.m. a 6:30 p.m. (CST), sábado y domingo

8 h à 19 h 30 (CST), lundi au vendredi 10 h à 18 h 30 (CST), samedi et dimanche

**Upright Vacuum Cleaner** Household Type Aspiradora vertical tipo doméstico Aspirateur vertical de type résidentiel

#### Promotional code: Code eurekaad6

Special Offer - receive 15% off parts and accessories when ordering online. Promotion excludes vacuums.

Oferta especial - descuento de 15% cuando compre partes y accesorios por internet. Oferta excluye aspiradoras.

Offre spéciale – recevez 15 % de réduction sur les pièces et les accessoires lorsque vous commandez en ligne. La promotion exclut les aspirateurs.

www.eureka.com

## Where to Find Important Vacuum Information

### Keep this information

Write the model, type and serial number here: Date of purchase (keep your receipt) \_\_\_\_\_ Model number and type \_\_\_\_\_ Serial number

Find these numbers on a label on the middle back side of the vacuum cleaner. Refer to these numbers when ordering parts and accessories or if service is needed.



## Before You Start Your Vacuum Cleaner

Refer to Quick Start Guide for assembly and use. This Owner's Guide provides important instructions to prolong the life of your Eureka vacuum cleaner.

#### Inspection

Carefully unpack and inspect your new Eureka vacuum cleaner for shipping damage. Each unit is tested and thoroughly inspected before shipping. For instructions regarding any shipping damage, call Eureka Customer Service HELPLINE 1-800-282-2886 immediately.

#### Table of Contents

Important Safeguards
How to Identify Parts of Vacuum Cleaner
Maintenance Schedule
How to Use Accessories
How to Maintain Your Vacuum Cleaner
How to Maintain Turbo Nozzle
Eureka Limited Warranty Information5
Thermal Cut-Off and Problem Solving6
Spanish Owner's Guide
French Owner's Guide14-20
Order Forms and Parts List

Follow caution information wherever you see this symbol.

## IMPORTANT SAFEGUARDS

When using an electrical appliance, basic precautions should always be followed, including the following:

# READ ALL INSTRUCTIONS BEFORE USING THIS VACUUM CLEANER WARNING

To reduce the risk of fire, electric shock, or injury:



- Do not use outdoors or on wet surfaces.
- Do not leave vacuum cleaner when plugged in. Turn off the switch and unplug the electrical cord when not in use and before servicing.
- Do not allow to be used as a toy. Close attention is necessary when used by or near children.
- Use only as described in this manual. Use only manufacturer's recommended attachments.
- Do not use with damaged cord or plug. If vacuum cleaner is not working as it should, has been dropped, damaged, left outdoors, or dropped into water, return it to a service center before using.
- Do not pull or carry by cord. Do not use cord as a handle. Do not close a door on cord or pull cord around sharp edges or corners. Do not run vacuum cleaner over cord. Keep cord away from heated surfaces.
- Do not use extension cords or outlets with inadequate current carrying capacity.
- Turn off all controls before unplugging.
- Do not unplug by pulling on cord. To unplug, grasp the plug, not the cord.
- Do not handle plug or vacuum cleaner with wet hands.
- Do not put any object into openings. Do not use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce airflow.
- This vacuum cleaner creates suction and contains a revolving brush roll. Keep hair, loose clothing, fingers, and all parts of body away from openings and moving parts.
- Do not place vacuum cleaner on furniture or stairs as the brush roll may cause damage. Use
  extra care when cleaning stairs. Place vacuum cleaner on floor with the handle in storage
  position while using attachments.
- Do not pick up anything that is burning or smoking, such as cigarettes, matches, or hot ashes.
- Do not use without dust cup, filter and screen, and HEPA exhaust filter in place.
- Belt pulleys can become hot during normal use. To prevent burns, avoid touching the belt pulley when servicing the drive belt.
- Do not use to pick up flammable or combustible liquids such as gasoline, or use in areas where they may be present.
- Store your vacuum cleaner indoors in a cool, dry area.
- Keep your work area well lighted.
- Unplug electrical appliances before vacuuming them.
- Unplug before connecting turbo nozzle.

## SAVETHESE INSTRUCTIONS


To reduce the risk of electric shock, this appliance has a polarized plug (one blade is wider than the other). This plug will fit in a polarized outlet only one way. If the plug does not fit fully into the outlet, reverse the plug. If it still does not fit, contact a qualified electrician to install the proper outlet. Do not change the plug in any way.



#### Motor

**Do Not Oil** the motor or the brush roll at any time. The bearings are permanently lubricated and sealed.

## How to Identify Parts of Vacuum Cleaner




## **Maintenance Schedule**


Maintenance Schedule is also located on back side of dust cup.

READ ALL INSTRUCTIONS BEFORE USING THIS VACUUM CLEANER. Moving parts! Power switch is marked ① for on-OFF.






## **How to Use Accessories**



#### Before using accessories

- 1) Raise height adjustment to 'high carpet.'
- 2) Turn air path selector knob to 'tools.'



#### 3-Position wand

Loosen wand and hose from back of vacuum.

- · Push tool onto end of wand.
- For longer wand, slide off wand 2 and turn over, then push opposite end onto
- For short wand, push hose release button to remove wand 1. Attach tool to end of hose.



#### Crevice tool

Use for baseboards, corners and tight spaces.



### **Dusting brush**

Use for furniture, drapes and vents.



#### Turbo nozzle

Use for furniture and stairs.



#### Bare floor nozzle and wand

(with some models or available for purchase) Use for hard surfaces.



#### Stair hose

(with some models or available for purchase)




#### Make sure vacuum is below you, pushed against the bottom step.

1) Attach stair hose to end of hose or wand.




2) Attach turbo nozzle to end of stair hose.


NOTE: Hose length can be increased by releasing the hose from the hose retainer on back of unit. Reposition hose inside hose retainer after using accessories.




















## How to Maintain Your Vacuum Cleaner

Make sure vacuum cleaner is turned off and power cord is unplugged.

#### Maintain brush roll



Motor pulley can become hot with normal use.

Remove hair and threads from brush roll periodically. Do not remove end caps.





Check belt EXT-U. Replace if worn, cut or out of shape.


Avoid touching the motor shaft when checking brush roll or belt.


#### How to replace brush roll or belt


- 1) Step on handle release to lower handle flat onto floor (Fig.1).
- Remove 4 screws from brush roll cover. (Fig. 2).
- 3) Lift off brush roll cover. (Fig. 3).
- 4) Remove brush roll and belt. Thread new belt around motor shaft and brush roll (Fig. 4).
- 5) Insert left end of brush roll first. Make sure end cap fits into base. Pull right side of brush roll to stretch belt and insert right end cap into base (Fig. 5). Make sure it slides into position.
- 6) Rotate brush roll 2 turns to center belt.
- 7) Replace brush roll cover (Fig. 3).
- 8) Replace 4 screws (Fig. 6).


















#### How to Clear a Blockage


Make sure vacuum is turned off and power cord is unplugged.

#### Hose blockage


- 1) Remove hose from hose retainer. Flex the hose to loosen any blockage (Fig.1).
- 2) Remove dust cup. Set air path knob to 'floors.' Use finger to check for debris. (Fig 2)
- Base hose Pull down to loosen end of base hose. Use finger to clear blockage. Snap hose end back up into position (Fig 3).
- Hose connector Pull out on left side tab to remove connector. Remove debris. Align tab at right and snap connector back into place (Fig. 4).








## How to Maintain Turbo Nozzle







3) Clear blockage from

brush roll area. Use



## The Eureka Limited Warranty

Eureka warrants this vacuum cleaner to be free from defects in material and workmanship for a term of two years for normal household use. Warranty is granted only to the original purchaser and members of immediate household.

This warranty is good for two years from the date of purchase only when the vacuum cleaner is used in the accordance with Eureka operating instructions. **Note**: refurbished or remanufactured products have a one year limited warranty.

#### This warranty does not cover

- Parts of the vacuum that require replacement under normal use such as disposable dust bags, filters, drive belts, light bulbs, brush roll, bristles, impellers and cleaning.
- Damages or malfunctions caused by negligence, abuse, and use not in accordance with the Owner's Guide.
- Defects or damages caused by unauthorized service or the use of other than Genuine Eureka, ARM & HAMMER™ and Filtrete™ by 3M parts.

#### What Eureka will do

Eureka will, at its option, repair or replace a defective vacuum or vacuum part that is covered by this warranty. As a matter of warranty policy, **Eureka will not refund the consumer's purchase price**.

#### Warranty registration

Please fill out and return the warranty registration card accompanying your vacuum.

#### Obtaining warranty service

To obtain warranty service you must return the vacuum or vacuum part along with "proof of purchase" to any Eureka Authorized Warranty Station. For Eureka Authorized Warranty Station or Service Information, visit www.eureka.com,

write or telephone toll free:

USA: 1-800-282-2886 Electrolux Home Care North America Service Division P.O. Box 3900 Peoria, IL 61612 Mexico: (55) 5343-4384 Electrolux Home Care Canada: 1-800-282-2886 Electrolux Home Care North America Service Division 5855 Terry Fox Way Mississauga, Ontario L5V 3E4

## Obtaining warranty service outside your community

You must pay the shipping charges to the Eureka Authorized Warranty Station.

**Return shipping charges** will be paid by the Warranty Station. When returning parts for repair, please include the model, type and serial number located on the rating plate on the lower backside of the vacuum.

#### Further limitations and exclusions

Any warranty that may be implied in connection with your purchase or use of the vacuum, including any warranty of Merchantability or any warranty for Fitness For A Particular Purpose is limited to the duration of this warranty. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you. Your relief for the breach of this warranty is limited to the relief expressly provided above. In no event shall the manufacturer be liable for any consequential or incidental damages you may incur in connection with your purchase or use of the vacuum.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights. You may also have other rights, which may vary by state.

The ARM & HAMMER name is a trademark of Church and Dwight Co., Inc. 3M and Filtrete are trademarks of 3M Company, used by Electrolux Home Care Products, Inc. under license.

#### Thermal cut-off

This vacuum cleaner has a special thermostat that protects the vacuum in case of motor overheating. If the vacuum suddenly shuts off, push the power switch to off and unplug the vacuum. Check the vacuum for a possible source of overheating such as a full dust cup, blocked hose or clogged filter. If these conditions are found, fix them and wait at least 30 minutes before attempting to use the vacuum. After the 30 minute period, plug the vacuum back in and turn on the switch. If the vacuum still does not work, take it to a Eureka authorized service center for repair or call 1-800-282-2886.

Problem Solving

⚠ Make sure vacuum is turned off and power cord is unplugged.

Problem	Cause	Solution
Motor will not start.	Power plug	Push plug securely into outlet, try another outlet or check circuit breaker.
	Power switch	Step on power switch to turn vacuum on.
	Thermal cut-off	See above.
Vacuum does not clean carpet or bare floor.	Dust cup and filter	Empty dust cup, clean and/or change filter.     Clean or replace filters regularly to maintain suction. Page 2     If picking up fine dust, the dust cup may not look full, but a fine substance tends to reduce suction when it blocks air flow through the filter and screen. Refer to page 2 for filter maintenance. Make sure filter, screen and dust cup are installed properly.
	Air path selector	• Turn selector knob to 'floors.'
	Belt	Replace a worn, cut or out of shape belt. Page 4
	Hose	Remove clogs from the hose that restrict the airflow. Make sure hose is replaced into hose retainer. Page 4
	Bare floor setting	For bare floor cleaning, turn height adjustment knob to bare floor position.
	Carpet height setting	Turn height adjustment knob to another position.
No suction at the end of hose.	Dust cup and filter	Empty dust cup, clean and/or change filter.     Clean or replace filters regularly to maintain suction. Page 2     If picking up fine dust, the dust cup may not look full, but a fine substance tends to reduce suction when it blocks air flow through the filter and screen. Refer to page 2 for filter maintenance. Make sure filter, screen and dust cup are installed properly.
	Air path selector	Turn selector knob to 'tools.'
	Hose	Remove clogs from the hose that restrict the airflow. Make sure hose is replaced into hose retainer. Page 4
Turbo nozzle will not turn.	Rotating brush	Check turbo nozzle for debris. Page 5     If no suction at end of hose, turn selector knob to 'tools.'
Vacuum is hard to push.	Vacuum height setting	Adjust knob to a higher position.
	Belt	Replace a worn, cut or out of shape belt.
Burning smell; brush roll will not turn.	Belt	Check brush roll for debris. Page 4     Replace broken or out of shape belt. Page 4