

SAFETY DATA SHEET

Page 1 of 4

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION					
PRODUCT IDENTIFIER	FLOOR-DRY™, SOLID-A-SORB®, CELATOM® MP GRADES				
CHEMICAL NAME	Diatomaceous Earth, Natural				
CHEMICAL FAMILY	Silica				
MATERIAL USE	Industrial A	Industrial Absorbent			
RESTRICTION ON USE	None Known				
MANUFACTURER	EP Minerals, LLC., 9785 Gateway Dr., Reno, NV 89521				
TELEPHONE NO.	(775) 824 7600 (Monday – Friday 8:00 am PST – 5:00 pm PST)				
EMERGENCY TELEPHONE NO.	(775) 824 7	(775) 824 7600 (Monday – Friday 8:00 am PST – 5:00 pm PST)			
SDS DATE OF PREPARATION	July 21, 2025				
SECTION 2: HAZARDS IDENTIFICATION					
OSHA GHS HAZARD CLASSIFICATION	Not classified as hazardous				
HAZARDS NOT OTHERWISE CLASSIFIED	None				
LABEL ELEMENTS	No GHS labeling required				
SECTION 3: COMPOSIT	TION / IN	FORMATION ON ING	REDIENTS		
INGREDIENT IDENTIFICATION		APPROXIMATE CONCENTRATION (%)	C.A.S. NUMBERS	EINECS	
Diatomaceous Earth, Natural (kieselguhr)		100%	61790-53-2 or 7631-86-9	231-545-4	
SECTION 4: FIRST AID	MEASUI	RES			
EYE	Flush eyes	with generous quantities of water	or eye rinse solution. Consul	t physician if irritation persists.	
SKIN	Use moisture renewing lotions if dryness occurs.				
INGESTION	Drink gener	ous amounts of water to reduce b	oulk and drying effects.		
INHALATION	Remove to fresh air. Blow nose to evacuate dust.				
Most important symptoms/effects, acute and delayed	Dust may cause abrasive irritation to eyes. Prolonged skin contact may cause dryness. Dust may cause nose, throat and upper respiratory tract irritation. Prolonged inhalation of high concentration of dust may cause lung effects.				
Indication of immediate medical attention and special treatment, if necessary	Immediate medical attention is not normally required. If dust irritates the eyes, seek medical attention.				

MATERIAL NAME	FLOOR-I	DRY™, SOLID-A-SORB	®, CELATOM® MP GRA	.DES	Page 2 of 4
SECTION 5: FIRE FIGH					
EXTINGUISHING MEDIA	T	cable, the material is not	combustible.		
SPECIFIC HAZARDS ARISING	Not applic	cable, the material is not	combustible.		
FROM THE CHEMICAL SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS	Not applic	cable, the material is not	combustible.		
FOR FIRE-FIGHTERS	AL DEL	EASE MEASUE)		
SECTION 6: ACCIDENT					
PERSONAL PRECAUTIONS	If dust is	present, use respirator fi	tted with particulate filter	as specified in Section 8. Pro	tect eyes with goggles.
ENVIRONMENTAL PRECAUTIONS	This mate	erial is not a significant e	nvironmental concern.		
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	Vacuum o	Vacuum clean spillage, wet sweep or wash away. Avoid creating dust. Place in a container for use or disposal.			
SECTION 7: HANDLING	AND S	TORAGE			
PRECAUTIONS FOR SAFE HANDLING	Minimize dust generation. Avoid contact with eyes. Avoid breathing dust. Repair or dispose of broken bags. Observe all label precautions and warnings.				
CONDITIONS FOR SAFE STORAGE		Store in a dry place to maintain packaging integrity and product quality. Do not store near hydrofluoric acid or strongly basic solutions.			
SECTION 8: EXPOSURI	E CONT	ROLS / PERSO	NAL PROTECT	ION	
EXPOSURE GUIDELINES:					
Component		OSHA PEL	ACGIH TLV	MSHA PEL	NIOSH REL
Diatomaceous Earth, Natural (kieselguhr)		80 mg/m³ % SiO ₂ total dust	None Established	5 mg/m³	6 mg/m³
ENGINEERING CONTROLS				hin recommended exposure ling design of ventilation system	
PERSONAL PROTECTIVE EQUIPMENT:					
EYE / FACE PROTECTION	Goggles t	to protect from dust			
SKIN PROTECTION	No special equipment is needed.				
RESPIRATORY PROTECTION	If the exposure limits are exceeded, a NIOSH approved respirator appropriate for the form and concentration of the contaminants should be used. For example, if the dust concentration is less than ten (10) times the Permissible Exposure Limit (PEL), use a quarter or half-mask respirator with an N95 dust filter or a single-use dust mask rated N95. Selection and use of respiratory equipment must be in accordance with OSHA 1910.134; or in Canada with CSA Standard Z94.4 and good industrial hygiene practice.				
	Avoid breathing dust. Avoid contact with eyes. Wash hands after handling and before eating or drinking.				

MATERIAL NAME	FLOOR-DRY™, SOLID-A-SORB	© CELATOM® MD CDADES		Page 3 of 4	
	,	,		Page 3 01 4	
SECTION 9: PHYSICAL	AND CHEMICAL PROF	PERTIES			
PHYSICAL STATE	Solid	COLOR	Buff to off white granules		
ODOR	Odorless	pH (10% SUSPENSION)	7		
MELTING POINT/FREEZING POINT:	> 1300° C	BOILING POINT/RANGE	Not applicable		
FLASH POINT	Not applicable	EVAPORATION RATE	Not applicable		
FLAMMABLE LIMITS: LEL	Not applicable	UEL	Not applicable		
VAPOR PRESSURE	Not applicable	RELATIVE VAPOR DENSITY	Not applicable		
DENSITY / RELATIVE DENSITY	2.2	SOLUBILITY(IES):	< 1% (water)		
PARTITION COEFFICIENT: n- OCTANOL/WATER:	Not applicable	AUTO-IGNITION TEMPERATURE	Not applicable		
DECOMPOSITION TEMPERATURE	> 1300° C	FLAMMABILITY	Not applicable		
PARTICLE CHARACTERISTICS	Not determined	KINEMATIC VISCOSITY	Not app	olicable	
SECTION 10: STABILIT	Y AND REACTIVITY				
REACTIVITY	Material is not reactive.				
CHEMICAL STABILITY	Material is stable.				
POSSIBILITY OF HAZARDOUS REACTIONS	Material is not reactive.				
CONDITIONS TO AVOID	Not applicable				
INCOMPATIBLE MATERIALS	Products containing silica may react violently with hydrofluoric acid and strongly basic solutions.				
HAZARDOUS DECOMPOSITION PRODUCTS	Not applicable				
SECTION 11: TOXICOLO	OGICAL INFORMATION	I			
POTENTIAL HEALTH EFFECTS	See below and Section 11 for additional information				
Likely Routes of Exposure	See below				
EYE	May cause irritation (tear formation and redness) if dust gets in eyes.				
SKIN	Not absorbed by the skin, but may cause dryness if prolonged exposure.				
INGESTION	Ingestion of small to moderate quantities is not considered harmful, but may cause irritation of the mouth, throat and stomach.				
INHALATION	Acute inhalation can cause dryness of the nasal passage and lung congestion, coughing and general throat irritation. Chronic inhalation of dust should be avoided.				
CHRONIC EFFECTS	Chronic inhalation of dust in excess of the Permissible Exposure Limit (PEL) established by OSHA over a prolonged number of years may cause lung changes.				
NTP	Diatomaceous Earth, Natural is not classified as a carcinogen.				
IARC	Diatomaceous Earth, Natural is not classifiable as to carcinogenicity in humans (Group 3).				
NUMERICAL MEASURES OF TOXICITY	No data available				

MATERIAL NAME	FLOOR	DDVIM SOUD A SODDA CELATOMA MD CDADES	Page 4 of 4			
CORROSIVENESS, SENSITIZA		FLOOR–DRY™, SOLID-A-SORB®, CELATOM® MP GRADES Page 4 of 4				
IRRITANCY		Not applicable				
REPRODUCTIVE TOXICITY		Not available				
TERATOGENICITY, MUTAGENICITY		Not available				
SECTION 12: ECOLO	OGICAI	_ INFORMATION				
ECOTOXICITY		Diatomaceous earth products have shown some efficacy as a natural insecticide, but otherwise have no demonstrated toxicity in regards to aquatic or terrestrial life.				
PERSISTENCE AND DEGRADA	BILITY	Non-biodegradable, inert.				
BIOACCUMULATIVE POTENTIAL		Little potential for bioaccumulation				
MOBILITY IN SOIL		No mobility				
OTHER ADVERSE EFFECTS		None known				
SECTION 13: DISPO	SAL C	ONSIDERATIONS				
WASTE DISPOSAL		terial as supplied becomes a waste, use solid waste disposal common to landfill type operati Not considered a hazardous waste under RCRA (40CFR Part 261).	ions or in slurry to			
PACKAGING DISPOSAL	•	of in accordance with applicable laws and regulations, typically solid waste disposal commor	to landfill type			
SECTION 14: TRANS						
UN NUMBER		Not applicable				
UN PROPER SHIPPING NAME		Not regulated				
TRANSPORT HAZARD CLASSES(ES)		Not classified				
ACKING GROUP, IF APPLICABLE		Not applicable				
ENVIRONMENTAL HAZARDS		Not a marine pollutant				
TRANSPORT IN BULK ACCOR	RDING TO	Not determined				
SPECIAL PRECAUTIONS		None (no placarding or special handling required)				
SECTION 15: REGUI	LATOR	Y INFORMATION				
U.S. FEDERAL:						
TSCA	Diatomac	Diatomaceous Earth, Natural appears on the EPA TSCA inventory list.				
CERCLA	Diatomaceous Earth, Natural is not classified as a hazardous substance under regulations of the Comprehensive					
	EIIVIIOIIIII	ental Response Compensation and Liability Act (CERCLA), 40 CFR 302.				
SARA TITLE III	Not listed					
SECTION 16: OTHER	RINFO	RMATION				
		0 Health				
		4-Extreme				
		2-Moderate Sight D. Reactivity				
		0-Insignificant				
		E Protective Equipment				
DATE OF PREPARATION	July 21, 2025					
REVISION	Update to OSHA Hazardous Communication Standard 2024					

Disclaimer: As of the date of the preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state laws. No warranty, representation or guaranty of any kind, express or implied, is hereby provided or intended with respect to the completeness of the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by the purchase, resale, use or exposure to our product. Customer users of silica must comply with all applicable health and safety laws, regulations and orders, including OSHA Hazardous Communication Standard.