

attention and special treatment, if

necessary

## **SAFETY DATA SHEET**

Page 1 of 4

				i age i oi 4		
SECTION 1: PRODUCT	AND COM	IPANY IDENTIFICATION	N			
PRODUCT IDENTIFIER	PurifiDE® XG-3 and XG-12					
CHEMICAL NAME	Diatomaceous Earth					
CHEMICAL FAMILY	Silica	Silica				
MATERIAL USE	Filter Aid	Filter Aid				
RESTRICTION ON USE	None Known	None Known				
MANUFACTURER	EP Minerals, LLC., 9785 Gateway Dr., Reno, NV 89521					
TELEPHONE NO.	(775) 824 7600 (Monday – Friday 8:00 am PST – 5:00 pm PST)					
EMERGENCY TELEPHONE NO.	(775) 824 7600 (Monday – Friday 8:00 am PST – 5:00 pm PST)					
SDS DATE OF PREPARATION	June 18, 2018					
SECTION 2: HAZARDS	IDENTIFIC	CATION				
OSHA GHS HAZARD CLASSIFICATION	Not classified as hazardous					
HAZARDS NOT OTHERWISE CLASSIFIED	None					
LABEL ELEMENTS	No GHS labeling required					
SECTION 3: COMPOSI	TION / INFO	RMATION ON INGRED	IENTS			
INGREDIENT IDENTIFICATION		APPROXIMATE CONCENTRATION (%)	C.A.S. NUMBERS	EINECS		
Diatomaceous Earth	Diatomaceous Earth		61790-53-2	612-383-7		
SECTION 4: FIRST AID	MEASURE	ES				
EYE	Flush eyes with generous quantities of water or eye rinse solution. Consult physician if irritation persists.					
SKIN	Use moisture renewing lotions if dryness occurs.					
INGESTION	Drink generous amounts of water to reduce bulk and drying effects.					
INHALATION	Remove to fresh air. Blow nose to evacuate dust.					
Most important symptoms/effects, acute and delayed	Dust may cause abrasive irritation to eyes. Prolonged skin contact may cause dryness. Dust may cause nose, throat and upper respiratory tract irritation. Prolonged inhalation of high concentration of dust may cause lung effects.					
Indication of immediate medical	Immediate medical attention is not normally required. If dust irritates the eyes, seek medical attention					

Immediate medical attention is not normally required. If dust irritates the eyes, seek medical attention.

MATERIAL NAME	PurifiDE® XG-3 and XG-12				Page 2 of 4	
SECTION 5: FIRE FIGHT	TING M	EASURES				
EXTINGUISHING MEDIA	Not applicable, the material is not combustible.					
SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	Not applicable, the material is not combustible.					
SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS	Not applicable, the material is not combustible.					
SECTION 6: ACCIDENT	AL REL	EASE MEASUR	ES			
PERSONAL PRECAUTIONS	If dust is	If dust is present, use respirator fitted with particulate filter as specified in Section 8. Protect eyes with goggles.				
ENVIRONMENTAL PRECAUTIONS	This material is not a significant environmental concern.					
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	Vacuum clean spillage, wet sweep or wash away. Avoid creating dust. Place in a container for use or disposal.					
SECTION 7: HANDLING	AND S	TORAGE				
PRECAUTIONS FOR SAFE HANDLING	Minimize dust generation. Avoid contact with eyes. Avoid breathing dust. Repair or dispose of broken bags.  Observe all label precautions and warnings.					
CONDITIONS FOR SAFE STORAGE	Store in a dry place to maintain packaging integrity and product quality. Do not store near hydrofluoric acid or strongly basic solutions.					
SECTION 8: EXPOSURE	CONT	ROLS / PERSON	NAL PROTEC	CTION		
EXPOSURE GUIDELINES:						
Component		OSHA PEL	ACGIH TLV	MSHA PEL	NIOSH REL	
Diatomaceous Earth - Nuisance Dust		5 mg/m³ respirable dust 15 mg/m³ total dust	None Established	5 mg/m³ respirable dust 15 mg/m³ total dust	None Established	
ENGINEERING CONTROLS	Use general or local exhaust ventilation to control dust within recommended exposure limits. Refer to ACGIH publication "Industrial Ventilation" or similar publications for design of ventilation systems.				s. Refer to ACGIH	
PERSONAL PROTECTIVE EQUIPMENT:						
EYE / FACE PROTECTION	Goggles to protect from dust					
SKIN PROTECTION	No special equipment is needed.					
RESPIRATORY PROTECTION	If the exposure limits are exceeded, a NIOSH approved respirator appropriate for the form and concentration of the contaminants should be used. For example, if the dust concentration is less than ten (10) times the Permissible Exposure Limit (PEL), use a quarter or half-mask respirator with an N95 dust filter or a single-use dust mask rated N95. Selection and use of respiratory equipment must be in accordance with OSHA 1910.134 and good industrial hygiene practice.					
GENERAL HYGIENE	Avoid breathing dust. Avoid contact with eyes. Wash hands after handling and before eating or drinking.				ting or drinking.	

MATERIAL NAME	PurifiDE® XG-3 and XG-12		Page 3 of 4		
SECTION 9: PHYSICAL	AND CHEMICAL PRO	PERTIES	,		
APPEARANCE, COLOR	Light pink to gray to white power	Odorless			
PHYSICAL STATE	Solid	ODOR THRESHOLD	Not applicable		
VAPOR PRESSURE	Not applicable	VAPOR DENSITY	Not applicable		
BOILING POINT	Not applicable	MELTING POINT	> 1300° C		
FLASH POINT	Not applicable	pH (10% SUSPENSION)	4-6		
FLAMMABILITY LIMITS	Not applicable	EVAPORATION RATE	Not applicable		
DECOMPOSITION TEMPERATURE	> 1300° C	SPEC. GRAVITY / RELATIVE DENSITY	2.3		
AUTOIGNITION TEMPERATURE	Not applicable	PARTITION COEFFICIENT – n- OCTANOL/WATER	Not applicable		
FLAMMABILITY (solid/gas)	Not applicable	SOLUBILITY – WATER	< 1%		
		VISCOSITY	Not applicable		
SECTION 10: STABILIT	Y AND REACTIVITY				
REACTIVITY	Material is not reactive.				
CHEMICAL STABILITY	Material is stable.				
POSSIBILITY OF HAZARDOUS REACTIONS	Material is not reactive.				
CONDITIONS TO AVOID	Not applicable				
INCOMPATIBLE MATERIALS	Products containing silica may react violently with hydrofluoric acid and strongly basic solutions.				
HAZARDOUS DECOMPOSITION PRODUCTS	Not applicable				
SECTION 11: TOXICOL	OGICAL INFORMATIO	ON			
POTENTIAL HEALTH EFFECTS					
Likely Routes of Exposure	See below				
EYE	May cause irritation (tear formation and redness) if dust gets in eyes.				
SKIN	Not absorbed by the skin, but may cause dryness if prolonged exposure.				
INGESTION	Ingestion of small to moderate quantities is not considered harmful, but may cause irritation of the mouth, throat and stomach.				
INHALATION	Acute inhalation can cause dryness of the nasal passage and lung congestion, coughing and general throat irritation. Chronic inhalation of dust should be avoided.				
CHRONIC EFFECTS	Chronic inhalation of dust in excess of the Permissible Exposure Limit (PEL) established by OSHA over a prolonged number of years may cause lung changes.				
NTP	Diatomaceous Earth, is not classified as a carcinogen.				
IARC	Diatomaceous Earth, is not classifiable as to carcinogenicity in humans (Group 3).				
NUMERICAL MEASURES OF TOXICITY	No data available				

MATERIAL NAME	Puri	PurifiDE® XG-3 and XG-12 Page 4 of 4				
CORROSIVENESS, SENSITIZATION, IRRITANCY		Not applicable				
REPRODUCTIVE TOXICITY		Not available				
TERATOGENICITY, MUTAGENICITY	Not available					
SECTION 12: ECOL	OGI	CAL INFORMATION				
ECOTOXICITY:	Diatomaceous earth products have shown some efficacy as a natural insecticide, but otherwise have r demonstrated toxicity in regards to aquatic or terrestrial life.				wise have no	
PERSISTENCE AND DEGRADABILITY	Non-biodegradable, inert.					
BIOACCUMULATIVE POTENT	IAL	IAL Little potential for bioaccumulation				
MOBILITY IN SOIL	No mobility					
OTHER ADVERSE EFFECTS		None known				
SECTION 13: DISPO	SAL	CONSIDERATIONS				
WASTE DISPOSAL		If this material as supplied becomes a waste, use solid waste disposal common to landfill type operations or in slurry to sumps. Not considered a hazardous waste under RCRA (40CFR Part 261).				
PACKAGING DISPOSAL		Dispose of in accordance with applicable laws and regulations, typically solid waste disposal common to landfill type operations.				
SECTION 14: TRANS	SPO	RT INFORMATION				
BASIC SHIPPING INFORMATION	DOT shipping classification 55 (no restrictions). Technical name is "Diatomaceous Earth".					
ADDITIONAL INFORMATION	No special requirements or placarding necessary.					
SECTION 15: REGU	LAT	ORY INFORMATION				
U.S. FEDERAL:						
TSCA	Diate	Diatomaceous Earth appears on the EPA TSCA inventory list.				
CERCLA	Diatomaceous Earth is not classified as a hazardous substance under regulations of the Comprehensive Environmental Response Compensation and Liability Act (CERCLA), 40 CFR 302.					
SARA TITLE III	Not listed.					
INTERNATIONAL:						
Canadian Domestic Substance List (DSL)	Covered under CAS# 7631-86-9					
SECTION 16: OTHER	R IN	FORMATION				
				0* Health		
		4-Extreme 3-High 2-Moderate 1-Slight	HMIS	0 Flammability		
				0 Reactivity		
		0-Insignificant		E Protective Equipment		
ORIGINAL ISSUE DATE	Marc	ch 4, 1994				
REVISION DATE	June 18, 2018					
REVISION NO.	3					

**Disclaimer:** As of the date of the preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state laws. No warranty, representation or guaranty of any kind, express or implied, is hereby provided or intended with respect to the completeness of the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by the purchase, resale, use or exposure to our product. Customer users of silica must comply with all applicable health and safety laws, regulations and orders, including OSHA Hazardous Communication Standard.